Design for **iPhone** 

## IPHONE SHOCKPROOF COMPACT CASE

ROTATABLE BUILT-IN MAGNETIC RING STAND | WIRELESS CHARGING





www.armor-x.com © Copyright all rights reserved



### Design for **iPhone**

# **IPHONE SHOCKPROOF COMPACT CASE**

#### ROTATABLE BUILT-IN MAGNETIC RING STAND | WIRELESS CHARGING

- Designed for iPhone, with a built-in magnetic ring stand that aligns perfectly with MagSafe chargers, offers a stronger attach experience and faster wireless charging. Moreover, this case attaches to other MagSafe accessories, such as wallets, battery packs, and car mounts
- The phone case with 360-degree rotatable ring stand. So you can easily adjust your Phone to any angle in portrait or landscape view. Free your hands and experience the ultimate convenience, whether watching movies, video calls, or working out
- · Crafted from premium TPU material with excellent protection to your iPhone from accidental impacts
- · The screen bezels and camera lips well protect Syour iPhone from scratches
- · Translucent matte PC back and the polishing layer makes it possible to have a delicate touch
- Pocket-friendly ultra sleek design
- Form fitting design crafted with high precision
- · Precise cutouts and tactile buttons ensure quick access and feedback

#### 360° Rotatable Invisible Stand



## Fits MagSafe Accessories





 MODEL	SKU	EAN	SIZE	WEIGHT
iPhone 15 Pro Max	KMN-IPH-15PMX		167*83*12 mm	59g
iPhone 15 Pro	KMN-IPH-15PRO		153*78*12 mm	52g
iPhone 15 Plus iPhone 14 Plus	KMN-IPH-15PL		167*83*12 mm	58g
iPhone 15	KMN-IPH-15		153*78*12 mm	52g





 MODEL	SKU	EAN	SIZE	WEIGHT
iPhone 14 Pro Max	KMN-IPH-14PMX		167*83*12 mm	59g
iPhone 14 Pro	KMN-IPH-14PRO		153*78*12 mm	52g
iPhone 14 Plus	KMN-IPH-14PL		167*83*12 mm	58g
iPhone 14 iPhong 13	KMN-IPH-14		153*78*12 mm	52g





 MODEL	SKU	EAN	SIZE	WEIGHT
iPhone 13 Pro Max	KMN-IPH-13PMX		168*84*12 mm	59g
iPhone 13 Pro	KMN-IPH-13PRO		153*79*12 mm	52g





# PACKAGE





\*\*REMARK: For B2B projects, the default packaging is bulk pack with sealed polybag. Please contact our sales rep if you have special requirements.



