

Atkore Unistrut & Marco Catalogue



Atkore[™]
Unistrut

Atkore[™]
Marco

Steel Cable Trunking Systems



Over 90 years of experience

With a committed team, years of experience, in-depth knowledge and a full understanding of cable trunking manufacturing, Atkore Unistrut & Marco is one of the industry leaders and the business is constantly looking at ways to improve products and services.

Atkore Unistrut & Marco research the latest technologies and its advances in the industry, in order to bring added value to the customers by investing in the best equipment to ensure the business provide the best products available.

By listening to customers' needs, we strive to provide high quality products and services that meet and exceed expectations.

“Our mission is to be the customer’s first choice by providing unmatched quality, delivery and value based on sustainable excellence in strategy, people and processes.”

Personal Service

Atkore Unistrut & Marco are delighted to bring the benefits of many years experience in the industry and offer a total solution to on-site requirements.

Custom Made Solutions


Sharing experience, knowledge, and expertise. The business continues to make investments in people, products, and services. This contributes towards Atkore Unistrut & Marco's success in a wide range of industry sectors.



Leading the way in Cable Tr



About Us



Quality Systems

Atkore Unistrut offer quality Galvanised and painted products to suit your project requirements. Taking the business to the areas of expertise ensures that the business continues to bring high levels of customer service and quality products.

Environmental Policy

Working closely with regulators and environmental groups, we are committed to protecting the environment as responsible citizens. To achieve these aims we will:

- Comply with environmental laws and regulations
- Work continuously to improve the effectiveness of our environmental management
- Provide appropriate environmental training for all employees
- Seek to reduce the amount of waste at our facilities
- Re-use and recycle wherever possible
- Monitor our environmental performance to ensure we meet the standards set by ourselves
- Communicate and reinforce this policy throughout the company

British Standards

The Flytec range conforms to the following British Standards:

- BS EN 50085-1
- BS EN 50085-2
- BS EN 10142
- BS EN 10143

Building Better Together

Together, Atkore Unistrut & Marco offer a 'one-stop-shop' for all your metal framing and cable management needs. From Steel Surface Trunking, to Underfloor and Service Boxes. The Flytec range is the perfect choice for your next cable containment project.

SURFACE TRUNKING CONTENTS

Contents	Page Number
Part Code Guide	128
About Surface Trunking Systems	129
Steel Cable Trunking	130
Fast Fix Accessories	131
Standard Accessories	137
Universal Accessories	140
Multi-Compartment Trunking	143



Surface Trunking Part Code Guide

Flytec Trunking Part Code Guide

TR Trunking sizes are available from 2x2 to 12x12.

Cable Trunking - TR			Cable Trunking - TX			Cable Trunking - IP54		
Part Code	2 Comp	3 Comp	Part Code	2 Comp	3 Comp	Part Code	2 Comp	3 Comp
TR22	TR222C	-	TR22TX	TR22TX2C	-	TR22-IP54	TR222C-IP54	-
TR32	TR322C	-	TR32TX	TR32TX2C	-	TR32-IP54	TR322C-IP54	-
TR33	TR332C	-	TR33TX	TR33TX2C	-	TR33-IP54	TR332C-IP54	-
TR42	TR422C	-	TR42TX	TR42TX2C	-	TR42-IP54	TR422C-IP54	-
TR43	TR432C	-	TR43TX	TR43TX2C	-	TR43-IP54	TR432C-IP54	-
TR44	TR442C	-	TR44TX	TR44TX2C	-	TR44-IP54	TR442C-IP54	-
TR62	TR622C	TR623C	TR62TX	TR62TX2C	TR62TX3C	TR62-IP54	TR622C-IP54	TR623C-IP54
TR63	TR632C	TR633C	TR63TX	TR63TX2C	TR63TX3C	TR63-IP54	TR632C-IP54	TR633C-IP54
TR64	TR642C	TR643C	TR64TX	TR64TX2C	TR64TX3C	TR64-IP54	TR642C-IP54	TR643C-IP54
TR66	TR662C	TR663C	TR66TX	TR66TX2C	TR66TX3C	TR66-IP54	TR662C-IP54	TR663C-IP54
TR82	TR822C	TR823C	TR82TX	TR82TX2C	TR82TX3C	TR82-IP54	TR822C-IP54	TR823C-IP54
TR83	TR832C	TR833C	TR83TX	TR83TX2C	TR83TX3C	TR83-IP54	TR832C-IP54	TR833C-IP54
TR84	TR842C	TR843C	TR84TX	TR84TX2C	TR84TX3C	TR84-IP54	TR842C-IP54	TR843C-IP54
TR86	TR862C	TR863C	TR86TX	TR86TX2C	TR86TX3C	TR86-IP54	TR862C-IP54	TR863C-IP54
TR88	TR882C	TR883C	TR88TX	TR88TX2C	TR88TX3C	TR88-IP54	TR882C-IP54	TR883C-IP54
TR92	TR922C	TR923C	TR92TX	TR92TX2C	TR92TX3C	TR92-IP54	TR922C-IP54	TR923C-IP54
TR93	TR932C	TR933C	TR93TX	TR93TX2C	TR93TX3C	TR93-IP54	TR932C-IP54	TR933C-IP54
TR94	TR942C	TR943C	TR94TX	TR94TX2C	TR94TX3C	TR94-IP54	TR942C-IP54	TR943C-IP54
TR96	TR962C	TR963C	TR96TX	TR96TX2C	TR96TX3C	TR96-IP54	TR962C-IP54	TR963C-IP54
TR98	TR982C	TR983C	TR98TX	TR98TX2C	TR98TX3C	TR98-IP54	TR982C-IP54	TR983C-IP54
TR99	TR992C	TR993C	TR99TX	TR99TX2C	TR99TX3C	TR99-IP54	TR992C-IP54	TR993C-IP54
TR122	TR1222C	TR1223C	TR122TX	TR122TX2C	TR122TX3C	TR122-IP54	TR1222C-IP54	TR1223C-IP54
TR123	TR1232C	TR1233C	TR123TX	TR123TX2C	TR123TX3C	TR123-IP54	TR1232C-IP54	TR1233C-IP54
TR124	TR1242C	TR1243C	TR124TX	TR124TX2C	TR124TX3C	TR124-IP54	TR1242C-IP54	TR1243C-IP54
TR126	TR1262C	TR1263C	TR126TX	TR126TX2C	TR126TX3C	TR126-IP54	TR1262C-IP54	TR1263C-IP54
TR128	TR1282C	TR1283C	TR128TX	TR128TX2C	TR128TX3C	TR128-IP54	TR1282C-IP54	TR1283C-IP54
TR129	TR1292C	TR1293C	TR129TX	TR129TX2C	TR129TX3C	TR129-IP54	TR1292C-IP54	TR1293C-IP54
TR1212	TR12122C	TR12123C	TR1212TX	TR1212TX2C	TR1212TX3C	TR1212-IP54	TR12122C-IP54	TR12123C-IP54

Surface Trunking Systems

Part Code Guides

The tables below show limited part codes as examples only.
Please refer to the Trunking part code guide on page 128 for the full list of sizes.

Powder Coated					
2 Compartment			3 Compartment		
TR22/W	TR222C/W	TR623C/W	TR22TX/W	TR22TX2C/W	TR62TX3C/W
or	or	or	or	or	or
TR22/B	TR222C/B	TR623C/B	TR22TX/B	TR22TX2C/B	TR62TX3C/B

Power Coating Spec: As Standard
W = White RAL9010 Semi-Gloss
B = Black RAL9005 Semi-Gloss

Flytec Trunking Accessory Part Code Guide

Fast Fix IP4X (Sizes 2x2-6x6)			Standard Trunking		
	2 Comp	3 Comp		2 Comp	3 Comp
FGB22FF	FGB22FF2C	FGB62FF3C	FGB22	FGB222C	FGB623C
FGB32FF	FGB32FF2C	FGB63FF3C	FGB32	FGB322C	FGB633C
FGB33FF	FGB33FF2C	FGB64FF3C	FGB33	FGB332C	FGB643C
↓	↓	↓	↓	↓	↓
FGB66FF	FGB66FF2C	FGB66FF3C	FGB1212	FGB12122C	FGB12123C

Please note: Fast Fix IP4X Trunking is available from sizes 50x50 to 150x150 only. For larger sizes, refer to our Standard Trunking range.

Please note: IP4X straps are sold separately for Standard Trunking.

See page 131 for Fast Fix Accessories.

See page 137 for Standard Accessories.

IP54		
	2 Comp	3 Comp
FGB22-IP54	FGB222C-IP54	FGB623C-IP54
FGB32-IP54	FGB322C-IP54	FGB633C-IP54
FGB33-IP54	FGB332C-IP54	FGB643C-IP54
↓	↓	↓
FGB1212-IP54	FGB12122C-IP54	FGB12123C-IP54

See page 128 for full list of sizes.

Surface Trunking Ranges

Steel Surface Trunking is available in the following variants:

Fast Fix IP4X (FF)

Fast Fix IP4X range is available from 2x2 to 6x6, including rectangular sizes, in various bends such as 45°, 90°, flat and tees. For larger sizes refer to the standard range.

Security Fixing (TX)

A pan head screw with TORX® Tamperproof screw fix lids.

Multi-Compartment (C)

Constructed to the same high quality as the single compartment range, the multi-compartment trunking partitions are manufactured from Galvanised steel spot welded into position.

IP54 (-IP54)

Gasketed trunking to prevent ingress of dust and liquids, available in single or multi compartment.

Stainless Steel (SS)

Stainless Steel trunking 316L & 304 grade is available in single or multi compartment. The Stainless Steel trunking systems are made to order.

Steel Cable Trunking

Steel Cable Trunking Systems

Flytec's innovative product range has been a great addition to the portfolio, allowing the business to expand the overall offering. The Steel Surface Trunking range includes, Fast Fix IP4X, Security Fixing, IP54 and Stainless Steel Trunking, available in single and multi-compartments.

Surface Trunking


All lengths are supplied with internal connectors secured by M5 bright zinc-plated screws fixed into Captive Nut inserts.

All Surface Trunking is made from Pre-Galvanised Steel to BS EN 10142 & 3 and is manufactured to BS EN 50085-1 and BS EN 50085-2-1.

Straight lids are secured by a two part all steel turnbuckle as standard. Slotted or tamperproof screw lids are also available on request.

Accessories are generally a one piece construction complete with internal fitting connector.


The entire range is also available in a powder coated finish on request.



Fast Fix Cable Trunking Accessories

45° Bends


Flat Lid 45° Bend - **FB**



For larger sizes, check out our Standard range on page 137

Size	Product Code*
mm	Single
50 x 50	FB22FF
75 x 50	FB32FF
75 x 75	FB33FF
100 x 50	FB42FF
100 x 75	FB43FF
100 x 100	FB44FF
150 x 50	FB62FF
150 x 75	FB63FF
150 x 100	FB64FF
150 x 150	FB66FF


Internal Lid 45° Bend - **IB**



Size	Product Code*
mm	Single
50 x 50	IB22FF
75 x 50	IB32FF
75 x 75	IB33FF
100 x 50	IB42FF
100 x 75	IB43FF
100 x 100	IB44FF
150 x 50	IB62FF
150 x 75	IB63FF
150 x 100	IB64FF
150 x 150	IB66FF



External Lid 45° Bend - **EB**



Size	Product Code*
mm	Single
50 x 50	EB22FF
75 x 50	EB32FF
75 x 75	EB33FF
100 x 50	EB42FF
100 x 75	EB43FF
100 x 100	EB44FF
150 x 50	EB62FF
150 x 75	EB63FF
150 x 100	EB64FF
150 x 150	EB66FF

Notes: For 2 Compartment and 3 Compartment trunking, add either '2C' or '3C' to the end of the part code.

Example: A 2 Compartment Fast Fix FB in size 75 x 75 would be **FB33FF2C**

3 Compartment is available starting from 150x50.


See part code guide on page 129 for more details.

Refer to part code guides on pages 128 - 129.

Fast Fix Cable Trunking Accessories


90° Bends

Flat Lid 90° Bend - **FSB**



Size mm	Product Code*
50 x 50	FSB22FF
75 x 50	FSB32FF
75 x 75	FSB33FF
100 x 50	FSB42FF
100 x 75	FSB43FF
100 x 100	FSB44FF
150 x 50	FSB62FF
150 x 75	FSB63FF
150 x 100	FSB64FF
150 x 150	FSB66FF


Internal Lid 90° Bend - **ISB**



Size mm	Product Code*
50 x 50	ISB22FF
75 x 50	ISB32FF
75 x 75	ISB33FF
100 x 50	ISB42FF
100 x 75	ISB43FF
100 x 100	ISB44FF
150 x 50	ISB63FF
150 x 75	ISB62FF
150 x 100	ISB64FF
150 x 150	ISB66FF



External Lid 90° Bend - **ESB**



Size mm	Product Code*
50 x 50	ESB22FF
75 x 50	ESB32FF
75 x 75	ESB33FF
100 x 50	ESB42FF
100 x 75	ESB43FF
100 x 100	ESB44FF
150 x 50	ESB62FF
150 x 75	ESB63FF
150 x 100	ESB64FF
150 x 150	ESB66FF

Notes: For 2 Compartment and 3 Compartment trunking, add either '2C' or '3C' to the end of the part code.

3 Compartment is available starting from 150x50.


See part code guide on page 129 for more details.

Refer to accessory part code guide on page 129

Fast Fix Cable Trunking Accessories


Tees - Gusset

Flat Lid Tee Gusset - **FGT**



Size mm	Product Code*
	Single
50 x 50	FGT22FF
75 x 50	FGT32FF
75 x 75	FGT33FF
100 x 50	FGT42FF
100 x 75	FGT43FF
100 x 100	FGT44FF
150 x 50	FGT62FF
150 x 75	FGT63FF
150 x 100	FGT64FF
150 x 150	FGT66FF


Internal Lid Tee Gusset - **IGT**



Size mm	Product Code*
50 x 50	IGT22FF
75 x 50	IGT32FF
75 x 75	IGT33FF
100 x 50	IGT42FF
100 x 75	IGT43FF
100 x 100	IGT44FF
150 x 50	IGT62FF
150 x 75	IGT63FF
150 x 100	IGT64FF
150 x 150	IGT66FF



External Lid Tee Gusset - **EGT**



Size mm	Product Code*
50 x 50	EGT22FF
75 x 50	EGT32FF
75 x 75	EGT33FF
100 x 50	EGT42FF
100 x 75	EGT43FF
100 x 100	EGT44FF
150 x 50	EGT62FF
150 x 75	EGT63FF
150 x 100	EGT64FF
150 x 150	EGT66FF

Notes: For 2 Compartment and 3 Compartment trunking, add either '2C' or '3C' to the end of the part code.

3 Compartment is available starting from 150x50.


See part code guide on page 129 for more details.

Refer to accessory part code guide on page 129

Fast Fix Cable Trunking Accessories


Tees - Square

Flat Lid Tee Square - **FST**



Size mm	Product Code*
50 x 50	FST22FF
75 x 50	FST32FF
75 x 75	FST33FF
100 x 50	FST42FF
100 x 75	FST43FF
100 x 100	FST44FF
150 x 50	FST62FF
150 x 75	FST63FF
150 x 100	FST64FF
150 x 150	FST66FF


Internal Lid Tee Square - **IST**



Size mm	Product Code*
50 x 50	IST22FF
75 x 50	IST32FF
75 x 75	IST33FF
100 x 50	IST42FF
100 x 75	IST43FF
100 x 100	IST44FF
150 x 50	IST62FF
150 x 75	IST63FF
150 x 100	IST64FF
150 x 150	IST66FF



External Lid Tee Square - **EST**



Size mm	Product Code*
50 x 50	EST22FF
75 x 50	EST32FF
75 x 75	EST33FF
100 x 50	EST42FF
100 x 75	EST43FF
100 x 100	EST44FF
150 x 50	EST62FF
150 x 75	EST63FF
150 x 100	EST64FF
150 x 150	EST66FF

Notes: For 2 Compartment and 3 Compartment trunking, add either '2C' or '3C' to the end of the part code.

3 Compartment is available starting from 150x50.


See part code guide on page 129 for more details.

Refer to accessory part code guide on page 129

Fast Fix Cable Trunking Accessories


Gusset Bends

Flat Lid Gusset Bend - **FGB**



Size mm	Product Code*
50 x 50	FGB22FF
75 x 50	FGB32FF
75 x 75	FGB33FF
100 x 50	FGB42FF
100 x 75	FGB43FF
100 x 100	FGB44FF
150 x 50	FGB62FF
150 x 75	FGB63FF
150 x 100	FGB64FF
150 x 150	FGB66FF


Internal Lid Gusset Bend - **IGB**



Size mm	Product Code*
50 x 50	IGB22FF
75 x 50	IGB32FF
75 x 75	IGB33FF
100 x 50	IGB42FF
100 x 75	IGB43FF
100 x 100	IGB44FF
150 x 50	IGB62FF
150 x 75	IGB63FF
150 x 100	IGB64FF
150 x 150	IGB66FF



External Lid Gusset Bend - **EGB**



Size mm	Product Code*
50 x 50	EGB22FF
75 x 50	EGB32FF
75 x 75	EGB33FF
100 x 50	EGB42FF
100 x 75	EGB43FF
100 x 100	EGB44FF
150 x 50	EGB62FF
150 x 75	EGB63FF
150 x 100	EGB64FF
150 x 150	EGB66FF

Notes: For 2 Compartment and 3 Compartment trunking, add either '2C' or '3C' to the end of the part code.


3 Compartment is available starting from 150x50.

See part code guide on page 129 for more details.

Fast Fix Cable Trunking Accessories


Crossovers

Crossover - **CO**



Size mm	Product Code*
50 x 50	CO22FF
75 x 50	CO32FF
75 x 75	CO33FF
100 x 50	CO42FF
100 x 75	CO43FF
100 x 100	CO44FF
150 x 50	CO62FF
150 x 75	CO63FF
150 x 100	CO64FF
150 x 150	CO66FF


Crossover Square - **COSQ**



Size mm	Product Code*
50 x 50	COSQ22FF
75 x 50	COSQ32FF
75 x 75	COSQ33FF
100 x 50	COSQ42FF
100 x 75	COSQ43FF
100 x 100	COSQ44FF
150 x 50	COSQ62FF
150 x 75	COSQ63FF
150 x 100	COSQ64FF
150 x 150	COSQ66FF



Fast Fix - Typical Assembly



Standard Cable Trunking Accessories

Bends

Flat Lid 90° Bend - **FSB**



Size mm	Code	Size mm	Code
50 x 50	FSB22	200 x 150	FSB86
75 x 50	FSB32	200 x 200	FSB88
75 x 75	FSB33	225 x 50	FSB92
100 x 50	FSB42	225 x 75	FSB93
100 x 75	FSB43	225 x 100	FSB94
100 x 100	FSB44	225 x 150	FSB96
150 x 50	FSB62	225 x 225	FSB99
150 x 75	FSB63	300 x 50	FSB122
150 x 100	FSB64	300 x 75	FSB123
150 x 150	FSB66	300 x 100	FSB124
200 x 50	FSB82	300 x 150	FSB126
200 x 75	FSB83	300 x 225	FSB129
200 x 100	FSB84	300 x 300	FSB1212

External Lid 90° Bend - **ISB**



Size mm	Code	Size mm	Code
50 x 50	ISB22	200 x 150	ISB86
75 x 50	ISB32	200 x 200	ISB88
75 x 75	ISB33	225 x 50	ISB92
100 x 50	ISB42	225 x 75	ISB93
100 x 75	ISB43	225 x 100	ISB94
100 x 100	ISB44	225 x 150	ISB96
150 x 50	ISB62	225 x 225	ISB99
150 x 75	ISB63	300 x 50	ISB122
150 x 100	ISB64	300 x 75	ISB123
150 x 150	ISB66	300 x 100	ISB124
200 x 50	ISB82	300 x 150	ISB126
200 x 75	ISB83	300 x 225	ISB129
200 x 100	ISB84	300 x 300	ISB1212

Internal Lid 90° Bend - **ESB**



Size mm	Code	Size mm	Code
50 x 50	ESB22	200 x 150	ESB86
75 x 50	ESB32	200 x 200	ESB88
75 x 75	ESB33	225 x 50	ESB92
100 x 50	ESB42	225 x 75	ESB93
100 x 75	ESB43	225 x 100	ESB94
100 x 100	ESB44	225 x 150	ESB96
150 x 50	ESB62	225 x 225	ESB99
150 x 75	ESB63	300 x 50	ESB122
150 x 100	ESB64	300 x 75	ESB123
150 x 150	ESB66	300 x 100	ESB124
200 x 50	ESB82	300 x 150	ESB126
200 x 75	ESB83	300 x 225	ESB129
200 x 100	ESB84	300 x 300	ESB1212

Flat Lid 45° Bend - **FB**



Size mm	Code	Size mm	Code
50 x 50	FB22	200 x 150	FB86
75 x 50	FB32	200 x 200	FB88
75 x 75	FB33	225 x 50	FB92
100 x 50	FB42	225 x 75	FB93
100 x 75	FB43	225 x 100	FB94
100 x 100	FB44	225 x 150	FB96
150 x 50	FB62	225 x 225	FB99
150 x 75	FB63	300 x 50	FB122
150 x 100	FB64	300 x 75	FB123
150 x 150	FB66	300 x 100	FB124
200 x 50	FB82	300 x 150	FB126
200 x 75	FB83	300 x 225	FB129
200 x 100	FB84	300 x 300	FB1212

Internal Lid 45° Bend - **IB**



Size mm	Code	Size mm	Code
50 x 50	IB22	200 x 150	IB86
75 x 50	IB32	200 x 200	IB88
75 x 75	IB33	225 x 50	IB92
100 x 50	IB42	225 x 75	IB93
100 x 75	IB43	225 x 100	IB94
100 x 100	IB44	225 x 150	IB96
150 x 50	IB62	225 x 225	IB99
150 x 75	IB63	300 x 50	IB122
150 x 100	IB64	300 x 75	IB123
150 x 150	IB66	300 x 100	IB124
200 x 50	IB82	300 x 150	IB126
200 x 75	IB83	300 x 225	IB129
200 x 100	IB84	300 x 300	IB1212

External 45° Bend - **EB**



Size mm	Code	Size mm	Code
50 x 50	EB22	200 x 150	EB86
75 x 50	EB32	200 x 200	EB88
75 x 75	EB33	225 x 50	EB92
100 x 50	EB42	225 x 75	EB93
100 x 75	EB43	225 x 100	EB94
100 x 100	EB44	225 x 150	EB96
150 x 50	EB62	225 x 225	EB99
150 x 75	EB63	300 x 50	EB122
150 x 100	EB64	300 x 75	EB123
150 x 150	EB66	300 x 100	EB124
200 x 50	EB82	300 x 150	EB126
200 x 75	EB83	300 x 225	EB129
200 x 100	EB84	300 x 300	EB1212

All trunking accessories are available as TX Security Fixing Trunking. See part code guide on page 128.

Standard Cable Trunking Accessories

Bends

Flat Lid Gusset Bend - **FGB**



Size mm	Code	Size mm	Code
50 x 50	FGB22	200 x 150	FGB86
75 x 50	FGB32	200 x 200	FGB88
75 x 75	FGB33	225 x 50	FGB92
100 x 50	FGB42	225 x 75	FGB93
100 x 75	FGB43	225 x 100	FGB94
100 x 100	FGB44	225 x 150	FGB96
150 x 50	FGB62	225 x 225	FGB99
150 x 75	FGB63	300 x 50	FGB122
150 x 100	FGB64	300 x 75	FGB123
150 x 150	FGB66	300 x 100	FGB124
200 x 50	FGB82	300 x 150	FGB126
200 x 75	FGB83	300 x 225	FGB129
200 x 100	FGB84	300 x 300	FGB1212

Internal Lid Gusset Bend - **IGB**



Size mm	Code	Size mm	Code
50 x 50	IGB22	200 x 150	IGB86
75 x 50	IGB32	200 x 200	IGB88
75 x 75	IGB33	225 x 50	IGB92
100 x 50	IGB42	225 x 75	IGB93
100 x 75	IGB43	225 x 100	IGB94
100 x 100	IGB44	225 x 150	IGB96
150 x 50	IGB62	225 x 225	IGB99
150 x 75	IGB63	300 x 50	IGB122
150 x 100	IGB64	300 x 75	IGB123
150 x 150	IGB66	300 x 100	IGB124
200 x 50	IGB82	300 x 150	IGB126
200 x 75	IGB83	300 x 225	IGB129
200 x 100	IGB84	300 x 300	IGB1212

External Lid Gusset Bend - **EGB**



Size mm	Code	Size mm	Code
50 x 50	EGB22	200 x 150	EGB86
75 x 50	EGB32	200 x 200	EGB88
75 x 75	EGB33	225 x 50	EGB92
100 x 50	EGB42	225 x 75	EGB93
100 x 75	EGB43	225 x 100	EGB94
100 x 100	EGB44	225 x 150	EGB96
150 x 50	EGB62	225 x 225	EGB99
150 x 75	EGB63	300 x 50	EGB122
150 x 100	EGB64	300 x 75	EGB123
150 x 150	EGB66	300 x 100	EGB124
200 x 50	EGB82	300 x 150	EGB126
200 x 75	EGB83	300 x 225	EGB129
200 x 100	EGB84	300 x 300	EGB1212

Crossover - **CO**



Size mm	Code	Size mm	Code
50 x 50	CO22	200 x 150	CO86
75 x 50	CO32	200 x 200	CO88
75 x 75	CO33	225 x 50	CO92
100 x 50	CO42	225 x 75	CO93
100 x 75	CO43	225 x 100	CO94
100 x 100	CO44	225 x 150	CO96
150 x 50	CO62	225 x 225	CO99
150 x 75	CO63	300 x 50	CO122
150 x 100	CO64	300 x 75	CO123
150 x 150	CO66	300 x 100	CO124
200 x 50	CO82	300 x 150	CO126
200 x 75	CO83	300 x 225	CO129
200 x 100	CO84	300 x 300	CO1212

Crossover Square - **COSQ**



Size mm	Code	Size mm	Code
50 x 50	COSQ22	200 x 150	COSQ86
75 x 50	COSQ32	200 x 200	COSQ88
75 x 75	COSQ33	225 x 50	COSQ92
100 x 50	COSQ42	225 x 75	COSQ93
100 x 75	COSQ43	225 x 100	COSQ94
100 x 100	COSQ44	225 x 150	COSQ96
150 x 50	COSQ62	225 x 225	COSQ99
150 x 75	COSQ63	300 x 50	COSQ122
150 x 100	COSQ64	300 x 75	COSQ123
150 x 150	COSQ66	300 x 100	COSQ124
200 x 50	COSQ82	300 x 150	COSQ126
200 x 75	COSQ83	300 x 225	COSQ129
200 x 100	COSQ84	300 x 300	COSQ1212

Note: For 2 Compartment and 3 Compartment trunking, add either '2C' or '3C' to the end of the part code.

3 Compartment is available starting from 150x50.

See part code guide on page 128 for more details.

All trunking accessories are available as TX Security Fixing Trunking. See part code guide on page 128.

Single Compartment Cable Trunking Accessories

Tees

Flat Lid Tee Gusset - **FGT**



Size mm	Code	Size mm	Code
50 x 50	FGT22	200 x 150	FGT86
75 x 50	FGT32	200 x 200	FGT88
75 x 75	FGT33	225 x 50	FGT92
100 x 50	FGT42	225 x 75	FGT93
100 x 75	FGT43	225 x 100	FGT94
100 x 100	FGT44	225 x 150	FGT96
150 x 50	FGT62	225 x 225	FGT99
150 x 75	FGT63	300 x 50	FGT122
150 x 100	FGT64	300 x 75	FGT123
150 x 150	FGT66	300 x 100	FGT124
200 x 50	FGT82	300 x 150	FGT126
200 x 75	FGT83	300 x 225	FGT129
200 x 100	FGT84	300 x 300	FGT1212

Internal Lid Tee Gusset - **IGT**



Size mm	Code	Size mm	Code
50 x 50	IGT22	200 x 150	IGT86
75 x 50	IGT32	200 x 200	IGT88
75 x 75	IGT33	225 x 50	IGT92
100 x 50	IGT42	225 x 75	IGT93
100 x 75	IGT43	225 x 100	IGT94
100 x 100	IGT44	225 x 150	IGT96
150 x 50	IGT62	225 x 225	IGT99
150 x 75	IGT63	300 x 50	IGT122
150 x 100	IGT64	300 x 75	IGT123
150 x 150	IGT66	300 x 100	IGT124
200 x 50	IGT82	300 x 150	IGT126
200 x 75	IGT83	300 x 225	IGT129
200 x 100	IGT84	300 x 300	IGT1212

External Lid Tee Gusset - **EGT**



Size mm	Code	Size mm	Code
50 x 50	EGT22	200 x 150	EGT86
75 x 50	EGT32	200 x 200	EGT88
75 x 75	EGT33	225 x 50	EGT92
100 x 50	EGT42	225 x 75	EGT93
100 x 75	EGT43	225 x 100	EGT94
100 x 100	EGT44	225 x 150	EGT96
150 x 50	EGT62	225 x 225	EGT99
150 x 75	EGT63	300 x 50	EGT122
150 x 100	EGT64	300 x 75	EGT123
150 x 150	EGT66	300 x 100	EGT124
200 x 50	EGT82	300 x 150	EGT126
200 x 75	EGT83	300 x 225	EGT129
200 x 100	EGT84	300 x 300	EGT1212

Flat Lid Tee Square- **FST**



Size mm	Code	Size mm	Code
50 x 50	FST22	200 x 150	FST86
75 x 50	FST32	200 x 200	FST88
75 x 75	FST33	225 x 50	FST92
100 x 50	FST42	225 x 75	FST93
100 x 75	FST43	225 x 100	FST94
100 x 100	FST44	225 x 150	FST96
150 x 50	FST62	225 x 225	FST99
150 x 75	FST63	300 x 50	FST122
150 x 100	FST64	300 x 75	FST123
150 x 150	FST66	300 x 100	FST124
200 x 50	FST82	300 x 150	FST126
200 x 75	FST83	300 x 225	FST129
200 x 100	FST84	300 x 300	FST1212

Internal Lid Tee Square - **IST**



Size mm	Code	Size mm	Code
50 x 50	IST22	200 x 150	IST86
75 x 50	IST32	200 x 200	IST88
75 x 75	IST33	225 x 50	IST92
100 x 50	IST42	225 x 75	IST93
100 x 75	IST43	225 x 100	IST94
100 x 100	IST44	225 x 150	IST96
150 x 50	IST62	225 x 225	IST99
150 x 75	IST63	300 x 50	IST122
150 x 100	IST64	300 x 75	IST123
150 x 150	IST66	300 x 100	IST124
200 x 50	IST82	300 x 150	IST126
200 x 75	IST83	300 x 225	IST129
200 x 100	IST84	300 x 300	IST1212

External Lid Tee Square - **EST**



Size mm	Code	Size mm	Code
50 x 50	EST22	200 x 150	EST86
75 x 50	EST32	200 x 200	EST88
75 x 75	EST33	225 x 50	EST92
100 x 50	EST42	225 x 75	EST93
100 x 75	EST43	225 x 100	EST94
100 x 100	EST44	225 x 150	EST96
150 x 50	EST62	225 x 225	EST99
150 x 75	EST63	300 x 50	EST122
150 x 100	EST64	300 x 75	EST123
150 x 150	EST66	300 x 100	EST124
200 x 50	EST82	300 x 150	EST126
200 x 75	EST83	300 x 225	EST129
200 x 100	EST84	300 x 300	EST1212

Standard Cable Trunking Accessories

Offset Bends & Reducers

Horizontal Offset Bend Left - **H/OS/LH**



Size mm	Code	Size mm	Code
50 x 50	H/OS/LH22	200 x 150	H/OS/LH86
75 x 50	H/OS/LH32	200 x 200	H/OS/LH88
75 x 75	H/OS/LH33	225 x 50	H/OS/LH92
100 x 50	H/OS/LH42	225 x 75	H/OS/LH93
100 x 75	H/OS/LH43	225 x 100	H/OS/LH94
100 x 100	H/OS/LH44	225 x 150	H/OS/LH96
150 x 50	H/OS/LH62	225 x 225	H/OS/LH99
150 x 75	H/OS/LH63	300 x 50	H/OS/LH122
150 x 100	H/OS/LH64	300 x 75	H/OS/LH123
150 x 150	H/OS/LH66	300 x 100	H/OS/LH124
200 x 50	H/OS/LH82	300 x 150	H/OS/LH126
200 x 75	H/OS/LH83	300 x 225	H/OS/LH129
200 x 100	H/OS/LH84	300 x 300	H/OS/LH1212

Horizontal Offset Bend Right - **H/OS/RH**



Size mm	Code	Size mm	Code
50 x 50	H/OS/RH22	200 x 150	H/OS/RH86
75 x 50	H/OS/RH32	200 x 200	H/OS/RH88
75 x 75	H/OS/RH33	225 x 50	H/OS/RH92
100 x 50	H/OS/RH42	225 x 75	H/OS/RH93
100 x 75	H/OS/RH43	225 x 100	H/OS/RH94
100 x 100	H/OS/RH44	225 x 150	H/OS/RH96
150 x 50	H/OS/RH62	225 x 225	H/OS/RH99
150 x 75	H/OS/RH63	300 x 50	H/OS/RH122
150 x 100	H/OS/RH64	300 x 75	H/OS/RH123
150 x 150	H/OS/RH66	300 x 100	H/OS/RH124
200 x 50	H/OS/RH82	300 x 150	H/OS/RH126
200 x 75	H/OS/RH83	300 x 225	H/OS/RH129
200 x 100	H/OS/RH84	300 x 300	H/OS/RH1212

Verticle Offset - **V/OS**




Size mm	Code	Size mm	Code
50 x 50	V/OS22	200 x 150	V/OS86
75 x 50	V/OS32	200 x 200	V/OS88
75 x 75	V/OS33	225 x 50	V/OS92
100 x 50	V/OS42	225 x 75	V/OS93
100 x 75	V/OS43	225 x 100	V/OS94
100 x 100	V/OS44	225 x 150	V/OS96
150 x 50	V/OS62	225 x 225	V/OS99
150 x 75	V/OS63	300 x 50	V/OS122
150 x 100	V/OS64	300 x 75	V/OS123
150 x 150	V/OS66	300 x 100	V/OS124
200 x 50	V/OS82	300 x 150	V/OS126
200 x 75	V/OS83	300 x 225	V/OS129
200 x 100	V/OS84	300 x 300	V/OS1212

Reducer- **RED**



Reducer Ordering Guide:



Part Code Example:
RED**Size-A** **Size-B**
I.E RED**4422**

Note: Speak to our Technical Team if you require bespoke Offset sizes. For 2 Compartment and 3 Compartment trunking, add either '2C' or '3C' to the end of the part code. 3 Compartment is available starting from 150x50. See part code guide on page 128 for more details.


Universal Accessories

Universal Accessories Guide

Stop End - **EC**



Flange - **FE**



Hanger - **HC**



Stop End	
Part Code	Description
EC22	50X50 Stop End
EC32	75X50 Stop End
EC33	75X75 Stop End
EC42	100X50 Stop End
EC43	100X75 Stop End
EC44	100X100 Stop End
EC62	150X50 Stop End
EC63	150X75 Stop End
EC64	150X100 Stop End
EC66	150X150 Stop End
EC82	200X50 Stop End
EC83	200X75 Stop End
EC84	200X100 Stop End
EC86	200X150 Stop End
EC88	200x200 Stop End
EC92	225x50 Stop End
EC93	225x75 Stop End
EC94	225x100 Stop End
EC96	225x150 Stop End
EC98	225x200 Stop End
EC99	225x225 Stop End
EC122	300x50 Stop End
EC123	300x75 Stop End
EC124	300x100 Stop End
EC126	300x150 Stop End
EC128	300x200 Stop End
EC129	300x225 Stop End
EC1212	300x300 Stop End

Stop End	
Part Code	Description
FE22	50X50 Flange End
FE32	75X50 Flange End
FE33	75X75 Flange End
FE42	100X50 Flange End
FE43	100X75 Flange End
FE44	100X100 Flange End
FE62	150X50 Flange End
FE63	150X75 Flange End
FE64	150X100 Flange End
FE66	150X150 Flange End
FE82	200X50 Flange End
FE83	200X75 Flange End
FE84	200X100 Flange End
FE86	200X150 Flange End
FE88	200X200 Flange End
FE92	225X50 Flange End
FE93	225X75 Flange End
FE94	225X100 Flange End
FE96	225X150 Flange End
FE98	225X200 Flange End
FE99	225X225 Flange End
FE122	300X50 Flange End
FE123	300X75 Flange End
FE124	300X100 Flange End
FE126	300X150 Flange End
FE128	300X200 Flange End
FE129	300X225 Flange End
FE1212	300X300 Flange End

Hanger	
Part Code	Description
HC22	50X50 Trunking Hanger
HC32	75X50 Trunking Hanger
HC33	75X75 Trunking Hange
HC42	100X 50 Trunking Hanger
HC43	100X75 Trunking Hanger
HC44	100X100 Trunking Hanger
HC62	150X 50 Trunking Hanger
HC63	150X75 Trunking Hanger
HC64	150X100 Trunking Hanger
HC66	150X150 Trunking Hanger

To order Universal Accessories please state the part type abbreviation followed by the size.

Stop End (EC) and Flange (FE) are also available as part of the Security Fixing (TX) range.

Universal Accessories

Universal Accessories

Twin Socket Lid - **TSO**



Twin Socket Lids

3 Compartment

TSO/4/3C

TSO/6/3C

TSO/8/3C

TSO/9/3C

TSO/12/3C

2 Compartment

TSO/4/2C

TSO/6/2C

TSO/8/2C

TSO/9/2C

TSO/12/2C

Single Socket Lid - **SSO**



Single Socket Lids

3 Compartment

SSO/4/3C

SSO/6/3C

SSO/8/3C

SSO/9/3C

SSO/12/3C

2 Compartment

SSO/4/2C

SSO/6/2C

SSO/8/2C

SSO/9/2C

SSO/12/2C

3C can also be used for single compartment trunking

Bell Mouth - **BM**



Available from sizes 50x50 to 300x300

Earth Links - **ES99**



Lid Fixing - **TB1**



Lid Fixing - **TB3**




For 3 inch assemblies only

Cable Retainer - **CS**



Available in trunking width sizes

IP4X Lid Cover Strap - **LC**



Available in trunking width sizes

Pin Rack - **VT**




Available from 50x50 to 300x300

Multi-Compartment & Gasketed Trunking

Multi-Compartment Trunking & Fly-Overs

- Partitions manufactured from galvanised steel spot welded into position
- Partitions can also be supplied for loose on-site fixing
- Trunking with unequal spaced compartments can be supplied - Please state sizes required at time of ordering
- All accessories shown on the single compartment page can be manufactured to suit multi-compartment
- All compartments are equally spaced unless requested
- Compartments are equally spaced as standard
- Speak to our technical team for unequal compartments



Fly-Overs

- Fly-Overs are supplied with all tees and crossovers
- Approximately 50% of cable capacity is lost when fitting a Fly-Over



Gasketed Trunking for External Use (IP54)

All the sizes shown in single and multi-compartment sections can be manufactured to prevent ingress of dust and liquids (IP54).

This innovative system is designed with an outward returned flange on the body with an overlapping lid, which is fitted with EDPM both sides along its entire length. When installed, the gasket is compressed between body and lid by mushroom screws which fix into captive bushes on the outward flanges.

Trunking manufactured to this design will provide IP54 protection and is supplied in 2 metres lengths maximum.

Atkore Unistrut also offer a complete range of fully gasketed accessories.





CMET

Allied Tube & Conduit ▴ AFC Cable Systems ▴ Heritage Plastics ▴ Unistrut
Unistrut Construction ▴ Cope ▴ US Tray ▴ Calbrite ▴ Calbond ▴ Kaf-Tech
Power-Strut ▴ Calconduit ▴ Razor Ribbon ▴ Calpipe Security ▴ Vergokan ▴ Cii
Columbia-MBF ▴ Eastern Wire + Conduit ▴ ACS/Uni-Fab ▴ Sasco Strut ▴ Marco
FRE Composites ▴ Queen City Plastics ▴ Four Star Industries ▴ Flexicon

Atkore Unistrut & Marco
Delta Point,
Greets Green Road
West Bromwich
B70 9PL

PHONE/ +44 (0) 121 580 6300
FAX / +44 (0) 121 580 6370

atkore.com/marco
atkore.com/unistrut

