



PAGE 3 - ADHESIVES

PAGE 4 & 5 - UNDERLAYS

PAGE 6 - CLEANERS

PAGE 7 - OILS

PAGE 8 - PROFILES / TRIMS

PAGE 9 - SHOP DISPLAYS







Since 1965 a success story!



15KG UNISIL ADHESIVE



UNISIL is a prepolymer based, single-component adhesive with MS technology. it is ecofriendly, suitable for use with

under floor heating acoustic barrier and also has higher coverage pec/m².

Suitable for: gluing all types of wooden floors especially wide plank 20mm depth boards.

Coverage: 700-1200s/m² depending on foundation.

Average coverage 12-15m²/tub.

PRYMER FAST 500 (LIQUID DPM)



Prymer FAST 500 is a single component polyurethane primer, solvent and water free, able to consolidate friable substrates and create a Damp Proof Membrane (DPM) on humid subfloors. It is suitable on either absorbent and non-absorbent subfloors, including also anhydrite.

Unique Selling Points: Fast drying time (45–50 min.), solvent and water free, no smell, low viscosity (high penetrating property), suitable for subfloor heating systems.

Suitable for creating a DPM or sealing concrete for dust.

Coverage: Approximately 40m² per 12kg drum. Depending on foundation.



3MM FOAM UNDERLAY—25 SQ MTR ROLL



Lightweight foam wood underlay, gives your floor covering the perfect level of support to protect it from excess wear.

Suitable for use with solid/semi solid/engineered and laminate flooring.

Best used for cushioning.

Sold in 25m2 rolls.

3MM ACOUSTIC UNDERLAY—10 SQ MTR ROLL



High density natural rubber, with fleece backing and vapour barrier.

This product is extremely stable and prevents movement in your flooring, greatly reducing wear and tear.

The TimberTech2 Silver is excellent at absorbing both impact and in-room noise, to really cut down noise level in any room. The silver vapour barrier film also protects your floor covering and keeps your floor dry.

Best Used for Moisture Protection, Sound Reduction, Compression Recovery

Sold in 10m2 rolls.

1.8MM QUICKTHERM FOR UNDER FLOOR HEATING—10 SQ MTR ROLL



QuickTherm's unique perforated design and ultra low tog value of just 0.35 means your under floor heating system works more efficiently to keep you warm.

The very dense closed cell polyethylene material can take heavy loads long-term, fully supporting your floor to protect it and keep it in good shape for a longer life.

Easy and safe to lift and handle thanks to its ultra-lightweight foam.

Sold in 10m2 rolls.

2MM QUICKTHERM VAPOUR—10 SQ MTR ROLL



QuickTherm Vapour features a unique perforated design and ultra low tog value of just 0.303, so it helps your underfloor heating system work at its best to keep you lovely and warm!

It also has a built-in vapour barrier with overlap to stop moisture rising up from the sub-floor - protecting your floor covering and keeping your room damp-free.

100% recyclable PE foam makes this underlay particularly eco-friendly and kinder to the environment.

Sold in 10m2 rolls.

MARLDON HARDWAX OIL



Quick drying clear hard wax oil. 3-4 hours / 5 hours recoat time.

2 coats in one day. Water repellent and dirt resistant.

Coverage 23m² per coat per 1 litre. Available in Satin.

5 hours re-coat time enabling 2 coats in one day

- Water repellent and dirt resistant
- Quick drying
- Easy roller application

LIOS HARDWAX OIL 3D



LIOS HARD WAX BOIL 3D is a product based on natural oils and waxes that gives to the treated wood a warm and smooth look, typical of natural oil finishes.

This product does not have symbols of danger and is almost odourless.

It's excellent impregnating power makes it ideal for direct treatment of wood; the second coat protects and gives depth enhancing the wood grain



KRONOS INTENSIVE CLEANER 1L. (OILED FLOORS)



Intensive floor cleaner with a special plant-based formula for intensive cleaning of wooden floors treated with natural oil. Used regularly, Lios Kronos effortlessly removes even the toughest dirt.

Contains less than 5% of surface-active agents. 90% biodegradable.

KRONOS SOFT BALM CLEANER 1L. (OILED FLOORS)



Suitable detergent for the cleaning and nourishing of oiled wooden floors. Due to its formulation based on maintenance oil it cleans and nourishes at the same time.

Used regularly, Lios Soft Balm helps to keep a natural and uniform appearance of wooden floors.

VELARUX CONCENTRATED CLEANER 1L. (LACQUERED FLOORS)



Sanitizing multiuse cleaner, suitable for maintenance of lacquered wooden floors.

It also efficiently acts on PVC, linoleum, melamine, marble, etc. removing dirt, black heel marks and various stains.

This is a neutro detergent with addition of

VELARUX CONCENTRATED POLISH 1L. (LACQUERED FLOORS)



Water-based emulsion of waxes, developed for the maintenance of lacquered wooden floors, rubber floors, vinyl floors, linoleum, marble, resins, etc. (not good for maintenance of oiled woodenfloors or not-absorbent building materials).

The product gives the floor anti-slip properties and very good antistatic characteristics. It nourishes and



SELF ADHESIVE PROFILES



Our collection of self adhesive profiles are desgigned to bridge the game between two floors of different heights or as a nea edge between two floors, door frames or fireplaces.

These trims are available in sizes varying from 900mm to 2700mm, In a number of colours including, silver, gold, white, oak & walnut. Universal cover strips & angle edge trims available.

We also have a collection of solid wood trims in stock.

SCOTIA / QUADRANT



Our collection of flooring scotia enables the homeowner to cover the expansion gap left between the floor and existing skirting board.

The Scotia is manufactured from MDF and the colour pallet available is sure to have something suitable to match all flooring.

DISPLAY STANDS



Our 12mm Alsafloor premium display consists of 8 panels measuring 60 x 90cm each, double sided with straight boards on one side & herringbone on the back. The panels have handles for ease of movement & neatly finished with a white banding. The panels are designed to slot into a compact hedgehog style stand with header board.

Standard displays consist of 8 panels of the same dimensions & a hedgehog style stand.

CUSTOM DISPLAYS



Our workshop has the resources in place to offer panels designed to fit your existing displays or stands. These made to measure panels can be suitable for wall hanging if requested.

If you are stuck for space with display panels. We offer swatches of all engineered & laminate collection as a colour guide.

Swatches are not a suitable tool for judging all ranges, colour variation, knots and filler may be present in some boards.

SOLID WOOD • ENGINEERED WOOD • LAMINATE FLOORING



COES ROAD INDUSTRIAL ESTATE, DUNDALK, CO. LOUTH. A91 FX22

TEL: 042 9332080

EMAIL: INFO@KEENM.IE

WEBSITE: WWW.KEENM.IE

The Premier Hardwood Flooring Distributors