FURUTECH PURE TRANSMISSION

FTECH-72821

FTECH-72820



La Source 101

Long headshell leads



La Source 102
Short headshell leads

Furutech La Source Pure Silver LP Headshell Leads

Furutech Co., Ltd., manufacturer of refined analog and digital audio and video cable and accessories brings to market an analog accessory that analog fans need but few make well. Furutech lavished all its engineering resources on creating these new Headshell Leads. The La Source 101 Long Headshell Leads and La Source 102 Short Headshell Leads join the Monza LP Stabilizer in the latest of Furutech's analog product releases.

La Grande Épreuve

Grand Prix racing's single focus: Testing the absolute limits of technology and performance for that final 10th of a second that makes the difference between victory and also-ran. Furutech builds each and every cable in their line the same way; optimized engineering solutions applied to advanced materials and processes, backed by utterly meticulous build quality.

Phono cartridge output is vanishingly small and easily polluted by RFI and EMI. Every element of signal transfer must be perfectly engineered to avoid distortion that robs music of life. If you're going to the trouble of playing vinyl why swamp the low-level signal in a veritable soup of noisy distortion right at its source!

All enthusiasts are looking for the same qualities: Verisimilitude to the original event, a sense of engagement promoting suspension of disbelief, an immersion in the audio and video experience. To engage without effort requires meticulous preparation of the entire playback chain especially including cables and most importantly right at the signal source.

Toll Free: 1-866-681-9602 • Local: 905-681-9602 • Fax: 905-631-5777

Shipping Address: 5109 Harvester Rd, Unit B2 • Burlington • Ontario • Canada • L7L 5Y4

Website: www.partsconnexion.com • Email: info@partsconnexion.com



La Source 101 Long Headshell Leads La Source 102 Short Headshell Leads

La Source Short and Long Silver Headshell Leads achieve their remarkably quiet soundstage and transparent presentation with pure silver conductors, four-layer shielding and an external ground, even a specially engineered cable clamp to improve grip and avoid mechanical distortion.

La Source 101 Long Headshell Leads:

- α (Alpha) pure-silver conductors 0.16mm x7pc stranded wire (26 AWG)
- α (Alpha) custom phosphor bronze rhodium-plated terminations
- Teflon insulation outside diameter approx. 1.0mm
- Approx 2.5±0.1mm diameter x 43.5± 0.5mm overall length

La Source 102 Short Headshell Leads:

- α (Alpha) pure silver conductors, 0.16mm x 7 bundle stranded wire (26 AWG)
- α (Alpha) phosphor bronze rhodium-plated special design terminal
- Female terminal: 1.0~1.2mm Dia. Pin
- Male terminal: 1.2mm outside diameter
- Teflon insulation outside diameter approx. 1.0mm
- Approx 2.5±0.1mm diameter x 23.5± 0.5mm overall length







Female Terminals

Four-Point Contact Design

Male Terminals 1.2mm Dia.

Pure Transmission F1 Full-Contact Connector Technology

α (Alpha) Conductor Is Composed Of Fine OCC Wire Strands

Treated With Furutech's α (Alpha) Cryogenic and Demagnetizing Process

Electrical Properties

Max. Conductor Resistance Min. Insulation Resistance Dielectric Strength

Capacitance Impedance

8.975 Ω/km $1x10^{10} M\Omega \cdot km \uparrow$

AC. 1000 V/1 min. 104.37 PF/m **66.79** Ω

Test Method JISC3005 4.4 JISC3005 4.7.1

20℃ 20℃

JISC3005 4.6 a

at 1 KHz at 200 KHz


Toll Free: 1-866-681-9602 • Local: 905-681-9602 • Fax: 905-631-5777 Shipping Address: 5109 Harvester Rd, Unit B2 • Burlington • Ontario • Canada • L7L 5Y4


Website: www.partsconnexion.com • Email: info@partsconnexion.com


FURUTECH La Source 101 and 102 application reference image

La Source 101 application images as below:









La Source 102 application image as below:



