



FN 659

Blazemaster ® Pro-Fit MK VI-(2A)

2620100059 2620100060 2620100069 2620100070 2620100080 2620100090 2620100110 2262010120 262010130	FF/WCW/3RP/HP/CKL/KKW	6SF 6 7SF 7 8 9 10 11	XXS XXS XS XS S M L XL XXL
2620100130	FF/WCW/3RP/HP/CKL/KKW	13	XXXL

Blazemaster ® Pro-Fit MK VI-2B

2620200059	FF/WCW/3RP/HP/CCKL/KKW	6SF	XXS*
2620200060	FF/WCW/3RP/HP/CCKL/KKW	6	XXS*
2620200069	FF/WCW/3RP/HP/CCKL/KKW	7SF	XS*
2620200070	FF/WCW/3RP/HP/CCKL/KKW	7	XS
2620200080	FF/WCW/3RP/HP/CCKL/KKW	8	S*
2620200090	FF/WCW/3RP/HP/CCKL/KKW	9	M
2620200100	FF/WCW/3RP/HP/CCKL/KKW	10	L
2620200110	FF/WCW/3RP/HP/CCKL/KKW	11	XL
2620200120	FF/WCW/3RP/HP/CCKL/KKW	12	XXL
2620200130	FF/WCW/3RP/HP/CCKL/KKW	13	XXXL

C€0598 CH 0120

Gloves are made to the following **(EN 659)** sizes: 6,7, 8, 9,10,11,12,13

MARKING

Each packet shall be labelled/ contain information concerning size, type, quantity, manufacturer, the CE mark and/or the European Standard for Firefighters gloves reference No: EN 659:2003 + A1:2008. This information is provided in each packet.

Tests (EN659) Performance Levels

This glove series is manufactured by/for: Bennett Safetywear Ltd

FN 659:2003+A1:2008

EN 039.2003+A1.2008							
Abrasion Resistance	Pass (3	3)	Blade Cut Resistance	Pass (4)			
Tear Resistance	Pass (4	4)	Puncture Resistance	Pass (3)			
Burning Behaviour	Pass (4	4)	Contact Heat Wet	Pass			
Contact Heat	4*		Contact Heat Dry	Pass			
Radiant Heat (40 Kw)	Pass		Convective Heat	Pass (4)			
Lining	Pass		Heat Shrinkage	Pass			
Chemical Tests	Pass		Seam Strength	Pass			
Immersion	Pass		Donning Test	Pass			
BS ENISO 21420:2	2020						
Chromium(VI)	N	Иах	2 ppm				
Н			3.5 Max 9.5				
Dexterity	P	ass	1				
Water Resistance	2		,				
		-					
ENISO20 811							

20 KPa

Viral Penetration

Water Resistance

BS ISO16604:2001

PACKING AND STORAGE

Gloves shall be wrapped and bundled in polymeric packaging. Can be used under normal climatic conditions. New gloves can be used up to five years after date of supply if stored correctly. The gloves are packed in bundles, along with this leaflet. Gloves should be stored away from direct sunlight to maintain the optimum properties of the glove. Labels or information shall contain the user instructions for the minimum resale quantity. This bundle is suitable for transportation and storage.

OBSOLESCENCE: Stored correctly, the gloves' physical properties will not change for up to five years.

Care Instructions:

Both new and used gloves should be thoroughly inspected before and after use, especially after cleaning treatment, and before being worn to ensure no damage is present. Damaged gloves should not be worn and should be disposed of. Wet or contaminated gloves should not be used. Dirty gloves may not provide the same level of protection as that shown. Gloves should not be left in a contaminated condition if re-use is intended, in which case gloves should be cleaned as far as possible, provided no serious hazards exist, before removal from the hands. Excess contaminant should first be removed, e.g. loose dirt can be brushed off with a soft brush. Rinse the gloves in clean water. Soiled gloves should be cleaned with a damp cloth. Strong cleaning agents e.g. bleach should not be used; strong detergents may impair the water resistance. Remove the gloves and thoroughly rinse in several changes of clear lukewarm water. It is essential that the gloves are rinsed in water after cleaning to remove all traces of mild detergent if used. The gloves may be de-contaminated with mild detergent solution, then rinsed with clean water and allowed to dry naturally, ideally with some air movement. Squeeze out the surplus water from the fingertips downwards.

Squeeze out the surplus water from the fingertips downwards. Never wring the gloves. Pull the gloves gently into shape. They can then be hung up to dry in a current of air but away from a direct heat source or sunlight. Do not dry on a hot

surface. When nearly dry, ease them carefully onto the hands so that the softness, shape and size can be restored.

WARNINGS:

Test results apply to the gloves in the as received condition but do not extend to any leather cuff .Result may differ if cleaned. Do not use near moving machinery due to entanglement hazard. Overall classification may not reflect the performance of only the outermost layer. These gloves may not be suitable for protection against sharply pointed objects such as hypodermic needles

Note overall classification does not necessarily reflect the performance of the outer layer. Gloves should not be used when there is a risk of entanglement in moving parts.

Further copies of this information and information on other products are available from:

Bennett Safetywear Ltd □ +44 (0)151 924 3996
Blazemaster® is registered trademark of Bennett Safetywear

COMPLEX SAFETY CATERGORY

Gloves are designed to protect hands in the working environment in accordance with, BS EN ISO 21420:2020 & EN407:2020. EN 659:2003+A1:2008. When selecting a glove based on risk analysis it should be understood that the protection is limited to the risk level and standards mentioned above. The EU type examination was carried out ITS Testing Services, Centre Court, Meridian Business Park, Leicester, LE19 1WD, UK., notified body number is 0362: performed the type-examination .The notified body Intertek Italia S.p.A. Via Guido Miglioli 2/A 20063 Cernusco sul Naviglio - Milano (MI) Italy NB 2575, now owns this document, and it is valid under this notified body. and is subject to ongoing surveillance by a SGS Fimko Oy, P.O. Box 30 (Särkiniementie 3), 00211 HELSINKI, Finland 0.598

Gloves are made to BS EN ISO :21420:2020. None of the materials or processes used in the manufacture of these products is known to be harmful to the wearer.

GENERAL. The quality systems used to manufacture and supply the gloves are in compliance with ISO 9001:2015.

PLEASE NOTE

The information contained here is intended to assist the wearer in the selection of personal protective equipment. The result of the laboratory tests should help with correct glove selection; however, it should be understood that the actual conditions of

TD1004A

use cannot be directly simulated. It is therefore the responsibility of the end user and not the manufacturer to determine the glove suitabile for the intended use.

DECLARATION

Bennett Safetywear Ltd declares that the new PPE as described in the TD 1004A technical specification for Blazemaster Gloves are in conformity with the European Council Regulations (EU) 2016/425 on personal preotective equipment and as amended to apply in GB, and with the national standard transposing harmonised standard No :BS EN 659:2003:A1:2009, BS EN 407:2020, BS EN 388:2016 +A1:2018, BS EN ISO 21420:2020, and is identical to the PPE which is subject of UKCA certificate LECFI00383106 issued by:ITS TESTING SERVICES, CENTRE COURT, MERIDAN BUSINESS PARK, LEICESTER, U.K., LE19 1 WD, Approved Body Number: AB0362 who performed the type-examination and is subject to the procedure set out in the Regulations (EU) 2016/425 on personal preotective equipment and as amended to apply in GB . Module D under the supervision of the approved body SGS United Kingdom, Rossmore Business Park. Ellesmere Port. South Wirral. Cheshire, CH65 3EN, United Kingdom. Their approved body number is 0120 and is also the subject of the EU certificate. No: LECFI00379482 issued by: ITS Testing Services, Centre Court, Meridian Business Park, Leicester, LE19 1WD, UK., notified body number is 0362: who performed the type-examination . The notified body Intertek Italia S.p.A. Via Guido Miglioli 2/A 20063 Cernusco sul Naviglio - Milano (MI) Italy NB 2575, now owns this document, and it is valid under this notified body., and is subject to the procedures under the supervision of the notified body SGS Fimko Ov. P.O. Box 30 (Särkiniementie 3), 00211 HELSINKI, Finland. Their notified body number is 0598.

Done at : Bennett Safetywear Ltd, 7-11 MERSEY ROAD, CROSBY, LIVERPOOL . UK

Signature: .Quality Manager Mr E. Baker

This series satisfies the basic requirements of the PPE Regulation (EU) 2016/425 and as amended to apply in GB in being innocuous/free from nuisance factors, ergonomic and breathable. Conditions of use are not simulated by the test results and as such service life cannot be specified.

Further copies of this information and declarations of conformity are available on request from:

Web: http://bennettsafetywear.co.uk.

^{* =} REINFORCED AREA