

BENNETT SAFETYWEAR LTD

7-11 MERSEY ROAD, CROSBY, LIVERPOOL, UK

TD NO : 1009

STANDARD EN 388:2016 & A1: 2018 Level

Abrasion	Resistance	4
Cut	Resistance	3
Tear	Resistance	4
Puncture	Resistance	4
Cut	Resistance (TDM)	X



EN 407:2020

Limited Flame Spread		4
Contact	Heat	3
Convective	Heat	X
Radiant	Heat	X
Small Drops of molten Metal		4
Large Quantities of Molten Metal		4



BS EN ISO 21420:2020

Water Penetration		4
-------------------	--	---

GLOVE DESCRIPTION

Chrome leather glove with a leather palm reinforcement and a para-aramid palm and thumb lined. Gloves offer excellent abrasions resistance and excellent thermal insulation when fast roping / rappelling.

MARKING

Each packet shall be labelled / contain the appropriate marking with regards to the amount, type, size, manufacturer, performance levels and UKCA & CE mark. Labels on the gloves will contain similar information. This information will be provided in the minimum resale quantity.

COMPLEX SAFETY CATEGORY

Gloves are designed to protect hands in the working environment in accordance with EN 388:2016 & A1:2018, EN ISO 21420:2020 & EN 407:2020. When selecting a glove based on risk analysis it should be understood that the protection is limited to the risk level and standards mentioned above. None of the materials or processes used in the manufacture of these products is known to be harmful to the wearer.

WARNINGS:

Test results apply to the gloves in the as received condition but do not extend to any leather cuff. Result may differ if cleaned. Do not use near moving machinery due to entanglement hazard. Overall classification may not reflect the performance of only the outermost layer. These gloves may not be suitable for protection against sharply pointed objects such as hypodermic needles.

CARE / MAINTENANCE

Cleaning and disinfection is not intended for these gloves. Both new and used gloves should be thoroughly inspected before and after use, especially after cleaning treatment, and before being worn to ensure no damage is present. Damaged gloves should not be worn and should be disposed of. Wet or contaminated gloves should not be used. Dirty gloves may not provide the same level of protection as that shown. Gloves should not be left in a contaminated condition if re-use is intended, in which case gloves should be cleaned as far as possible, provided no serious hazards exist, before removal from the hands. Excess contaminant should first be removed, e.g. loose dirt can be brushed off with a soft brush. The gloves may be de-contaminated with mild detergent solution, then



Bennett Safetywear

The following Descent™
RAPPELLING/ ROPING gloves are manufactured by
Bennett Safetywear Ltd, (BSL)

STOCKCODE	Dev No	SIZE	DESCRIPTION	NSN
1153100080	1490B	8	RAPPELLING/ ROPING GLOVES	
1153100090	1490B	9	RAPPELLING/ ROPING GLOVES	
1153100100	1490B	10	RAPPELLING/ ROPING GLOVES	
1153100110	1490B	11	RAPPELLING/ ROPING GLOVES	
1151050011	1490B	7	RAPPELLING/ ROPING GLOVES	
1151050021	1490B	8	RAPPELLING/ ROPING GLOVES	
1151050031	1490B	9	RAPPELLING/ ROPING GLOVES	
1151050041	1490B	10	RAPPELLING/ ROPING GLOVES	
1151050051	1490B	11	RAPPELLING/ ROPING GLOVES	
1153100120	1490B	12	RAPPELLING/ ROPING GLOVES	
1156100080	08P/2290	8	Rappelling/ Roping Glove with Toggle	8415-99-741-XXXX
1156100090	08P/2290	9	Rappelling/ Roping Glove with Toggle	8415-99-741-XXXX
1156100100	08P/2290	10	Rappelling/ Roping Glove with Toggle	8415-99-741-3613
1156100110	08P/2290	11	Rappelling/ Roping Glove with Toggle	8415-99-741-3614
1156100120	08P/2290	12	Rappelling/ Roping Glove with Toggle	8415-99-741-3615
2503000070	1970	7	RAPPELLING/ ROPING GLOVES	
2503000080	1970	8	RAPPELLING/ ROPING GLOVES	
2503000090	1970	9	RAPPELLING/ ROPING GLOVES	
2503000100	1970	10	RAPPELLING/ ROPING GLOVES	
1152100001	1490B/NWR/14/ICHF	7	ROPING GLOVES EXTENDED	8415-12-396-0335
1152100011	1490B/NWR/14/ICHF	8	ROPING GLOVES EXTENDED	8415-12-396-0338
1152100021	1490B/NWR/14/ICHF	9	ROPING GLOVES EXTENDED	8415-12-396-0341
1152100031	1490B/NWR/14/ICHF	10	ROPING GLOVES EXTENDED	8415-12-396-0343

Gloves are made to BS EN ISO 21420:2020 sizes.

CE 0598 UK CA 0120

rinsed with clean water and allowed to dry naturally, ideally with some air movement. When the contaminant is not removable or presents a potential hazard it is advisable to ease left and right hand gloves off alternatively using the gloved hand so that the gloves are removed without the contaminant contacting the bare hands. Washing is not recommended. Do not wring. Do not tumble dry. Do not use bleach. Reshape whilst still damp.

Warning: Warning:

PACKING AND STORAGE

Can be used under normal climatic conditions. Gloves shall be wrapped in polymeric packaging. Gloves can be used up to five years after date of supply if stored correctly. The gloves are packed in bundles, along with this leaflet. This bundle is suitable for transportation and storage.

OBSOLESCENCE

Stored correctly, the gloves' physical properties will not change for up to five years.

GENERAL

The quality systems used to manufacture and supply the gloves are in compliance with ISO 9001:2015.

PLEASE NOTE

The information contained here is intended to assist the wearer in the selection of personal protective equipment. The result of the laboratory tests should help with correct glove selection; however, it should be understood that the actual conditions of use cannot be directly simulated. It is therefore the responsibility of the end user and not the manufacturer to determine the glove suitability for the intended use.

DECLARATION

Bennett Safetywear Ltd declares that the new PPE as described in the TD 1009 technical specification for Descent Roping gloves are in conformity with the European Council Regulations (EU) 2016/425 on personal protective equipment and as amended to apply in GB, and with the national standard transposing harmonised standard No BS EN 407:2020, BS EN 388:2016 & A1:2018, BS EN ISO 21420:2020, and is identical to the PPE which is subject of UKCA certificate LECF100384189 issued by ITS TESTING SERVICES, CENTRE COURT, MERIDAN BUSINESS PARK, LEICESTER, U.K., LE19 1 WD, Approved Body Number: AB0362 who performed the type-examination and is subject to the procedure set out in the legislation UK 2019 S1696 Schedule 35 Regulation 38 Module D under the supervision of the approved body SGS United Kingdom, Rossmore Business Park, Ellesmere Port, South Wirral, Cheshire, CH65 3EN, United Kingdom. Their approved body number is 0120 and is also the subject of the EU certificate. No: LECF100372749 issued by: ITS Testing Services, Centre Court, Meridian Business Park, Leicester, LE19 1WD, UK., notified body number is 0362: who performed the type-examination. The notified body Intertek Italia S.p.A. Via Guido Miglioli 2/A 20063 Cernusco sul Naviglio - Milano (MI) Italy NB 2575, now owns this document, and it is valid under this notified body., and is subject to the procedures under the supervision of the notified body SGS Fimko Oy, P.O. Box 30 (Särkinientie 3), 00211 HELSINKI, Finland 0598. Their notified body number is 0598. Done at: Bennett Safetywear Ltd, 7-11 MERSEY ROAD, CROSBY, LIVERPOOL, UK
Signature: Mr E. Baker. Quality Manager

Further copies of this information and declarations of conformity are available on request from:

Bennett Safetywear Ltd

+44 (0)151 924 3996

Web : <http://bennettsafetywear.co.uk>