# BENNETT SAFETYWEAR LTD 7-11 MERSEY ROAD, CROSBY, LIVERPOOL, UK TD NO: 1034



# POLYSAFE®

Terry knitted para-aramid cotton lined glove series are manufactured by

Bennett Safetywear Ltd, (BSL)

DESCRIPTION

			_
1515000011		FTK/KW	9
1515200021		FTK/35UL	9
1140210021	18P/2601	W11/WP/CP/FTK/14	9
1599990031	5965	FTK/KW (WIDER WRIST)	9

Gloves are made to EN 420:2003 sizes.

STOCKCODE Dev No:



STAND	ARD EN 388:2016	Level	
Abrasion	Resistance	2	
Cut	Resistance	5 <b></b>	
Cut	Resistance (TDM)		
Tear	Resistance	4 (—	
Puncture	Resistance	3	
EN 407:2004			
Burning	Behaviour	4	
Contact	Heat	X	
Convective Heat		X SME	
Radiant	Heat	X ( 🔰 )	
Small Drops of molten Metal X			
Large Qua	antities of Molten Metal	χ	

# **GLOVE DESCRIPTION**

100% Para-aramid terry knitted unlined knitted gloves.A. Gloves offer excellent cut resistance. Also availble with a leather outer shell to improve the wear of the glove.

### **MARKING**

Each packet shall be labelled / contain the appropriate marking with regards to the amount, type , size, manufacturer , performance levels and C  $\epsilon$  mark. Labels on the gloves will contain similar information. This information will be provided in the minimum resale quantity.

#### INTERMEDIATE SAFETY CATERGORY

Gloves are designed to protect hands in the working environment in accordance with EN388:2016, EN420:2003+A1:2009 & EN407:2004. When selecting a glove based on risk analysis it should be understood that the protection is limited to the risk level and standards mentioned above.

The EU type examination was carried out ITS Testing Services, Centre Court, Meridian Business Park, Leicester, LE19 1WD, UK., notified body number is 0362: performed the type-examination .The notified body Intertek Italia S.p.A. Via Guido Miglioli 2/A 20063 Cernusco sul Naviglio - Milano (MI) Italy NB 2575, now owns this document, and it is valid under this notified body.

None of the materials or processes used in the manufacture of these products is known to be harmful to the wearer.

#### WARNINGS:

SIZE

Test results apply to the gloves in the as received condition but do not extend to any leather cuff .Result may differ if cleaned. Do not use near moving machinery due to entanglement hazard. Overall classification may not reflect the performance of only the outermost layer. These gloves may not be suitable for protection against sharply pointed objects such as hypodermic needles.

#### CARE / MAINTENANCE

Cleaning and disinfection is not intended for these gloves.

Both new and used gloves should be thoroughly inspected before and after use, especially after cleaning treatment, and before being worn to ensure no damage is present. Damaged gloves should not be worn and should be disposed of. Wet or contaminated gloves should not be used. Dirty gloves may not provide the same level of protection as that shown. Gloves should not be left in a contaminated condition if re-use is intended, in which case gloves should be cleaned as far as possible, provided no serious hazards exist, before removal from the hands. Excess contaminant should first be removed, e.g. loose dirt can be brushed off with a soft brush. The gloves may be de-contaminated with mild detergent solution, then rinsed with clean water and allowed to dry naturally, ideally with some air movement. When the contaminant is not removable or presents a potential hazard it is advisable to ease left and right hand gloves off alternatively using the gloved hand so that the gloves are removed without the contaminant contacting the bare hands. Washing is not recommended.

Do not wring. Do not tumble dry. Do not use bleach. Gloves may be rinsed in water and allowed to drip dry in ambient temperatures. Reshape whilsts still damp.

Warning: 🔯 🔲 💥 🗴

## **PACKING AND STORAGE**

Can be used under normal climatic conditions. Gloves shall be wrapped in polymeric packaging. Gloves can be used up to five years after date of supply if stored correctly. Store in original packaging. Gloves should be ideally stored in a cool dry place away from direct sunlight at ambient temperatures( between 5°C and 25°C) in a dry well ventilated area in original packaging to maintain the optimum properties of the glove. The gloves are packed in bundles, along with this leaflet. This bundle is suitable for transportation and storage.

#### **OBSOLESCENCE**

Stored correctly, the gloves' physical properties will not change for up to five years.

#### **GENERAL**

The quality systems used to manufacture and supply the gloves are in compliance with ISO 9001:2015.

#### PLEASE NOTE

The information contained here is intended to assist the wearer in the selection of personal protective equipment. The result of the laboratory tests should help with correct glove selection; however, it should be understood that the actual conditions of use cannot be directly simulated. It is therefore the responsibility of the end user and not the manufacturer to determine the glove suitabile for the intended use.

#### **EU DECLARATION**

Bennett Safetywear Ltd declares that the new PPE as described in the TD 1031 technical specification for POLYSAFE gloves are in conformity with provisions of Council Regulations (EU) 2016/425 and with the national standard transposing harmonised standard No :BS EN 388:2016,BS EN 407:2004, BS EN 420:2003, and identical to the PPE which is the subject of the EU certificate. No: LECFI00373788 issued by: ITS Testing Services, Centre Court, Meridian Business Park, Leicester, LE19 1WD, UK., notified body number is 0362: who performed the type-examination . The notified body Intertek Italia S.p.A. Via Guido Miglioli 2/A 20063 Cernusco sul Naviglio - Milano (MI) Italy NB 2575, now owns this document, and it is valid under this notified body., and is subject to the quality procedures under the supervision of the notified body SGS Fimko Oy, P.O. Box 30 (Särkiniementie 3), 00211 HELSINKI, Finland. Their notified body number is 0598.

Done at : Bennett Safetywear Ltd, 7-11 MERSEY ROAD, CROSBY, LIVERPOOL . UK

Signature:

Mr E. Baker .Quality Manager

Further copies of this information and declarations of conformity are available on request from:

Bennett Safetywear Ltd \$\frac{1}{2}\$ +44 (0)151 924 3996

Web: http://bennettsafetywear.co.uk

EC/TECH DIGEST ISSUE 3 01/01/2021