


The following



BARBED WIRE HANDLING GLOVE

are supplied by **Bennett Safetywear Ltd, (BSL)**



GLOVE DESCRIPTION

Chrome leather glove with a reinforced palm and and a cut resistant knitted aramid composites liner..

2502300060	MKV- CS -2	6	XXS
2502300070	MKV- CS -2	7	XS
2502300080	MKV- CS -2	8	S
2502300090	MKV- CS -2	9	М
2502300100	MKV- CS -2	10	L
2502300110	MKV- CS -2	11	XL
2502300120	MKV- CS -2	12	XXL
2502300130	MKV- CS -2	13	XXXL

Gloves are made to EN ISO 21420:2020 sizes.

 ϵ

EU/TECH DIGEST



STANDARD EN 388:2016+A1:2018 Level

Ahrasion	Resistance		4 _	
Cut	Resistance		4	П
	Resistance		4	┌⊨
Puncture	Resistance		4	 ,
Cut Resistance (TDM)			Ε `	\ /
EN ISO 2	1420:2020 ´			•
Dexterity			3	
Innocuousness		Pa	ass	

BENNETT SAFETYWEAR LTD

7-11 MERSEY ROAD, CROSBY, LIVERPOOL, UK TD NO: 1073

MARKING

Each packet shall be labelled / contain the appropriate marking with regards to the amount, type, size, manufacturer, performance levels and UKCA and C € mark. Labels on the gloves will contain similar information.

This information will be provided in the minimum resale quantity.

INTERMEDIATE SAFETY CATERGORY

Gloves are designed to protect hands in the working environment in accordance with EN388:2016 +A1 :2018, EN ISO 21420:2020. When selecting a glove based on risk analysis it should be understood that the protection is limited to the risk level and standards mentioned above.

The UKCA type examination was carried out by ITS TESTING SERVICES, CENTRE COURT, MERIDAN BUSINESS PARK, LEICESTER, U.K approved body number is 0362; who performed the type-examination . The EU type examination Mirta KONTROL d.o.o. Gradiška 3, 10040 Zagreb, Dubrava,Hrvatska (Croatia) Their notified body number is 2474 .

None of the materials or processes used in the manufacture of these products is known to be harmful to the wearer.

WARNINGS:

Test results apply to the gloves in the as received condition but do not extend to any leather cuff. Result may differ if cleaned. Do not use near moving machinery due to entanglement hazard. Overall classification may not reflect the performance of the outermost layer. These gloves may not be suitable for protection against sharply pointed objects such as hypodermic needles.

CARE / MAINTENANCE

Cleaning and disinfection is not intended for these gloves.

Both new and used gloves should be thoroughly inspected before and after use, especially after cleaning treatment, and before being worn to ensure no damage is present. Damaged gloves should not be worn and should be disposed of. Wet or contaminated gloves should not be used. Dirty gloves may not provide the same level of protection as that shown. Gloves should not be left in a contaminated condition if re-use is intended, in which case gloves should be cleaned as far as possible, provided no serious hazards exist, before removal from the hands. Excess contaminant should first be removed, e.g. loose dirt can be brushed off with a soft brush. The gloves may be de-contaminated with mild detergent solution, then rinsed with clean water and allowed to dry naturally, ideally with some air movement. When the contaminant is not removable or presents a potential hazard it is advisable to ease left and right hand gloves off alternatively using the gloved hand so that the gloves are removed without the contaminant contacting the bare hands. Washing is not recommended. Do not wring. Do not tumble dry. Do not use bleach. Reshape whilst still damp.

Warning: 🔯 🗀 💥 💥

PACKING AND STORAGE

ISSUE 6 16/02/2022

Can be used under normal climatic conditions. Gloves shall be wrapped in polymeric packaging.

Gloves can be used up to five years after date of supply if stored correctly. The gloves are packed in bundles, along with this leaflet. This bundle is suitable for transportation and storage.

OBSOLESCENCE

Stored correctly, the gloves' physical properties will not change for up to five years.

GENERAL

The quality systems used to manufacture and supply the gloves are in compliance with ISO 9001:2015.

PLEASE NOTE

The information contained here is intended to assist the wearer in the selection of personal protective equipment. The result of the laboratory tests should help with correct glove selection; however, it should be understood that the actual conditions of use cannot be directly simulated. It is therefore the responsibility of the end user and not the manufacturer to determine the glove suitable for the intended use.

DECLARATION

Bennett Safetywear Ltd declares that the new PPE as described in the TD 1073 technical specification for MKV-CS-2 gloves are in conformity with the European Council Regulations (EU) 2016/425 and as amended to apply in GB and with the national standard transposing harmonised standard No BS EN 388:2016 + A1 :2018, BS EN ISO 21420:2020, and is identical to the PPE which is subject of UKCA certificate LECFI00383898 issued by: ITS TESTING SERVICES, CENTRE COURT, MERIDAN BUSINESS PARK, LEICESTER, U.K., LE19 1 WD, Approved Body Number: AB0362 who performed the type-examination and is subject to the procedure set out in the legislation Regulations (EU) 2016/425 and as amended to apply in GB UK and is also the subject of the EU certificate. No: issued by issued by: Mirta KONTROL d.o.o. Gradiška 3, 10040 Zagreb, Dubrava,Hrvatska (Croatia) Their notified body number is 2474 who performed the type-examination.

Done at : Bennett Safetywear Ltd, 7-11 MERSEY ROAD, CROSBY, LIVERPOOL . UK

Signature:

Mr E. Baker .Quality Manager

Further copies of this information and declarations of conformity are available on request from:

Bennett Safetywear Ltd 2 +44 (0)151 924 3996

Web: http://bennettsafetywear.co.uk