acc. to 29 CFR 1910.1200 App D

## Wash & Graphene

Version number: GHS 1.0 Date of compilation: 2021-01-06

### **SECTION 1: Identification**

#### 1.1 Product identifier

Trade name Wash & Graphene

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Vehicle shampoo and shine

#### 1.3 Details of the supplier of the safety data sheet

Fade To Black Car Care 1510 N Crooks Road Clawson, MI 48017

Telephone: 1-248-224-7624

e-mail: info@fadetoblackprotectivefilms.com

Website: fadetoblackcarcare.com

fadetoblackcarcare.com

#### 1.4 Emergency telephone number

Emergency information service USA 1.800.535.5053, INTL 1.352.323.3500

24 hr emergency information

### SECTION 2: Hazard(s) identification

#### 2.1 Classification of the substance or mixture

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Section	Hazard class	Category	Hazard class and category	Hazard state- ment
A.2	skin corrosion/irritation	2	Skin Irrit. 2	H315
A.3	serious eye damage/eye irritation	1	Eye Dam. 1	H318

For full text of abbreviations: see SECTION 16.

#### 2.2 Label elements

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

- Signal word danger

- Pictograms

GHS05



- Hazard statements

H315 Causes skin irritation.
H318 Causes serious eye damage.

United States: en Page: 1 / 17

acc. to 29 CFR 1910.1200 App D

## Wash & Graphene

Version number: GHS 1.0 Date of compilation: 2021-01-06

- Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 If on skin: Wash with plenty of water.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P310 Immediately call a poison center/doctor.
P321 Specific treatment (see on this label).

P362 Take off contaminated clothing and wash it before reuse.

G

sodium laureth sulfate, amines, coco alkyldimethyl, Noxides, D-Glucopyranose, oligomers, decyl octyl glyc-

osides, lauryl glucoside

#### 2.3 Other hazards

Special danger of slipping by leaking/spilling product.

Hazards not otherwise classified

- Hazardous ingredients for labelling

Toxic to aquatic life with long lasting effects (GHS category 2: aquatic toxicity - acute and/or chronic).

### **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Not relevant (mixture)

#### 3.2 Mixtures

Description of the mixture

### Hazardous ingredients acc. to GHS

Name of substance	Identifier	Wt%	Classification acc. to GHS	Notes
amines, coco alkyldimethyl, N-oxides	CAS No 61788-90-7	3-<12	Acute Tox. 4 / H302 Skin Irrit. 2 / H315 Eye Dam. 1 / H318	
cocamidopropylhydroxysul- taine	CAS No 68139-30-0	3-<12	Eye Irrit. 2A / H319	
sodium laureth sulfate	CAS No 9004-82-4	3-<12	Acute Tox. 4 / H312 Skin Irrit. 2 / H315 Eye Dam. 1 / H318	
lauryl glucoside	CAS No 110615-47-9	1-<3	Skin Irrit. 2 / H315 Eye Dam. 1 / H318	
D-Glucopyranose, oligomers, decyl octyl glycosides	CAS No 68515-73-1	1-<3	Eye Dam. 1 / H318	
octamethylcyclotetrasiloxane	CAS No 556-67-2	< 0.1	Repr. 2 / H361f Flam. Liq. 3 / H226	PBT vPvB

Notes

PBT: The substance was identified as a PBT (persistent, bioaccumulative and toxic) vPvB: The substance was identified as a vPvB (very persistent and very bioaccumulative)

For full text of abbreviations: see SECTION 16. Exact percentage of ingredients is withheld as a trade secret.

This table, if present, includes all GHS classified ingredients present above their cut-off limits, even if the finished product is not classified as hazardous by GHS.

United States: en Page: 2 / 17

acc. to 29 CFR 1910.1200 App D

## Wash & Graphene

Version number: GHS 1.0 Date of compilation: 2021-01-06

#### **SECTION 4: First-aid measures**

#### 4.1 Description of first-aid measures

#### General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

#### Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.

#### Following skin contact

Wash with plenty of soap and water.

#### Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing.

#### Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

#### **SECTION 5: Fire-fighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing media

Water spray, Alcohol resistant foam, BC-powder, Carbon dioxide (CO2)

Unsuitable extinguishing media

Water jet

#### 5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO2)

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

#### 6.2 Environmental precautions

If substance has entered a water course or sewer, inform the responsible authority.

#### 6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

United States: en Page: 3 / 17

acc. to 29 CFR 1910.1200 App D

## Wash & Graphene

Version number: GHS 1.0 Date of compilation: 2021-01-06

#### Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

#### Appropriate containment techniques

Use of adsorbent materials.

#### Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

## **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

#### Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

#### 7.2 Conditions for safe storage, including any incompatibilities

Control of the effects

Protect against external exposure, such as

Frost

- Packaging compatibilities

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used.

#### 7.3 Specific end use(s)

See section 16 for a general overview.

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

This information is not available.

#### Relevant DNELs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshold level	Protection goal, route of expos-	Used in	Exposure time
				ure		
sodium laureth sulfate	9004-82-4	DNEL	175 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
sodium laureth sulfate	9004-82-4	DNEL	2,750 mg/ kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
sodium laureth sulfate	9004-82-4	DNEL	132 μg/cm²	human, dermal	worker (industry)	chronic - local ef- fects
amines, coco al- kyldimethyl, N-oxides	61788-90-7	DNEL	6.2 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects

United States: en Page: 4 / 17

acc. to 29 CFR 1910.1200 App D

## Wash & Graphene

Version number: GHS 1.0 Date of compilation: 2021-01-06

#### Relevant DNELs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshold level	Protection goal, route of expos- ure	Used in	Exposure time
amines, coco al- kyldimethyl, N-oxides	61788-90-7	DNEL	11 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
D-Glucopyranose, oli- gomers, decyl octyl glycosides	68515-73-1	DNEL	420 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
D-Glucopyranose, oli- gomers, decyl octyl glycosides	68515-73-1	DNEL	595,000 mg/kg bw/ day	human, dermal	worker (industry)	chronic - systemic effects
lauryl glucoside	110615-47-9	DNEL	595,000 mg/kg	human, dermal	worker (industry)	chronic - systemic effects
lauryl glucoside	110615-47-9	DNEL	420 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
octamethylcyclotet- rasiloxane	556-67-2	DNEL	73 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
octamethylcyclotet- rasiloxane	556-67-2	DNEL	73 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - systemic ef- fects
octamethylcyclotet- rasiloxane	556-67-2	DNEL	73 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - local ef- fects
octamethylcyclotet- rasiloxane	556-67-2	DNEL	73 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - local effects

### Relevant PNECs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time
sodium laureth sulfate	9004-82-4	PNEC	0.24 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	freshwater	short-term (single instance)
sodium laureth sulfate	9004-82-4	PNEC	0.024 <sup>mg</sup> / <sub>I</sub>	aquatic organisms	marine water	short-term (single instance)
sodium laureth sulfate	9004-82-4	PNEC	10 <sup>g</sup> / <sub>l</sub>	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
sodium laureth sulfate	9004-82-4	PNEC	0.917 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	freshwater sediment	short-term (single instance)
sodium laureth sulfate	9004-82-4	PNEC	0.092 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	marine sediment	short-term (single instance)
sodium laureth sulfate	9004-82-4	PNEC	7.5 <sup>mg</sup> / <sub>kg</sub>	terrestrial organ- isms	soil	short-term (single instance)
amines, coco al- kyldimethyl, N-oxides	61788-90-7	PNEC	0.034 <sup>mg</sup> / <sub>I</sub>	aquatic organisms	freshwater	short-term (single instance)
amines, coco al- kyldimethyl, N-oxides	61788-90-7	PNEC	0.003 <sup>mg</sup> / <sub>I</sub>	aquatic organisms	marine water	short-term (single instance)
amines, coco al- kyldimethyl, N-oxides	61788-90-7	PNEC	0.034 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	water	intermittent release
amines, coco al- kyldimethyl, N-oxides	61788-90-7	PNEC	24 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)

United States: en Page: 5 / 17

acc. to 29 CFR 1910.1200 App D

## Wash & Graphene

Version number: GHS 1.0 Date of compilation: 2021-01-06

#### Relevant PNECs of components of the mixture

Relevant PNECs of components of the mixture							
Name of sub- stance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time	
amines, coco al- kyldimethyl, N-oxides	61788-90-7	PNEC	5.24 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	freshwater sediment	short-term (single instance)	
amines, coco al- kyldimethyl, N-oxides	61788-90-7	PNEC	0.524 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	marine sediment	short-term (single instance)	
amines, coco al- kyldimethyl, N-oxides	61788-90-7	PNEC	1.02 <sup>mg</sup> / <sub>kg</sub>	terrestrial organ- isms	soil	short-term (single instance)	
D-Glucopyranose, oli- gomers, decyl octyl glycosides	68515-73-1	PNEC	560 <sup>mg</sup> / <sub>I</sub>	microorganisms	sewage treatment plant (STP)	short-term (single instance)	
D-Glucopyranose, oli- gomers, decyl octyl glycosides	68515-73-1	PNEC	1.516 <sup>mg</sup> / <sub>kg</sub>	benthic organisms	sediment	short-term (single instance)	
D-Glucopyranose, oli- gomers, decyl octyl glycosides	68515-73-1	PNEC	111.1 <sup>mg</sup> / <sub>kg</sub>	(top) predators	water	short-term (single instance)	
D-Glucopyranose, oli- gomers, decyl octyl glycosides	68515-73-1	PNEC	0.27 <sup>mg</sup> / <sub>I</sub>	aquatic organisms	water	intermittent release	
D-Glucopyranose, oli- gomers, decyl octyl glycosides	68515-73-1	PNEC	0.152 <sup>mg</sup> / <sub>kg</sub>	pelagic organisms	sediment	short-term (single instance)	
D-Glucopyranose, oli- gomers, decyl octyl glycosides	68515-73-1	PNEC	0.176 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	freshwater	short-term (single instance)	
D-Glucopyranose, oli- gomers, decyl octyl glycosides	68515-73-1	PNEC	0.018 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	marine water	short-term (single instance)	
D-Glucopyranose, oli- gomers, decyl octyl glycosides	68515-73-1	PNEC	560 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)	
D-Glucopyranose, oli- gomers, decyl octyl glycosides	68515-73-1	PNEC	1.516 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	freshwater sediment	short-term (single instance)	
D-Glucopyranose, oli- gomers, decyl octyl glycosides	68515-73-1	PNEC	0.152 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	marine sediment	short-term (single instance)	
D-Glucopyranose, oli- gomers, decyl octyl glycosides	68515-73-1	PNEC	0.654 <sup>mg</sup> / <sub>kg</sub>	terrestrial organ- isms	soil	short-term (single instance)	
lauryl glucoside	110615-47-9	PNEC	0.176 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	freshwater	short-term (single instance)	
lauryl glucoside	110615-47-9	PNEC	0.018 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	marine water	short-term (single instance)	
lauryl glucoside	110615-47-9	PNEC	5,000 <sup>mg</sup> / <sub>l</sub>	microorganisms	sewage treatment plant (STP)	short-term (single instance)	
lauryl glucoside	110615-47-9	PNEC	1.516 <sup>mg</sup> / <sub>kg</sub>	benthic organisms	sediment	short-term (single instance)	

United States: en Page: 6 / 17

acc. to 29 CFR 1910.1200 App D

## Wash & Graphene

Version number: GHS 1.0 Date of compilation: 2021-01-06

#### Relevant PNECs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time
lauryl glucoside	110615-47-9	PNEC	0.065 <sup>mg</sup> / <sub>kg</sub>	pelagic organisms	sediment	short-term (single instance)
lauryl glucoside	110615-47-9	PNEC	111.1 <sup>mg</sup> / <sub>kg</sub>	(top) predators	water	short-term (single instance)
lauryl glucoside	110615-47-9	PNEC	0.654 <sup>mg</sup> / <sub>kg</sub>	terrestrial organ- isms	soil	short-term (single instance)
lauryl glucoside	110615-47-9	PNEC	0.0295 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	water	intermittent release
octamethylcyclotet- rasiloxane	556-67-2	PNEC	10 <sup>mg</sup> / <sub>l</sub>	microorganisms	sewage treatment plant (STP)	short-term (single instance)
octamethylcyclotet- rasiloxane	556-67-2	PNEC	0.059 <sup>mg</sup> / <sub>kg</sub>	pelagic organisms	sediment	short-term (single instance)
octamethylcyclotet- rasiloxane	556-67-2	PNEC	1.7 <sup>mg</sup> / <sub>kg</sub>	(top) predators	water	short-term (single instance)
octamethylcyclotet- rasiloxane	556-67-2	PNEC	0.44 <sup>µg</sup> / <sub>I</sub>	aquatic organisms	freshwater	short-term (single instance)
octamethylcyclotet- rasiloxane	556-67-2	PNEC	0.044 <sup>µg</sup> / <sub>I</sub>	aquatic organisms	marine water	short-term (single instance)
octamethylcyclotet- rasiloxane	556-67-2	PNEC	10 <sup>mg</sup> / <sub>I</sub>	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
octamethylcyclotet- rasiloxane	556-67-2	PNEC	3 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	freshwater sediment	short-term (single instance)
octamethylcyclotet- rasiloxane	556-67-2	PNEC	0.3 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	marine sediment	short-term (single instance)
octamethylcyclotet- rasiloxane	556-67-2	PNEC	0.59 <sup>mg</sup> / <sub>kg</sub>	benthic organisms	sediment	short-term (single instance)
octamethylcyclotet- rasiloxane	556-67-2	PNEC	0.16 <sup>mg</sup> / <sub>kg</sub>	terrestrial organ- isms	soil	short-term (single instance)

#### 8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

#### Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

United States: en Page: 7 / 17

acc. to 29 CFR 1910.1200 App D

## Wash & Graphene

Version number: GHS 1.0 Date of compilation: 2021-01-06

#### Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

#### **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties Appearance

Physical state	liquid (viscous)
Color	grey
Odor	fruity

#### Other safety parameters

pH (value)	8-9 (25 °C)
Melting point/freezing point	not determined
Initial boiling point and boiling range	100 °C
Flash point	>100 °C at 101.3 kPa will not flash
Evaporation rate	Not determined
Flammability (solid, gas)	not relevant, (fluid)
Vapor pressure	31.69 hPa at 25 °C
Density	1.05 – 1.06 <sup>g</sup> / <sub>cm³</sub> at 25 °C 8.81 <sup>lb</sup> / <sub>gal</sub> at 25 °C
Vapor density	this information is not available

#### Solubility(ies)

- Water solubility miscible in any proportion	- Water solubility	miscible in any proportion
---	--------------------	----------------------------

#### Partition coefficient

- n-octanol/water (log KOW)	this information is not available
Auto-ignition temperature	
Viscosity	not determined
Explosive properties	none
Oxidizing properties	none

# 9.2 Other information there is no additional information

United States: en Page: 8 / 17

acc. to 29 CFR 1910.1200 App D

## Wash & Graphene

Version number: GHS 1.0 Date of compilation: 2021-01-06

#### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

#### 10.2 Chemical stability

See below "Conditions to avoid".

#### 10.3 Possibility of hazardous reactions

No known hazardous reactions.

#### 10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

#### 10.5 Incompatible materials

Oxidizers

#### 10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

#### **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

Test data are not available for the complete mixture.

#### Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

#### Acute toxicity

Shall not be classified as acutely toxic.

#### Acute toxicity estimate (ATE) of components of the mixture

Name of substance	CAS No	Exposure route	ATE
sodium laureth sulfate	9004-82-4	dermal	≥2,000 <sup>mg</sup> / <sub>kg</sub>

#### Skin corrosion/irritation

Causes skin irritation.

#### Serious eye damage/eye irritation

Causes serious eye damage.

#### Respiratory or skin sensitization

Shall not be classified as a respiratory or skin sensitizer.

#### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

#### Carcinogenicity

Shall not be classified as carcinogenic.

#### Reproductive toxicity

Shall not be classified as a reproductive toxicant.

United States: en Page: 9 / 17

acc. to 29 CFR 1910.1200 App D

## Wash & Graphene

Version number: GHS 1.0 Date of compilation: 2021-01-06

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

#### **SECTION 12: Ecological information**

#### 12.1 Toxicity

Toxic to aquatic life with long lasting effects.

#### Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
sodium laureth sulfate	9004-82-4	LC50	7.1 <sup>mg</sup> / <sub>l</sub>	fish	96 h
sodium laureth sulfate	9004-82-4	EC50	7.2 <sup>mg</sup> / <sub>I</sub>	aquatic invertebrates	48 h
sodium laureth sulfate	9004-82-4	ErC50	27 <sup>mg</sup> / <sub>l</sub>	algae	72 h
amines, coco al- kyldimethyl, N-oxides	61788-90-7	LC50	134 <sup>mg</sup> / <sub>l</sub>	fish	96 h
amines, coco al- kyldimethyl, N-oxides	61788-90-7	EC50	3.9 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	48 h
amines, coco al- kyldimethyl, N-oxides	61788-90-7	ErC50	0.86 <sup>mg</sup> / <sub>l</sub>	algae	72 h
cocamidopropylhy- droxysultaine	68139-30-0	LC50	1.7 – 2 <sup>mg</sup> / <sub>l</sub>	algae	72 h
cocamidopropylhy- droxysultaine	68139-30-0	LC50	1.7 – 2 <sup>mg</sup> / <sub>l</sub>	daphnia	48 h
cocamidopropylhy- droxysultaine	68139-30-0	LC50	1.7 – 2 <sup>mg</sup> / <sub>l</sub>	fish	96 h
cocamidopropylhy- droxysultaine	68139-30-0	EC50	11 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	48 h
cocamidopropylhy- droxysultaine	68139-30-0	ErC50	0.32 <sup>mg</sup> / <sub>l</sub>	algae	72 h
D-Glucopyranose, oli- gomers, decyl octyl glyc- osides	68515-73-1	LC50	100.8 <sup>mg</sup> / <sub>l</sub>	fish	96 h
D-Glucopyranose, oli- gomers, decyl octyl glyc- osides	68515-73-1	EC50	>100 <sup>mg</sup> / <sub>I</sub>	aquatic invertebrates	48 h
D-Glucopyranose, oli- gomers, decyl octyl glyc- osides	68515-73-1	ErC50	27.22 <sup>mg</sup> / <sub>l</sub>	algae	72 h
lauryl glucoside	110615-47-9	LC50	2.95 <sup>mg</sup> / <sub>l</sub>	fish	96 h
lauryl glucoside	110615-47-9	EC50	7 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	48 h
lauryl glucoside	110615-47-9	ErC50	12.5 <sup>mg</sup> / <sub>l</sub>	algae	72 h

United States: en Page: 10 / 17

acc. to 29 CFR 1910.1200 App D

## Wash & Graphene

Version number: GHS 1.0 Date of compilation: 2021-01-06

Aquatic toxicity (acute) of components of the mixture					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
octamethylcyclotet- rasiloxane	556-67-2	LC50	>22 <sup>µg</sup> / <sub>I</sub>	fish	96 h
octamethylcyclotet- rasiloxane	556-67-2	EC50	>1,000 <sup>mg</sup> / <sub>I</sub>	aquatic invertebrates	96 h

#### Aquatic toxicity (chronic) of components of the mixture Exposure time Name of substance CAS No **Endpoint** Value **Species** 9004-82-4 $0.37 \frac{mg}{l}$ sodium laureth sulfate EC50 aquatic invertebrates 21 d sodium laureth sulfate 9004-82-4 LC50 $0.74 \frac{mg}{l}$ aquatic invertebrates 21 d $0.87 \frac{mg}{l}$ 61788-90-7 LC50 120 d fish amines, coco alkyldimethyl, N-oxides amines, coco al-61788-90-7 EC50 $0.88 \frac{mg}{l}$ aquatic invertebrates 21 d kyldimethyl, N-oxides 68515-73-1 LC50 3.2 <sup>mg</sup>/<sub>I</sub> 28 d D-Glucopyranose, olifish gomers, decyl octyl glycosides >560 <sup>mg</sup>/<sub>I</sub> D-Glucopyranose, oli-68515-73-1 EC50 6 h microorganisms gomers, decyl octyl glycosides lauryl glucoside 110615-47-9 LC50 $3.2 \frac{mg}{l}$ fish 28 d octamethylcyclotet-556-67-2 LC50 10 <sup>μg</sup>/<sub>I</sub> fish 14 d rasilóxane octamethylcyclotet-556-67-2 EC50 >500 <sup>mg</sup>/<sub>I</sub> aquatic invertebrates 24 h rasiloxane

#### 12.2 Persistence and degradability

Data are not available.

#### 12.3 Bioaccumulative potential

The substance fulfills the very bioaccumulative criterion.

#### 12.4 Mobility in soil

Data are not available.

#### 12.5 Results of PBT and vPvB assessment

Data are not available.

#### 12.6 Endocrine disrupting properties

None of the ingredients are listed.

#### 12.7 Other adverse effects

Data are not available.

United States: en Page: 11 / 17

acc. to 29 CFR 1910.1200 App D

## Wash & Graphene

Version number: GHS 1.0 Date of compilation: 2021-01-06

#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packages

Only packagings which are approved (e.g. acc. to DOT) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

#### Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

#### **SECTION 14: Transport information**

14.1	 IN	l n	ur	nh	er

 DOT
 3082

 IMDG-Code
 3082

 ICAO-TI
 3082

#### 14.2 UN proper shipping name

DOT Environmentally hazardous substance, liquid, n.o.s.

IMDG-Code ENVIRONMENTALLY HAZARDOUS SUBSTANCE,

LIQUID, N.O.S.

ICAO-TI Environmentally hazardous substance, liquid, n.o.s.

Technical name (hazardous ingredients) sodium laureth sulfate, cocamidopropylhydroxysul-

taine

#### 14.3 Transport hazard class(es)

DOT 9
IMDG-Code 9
ICAO-TI 9

#### 14.4 Packing group

DOT III
IMDG-Code III
ICAO-TI III

## **14.5 Environmental hazards** hazardous to the aquatic environment

Environmentally hazardous substance (aquatic environment) sodium laureth sulfate, cocamidopropylhydroxysultaine

#### 14.6 Special precautions for user

There is no additional information.

#### 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

The cargo is not intended to be carried in bulk.

United States: en Page: 12 / 17

acc. to 29 CFR 1910.1200 App D

## Wash & Graphene

Version number: GHS 1.0 Date of compilation: 2021-01-06

#### Information for each of the UN Model Regulations

#### Transport of dangerous goods by road or rail (49 CFR US DOT) - Additional information

Not regulated under DOT until packaged in single containers larger than 119 gallons each - liquid, or 882 lbs each - solid.

Particulars in the shipper's declaration UN3082, Environmentally hazardous substance, li-

quid, n.o.s., (contains: sodium laureth sulfate, coc-

amidopropylhydroxysultaine), 9, III

Reportable quantity (RQ) 35,087,719 lbs (15,929,825 kg) (1,4-dioxane) (ethylene oxide)

Danger label(s) 9, fish and tree

Environmental hazards yes (hazardous to the aquatic environment)

Special provisions (SP)

8, 146, 173, 335, IB3, T4, TP1, TP29

ERG No 171

#### International Maritime Dangerous Goods Code (IMDG) - Additional information

Marine pollutant yes (hazardous to the aquatic environment) (sodium laureth sulfate)

Danger label(s) 9, fish and tree



Special provisions (SP) 274, 335, 969

Excepted quantities (EQ) E1
Limited quantities (LQ) 5 L
EmS F-A, S-F

Stowage category A

#### International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Environmental hazards yes (hazardous to the aquatic environment)

Danger label(s) 9, fish and tree

Special provisions (SP) A97, A158, A197

Excepted quantities (EQ) E1
Limited quantities (LQ) 30 kg

#### **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations specific for the product in question

United States: en Page: 13 / 17

acc. to 29 CFR 1910.1200 App D

## Wash & Graphene

Version number: GHS 1.0 Date of compilation: 2021-01-06

#### **National regulations (United States)**

#### **Right to Know Hazardous Substance List**

- Cleaning Product Right to Know Act Substance List (CA-RTK)

Name of substance	CAS No	Functionality	Authoritative Lists
water	7732-18-5		
sodium laureth sulfate	9004-82-4	surfactant	
amines, coco alkyldimethyl, N-oxides	61788-90-7	surfactant	
cocamidopropylhydroxysultaine	68139-30-0	surfactant	
lauryl glucoside	110615-47-9	surfactant	
D-Glucopyranose, oligomers, decyl octyl glyc- osides	68515-73-1	surfactant	
sodium chloride	7647-14-5	viscosity modifier	
Poly(ethylene glycol-ran-propylene glycol) monobutyl ether	9038-95-3	surfactant	
ethoxylated C11-15 secondary alcohols	68131-40-8	surfactant	
Aminoethylaminopropylmethylsiloxane/di- methylsiloxane copolymer	71750-79-3	shine agent	
ambient temperature curable refractory resin B	not available	refractory resin	
polyethylene oxide lauryl ether	9002-92-0	surfactant	
alcohols, C12-14 secondary, ethoxylated	84133-50-6	surfactant	
Alkyl Polysilicate	not available	resin	
benzyl benzoate	120-51-4	fragrance	EU Fragrance Allergens
graphene	7782-42-5	surface modifier	
Poly(oxy-1,2-ethanediyl),α-hydro-ω-hydroxy- Ethane-1,2-diol, ethoxylated	25322-68-3	surfactant	
Terpenes & Terpenoids, grapefruit oil	68917-32-8	fragrance	
octamethylcyclotetrasiloxane	556-67-2	solvents	Canada PBiTs CECBP - Priority Chemicals EC PBTs

## - Hazardous Substances List (MN-ERTK)

Name of substance	CAS No	References	Remarks
Wash & Graphene	7782-42-5	A, O	dust

#### Legend

dust

American Conference of Governmental Industrial Hygienists (ACGIH), "Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices for 1992-93", available from ACGIH

If the substance poses an airborne particulate exposure hazard, the substance is followed by the word "dust."

Occupational Safety and Health Administration (OSHA), Safety and Health Standards, Code of Federal Regulations, title 29, part 1910, subpart Z, "Toxic and Hazardous Substances, 1990." General information: Minnesota Department of Labor and Industry, Occupational Safety and Health Division

United States: en Page: 14 / 17

acc. to 29 CFR 1910.1200 App D

## Wash & Graphene

Version number: GHS 1.0 Date of compilation: 2021-01-06

# California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987

#### Proposition 65 List of chemicals Name acc. to inventory **CAS No** Conc. Remarks Type of the toxicity methanol 67-56-1 0.00116 wt% developmental ethylene oxide 75-21-8 0.0000285 wt% cancer ethylene oxide 75-21-8 0.0000285 wt% female ethylene oxide 75-21-8 0.0000285 wt% developmental, male 1,4-dioxane 123-91-1 0.000285 wt% cancer

#### **VOC** content

- Regulated Volatile Organic Compounds (VOC-EPA)

1.545 %

- Regulated Volatile Organic Compounds (VOC-Cal ARB)

0.04678 %

### Industry or sector specific available guidance(s)

#### **NPCA-HMIS® III**

Hazardous Materials Identification System. American Coatings Association.

Category	Rating	Description
Chronic	*	chronic (long-term) health effects may result from repeated overexposure
Health	3	major injury likely unless prompt action is taken and medical treatment is given
Flammability	1	material that must be preheated before ignition can occur
Physical hazard	0	material that is normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosive
Personal protection	-	

Chronic: chronic hazard
Flammability: flammability hazard
Health: health hazard

Personal protection: personal protective equipment (PPE) for normal use

Physical hazard: reactivity

#### **NFPA® 704**

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States).

Category	Degree of hazard	Description
Flammability	1	material that must be preheated before ignition can occur
Health	3	material that, under emergency conditions, can cause serious or permanent injury
Instability	0	material that is normally stable, even under fire conditions
Special hazard		

United States: en Page: 15 / 17

acc. to 29 CFR 1910.1200 App D

## Wash & Graphene

Version number: GHS 1.0 Date of compilation: 2021-01-06

#### **National inventories**

Country	Inventory	Status
CA	DSL	not all ingredients are listed
EU	REACH Reg.	not all ingredients are listed
US	TSCA	not all ingredients are listed

Legend

DSL Domestic Substances List (DSL)
REACH Reg.
REACH registered substances
TSCA Toxic Substance Control Act

#### 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

#### SECTION 16: Other information, including date of preparation or last revision

#### Indication of changes (revised safety data sheet)

Alignment to regulation: Globally Harmonized System of Classification and Labelling of Chemicals ("Purple book"). Restructuring: section 9, section 14

#### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
49 CFR US DOT	49 CFR U.S. Department of Transportation
Acute Tox.	Acute toxicity
ATE	Acute Toxicity Estimate
Cal ARB	California Air Resources Board
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
DOT	Department of Transportation (USA)
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EmS	Emergency Schedule
EPA	Environmental Protection Agency. An agency of the federal government of the United States charged with protecting human health and the environment
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
ERG No	Emergency Response Guidebook - Number
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
Flam. Liq.	Flammable liquid
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association

United States: en Page: 16 / 17

acc. to 29 CFR 1910.1200 App D

## Wash & Graphene

Version number: GHS 1.0 Date of compilation: 2021-01-06

Abbr.	Descriptions of used abbreviations
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
NPCA-HMIS® III	National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third Edition
OSHA	Occupational Safety and Health Administration (United States)
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
Repr.	Reproductive toxicity
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative

#### Key literature references and sources for data

OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200.

Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

#### Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H226	Flammable liquid and vapor.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H361f	Suspected of damaging fertility.

#### **Disclaimer**

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United States: en Page: 17 / 17