Solar Mini Street Lights

The Solar Mini Street Lights are produced at a state-of-the-art production line and assembled into high quality, long-lasting lighting. All of our mini street lights include a reinsured warranty, making them one of the best values in the solar lighting industry.

These lights produce zero carbon dioxide emission making them a safe, environmentally friendly lighting choice to help preserve the environment. They require 6 hours per day charging time and can work for up to 23 hours a day on a full charge.

Automatic day and night detection and smart power management, and a Lithium LifeP04 battery.



Features

- IP65 Waterproof Rating
- Smart Power Management for Rainy Days
- Automatic Day and Night Detection
- Lithium LIFEP04 with Lifetime up to 12 Years
- Grade A Monocrystalline Solar Panels
- High-brightness LED with 50,000 Hours Lifespan
- Attractive Black / Grey Finish
- Powerful Philips LED Chip

Advantages

- 0 Carbon Dioxide Emissions
- Corrosion Resistant Die Cast Aluminum
- Up to 23 Hrs Working Time

Applications

- Garden / Residence / Courtyard
- Main roads / Avenue
- Parking Lot / Mining Area

Power Settings

- 4.5AH 6.4V per lamp
- Charge 6 Hrs per day





Solar Mini Street Lights



The Most Durable Solar Lights

Certified by CE and ROHS with an IP65 weather protection rating Solar Mini Street Lights are reliable and endurable with high-quality design, 50000+hours lifespan and super bight illumination.





High Light Output



Solar Energy



Energy Protection



Long Ru<mark>n</mark> Time



| SOLAR MINI STREET LIGHTS | | | |
|--------------------------|------------------------------|------------------------------|--|
| Model No. | AVS-MSL-013 | AVS-MSL-021 | |
| Wattage | 3.5W Per Lamp | 3.5W Per Lamp | |
| Lumens | 400LM Per Lamp | 425LM Per Lamp | |
| Color Temperature | 3000-6500K | 3000-6500K | |
| Solar Panel | 4.5W Per Lamp | 6W Per Lamp | |
| Battery | 4.5 AH 6.4V Per Lamp | 4.5 AH 6.4V Per Lamp | |
| Working Time | 23 Hours / Day, 4 Rainy Days | 23 Hours / Day, 4 Rainy Days | |
| Charging Time | 6 Hours Per Day | 6 Hours Per Day | |
| Working Temperature | 5°F to 149°F | 5°F to 149°F | |
| LED Chip | Philips | Philips | |
| Warranty | 5 Years | 5 Years | |
| Actual Size | 29.53" x 86.61" | 31.50" x 86.61" | |
| Material | Die Cast Aluminum | Die Cast Aluminum | |





Solar Mini Street Lights

Technical Parameters

Our Solar Mini Street Lights produce 0 carbon dioxide emissions, perform efficiently for up to 23 hours on a 6 hour charge per day, and feature a weather protection rating of IP65 for long time use and little to no wear and tear on the lighting fixture.



| AVS-MSL-021 | | | | |
|------------------------|--------------------------------------|---------------------|--|--|
| SKU# | 789101 | | | |
| LED Lighting | 2X 420 LM, 2X 3.5 Watts, LED | | | |
| Battery | Lithium lifePO4, 2X 4.5 AH 6.4 Volts | | | |
| Solar Panel | 2X 6 Watts Grade A | | | |
| Autonomy | 23 Hours at Full Charge | | | |
| Fixture Height | 7.2 FT | | | |
| Finish | Black / Grey | | | |
| CE IEC IP65 | RoHS | | | |
| WEARS 5 WARRANTY | ANTI BLACK OUT | LITHIUM LIFE PO4 | | |

