

SAFETY DATA SHEET (SDS)





Cleanawerx Australia Pty Ltd

Product: **CLEANAWORX
TEAK DECK BRIGHTENER
PART B**

SECTION 1 – STATEMENT OF CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Supplier	<i>Cleanawerx Australia Pty Ltd</i>		
Address	P.O. Box 599 Paradise Point QLD 4216		
Trade name	CLEANAWORX TEAK DECK BRIGHTENER PART B		
Telephone	0449 266 673	Email:	info@cleanawerx.com.au
Ah emergency telephone	13 11 26 in Australia	ABN:	501 912 712 84
Substance	Water Based	Product Use:	Detergent
Creation date	August 2017	Revision Date:	August 2022
Product code	CAXGTWB		

SECTION 2 – HAZARDS IDENTIFICATION

Classification of the substance or mixture	
Poisons Schedule	S6
Dangerous Goods	Not classified as Dangerous Goods
GHS Classification	Serious Eye Damage/Irritation Category 1 Acute Toxicity Category 4 (skin). Acute Toxicity Category 4 (ingestion).
Label elements	
GHS label pictograms	  GHS05 GHS07
Signal word	DANGER
Hazard statement(s)	
H318	Causes serious eye damage.
H312	Harmful in contact with skin.
H302	Harmful if swallowed
Precautionary statement(s): General	

SAFETY DATA SHEET (SDS)



Cleanawerx Australia Pty Ltd

Product: **CLEANAWORX
TEAK DECK BRIGHTENER
PART B**

P102	Keep out of reach of children.
P103	Read label before use.
Precautionary statement(s): Prevention	
P280	Wear eye protection/face protection, protective clothing and protective gloves.
P264	Wash hands thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
Precautionary statement(s): Response	
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER or doctor/physician.
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P312	Call a POISON CENTER or doctor/physician if you feel unwell.
P322	Specific measures (see First Aid Measures on Safety Data Sheet)
P363	Wash contaminated clothing before reuse.
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P330	Rinse mouth.
Precautionary statement(s): Storage	
	None allocated
Precautionary statement(s): Disposal	
P501	Dispose of contents/ container in accordance with local regulations.
Note	
IMPORTANT	This SDS and the Hazard Classifications contained therein, only apply to the product in its concentrated form, as supplied. When diluted to 1:10 or greater they no longer apply. However, good hygiene and housekeeping practices should be adhered to.

SAFETY DATA SHEET (SDS)



Cleanawerx Australia Pty Ltd

Product: **CLEANAWORX
TEAK DECK BRIGHTENER
PART B**

SECTION 3 – COMPOSITION AND INFORMATION ON INGREDIENTS

Ingredients:	CAS Number:	Proportion:
Oxalic Acid	144-62-7	< 10% w/w
Sodium lauryl ether sulfate	68585-34-2	< 10% w/w
Ingredients determined to be non-hazardous (Various)	various	< 10% w/w
Water	7732-18-5	>60% w/w

NOTE: Ingredients determined not to be hazardous are present in concentrations that do not exceed the relevant cut-off concentrations as found from NOHSC publication "List of Designated Hazardous Substances" or have been found NOT to meet the criteria of a hazardous substance as defined in the NOHSC publication "Approved Criteria for Classifying Hazardous Substances", or have been found NOT to meet the criteria of a dangerous substance as defined in the GLOBALLY HARMONIZED SYSTEM OF CLASSIFICATION AND LABELLING OF CHEMICALS (GHS), 4th edition United Nations 2011. Listed ingredients may be below the cut-off concentrations for classification as hazardous, but are listed for information purposes and for additive effects.

SECTION 4 – FIRST AID MEASURES

Inhalation	Remove victim to fresh air away from exposure. Obtain medical attention if symptoms occur.
Skin contact	Immediately wash contaminated skin with plenty of soap and water. Remove contaminated clothing and wash before re-use. Seek medical advice (e.g. doctor) if irritation, burning or redness persists.
Eye contact	If in eyes, hold eyelids apart and flush the eyes continuously with running water. Remove contact lenses. Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes. Seek immediate medical attention.
Ingestion	Do NOT induce vomiting. Do NOT attempt to give anything by mouth to an unconscious person. Rinse mouth thoroughly with water immediately. Give water to drink. If vomiting occurs, give further water to achieve effective dilution. Seek immediate medical advice (e.g. doctor).
Advice to Doctor	Treat symptomatically and supportively.
Scheduled Poisons	Poisons Information Centre in each Australian State capital city or in Christchurch, New Zealand can provide additional assistance for scheduled poisons. (Phone Australia 131126 or New Zealand 0800 764 766).
First Aid Facilities	Eyewash, safety shower and normal washroom facilities.

SAFETY DATA SHEET (SDS)



Cleanawerx Australia Pty Ltd

Product: **CLEANAWORX
TEAK DECK BRIGHTENER
PART B**

SECTION 5 – FIRE FIGHTING MEASURES

Fire and Explosion Hazards	Non flammable liquid. However, on evaporation of the aqueous component, the residual material may burn. Contact with metals may evolve flammable hydrogen gas.
Extinguishing Media	Use an extinguishing media suitable for surrounding fires. Use carbon dioxide (CO2) fire extinguisher, water fog, foam or fine water spray.
Fire Fighting	Keep containers exposed to extreme heat cool with water spray. Fire fighters to wear self-contained breathing apparatus if risk of exposure to products of combustion or decomposition.
Flash Point	None

SECTION 6 – ACCIDENTAL RELEASE MEASURES

Emergency Procedures	Occupational Release <p>Minor spills do not normally need any special clean-up measures. In the event of a major spill, prevent spillage from entering drains or water-courses. Wear appropriate protective equipment as in section 8 below to prevent skin and eye contamination. Spilt material may result in a slip hazard and should be absorbed into dry, inert material (e.g. sand, earth or vermiculite), which then can be put into appropriately labelled drums for disposal by an approved agent according to local conditions. Residual deposits will remain slippery. Wash area down with excess water. If required, neutralize with citric acid. If contamination of sewers or waterways has occurred advise the local emergency services. In the event of a large spillage notify the local environment protection authority or emergency services.</p>
-----------------------------	---

SECTION 7 – HANDLING AND STORAGE

Handling	Corrosive liquid. Attacks skin and eyes. Avoid skin or eye contact with concentrate. Wear protective clothing when risk of exposure occurs. Avoid contact with incompatible materials. When handling, DO NOT eat, drink or smoke. Keep containers closed at all times. Avoid physical damage to containers. Always wash hands with soap and water after handling. Work clothes should be laundered. Launder contaminated clothing before re-use.
Storage	Corrosive liquid. Store in a cool dry well-ventilated area. Store away from oxidising agents and acids. Keep containers closed when not in use, securely sealed and protected against physical damage. Inspect regularly for deficiencies such as damage or leaks. Store in original packages as approved by manufacturer. Ensure that storage conditions comply with applicable local and national regulations. Protect from freezing. For information on the design of the storeroom, reference should be made to Australian Standard AS 3780 The storage and handling of corrosive substances. Ensure that storage conditions comply with applicable local and national

SAFETY DATA SHEET (SDS)






Cleanawerx Australia Pty Ltd

Product: **CLEANAWORX
TEAK DECK BRIGHTENER
PART B**

regulations.

SECTION 8 – EXPOSURE CONTROLS AND PERSONAL PROTECTION

Exposure Limits	<p>National Occupational Exposure Limits, as published by National Occupational Health & Safety Commission:</p> <p>Time-weighted Average (TWA): None established for product.</p> <p>Short Term Exposure Limit (STEL): None established for product.</p>
Ventilation	<p>If the engineering controls are not sufficient to maintain concentrations of vapours/mists below the exposure standards, suitable respiratory protection must be worn.</p>
Personal Protective Equipment	<p>Use good occupational work practice. The use of protective clothing and equipment depends upon the degree and nature of exposure. The following protective equipment should be available;</p>
Eye Protection 	<p>Safety glasses with full face shield should be used for handling concentrate in quantity, cleaning up spills, decanting, etc. Eye protection devices should conform to relevant regulations. Eye protection should conform with Australian/New Zealand Standard AS/NZS 1337 - Eye Protectors for Industrial Applications.</p>
Hand Protection 	<p>Wear gloves of impervious material such as butyl rubber, natural latex, neoprene, PVC and nitrile – to handle in quantity, clean up spills, decanting, etc. Final choice of appropriate gloves will vary according to individual circumstances. i.e. methods of handling or according to risk assessments undertaken. Occupational protective gloves should conform to relevant regulations. Reference should be made to AS/NZS 2161.1: Occupational protective gloves - Selection, use and maintenance.</p>
Body Protection 	<p>Suitable protective workwear, e.g. rubber or plastic apron, sleeves, boots and cotton overalls buttoned at neck and wrist are recommended. Chemical resistant apron is recommended where large quantities are handled.</p>
Respirator	<p>If engineering controls are not effective in controlling airborne exposure then an approved respirator with a replaceable vapor/mist filter should be used. Refer to relevant regulations for further information concerning respiratory protective requirements. Reference should be made to Australian Standards AS/NZS 1715, Selection, Use and Maintenance of Respiratory Protective Devices; and AS/NZS 1716, Respiratory Protective Devices, in order to make any necessary changes for individual circumstances.</p>

SAFETY DATA SHEET (SDS)



Cleanawerx Australia Pty Ltd

Product: **CLEANAWORX
TEAK DECK BRIGHTENER
PART B**

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

Physical State	Non-viscous liquid	Colour	Yellow
Odour	characteristic odour	Specific Gravity	1.04 – 1.1 @ 25 °C
Boiling Point	Approximately 100 °C	Freezing Point	Approximately 0 °C
Vapour Pressure	Not available	Vapour Density	Not available
Flash Point	Not flammable	Flammable Limits	none
Water Solubility	Miscible in all proportions	pH	0.85 neat
Volatile Organic Compounds (VOC)	0 % v/v	Per Cent Volatile	Ca 80 % v/v
Viscosity	Not available	Odour Threshold	Not available

SECTION 10 – STABILITY AND REACTIVITY

Reactivity	Stable at normal temperatures and pressure.
Conditions to Avoid	Extremes of temperature and direct sunlight. Reacts with bases.
Incompatibilities	ALKALIS: violent reaction can occur, yielding heat and pressure, which can burst an enclosed container.
Hazardous Decomposition	Thermal decomposition may result in the release of toxic and/or irritating fumes.

SECTION 11 – TOXICOLOGICAL INFORMATION

POTENTIAL HEALTH EFFECTS

No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label. Symptoms or effects that may arise if the product is mishandled and overexposure occurs are:

Inhalation	Inhalation of mists or aerosols can produce mucous membrane and respiratory irritation.
Skin contact	Irritating to skin - may cause skin burns, severe irritation. Corrosion will continue until removed. Severity depends on the concentration and duration of exposure. Burns are not immediately painful; onset of pain may be minutes to hours. Toxicity of Oxalic acid via the dermal route is not

SAFETY DATA SHEET (SDS)



Cleanawerx Australia Pty Ltd

Product: **CLEANAWORX
TEAK DECK BRIGHTENER
PART B**

	considered as relevant in the view of the anticipated insignificant absorption through the skin.
Eye contact	Corrosive to eyes; contact can cause corneal burns. Permanent eye damage may occur. High concentrations of vapours will cause irritation.
Ingestion	Swallowing can result in nausea, vomiting of blood and eroded tissue. Toxicity of Oxalic acid via the oral route is addressed by LOAEL of 150 mg/Kg bw/day. Acute Toxicity: Oxalic acid Oral and Dermal Actutely toxic cat. 4 Oral LD50 Rat: >375 mg/Kg bw
Chronic exposure	Prolonged and repeated skin contact with diluted solutions may induce eczematoid dermatitis. Development of a defatting dermatitis on prolonged contact with potassium hydroxide has been reported.
Toxicology Information	Oral LD50 (calculated) : >6000 mg/kg
Carcinogen Status	
NOHSC	No significant ingredient is classified as carcinogenic by NOHSC.
NTP	No significant ingredient is classified as carcinogenic by NTP.
IARC	No significant ingredient is classified as carcinogenic by IARC.
Respiratory sensitisation	Not expected to be a respiratory sensitizer.
Skin Sensitisation	Not considered to be a skin sensitizer.
Germ cell mutagenicity	Not considered to be a mutagenic hazard.
Reproductive Toxicity	Not considered to be toxic to reproduction.
STOT-single exposure	Not expected to cause toxicity to a specific target organ.
STOT-repeated exposure	Not expected to cause toxicity to a specific target organ.
Aspiration Hazard	Not expected to be an aspiration hazard.

SECTION 12 – ECOLOGICAL INFORMATION

Eco-toxicity Product (as sold)	Not harmful to aquatic life. LC50 > 100mg/L. Acute Aquatic Toxicity NOT HAZARDOUS. Acute Aquatic Toxicity (Calculated) LC50: 101 - 150 mg/L.
Eco-toxicity Product (at use dilution 1:100 rinse)	Not harmful to aquatic life. LC50 > 100mg/L. Acute Aquatic Toxicity NOT HAZARDOUS. Acute Aquatic Toxicity (Calculated) LC50: 10100 - 15000 mg/L.

SAFETY DATA SHEET (SDS)



Cleanawerx Australia Pty Ltd

Product: **CLEANAWORX
TEAK DECK BRIGHTENER
PART B**

Persistence and degradability	Biodegradable, based on ingredients.
Bio accumulative potential	No bioaccumulation is expected.
Mobility in soil	Due to its physico-chemical characteristics, highly mobile in the environment and will partition to the aquatic compartment.
Other adverse effects	Not available
Environmental Protection	Do not discharge this material into waterways.

SECTION 13 – DISPOSAL CONSIDERATIONS

Dispose of waste according to applicable local and national regulations. Do not allow into drains or watercourses or dispose of where ground or surface waters may be affected. Wastes including emptied containers are controlled wastes and should be disposed of in accordance with all applicable local and national regulations.

SECTION 14 – TRANSPORT INFORMATION

Labels Required

ADG	NA
IMDG Marine Pollutant	No
HAZCHEM	NA
Land Transport (ADG)	
UN Number	None allocated.
Proper Shipping Name	None allocated.
ADG Code Hazard Class	None allocated.
HAZCHEM Code	None allocated.
Special Provisions	None allocated.
Packing Group	None allocated.
Packaging Method	None allocated.
IERG Number	None allocated.

SAFETY DATA SHEET (SDS)



Cleanawerx Australia Pty Ltd

Product: **CLEANAWORX
TEAK DECK BRIGHTENER
PART B**

Segregation None allocated.

SECTION 15 – REGULATORY INFORMATION

GHS Classification	Classified as Hazardous according to the Globally Harmonised System of Classification and labelling of Chemicals (GHS) including Work, Health and Safety regulations, Australia.
SUSMP	S6 (OXALIC ACID)
ADG Code	NDG
AICS	All ingredients present on AICS.

SECTION 16 – OTHER INFORMATION

Issue Date	10 th August 2017
Version Number	V 1.0 Initial GHS Classification
Abbreviations and acronyms	<p>ADG Code: Australian Code for the Transport of Dangerous Goods by Road and Rail.</p> <p>AICS: Australian Inventory of Chemical Substances.</p> <p>CAS Number: Chemical Abstracts Service Registry Number.</p> <p>GHS: Globally Harmonized System of Classification and Labelling of Chemicals</p> <p>HAZCHEM: An emergency action code of numbers and letters which gives information to emergency services.</p> <p>HSIS: Hazardous Substances Information System</p> <p>IARC: International Agency for Research on Cancer.</p> <p>NOHSC: National Occupational Health and Safety Commission.</p> <p>NTP: National Toxicology Program (USA).</p> <p>SDS: Safety Data Sheet</p> <p>STEL: Short Term Exposure Limit.</p> <p>SUSMP: Standard for the Uniform Scheduling of Medicines and Poisons.</p> <p>TWA: Time Weighted Average.</p> <p>UN Number: United Nations Number.</p>

SAFETY DATA SHEET (SDS)



Cleanawerx Australia Pty Ltd

Product: **CLEANAWORX
TEAK DECK BRIGHTENER
PART B**

Literature references	<p>Preparation of Safety Data Sheets for Hazardous Chemicals – Code of Practice (Safe Work Australia)</p> <p>GHS Hazardous Chemical Information List (Safe Work Australia)</p> <p>Guidance on the Classification of Hazardous Chemicals under the WHS Regulations.</p> <p>Global Harmonized System of Classification and Labelling of Chemicals (GHS)</p> <p>“Australian Exposure Standards”. Safework Australia</p> <p>Australian Code For The Transport Of Dangerous Goods By Road And Rail</p> <p>Standard for the Uniform Scheduling of Medicines and Poisons</p> <p>Material Safety Data Sheets – individual raw materials – Suppliers</p> <p>HSIS – Hazardous Substance Information System – National Safe Work Australia Data Base.</p> <p>HCIS – Hazardous Chemical Information System – National Safe Work Australia Data Base.</p>
Disclaimer	<p>This MSDS summarizes at the date of issue our best knowledge of the health and safety hazard information of this product, and in particular how to safely handle and use this product in the workplace. Since the supplier cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, review this MSDS in the context of how the user intends to handle and use the product in the workplace. If clarification or further information is needed to ensure that an appropriate assessment can be made, the user should contact this supplier.</p>

End of SDS