

**Cleanawerx Australia Pty Ltd** 

Product: WASH AND WAX: BOATIES PREMIUM GOLD

SECTION 1 – STATEMENT OF CHEMICAL PRODUCT AND COMPANY IDENTIFICATION				
Supplier	Cleanawerx Australia	Cleanawerx Australia Pty Ltd		
Address	P.O. Box 599 Paradise	P.O. Box 599 Paradise Point QLD 4216		
Trade name	<b>CLEANAWORX WASH AND WAX: BOATIES</b>			
	PREMIUM GOLD			
Telephone	0449 266 673	Email:	info@cleanawerx.com.au	
Ah emergency telephone	13 11 26 in Australia	ABN:	501 912 712 84	
Substance	Water Based	Product Use:	Boat Washing	
Creation date	March 2016	<b>Revision Date:</b>	March 2021	
Product code	CAXOTWW			

SECTION 2 – HAZARDS IDENTIFICATION			
Classification of the subs	stance or mixture		
Safework Australia	Hazardous/eye irritant R36		
Classification			
Poisons Schedule	Not scheduled		
HSNO Category	6.4A		
ADG Code	Not classified as dangerous goods		
GHS Classification	Eye Damage Category 2A		

Label elements	
GHS label pictograms	GHS07
Signal word	Warning

Hazard statements	
H319	Causes serious eye irritation

Precautionary statements: General	
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.

Date of Issue: 1/03/2018 Page 1 of Total 12



#### **Cleanawerx Australia Pty Ltd**

Product: WASH AND WAX: BOATIES PREMIUM GOLD

P103	Read	label	bef	ore	use.
------	------	-------	-----	-----	------

Precautionary Statements: Prevention		
Wash hands thoroughly after handling.		
280	Wear eye protection/ face protection.	

#### Precautionary statements: Response

P305 + P351 + P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

**P337 + P313** If eye irritation persists: Get medical advice/attention.

#### Precautionary statements: Storage

Not applicable

#### Precautionary statements: Disposal

Not applicable

Note	
IMPORTANT	This SDS and the Hazard Classifications contained therein, only apply to the product in
	its concentrated form, as supplied.
	When diluted to 1:2 or greater they no longer apply.
	However, good hygiene and housekeeping practices should be adhered to.

EMERGENCY OVERVIEW			
Colour	Yellow	Odour	characteristic
<b>Physical Description</b>	Liquid	Viscosity	Viscous liquid

SECTION 3 – COMPOSITION AND INFORMATION ON INGREDIENTS			
Ingredients:	CAS Number:	Proportion:	
Sodium dodecylbenzene	25155-30-0	<10% w/w	
sulphonate			
Cocamide monoethanolamide	68140-00-1	<10% w/w	
Ingredients determined to be non-	various	< 10% w/w	
hazardous (chelating agents,			
fragrance, acrylic polymer,			

Date of Issue: 1/03/2018 Page 2 of Total 12



### **Cleanawerx Australia Pty Ltd**

Product: WASH AND WAX: BOATIES PREMIUM GOLD

preservative, dye)			
Water		7732-18-5	To 100% w/w
NOTE:	the relevant Hazardous S as defined it or have been GLOBALLY H 4th edition Listed ingre	determined not to be hazardous are present cut-off concentrations as found from NO Substances" or have been found NOT to ment the NOHSC publication "Approved Criter on found NOT to meet the criteria of a dan HARMONIZED SYSTEM OF CLASSIFICATION United Nations 2011.  dients may be below the cut-off concentration of the concentration of the cut-off concentration of the cut-off concentration purposes and for additive e	HSC publication "List of Designated neet the criteria of a hazardous substance ria for Classifying Hazardous Substances", gerous substance as defined in the AND LABELLING OF CHEMICALS (GHS), ations for classification as hazardous, but

	SECTION 4 – FIRST AID MEASURES
Scheduled Poisons	Poisons Information Centre in each Australian State capital city or in Christchurch, New Zealand can provide additional assistance for scheduled poisons. (Phone Australia 131126 or New Zealand 0800 764 766).
First Aid Facilities	Normal washroom facilities.
Skin contact	Wash skin with plenty of water. Remove contaminated clothing and wash before reuse. Seek medical advice (e.g. doctor) if irritation, burning or redness develops.
Eye contact	Immediately irrigate with copious quantities of water for at least 20 minutes. Eyelids to be held open. Seek medical advice (e.g. ophthalmologist).
Ingestion	Do NOT induce vomiting. Do NOT attempt to give anything by mouth to an unconscious person. Rinse mouth thoroughly with water immediately. Give water to drink. If vomiting occurs, give further water to achieve effective dilution. Seek medical advice (e.g. doctor).
Inhalation	Remove victim to fresh air away from exposure - avoid becoming a casualty. Seek medical advice (e.g. doctor).
Advice to Doctor	Treat symptomatically. All treatments should be based on observed signs and symptoms of distress of the patient. Poisons Information Centre in each Australian State capital city or in Christchurch, New Zealand can provide additional assistance for scheduled poisons.
Aggravated Medical Conditions	None known.

Symptoms caused by exp	osure	
	•	Ingestion may result in nausea and vomiting.

Date of Issue: 1/03/2018 Page 3 of Total 12



#### **Cleanawerx Australia Pty Ltd**

Product: WASH AND WAX: BOATIES PREMIUM GOLD

- Skin contact may result in irritation, redness, pain, rash, dermatitis.
- Eye contact may result in irritation, lacrimation, pain, redness, conjunctivitis.
- Inhalation over exposure may result in mucous membrane irritation of the respiratory tract and coughing.

#### **SECTION 5 – FIRE FIGHTING MEASURES**

#### Suitable extinguishing equipment / media

Extinguish media

Not combustible, however if material is involved in a fire use: Fine water spray, normal foam, dry agent (carbon dioxide, dry chemical powder).

#### Special hazards arising from the chemical

Fire incompatibility

None known.

#### Special protective equipment and precautions for fire fighters

Special protective equipm	nent and precautions for fire righters
Fire Fighting	Move people from immediate area; keep upwind.
	Stop leak if safe to do so.
	<ul> <li>Send messenger to notify fire brigade and police.</li> </ul>
	<ul> <li>Tell them location, material quantity and emergency contact.</li> </ul>
	<ul> <li>Indicate condition of vehicle and damage or injuries observed.</li> </ul>
	Warn other traffic.
Fire/Explosion Hazard	Water based. Not combustible.
	<ul> <li>However, if involved in a fire will emit toxic fumes.</li> </ul>

#### **SECTION 6 – ACCIDENTAL RELEASE MEASURES**

# Personal precautions, protective equipment and emergency procedures Minor spills • Clean up all spills immediately

courses.

Minor spills	<ul> <li>Clean up all spills immediately.</li> </ul>
	<ul> <li>Avoid breathing vapours and contact with skin and eyes.</li> </ul>
	<ul> <li>Control personal contact with the substance, by using protective equipment.</li> </ul>
	• For small spills (< 1 drum), transfer by mechanical means to a labelled, sealable
	container for product recovery or safe disposal. Allow any residues to
	evaporate or use an appropriate absorbent material and dispose of safely.
Major spills	Stop leak if safe to do so.
	<ul> <li>In the event of a major spill, prevent spillage from entering drains or water</li> </ul>

Date of Issue: 1/03/2018 Page 4 of Total 12



#### **Cleanawerx Australia Pty Ltd**

Product: WASH AND WAX: BOATIES PREMIUM GOLD

• :	Send	messenger	to notify	/ fire	brigade	and police.
-----	------	-----------	-----------	--------	---------	-------------

- Tell them location, material quantity and emergency contact.
- Indicate condition of vehicle and damage or injuries observed.
- Warn other traffic.
- Wear appropriate protective equipment as in section 8 below to prevent skin and eye contamination.
- Spilt material may result in a slip hazard and should be absorbed into dry, inert
  material (e.g. sand, earth or vermiculite), which then can be put into
  appropriately labelled drums for disposal by an approved agent according to
  local conditions.
- Residual deposits will remain slippery.
- Wash area down with excess water.
- If contamination of sewers or waterways has occurred advise the local emergency services. In the event of a large spillage notify the local environment protection authority or emergency services.

#### **Environmental precautions**

- Use appropriate containment to avoid environmental contamination.
- Prevent from spreading and entering waterway using sand, earth or other appropriate barriers.
- Ventilate contaminated area thoroughly.

#### Methods and materials for containment and cleaning up

- Avoid contact with spilled or released material.
- Shut off leaks, if possible without personal risks.
- Isolate hazard area and deny entry to unnecessary or unprotected personnel.
- Personal protective equipment advice is contained in Section 8 of the SDS.

#### **SECTION 7 – HANDLING AND STORAGE**

#### Precautions for safe handling

#### Safe handling

- Wear prescribed protective clothing.
- Use in well ventilated area.
- Do NOT eat, drink or smoke when handling.

Date of Issue: 1/03/2018 Page 5 of Total 12



#### **Cleanawerx Australia Pty Ltd**

Product: WASH AND WAX: BOATIES PREMIUM GOLD

	Wash hands after use.
	<ul> <li>Keep containers closed tightly when not in use.</li> </ul>
	<ul> <li>Store in accordance to manufacturers instructions.</li> </ul>
Other information	Store in original containers.
	<ul> <li>Store in a cool, dry, well ventilated area out of direct sunlight.</li> </ul>
	<ul> <li>Store in approved cupboards or storage containers.</li> </ul>

Conditions for safe storage, including any incompatibilities			
Suitable container	Bulk storage tanks should be bunded.		
	Store in original containers provided by the manufacturer.		
Storage incompatibility	Store in a well-ventilated area, away from sunlight, ignition sources and other sources		
	of heat. Do not store near strong oxidants.		

### **SECTION 8 – EXPOSURE CONTROLS AND PERSONAL PROTECTION**

Exposure Limits WASH AND WA		From National Occupational Health & Safety Commission (NOHSC) Worksafe Australia – None available for this product. Contains no substances with occupational exposure limits.					
Ingredients data	dients data						
Source	Ingredie	ent	Material	TWA	STEL	Peak	Notes
			name				
Australian			Not				
Exposure	Not ava	ilable	available	Not available	Not available	Not available	Not available
Standards							

<b>Biological Limit Value</b>	None established for product.
Engineering Controls	Ensure ventilation is adequate to maintain air concentrations below exposure standards.  Use only in a well-ventilated area.
Personal Protective Equipment	Use good occupational work practice. The use of protective clothing and equipment depends upon the degree and nature of exposure. Final choice of appropriate protection will vary according to individual circumstances i.e. methods of handling or engineering controls and according to risk assessments undertaken. The following protective equipment should be available;
Eye Protection	Eye and face protection recommended.

Date of Issue: 1/03/2018 Page 6 of Total 12



### **Cleanawerx Australia Pty Ltd**

Product: WASH AND WAX: BOATIES PREMIUM GOLD

	The use of safety glasses with side shield protection, goggles or face shield is recommended to handle in quantity, cleaning up spills, decanting, etc.  Contact lenses pose a special hazard; soft lenses may absorb irritants and all lenses concentrate them.
Skin Protection	Gloves are generally not required for typical applications as per label directions. Gloves are recommended for sensitive skin.  Work clothes, work boots and gloves are recommended for handling the concentrated product in quantity, cleaning up spills, decanting, etc (as per AS/NZS 2161, or as recommended by supplier).
Protective Material Types	Use solvent resistant gloves, nitrile for longer term protection or PVC and neoprene for incidental splashes.
Respirator	Generally not required for typical applications as per label directions. If work practices do not maintain airborne level below exposure standards, use appropriate respiratory protection equipment. When using respirators, select an appropriate combination of mask and filter. Select a filter for organic gases and vapours. Respirators should comply with AS1716 or an equivalent approved by a state/territory authority.

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES				
Physical State	Viscous liquid	Colour	Yellow	
Odour	characteristic odour	Specific Gravity	1.02 – 1.04 @ 25 °C	
Boiling Point	Approximately 100 °C	Freezing Point	Approximately 0 °C	
Vapour Pressure	Not available	Vapour Density	Not available	
Flash Point	Not flammable	Flammable Limits	none	
Water Solubility	Miscible in all proportions	рН	7.5 – 8.5 neat	
Volatile Organic	0 % v/v	Coefficient of Water/Oil	Not available	
Compounds (VOC)		Distribution		
Viscosity	Not available	Odour Threshold	Not available	
Evaporation Rate	Not available	Per Cent Volatile	Ca 85 % v/v	

	SECTION 10 – STABILITY AND REACTIVITY
<b>Chemical Stability</b>	Stable at normal temperatures and pressure.
<b>Conditions to Avoid</b>	None known.
Incompatible Materials	Can react with strong oxidizing agents.
Hazardous	Product can decompose on combustion to form Carbon Monoxide, Carbon Dioxide,
<b>Decomposition Products</b>	and other possibly toxic gases and vapours.

Date of Issue: 1/03/2018 Page 7 of Total 12



**Cleanawerx Australia Pty Ltd** 

Product: WASH AND WAX: BOATIES PREMIUM GOLD

<b>Hazardous Reactions</b>	None known.
	SECTION 11 – TOXICOLOGICAL INFORMATION
PRODUCT MIXTURE INFO	RMATION
POTENTIAL HEALTH EFFEC	TS
Ingestion	
short term exposure	Swallowing large amounts of this product can cause stomach irritation, nausea and diarrhea.
long term exposure	No information available.
Skin contact	
short term exposure	Prolonged contact with concentrated solutions may be irritating.
long term exposure	Prolonged and repeated skin contact with solutions may induce eczematoid
	dermatitis in certain individuals.
Eye contact	
short term exposure	Irritant to eyes. Eye contact may result in irritation, lacrimation, pain, redness,
	conjunctivitis.
long term exposure	Repeated overexposure may lead to chronic conjunctivitis.
Inhalation	
short term exposure	Exposure to intentionally generated mists of this product may cause slight nose and throat irritation.
long term exposure	No information available.
Carcinogen Status	
NOHSC	No significant ingredient is classified as carcinogenic by NOHSC.
NTP	No significant ingredient is classified as carcinogenic by NTP.
IARC	No significant ingredient is classified as carcinogenic by IARC.
Medical conditions	
aggravated by exposure	No information available.

WASH AND WAX			
TOXICITY	Not toxic, based on	IRRITATION	Not irritating to skin.
	ingredients.		Causes serious eye irritation,
	Oral LD50 (calculated): 4200		based on ingredients.
	- 4350mg/L		

#### CLASSIFICATION OF INDIVIDUAL INGREDIENTS

NOTE: This information relates to each individual ingredient, when evaluated as pure undiluted chemical. See SECTION 3 for actual proportions of ingredients present in this product.

Cocamide monoethanolamide 100%

Date of Issue: 1/03/2018 Page 8 of Total 12



### **Cleanawerx Australia Pty Ltd**

Product: WASH AND WAX: BOATIES PREMIUM GOLD

Acute Toxicity	LD50: > 3,000 mg/kg - Rat, male and female Method: OECD Test Guideline 401 Acute dermal toxicity LD50: > 2,000 mg/kg - Rabbit, male and female The substance or mixture has no acute dermal toxicity	Carcinogenicity	NO
Skin Irritation/Corrosion	Skin Corrosion/Irritation Category 2 H315: Causes skin irritation	Reproductivity	NO
Serious Eye Damage/Irritation	Serious Eye Damage/Eye Irritation Category 2/2A H319: Causes serious eye irritation	STOT – Single Exposure	NO
Respiratory or Skin sensitivity	NO	STOT – Repeated Exposure	NO
Mutagencity	NO	Aspiration Hazard	NO

Sodium dodecylbenzenesulphonate 100%			
Acute Toxicity	438 mg/kg oral-rat LD50; 1330	Carcinogenicity	Not listed as a carcinogen NTP, IARC,
	mg/kg oral-mouse LD50; 105		OSHA, EPA.
	mg/kg intravenous-mouse		
	LD50; 3040 mg/kg/30 day(s)		
	continuous oral-rat TDLo; 5		
	gm/kg/30 day(s) intermittent		
	oral-mouse TDLo.		
Skin Irritation/Corrosion	20 mg/24 hour(s) skin-rabbit	Reproductivity	No data available
	moderate; 250 ug/24 hour(s)		
	eyes-rabbit severe; 1 percent		
	eyes-rabbit severe.		
Serious Eye Damage/Irritation	EYE IRRITATION (rabbit):	STOT – Single Exposure	No data available
	Severe eye irritant		
Respiratory or Skin sensitivity	No data available	STOT – Repeated Exposure	No data available
Mutagencity	No data available	Aspiration Hazard	No data available

SECTION 12 – ECOLOGICAL INFORMATION	
Aquatic Toxicity	
WASH AND WAX (as	Acute Aquatic Toxicity (Calculated) LC50: 32.3 – 44.5 mg/L.
sold)	Acute Aquatic Toxicity Category 3 - Harmful to aquatic life. Note 10. LC50 >10 mg/L but < 100mg/L.
WASH AND WAX (at	
use dilution 1:100	Acute Aquatic Toxicity (Calculated) LC50: 3230 - 4420 mg/L.
rinse)	Acute Aquatic Toxicity NOT HAZARDOUS – Not harmful to aquatic life. LC50 >
•	100mg/L.

Date of Issue: 1/03/2018 Page 9 of Total 12



### **Cleanawerx Australia Pty Ltd**

Product: WASH AND WAX: BOATIES PREMIUM GOLD

Sodium dodecylbenzenesulphona te	LC50 - Oncorhynchus mykiss (rainbow trout) - 3.2 - 5.6 mg/l - 96 h
Cocamide	LC50 - 96 h : > 3 mg/l - Oncorhynchus mykiss (rainbow trout) semi-static test.
monoethanolamide	EC50 - 48 h : 3 mg/l - Daphnia magna (Water flea) static test Analytical monitoring: yes Method: OECD Test Guideline 202.  ErC50 - 72 h : 3.9 mg/l - Scenedesmus subspicatus static test Method: OECD Test Guideline 201  NOEC - 72 h : 0.3 mg/l - Scenedesmus subspicatus static test Method: OECD Test
	Guideline 201.  NOEC: 0.32 mg/l - 28 Days - Oncorhynchus mykiss (rainbow trout) flow-through test Analytical monitoring: yes Method: OECD Test Guideline 204 Method: OECD Test Guideline 204 By analogy Unpublished reports Harmful to fish with long lasting effects.

Persistence and degradability		
Ingredient	Persistence: Water/Soil	Persistance: Air
Cocamide	Readily biodegradable. According to	Not available
monoethanolamide	the data on the components. The	
	product is considered to be rapidly	
	degradable in the environment	
Sodium	Readily biodegradable - according to	Not Available
dodecylbenzenesulphonate	Australian Standard AS4351.	

Bioaccumulative potential	
Ingredient	Bioaccumulation
Cocamide	Not available
monoethanolamide	
Sodium	No bioaccumulation is expected.
dodecylbenzenesulphonate	

Mobility in soil	
Ingredient	Mobility
Sodium	Due to its physico-chemical characteristics, highly mobile in the environment and will
dodecylbenzenesulphonate	partition to the aquatic compartment.
Cocamide	Not available

Date of Issue: 1/03/2018 Page 10 of Total 12



**Cleanawerx Australia Pty Ltd** 

Product: WASH AND WAX: BOATIES PREMIUM GOLD

#### monoethanolamide

SECTION 13 – DISPOSAL CONSIDERATIONS	
Disposal	To dispose of quantities of undiluted product, refer to State Land Waste Management Authority. Transfer product residues to a labelled, sealed container for disposal or recovery. Waste disposal must be by an accredited contractor. As with any chemical, do not put down the drain in quantity. The small quantities contained in wash solutions
	(when used as directed) can generally be handled by conventional sewage systems, septics, and grey water systems. For larger scale use, eg. truck washing depot, a recycled water system is often recommended, or Trade Waste License obtained for disposal to sewer.

SECTION 14 – TRANSPORT INFORMATION			
ADG CODE – ROAD & RAIL			
UN Number	none allocated	ADG Classification	none allocated
Shipping Name	none allocated	ADG Subsidiary Risk	none allocated
Hazchem Code	none allocated	Packing Group	none allocated

SECTION 15 – REGULATORY INFORMATION	
SAFE WORK	HAZARDOUS/EYE IRRITANT R36
AUSTRALIA	
<b>GHS Classification</b>	Eye Damage Category 2A
SUSMP	not scheduled
<b>HSNO Category</b>	6.4A
ADG Code	None allocated
AICS	All ingredients present on AICS.

SECTION 16 – OTHER INFORMATION	
Acronyms	
GHS	Global System of Harmonisation.
ADG Code	Australian Code for the Transport of Dangerous Goods by Road and Rail.
CAS Number	Chemical Abstracts Service Registry Number.
UN Number	United Nations Number.
HAZCHEM	An emergency action code of numbers and letters which gives information to
	emergency services.
SUSMP	Standard for the Uniform Scheduling of Medicines and Poisons

Date of Issue: 1/03/2018 Page 11 of Total 12



#### **Cleanawerx Australia Pty Ltd**

Product: WASH AND WAX: BOATIES PREMIUM GOLD

NOHSC	National Occupational Health and Safety Commission.
NTP	National Toxicology Program (USA).
IARC	International Agency for Research on Cancer.
AICS	Australian Inventory of Chemical Substances.
TWA	Time Weighted Average
STEL	Short Term Exposure Limit
Literature References	List of Designated Hazardous Substances [NOHSC:10005(1999)]
	Australian Code For The Transport Of Dangerous Goods By Road And Rail – 7 <sup>th</sup> Edition.
	Standard for the Uniform Scheduling of Medicines and Poisons 2015.
	National Code of Practice for the Preparation of Material Safety Data Sheets 2nd
	Edition [NOHSC:2011(2003)]
	Approved Criteria for Classifying Hazardous Substances [NOHSC:1008(1999)]
	Material Safety Data Sheets – individual raw materials – Suppliers.
	HSIS – Hazardous Substance Information System – National Worksafe Data Base.
	Labelling of workplace hazardous chemicals, Code of Practice, DEC 2011
	Guidance on the classification of hazardous chemicals under the WHS Regulations,
	Implementation of the Globally Harmonised System of classification and labeling of
	chemicals (GHS) APRIL 2012
	Globally Harmonized System of Classification and Labelling of Chemicals (GHS), Third
	revised edition.
Revision Information	New Issue to standard: PREPARATION OF SAFETY DATA SHEETS FOR HAZARDOUS
	CHEMICALS Code of Practice DECEMBER 2011
Note	Safety Data Sheets are updated frequently. Please ensure that you have a current copy.
Contact Point	Regulatory Affairs Manager <b>Telephone</b> 0449 266 673

This MSDS summarizes at the date of issue our best knowledge of the health and safety hazard information of this product, and in particular how to safely handle and use this product in the workplace. Since the supplier cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, review this MSDS in the context of how the user intends to handle and use the product in the workplace. If clarification or further information is needed to ensure that an appropriate assessment can be made, the user should contact this supplier.

Date of Issue: 1/03/2018 Page 12 of Total 12