


## Colorado Wall Tent Set Up Instructions

### What you will need :

- Tent
- Couplers : (6) 3-way couplers,
- Ropes and Stakes
- Red (Legs), White (Eaves), and Blue (Rafters) marked Frame
- Hammer for Ropes and Stakes



### Step 1: Assemble the Top of the Frame

- a) Layout the couplers :
  - i) Place (3) 3-way couplers on each end, with the drilled couplers in the center
  - ii) Place 4-way coupler in groups of 3, between the 3-way couplers
  - iii) **Tip** : Unscrew coupler eyebolts while laying out
- b) Layout the poles :
  - i) Place white eave poles between each 3-way pair with 4-way couplers between them
  - ii) Place blue rafter poles on ends between 3-ways on each end and between 4-ways in the center

Hole



Eaves  
(White)

Rafters  
(Blue)

3-Way  
Couplers



3-Way  
Coupler with  
Hole

4-way  
couplers

**MAKE SURE THE 3-WAY  
COUPLERS WITH HOLE  
ARE IN MIDDLE ON  
FRONT AND REAR**

**Step 2: Layout your tent and position over top of frame**

- a) Unroll tent along side of frame
- b) Locate bottom of tent wall and pull over the frame



- a) Open Ridge Pole zipper and insert eyebolts through grommet at each peak



- a) Locate red poles (legs) and insert into couplers on one side, starting from the outside





### Step 3: Finish legs and pull tent walls down

- a) Add legs to other side of tent
- b) Pull canvas over corners - just a few inches
- c) Continue pulling canvas down the legs, one corner at a time, in 6-12" increments





**Step 4:** Stake all of your grommets along the bottom and all your eaves grommets (at the top of your wall) with the ropes and stakes provided. Make sure you have all the guy lines attached for your safety and security.

For additional information:

See our video on [Denvertent.com](http://Denvertent.com) under About-Video Gallery.

