


Colorado Wall Tent Set Up Instructions

Step 1: Make Sure you have all that you need.

- Tent Bag
- Couplers Bag
- Ropes and Stakes Bag
- Red, Blue and Yellow Rails
- Hammer, scissors and work gloves



Step 2: Remove Couplers, set aside 2 3-way couplers with hole drilled in top.



Step 3: Layout out the roof couplers and rails.

- Ends are 3-way couplers, middle 4-way couplers

**MAKE SURE THE 3-WAY COUPLERS WITH HOLE ARE IN
MIDDLE ON FRONT AND REAR**



3-Way Couplers


Step 4: Start to construct the roof with the yellow rails

****Yellow are the eaves, Blue are the rafters ****



Step 5: Finish constructing the roof with the blue rails

****Yellow are the eaves, Blue are the rafters ****



Step 7: Tip bag and remove canvas tent and then roll out along side of tent.



Step 8: Position Tent along sided of frame top and pull over top of frame



Step 8: Open Ridge Pole zipper and insert eyebolts through tent grommet at each end peak.



Step 8: Find your red rails and start to raise the roof. Place red rails into couplers, this will make the walls. Start with outsides and move inward



Step 9: Continue on other side



Step 10: Pull Canvas over corner

*****only a few inches down*****



Step 10: Pull Canvas down leg 6" at a time. Each corner down 6", then each down another 6" and so on.

*****our tents are custom fit to each frame so they are tight*****







Step 11: Stake all of your grommets along the bottom and all your eaves grommets (at the top of your wall) with the ropes and stakes provided. Make sure you have all the guy lines attached for your safety and security.

For additional information:

See our video on Denvertent.com under About-Video Gallery.

