

HERO_{X10}

·CNC machined from 6061-T6 aluminum and newly designed shoot-thru construction.

- High-end Gordon limbs bring ultimate performance.
 BCY 452X string which combines with HALO serving enhances perfect shooting experience.
- Perfect anodizing finishing.

SPECIFICATIONS

AXLE-TO-AXLE 40"

IBO SPEED

BRACE HEIGHT 7.5"

DRAW WEIGHT 40-50lbs 50-60lbs

DRAWLENGTH

SMALL CAM 25" 25.5" 26" 26.5"

MIDDLE CAM 27" 27.5" 28" 28.5" 29" 29.5"

LARGECAM 30" 30.5" 31" 31.5" 32"

LET-OFF 65%-70% **NET WEIGHT** 4.6 LBS

COLOR GOLD, RED, GREEN, LAKE BLUE, COBALT BLUE, BLACK,

PURPLE, SILVER, YELLOW, PINK

AVAILABLE











PRODIGY_{X10}

- High-end Gordon limbs bring ultimate performance.
 High speed cam design.
 Control cable and suspension system make sure less vibration.
- · CNC machined riser, the elegant decorative pattern.
- BCY 452X string which combines with HALO serving enhances perfect shooting

SPECIFICATIONS

AXLE-TO-AXLE

38"

IBO SPEED

BRACE HEIGHT

DRAW WEIGHT

40-50lbs 50-60lbs

DRAWLENGTH

26-28" (small cam) ;28.5-31.5" (big cam)

LET-OFF


75%

NET WEIGHT

4.9 LBS

COLOR

GOLD, RED, GREEN, BLUE, BLACK











HERO_{X8}

- High strength aluminum-magnesium alloy bow handle.
 The split limbs are made of high modulus US Gordon fiber.
 BCY D97 string.

- · Ready to shoot kit.
- Draw weight adjustable without bow press.
 Extra short! Extra light! Excellent performance!

SPECIFICATIONS

AXLE-TO-AXLE 29"

IBO SPEED

BRACE HEIGHT 7.5"

DRAW WEIGHT 7-35 lbs

16.5-29", in 0.5" Increment DRAWLENGTH

LET-OFF 70%~76%

NET WEIGHT 2.6 LBS

COLOR PINK, GREEN, BLUE, BLACK, WHITE












MIRACLEX 10 OLYMPIC SET

The archery brand with the ultimate performance at great value on archery equipment.









RISER DAMPER

CLICKER

OLMPIC SIGHT

EXTENDER

SIGHT PIN DAMPER



MIRACLE_{X10}


- Extremely beautiful anodising ILF riser for Olympic.
 6061-T6 aluminum through advanced processes with well strength and
- · Advanced full CNC machined riser with excellent straightness and balance.
- · Ergonomic wooden grip.
- Optional alignment adjustment style.
- · High strength stainless steel alignment parts .

SPECIFICATIONS

LENGTH	WEIGHT	TYPE
25inches	1300g	RH/LH

Bolt Adjustment style / Block Adjustment style Limb fitting system: ILF









MYTH_{x10}

- Valuable anodising ILF riser for archers.
 High quality CNC machined riser with excellent straightness and balance.
 Premium dymond wooden grip with perfect hand position.
 High strength stainless steel alignment parts .

SPECIFICATIONS

LENGTH	WEIGHT	TYPE
25inches	1292g	RH

Bolt Adjustment style / Block Adjustment style









MIRACLE_{X9}

- Stylish and affordable recurve riser.
 Lightness, stability, accuracy.
 Easy setting alignment system.

SPECIFICATIONS

LENGTH	WEIGHT	TYPE
25inches	1060g	RH

Limb fitting system: ILF









MIRACLE_{X8}

- Stylish and affordable recurve riser.
 Lightness, stability, accuracy.
 Easy setting alignment system.

SPECIFICATIONS

LENGTH	WEIGHT	TYPE
25inches	873g	RH/LH

Limb fitting system: ILF









MIRACLE_{X10}

- Layered foam core limbs.
 Made of high-strength cross carbon.
 Smooth, light weight and fast limb.
 Advanced design, slim shape, durable, high performance, high speed and
- Advanced design of limb tips make the initial speed faster.
 Features luxurious metallic paint finishing.
- · Strengthen limbs butt makes the limbs better durablity.

66inches	Draw weight from 28# to 48#
68inches	Draw weight from 28# to 48#
70inches	Draw weight from 28# to 48#









MIRACLE_{x9}

- Layered foam and fiber core limbs.
 Smooth, light weight and fast limb.
 Advanced design, slim shape, durable, high performance, high speed and
- · Advanced design of limb tips make the initial speed faster.

66inches	Draw weight from 28# to 44#
68inches	Draw weight from 28# to 44#
70inches	Draw weight from 28# to 44#









MIRACLE_{X8}

- · ILF fitting limbs. · High quality layered fiber and wood .

66inches	Draw weight from 18# to 42:
68inches	Draw weight from 20# to 42:
70inches	Draw weight from 20# to 42







Sanlda orchery MIRACLE LIMBS X7

MIRACLE_{X7}

- ILF fitting limbs.High quality layered maple wood.

66inches	Draw weight from 18# to 36
68inches	Draw weight from 20# to 40
70inches	Draw weight from 20# to 42











TRAINNING









TANGZONG

- Best bow for beginners.High strength riser which is only 678g.RH and LH available.
- · Durable quality.

SPECIFICATIONS [LENGTH AND WEIGHT]

66 RH or LH	from 16# through 38# in 2# increments
68 RH or LH	from 16# through 40# in 2# increments
70 RH or LH	from 16# through 40# in 2# increments

Riser Color: Red, Yellow, Green, Rose, Silver, Black, Blue Limbs Color: White, Black

COLOR







SONGZU

- Best bow for beginners.Laminated wood riser with solid wood.
- · Comfortable narrow grip.
- · Durable quality.

SPECIFICATIONS [LENGTH AND WEIGHT]

48" RH or LH	from 10# to 20# in 2# increments.
54" RH or LH	from 10# to 22# in 2# increments.
62" RH or LH	from 18# to 36# in 2# increments.
66" RH or LH	from 16# to 34# in 2# increments.
68" RH or LH	from 16# to 38# in 2# increments.
70" RH or LH	from 16# to 38# in 2# increments.




























SPECIFICATIONS

AXLE-TO-AXLE

30"

IBO SPEED

310FP

BRACE HEIGHT

6.5"

DRAW WEIGHT

0-60lbs.0-70lbs

DRAWLENGTH

18"-31"

LET-OFF

70%-80%

NET WEIGHT

3 81 B


COLOR

Black, Green









SPECIFICATIONS

AXLE-TO-AXLE

33.4"

IBO SPEED

330FF

BRACE HEIGHT

6.42"

DRAW WEIGHT

40-50lbs,50-60lbs,60-70lbs

NR AW I FNGTH

24.5''-26.5'' (small cam) : 27''-30'' (big car

LET-OFF

75%

NET WEIGHT

4.7LBS

COI OD

Black, Green, Muddy Girl Black



Black

Green

Muddy Girl Black



HERMIT_{X10}

RISER

- · CNC machined 6061 aluminum riser for ultimate performance and appeal.
- · Take-down design for easy storage.
- · Luxury wooden grip.
- Block adjustment alignment adjustment.

SPECIFICATIONS

LENGTH	WEIGHT	TYPE
19inches	1043g	RH
Limb fitting system	n: ILF	
Color: Red, Gold, Co	balt Blue, Green, Black	

LIMBS

- High quality cross carbon.Matte finish.
- · Special designed limbs for speed and response.
- · Stainless steel bolts.
- · Color: Black

SPECIFICATIONS [LENGTH AND WEIGHT]

60inches	Draw weight from 30# to 60#(5# increments)
62inches	Draw weight from 30# to 60#(5# increments)
64inches	Draw weight from 30# to 60#(5# increments)





TRACE_{x8}

- Special designed limbs angle alows for excellent accuracy.
 The take down contruction make it easy to transport.
- Block adjustment alignment adjustment.
- · Riser Length:19"
- Riser Material: dymond wood

SPECIFICATIONS [LENGTH AND WEIGHT]

60inches	from 30# through 60# in 5# increments
62inches	from 30# through 60# in 5# increments
64inches	from 30# through 60# in 5# increments

Limb fitting system:ILF Limbs Color: Camo, Black




















TEAM 700 CARBON LONG ROD TEAM 700 CARBON LONG ROD TEAM 700 CARBON LONG ROD +DAMPER +QUADRUPEL DISK 112gr • Sanlida's stiff carbon tech. • Outside diameter 18 mm • Length:28"/30"/33" TEAM 700 S TEAM 700 S

TEAM 700S CARBON LONG ROD +DAMPER

- +QUADRUPEL DISK 112gr
- $\cdot \ \mathsf{Sanlida's} \ \mathsf{stiff} \ \mathsf{carbon} \ \mathsf{tech}.$
- · Outside diameter 18 mm
- · Length:28"/30"/33"

TEAM 700 ES TEAM 700ES CARBON LONG ROD



TEAM 700ES CARBON LONG ROD +DAMPER

- +QUADRUPEL DISK 112gr
- · Sanlida's extra stiff carbon tech.
- · Outside diameter 14.5 mm
- · Length:28"/30"/33"

TEAM 700

TEAM 700 CARBON SIDE ROD



TEAM 700 CARBON SIDE ROD

- + DAMPER
- +DOUBLE DISK 56gr
- · Sanlida's stiff carbon tech.
- · Diameter:18mm
- $\cdot \, \textbf{Length:} 10^{\prime\prime}/12^{\prime\prime}/15^{\prime\prime}$

TEAM 700 S

TEAM 700S CARBON SIDE ROD



TEAM 700S CARBON SIDE ROD

- + DAMPER
- +DOUBLE DISK 56gr
- · Sanlida's stiff carbon tech.
- · Diameter:18mm
- · Length:10"/12"/15"

TEAM 700 ES

TEAM 700ES CARBON SIDE ROD



TEAM 700ES CARBON SIDE ROD

- + DAMPER
- +DOUBLE DISK 56gr
- · Sanlida's extra stiff carbon tech.
- · Diameter:14.5mm
- · Length:10"/12"/15"







X10 RECURVE

STABILIZER LONG ROD



SPECIFICATIONS
MATERIAL: Full carbon
LENGTH: 28" / 30"
DIA:18mm

X10 RECURVE

STABILIZER SIDE ROD



SPECIFICATIONS
MATERIAL: Full carbon
LENGTH: 11" / 12" carbon
DIA:18mm

X10 RECURVE

EXTENDER



SPECIFICATIONS

MATERIAL: CNC machined from preminum 6061aluminum

LENGTH: 5" WEIGHT: 98.3g

X9 RECURVE

STABILIZER LONG ROD



SPECIFICATIONS
MATERIAL: Full carbon
LENGTH: 26" / 28"
DIA:18mm

X9 RECURVE

STABILIZER SIDE ROD



SPECIFICATIONS MATERIAL: Full carbon LENGTH: 10" / 11" DIA:18mm







X10 RECURVE

OLMPIC SIGHT



- $\cdot \ The sight is with 9 inches universal extension bar, which is made of \ carbon fabrics for accuracy and lightness.$
- $\cdot \ \, \text{The main body machined from the 6061 aluminum. Precisely-engineered shape and design for quick vertical and horizontal.}$
- Clear scale indications for micro adjustment.
 Package with sight pin and fiber optic.
 Two sight dampers included.

SPECIFICATIONS
Directions of adjustment: up/down left/right

Weight: 255. 5g Available: RH









X9 RECURVE

SIGHT



- $\cdot \ Light weight \ aluminum \ frame \ sight \ 9" \ carbon \ bar \ reduces \ weight \ and \ vibration.$
- · Smooth micro adjust elevation and windage adjustments .
- · Micro adjustment unit with clear markings.

SPECIFICATIONS

Directions of adjustment: up/down left/right

Available: RH











X8 RECURVE

SIGHT



- · Machined from 6061 Aluminum.
- \cdot Scale indication for 4 directions, can be micro-adjusted quickly.
- · 9" extension rod allows for out standing accuracy.

SPECIFICATIONS

Directions of adjustment: up/down left/right

Available: RH









X10 RECURVE

FINGER TAB



SPECIFICATIONS

- $\cdot \ \mathsf{Olympic} \ \mathsf{standard} \ \mathsf{finger} \ \mathsf{tab} \ \mathsf{with} \ \mathsf{cordovan}.$
- $\cdot \ \mathsf{Perfect} \ \mathsf{structure} \ \mathsf{design} \ \mathsf{bring} \ \mathsf{you} \ \mathsf{unparalleled} \ \mathsf{experience}.$
- · Adjustable rear palm extendor fits for every archer.
- · Cordovan leather and soft leather combine to multiayered structure.

Available:RH only SIZE: L M S

X9 RECURVE

FINGER TAB



SPECIFICATIONS

- · The perfect bearer design liberates your every finger.
- · New constructure of finger tab allows your every second focus on
- aiming on target.

Available: RH only

X8 RECURVE

FINGER TAB



SPECIFICATIONS

- · Maintains correct finger placement and pressure while drawing the bow.
- $\cdot \ Includes \, finger \, spacer.$
- · Made of tough leather.

Available:RH only **SIZE:** L M S





X10 LIMBS

DAMPER



SPECIFICATIONS

- · Designed for all recurve limbs.
- · Destroy any excess limbs vibration and noice.

X10 RECURVE

SIGHT PIN DAMPER



SPECIFICATIONS

- · The weight is machined from 6061 Aluminum.
- · High temperature resistance and durable for any archers.
- \cdot Obviously reduces the vibration.

WEIGHT:28.3g



X10 RECURVE

CLICKER



Made of hign-end material, durable for professional archers.

X10 RECURVE

CUSHION PLUNGER



SPECIFICATIONS

- · Special material treatment, no damage to the arrows.
- · Stable quality, can be used for a long time.
- · Meet the needs of different archers.

WEIGHT:28.3g



X8 RECURVE

CLICKER

X9 RECURVE

CUSHION PLUNGER



SPECIFICATIONS

Can be mounted on the sight, meet the needs of different archers with different draw length.

COLOR: Black, Blue, Gold, Red, Green



SPECIFICATIONS

- Special material treatment, no damage to the arrows.
 Stable quality, can be used for a long time.
- · Meet the needs of different archers.

WEIGHT:28g

Color:black,blue,gold,red,green







X10 RECURVE

V-BAR



SPECIFICATIONS

- · Machined from 6061 aluminum.
- \cdot Enables the archer to attach more weights to the far ends of the
- \cdot Making possible a setting that distributes weight away from the

Angle: 35° 40° 45° **WEIGHT:**128.7g

X9 RECURVE

ARROW REST



SPECIFICATIONS

- · A preferred rest for all archers.
- · Durable quality.

Available: RH

X10 RECURVE

SLING



SPECIFICATIONS

· Adjustable nylon para-cord sling.







X10 COMPOUND HANDLE RELEASE







X10 COMPOUND STABILIZER LONG ROD(14.5mm)



SPECIFICATIONS

- · Designed for olympic compound archers.
- · Sanlida's hard carbon tech.
- · Outside diameter 14.5 mm bring outstanding performance.

Length:30"/33"

X10 COMPOUND

STABILIZER LONG ROD(18mm)



SPECIFICATIONS

- · Designed for olympic compound archers.
- · Sanlida's hard carbon tech.
- · Outside diameter 18 mm bring outstanding performance.

Length:28"/30"

X9 COMPOUND

STABILIZER LONG ROD



SPECIFICATIONS

- Designed for all compound archers.
- Powered by Sanlida's carbon tech.

Length:28"

X10 COMPOUND SIDE ROD(DIA 14.5mm)



SPECIFICATIONS

- Designed for olympic compound archers.
- · Sanlida's hard carbon tech.

Diameter:14.5mm Length:12"/15"

Five colors for different archers.

X10 COMPOUND

SIDE ROD(DIA 18mm)



SPECIFICATIONS

- Designed for olympic compound archers.
- · Sanlida's hard carbon tech.

Diameter:18mm Length:11"/12"/15"

Five colors for different archers.

X9 COMPOUND

SIDE ROD



SPECIFICATIONS

- Designed for all compound archers.
- Powered by Sanlida's carbon tech.

Length:11"/12"

X10 COMPOUND

EXTENDER

SPECIFICATIONS

- Reinforced by Sanlida's 3D patent structure.
- · Super strong links between long rod and bow.
- Trustworthy strength bring unparalleled confidence for archers.

Color: Five different color Length:5"

Weight 162.5g










X10 COMPOUND

PRO SIGHT



- $\cdot \text{ The sight is with 6 inches and 9 inches extension bar, which is made of carbon fabrics for accuracy and lightness. The main body}\\$ machined from the 6061 aluminum.
- $\cdot \ \mathsf{Precisely-engineered} \ \mathsf{shape} \ \mathsf{and} \ \mathsf{design} \ \mathsf{for} \ \mathsf{quick} \ \mathsf{vertical} \ \mathsf{and} \ \mathsf{horizontal}.$
- · Clear scale indications for adjustment.

SPECIFICATIONS

Directions of adjustment: up/down left/right

vertical angle adjustment, horizontal angle adjustment.

Weight: 226g

Available: RH









X9 COMPOUND

SIGHT



- $\cdot \ Light weight \ a luminum \ frame \ sight \ 6" \ carbon \ bar \ reduces \ weight \ and \ vibration.$
- Smooth micro adjust elevation and windage adjustments .
- · Micro adjustment unit with clear markings.

SPECIFICATIONS

Directions of adjustment: up/down left/right

Available: RH








X8 COMPOUND

SIGHT



- Machined form 6061 Aluminum.
- Scale indication for 4 directions, can be micro-adjusted quickly.
- 6" extension rod allows for out standing accuracy.

SPECIFICATIONS

Directions of adjustment: up/down left/right

Available: RH







X10 COMPOUND

SCOPE



SPECIFICATIONS

Weight: 75g Length:115mm Diameter:29mm Material:6061-T6

X8 COMPOUND

SCOPE







X10 COMPOUND

V-BAR(DOUBLE)



SPECIFICATIONS

- · Allows to adjust the bar to different angles.
- Strong, simple, less weight.
- Special designed structure allows quick assemble and fast transport.

Color: Five colors for different archers

Weight: 176.1g



X10 COMPOUND

V-BAR(SINGLE)



SPECIFICATIONS

- Allows to adjust the bar to different angles.
- Strong, simple, less weight.
- Special designed structure allows quick assemble and fast transport.

Color:Black only

X10 COMPOUND

QUICK DISCONNECT MOUNT



SPECIFICATIONS

Made of strong CNC machined aluminum.

Degree:0°/5°/10°

Color: Five colors for different archers

Weight 41.2g





ARROW REST



SPECIFICATIONS

- $\boldsymbol{\cdot}$ The main body is precisely made of 6061 aluminum.
- Different sizes of high-strength and high-elastic launchers.
- · Available for the horizontal and vertical adjustment.
- Stainless steel fixing bolts.
- Scratch-free during the shooting.
- 70mm long mount for pro archer.

Weight: 100.4g



X9 COMPOUND

ARROW REST



SPECIFICATIONS

- The main body is precisely made of 6061 aluminum.
- Different sizes of high-strength and high-elastic launchers.
- Available for the horizontal and vertical adjustment.
- Stainless steel fixing bolts.
- Scratch-free during the shooting.

Weight: 64.5g



X10 COMPOUND

SCOPE DAMPER



SPECIFICATIONS

- Machined from 6061 Aluminum.
- Made of special material.
- High temperature resistance and durable for any archers.
- Obviously reduces the vibration.

Weight: 27.2g









X10 COMPOUND

LONG ROD DAMPER



SPECIFICATIONS

- Powered by Sanlida High-precision tech.
- Super strong structure.

Color:Five colors for different archers

Weight: 284g



X10 COMPOUND

PEEP SIGHT



SPECIFICATIONS

- CNC machined 6061 Aluminum.
- · Ultralight construction, imaging clearly.
- Allows for outstanding accuracy.

OD:10.4mm ID:3/64"









X10 GENERAL

RISER DAMPER



SPECIFICATIONS

- $\boldsymbol{\cdot} \ \mathsf{New} \ \mathsf{generation} \ \mathsf{in} \ \mathsf{stabilizer} \ \mathsf{vibration} \ \mathsf{dampening} \ \mathsf{technology, the}$ best choice to reduce vibration and noise.
- 56g weight, X10 damper and a short aluminum extendor included.

Weight: 135.5g



X10 RECURVE

CASE



SPECIFICATIONS

- · Allows to adjust the bar to different angles.
- Strong, simple, less weight.
- Special designed structure allows quick assemble and fast transport.

Color: Five colors for different archers

Weight: 176.1g

X10 COMPOUND

CASE



SPECIFICATIONS

- Allows to adjust the bar to different angles.
- Strong, simple, less weight.
- Special designed structure allows quick assemble and fast transport.

Color: Five colors for different archers

Weight: 176.1g







X10 GENERAL

STABILIZER DAMPER



SPECIFICATIONS

- · Sanlida patent nanotechnology.
- · Best choice to calm your bow down.

Weight: 35.2g

X9 GENERAL

STABILIZER DAMPER



SPECIFICATIONS

- New generation in stabilizer vibration dampening technology.
- The best choice to reduce vibration and noise.

Weight: 41.6g

X10 GENERAL

STABILIZER WEIGHT



SPECIFICATIONS

 $\label{eq:made_equation} \mbox{Made of high-end material, meet the needs of different archers.}$

WEIGHT:112g 84g 56g 28g





SIGHT DAMPER



SPECIFICATIONS

- · Absorbs noise and vibration from your sight.
- Prevents your sight from loosening due to post shot vibrations.
- Ensure your smoothly aim and shoot.
- Two pcs included in the package.

Color:Black Weight: 12.2g

GENERAL

DAMPER CONVERTION CONNECTION



SPECIFICATIONS

High-grade stainless steel material production.

LENGTH: 1"

MOUNTING THREAD: Large diameter 5/16"-24UNF, small

diameter 1/4"-20UNC

GEAR

X10 BOW CASE



SPECIFICATIONS

- $\boldsymbol{\cdot} \ \mathsf{Most} \ \mathsf{appropriate} \ \mathsf{bow} \ \mathsf{case} \ \mathsf{with} \ \mathsf{wheels} \ \mathsf{for} \ \mathsf{professional} \ \mathsf{archers}.$
- $\bullet \ \mathsf{Make} \ \mathsf{you} \ \mathsf{feel} \ \mathsf{easy} \ \mathsf{for} \ \mathsf{any} \ \mathsf{globle} \ \mathsf{tournaments}.$
- Powered by Sanlida high-tech nylon material.
- Provide trustworthy protection for your valuable equipments.
- Enough room for two full sets of olympic bows.

SIZE:1210*410*220mm Color:Black only Weight: 9120g







SOFT COMPOUND BOW CASE



SPECIFICATIONS

- Soft compound bow case with nylon.
- Suitble for bow's ATA under 38".
- Provide soft protection for cams.



SANLIDA CAP

SPECIFICATIONS

Color: Black&green

GEAR

SOFT RECURVE/HUNTING BOW CASE



SPECIFICATIONS

- Soft bow case with nylon.
- Provide soft protection for your bow.

SIZE:910*210*70 mm Color:Black only



GEAR

COPE COVER



SPECIFICATIONS

- Self closing cover to provide safe protection for your scope.
 Waterproof leather.
- Soft material inside.
- Fits variety of scope.







BACKPACK



SPECIFICATIONS

- Smart clean design with plenty of functionality.
- Large front and main pocket.
- Constructed of nylon.

SIZE: 67*30*14 cm

Color: Four colors for different archers

GEAR

X10 RECURVE STAND



SPECIFICATIONS

- New fancy design for the new stand.
- Grip your bow as a baby and stand stable.
- · Light weight and strong material.

GEAR

X8 RECURVE STAND



SPECIFICATIONS

- Classic designed with durable constructure.
- ${\boldsymbol{\cdot}} \ \mathsf{Light} \ \mathsf{weight} \ \mathsf{and} \ \mathsf{strong} \ \mathsf{material}.$



X10 COMPOUND BOW STAND



SPECIFICATIONS

- New designed with Sanlida impact resistant composite material tech.
- · Lightweight, durable.

Color: Green

GEAR

ARROW PULLER



SPECIFICATIONS

Deep wedge fits all arrow sizes.

Color: Red only

GEAR

X10 ARROW PULLER GLOVE



SPECIFICATIONS

- High quality rubber.
- Fit all size of arrows.







X8 CHEST GUARD



SPECIFICATIONS

Light weight and provide protection for your chest.

Material: Nylon(Double layered) TYPE: RH SIZE: L

GEAR

X7 ARM GUARD




SPECIFICATIONS

• Provide perfect protection for your arm.

GEAR

X8 ARM GUARD



SPECIFICATIONS

- Features with Sanlida 3D structure.
- $\bullet \ \, \text{Extremely light and comfortable to wear.}$
- Smooth outer surface creates less friction when impacted by the string.

Color: Five colors for different archers



X10 ARM GUARD



SPECIFICATIONS

- Extremely light and comfortable to wear.No impact to the arrow.
- Skeleton-like structure.

GEAR

X10 HUNTING ARM GUARD



GEAR

X10 LIMBS PROTECTER









RELEASE POUCH



SPECIFICATIONS

One size fits most.

Color: red,blue,green

GEAR

RELEASE POUCH



SPECIFICATIONS

- One type fits most.
- · Waterproof leather.
- · Soft material inside.

GEAR

STRINGER



SPECIFICATIONS

 $Nylon\,chord\,with\,rubber\,cups.$





X10 TARGET QUIVER



SPECIFICATIONS

- · Luxury leather body.
- With convenient accessories pocket.

Color:Black Available: RH

GEAR

X9 TARGET QUIVER



SPECIFICATIONS

- · Canvas body.
- With convenient accessories pocket.

Color:Black Available: RH

GEAR

X10 FIELD QUIVER



SPECIFICATIONS

- Luxury leather body.
- With convenient accessories pocket.

Color:Black Available: RH

GEAR

X9 FIELD QUIVER



SPECIFICATIONS

- Canvas body.
- With convenient accessories pocket.

Color:Black Available: RH





TARGET PAPER



SPECIFICATIONS

- Durable reinforced material.
- · SIZE:1250*1250mm

GEAR

TARGET PAPER



SPECIFICATIONS

- · Durable reinforced material.
- SIZE:830*830mm

GEAR

TARGET PAPER



SPECIFICATIONS

- Durable reinforced material.
- SIZE:510*510mm



TARGET PAPER



SPECIFICATIONS

- Durable reinforced material.
- SIZE:670*230mm

GEAR

TARGET PAPER



SPECIFICATIONS

- Durable reinforced material.
- SIZE:670*230mm

GEAR

TARGET STAND



SPECIFICATIONS

• 211cm*153cm



