



# ULTIMATE

## Portable, Remote Control

# Dual Power Tripod LED Work Light

### with Extended Run Time



## Features

- Remote Control
- Now Extended Run Time
- Two Illumination settings (White & Warm)
- Cordless with 4 batteries included and also works while plugged in (AC)
- Heavy-duty tripod construction
- Tripod extends to 75.5" and folds to just 35"
- Removable head w/magnetic based design, allows for use on/off tri-pod
- Attached Hanging Hook for Light Head
- Top tripod bar can now rotate a full 360-degrees
- Carrying bag included

## Specifications

2 light temp settings,  
4000k warm light  
6500k bright light

3 Level Brightness (Lumens):  
6000 (high), 2000 (medium),  
500 (Low), 1800 (corded power)

Batteries: 7.4V 8000 mAh  
Lithium-Ion (included)

Charging time: 8 hrs  
(Charger and cable Included)

Charger: 8.4V/3A

Runtime: 2-3 hr. (high),  
5-6 hrs. (medium), 12-14 hrs. (low)



HANDY  
REMOTE  
CONTROL  
INCLUDED

NOW WITH  
**TWICE**  
THE RUN TIME\*  
\*in high and medium rechargeable mode

DUAL  
POWER  
SOURCE  
CORDED AND  
RECHARGEABLE



### Handy Remote Control

Conveniently adjust your lighting without having to interrupt your work. Remote control stores magnetically on the light head.



### Dual Lighting Mode

White mode to see every detail.  
Daylight mode for color critical lighting



### Strong Magnetic Base

Removable head is equipped with 4 strong magnets and can securely mount on any flat metal surfaces.

version 10/23

contact@mynextled.com  
(877) 886-6822  
www.mynextled.com

NOTE: Illustrations, figures and photos may vary slightly due to our program of continuous product improvements.

WARNING: LED's are extremely bright and direct exposure to eyes may cause injury. Avoid shining LED's in eyes.

©2023 NEXTOOL Inc.

**nex+LED**  
Work **BRIGHTER**

# Professional, Rechargeable Color Matching UV Flood Light



## Features

- **4 Brightness Control Levels**  
500, 1,000, 1,500 and 2,000 lumens
- **High Color Accuracy**  
CRI 95+ rated
- **4 Color Temperature Control**  
2,500k, 3,500k, 4,500k, and 6,500k
- **UV Light Feature**  
395-400 Nm, for leak detection
- **With Convenient Power Bank/  
Portable Charger**  
USB-C cable included

## Specifications

Battery: 3.7V 4400mAh  
(5V1A USB-C cable included)

Lumen: around 2000lm (max)  
(2000/1500/1000/500 lm)

Color Rendering Index (CRI): 95

Charging time: 2-3 hrs.

Working time: 2 hrs.

Light source: 6500K-4500K-  
3500K-2500-385-405NM UVA

Function: button 1:  
100%-75%-50%-25% brightness

Function button 2:  
6500K-4500K-3500K-2500K

Function button 3: UV light

USB power bank function:  
output 5V 1A




Handy magnetic base for easy,  
secure mounting



Easy to operate control panel  
with battery indicator



Tripod mount base for added  
functionality



180° rotation puts light right  
where you need it



Integrated clip for easy, secure  
carrying



Convenient power bank/  
portable charger with USB-C  
cable included

version 10/23

contact@mynextled.com  
(877) 886-6822  
www.mynextled.com

NOTE: Illustrations, figures and photos may vary slightly  
due to our program of continuous product improvements.

WARNING: LED's are extremely bright and direct exposure  
to eyes may cause injury. Avoid shining LED's in eyes.

©2023 NEXTOOL Inc.

**Nex+LED**  
Work **BRIGHTER**

# Multi-Function, Rechargeable Spot, Flood & UV Pen Light 3 Lights in 1



## Features

- Versatile lighting options**  
 Suitable for a variety of tasks and applications
- Long-lasting and rechargeable**  
 Provides up to 8 hours of continuous light on low mode and it fully recharges in just 2 hours
- Durable and impact resistant**  
 Withstands tough conditions
- Convenient and portable**  
 Perfect for carrying around in your pocket
- High performance**  
 Ideal for everything from detailed work to outdoor activities

## Specifications

Power: 1 Lithium Ion Battery

Body Dimension: 0.78" (20mm)

Length: 6.85" (178 mm)

Weight: 2.2 oz (62.4 grams)

Impact Resistant Level: IK07

**Spot Light:** 200 lumen, 3hr., runtime

### Flood Light:

High: 300 lumen, 2 hr. runtime

Low: 100 lumen, 8 hr. runtime


### UV Light:

Wave length: 365 nm


Charge Time: 2 hrs.



Spot light provides highly focused bright light



UV light easily detects stains and leaks




English and metric scales conveniently on pen light body




Soft end caps won't scratch surfaces



Magnetic pocket clip adds mounting options



Convenient and strong magnet on end of pen



Perfect for tight, low light situations



Ideal for lighting smaller areas



version 10/23

contact@mynextled.com  
(877) 886-6822

www.mynextled.com

NOTE: Illustrations, figures and photos may vary slightly due to our program of continuous product improvements.

WARNING: LED's are extremely bright and direct exposure to eyes may cause injury. Avoid shining LED's in eyes.

©2023 NEXTOOL Inc.

**Nex+LED**  
Work **BRIGHTER**

# Rechargeable, Folding Bar Double Sided LED Task Light



## Features

- **Foldable, Swivel Design**
- **Rechargeable**  
(USB-C cable included)
- **Magnetic Base**
- **Dual Light Bar Function**  
(single/both/tip/off)
- **Red/Green Charging Indicator**
- **Dual Power Source**  
(corded & rechargeable)

## Specifications

Output (Lumens):  
500 (single), 800 (both) 50 (tip)

Aluminum Construction

IPX4 Rated Water Resistant

18650 3.7V 2200 mAh  
Lithium-Ion battery (included)

Run Time:  
2 hrs. (both)/2.5 hrs. (single)/  
24 hrs. (tip)

Charging Time:  
4-hour charge time

Adaptor: 5V 1A  
(not included)



**Swivels & Rotates** **Battery Status Display** **Charging Port**

version 10/23

contact@mynextled.com  
(877) 886-6822  
www.mynextled.com

NOTE: Illustrations, figures and photos may vary slightly due to our program of continuous product improvements.

WARNING: LED's are extremely bright and direct exposure to eyes may cause injury. Avoid shining LED's in eyes.

©2023 NEXTOOL Inc.


**Nex+LED**  
Work **BRIGHTER**

# Rechargeable, Detachable Under Hood LED Work Light



## Features

- **High-Low-UV Function**  
Suitable for a variety of tasks and applications
- **Foldable/Adjustable Detachable Bracket Base**  
For self-standing applications
- **2 Work Lights Detach**  
for convenient hand-held use
- **Soft Padded Hanging Hooks**  
Provide protection of work surfaces
- **Battery Level Indicator**
- **Rechargeable**  
(USB-C cable Included)



## Specifications

LED Output (lumens): 2000 (high)  
1000 (low),


UV:395 nm UV

Telescoping from 48" to 77"

Battery: 3.7V 4000 mAh  
lithium battery (included)

Run Time: 2 hrs. (high)  
4 hrs. (low)


5V DC Charging  
(USB-C Cable Included)



Brand new design allows you to easily switch between bright white light and 395 nm UV light for optimized versatility.



All new push button 10-position stop design allows more versatile usage and better storability



Clamps securely to hood of car for even engine bay lighting



Lights detach from bracket for hand-held applications



Soft padded hooks provide protection for interior use



Folds to become a self-standing ambient light

version 10/23

contact@mynextled.com  
(877) 886-6822  
www.mynextled.com

NOTE: Illustrations, figures and photos may vary slightly due to our program of continuous product improvements.

WARNING: LED's are extremely bright and direct exposure to eyes may cause injury. Avoid shining LED's in eyes.

©2023 NEXTOOL Inc.

**nex+LED**  
Work **BRIGHTER**

Professional CRI 96+, 3 temperature

# Color Matching Light



## Features

- **3 color temperatures**  
For critical color matching and identifying imperfections
- **CRI 96+ rated**  
For professional color accuracy
- **Strong ABS housing design with focus lens**
- **Rotating base with magnet can also adjust lighting angle**
- **Hidden hook & magnet at back for hands-free working**

## Specifications

High quality 5W COB LED light,  
CRI 96+ Rated

Switch Mode:  
6500K/4000K/2700K/Off

500 lumen

Run Time: 2.5 hours

Charging time: 4 hours

Battery: 3.7V 2200 mAh  
Lithium-Ion (included)

Micro USB cable


Charging Station Base

Charger: 100-240V to 5V 1A

IP-66 Rated  
Water & Dust Resistant



## 3 Color Temperatures



**Hidden,  
Rotating Hook**  
To hang light for  
hands-free use

**Magnet  
on Back**  
Secures firmly  
to metal  
surfaces

**Mountable  
Charging Base**  
For a wall mounted  
charging station



**Easily See:**  
Paint defects,  
swirl marks and  
other hidden  
imperfections



version 10/23

contact@mynextled.com  
(877) 886-6822  
www.mynextled.com

NOTE: Illustrations, figures and photos may vary slightly due to our program of continuous product improvements.

WARNING: LED's are extremely bright and direct exposure to eyes may cause injury. Avoid shining LED's in eyes.

©2023 NEXTOOL Inc.

**Nex+LED**  
Work **BRIGHTER**

# 10" Triple Light Mode Under Car LED Work Light



## Features

- **Three light modes (flood light/detail light/UV light)**
- **18" flexible detail light**
- **Steel roller wheels, slides easily**
- **Low profile, to fit under car**
- **Handy light focusing feature**
- **Dual power source: corded & rechargeable**

## Specifications

2 illumination settings: white & UV

500 lumen disk light, 6 hr. run time

200 lumen flexible light,  
10 hr. run time

2 rechargeable lithium-ion  
batteries included

4 hr. charging time

5V/2A charger micro USB charger  
(not included)

Charging cable included

Net weight 2.0 lbs.

IP-43 Rated Water & Dust Resistant

10" diameter

18" flexible light



version 10/23

contact@mynextled.com

(877) 886-6822

www.mynextled.com

NOTE: Illustrations, figures and photos may vary slightly due to our program of continuous product improvements.

WARNING: LED's are extremely bright and direct exposure to eyes may cause injury. Avoid shining LED's in eyes.

©2023 NEXTOOL Inc.



**Nex+LED**  
Work **BRIGHTER**



# 1000 Lumen Rechargeable Handheld Bar LED Work Light



## Features

- Full, Half Power, UV Light Settings**  
 1000 lumens on full power  
 500 lumens on half power  
 395 nm UV light on
- Comfort Grip**  
 For non-slip operation
- 2 Hanging Hooks**  
 For multiple lighting situations  
 and hands-free use
- Durable Design**  
 Holds up to rugged use
- Rechargeable**  
 (USB-C cable included)

## Specifications

### LED's:

10 W COB

### Brightness Levels:

1000 lm (high)/500 lm (low)  
 395 nm UV light

### Run Time:

2.5 hrs. (high), 5 hrs. (low)

### Battery Size:

3.7V 4000 MAH

### Operating Temperature:

23 to 118°F

### Input Rating:

5V DC (Charger not included,  
 sold separately)

### Charging Time:


Approx. 4 hrs.  
 (based on 1A)

### Net Weight:

0.9 lbs. (0.4kg)

### Overall Length:

17.7" (448mm)



395 NM UV light



1000 lumen  
LED light



Top hanging  
hook



Detachable  
bottom hook



# Rechargeable, Folding Bar LED Task Light



## Features

- **Foldable Design**
- **Rechargeable**  
(USB-C cable included)
- **Magnetic Base**
- **Red/Green Charging Indicator**
- **Dual Power Source**  
(corded & rechargeable)
- **Comfort Grip**  
For non-slip operation
- **Pivoting Light Bar**  
To direct light where you need it

## Specifications

Output (Lumens):  
350 (high), 50 (low)

Aluminum Construction

IPX4 Rated Water Resistant

18650 3.7V 2200 mAh  
Lithium-Ion battery (included)

Run Time:  
2 hrs. (high)/24 hrs. (low)

Charging Time:  
4-hour charge time

Adaptor: 5V 1A  
(not included)



Battery Status  
Indicator



Charging Port

version 10/23

contact@mynextled.com  
(877) 886-6822  
www.mynextled.com

NOTE: Illustrations, figures and photos may vary slightly due to our program of continuous product improvements.

WARNING: LED's are extremely bright and direct exposure to eyes may cause injury. Avoid shining LED's in eyes.

©2023 NEXTOOL Inc.

**Nex+LED**  
Work **BRIGHTER**

Portable

# Dual Power Tripod LED Work Light



## Features

- **Multi-Use Tri-Pod Work Light** can be configured for any job
- **Two Illumination settings** (White & Warm)
- **Cordless with batteries included** and also works while plugged in (AC)
- **Heavy duty tripod construction**
- **Tripod extends to 75.5"** and folds to just 35"
- **Removable head w/magnetic based design,** allows for use on/off tri-pod

## Specifications

2 light temp settings,  
4000k warm light  
6500k bright light

3 Level Brightness (Lumens):  
5000 (high), 1500 (medium),  
500 (Low), 1800 (corded power)

Battery: 7.4V 4000 mAh  
Lithium-Ion (included)

Charging time: 4 hrs


Charger: 8.4V/3A (included)

Runtime: 1-2 hr. (high),  
5-6 hrs. (medium), 12-14 hrs. (low)



### Dual Lighting Mode

White mode to see every detail.  
Daylight mode for color critical lighting




### Strong Magnetic Base

4 strong magnets allow it to be attached to flat metal surfaces

### Removable Light Head

allows for use on or off tripod



**Never be caught without light again**  
Effective, portable lighting wherever you need it

version 10/23

contact@mynextled.com  
(877) 886-6822

www.mynextled.com

NOTE: Illustrations, figures and photos may vary slightly due to our program of continuous product improvements.

WARNING: LED's are extremely bright and direct exposure to eyes may cause injury. Avoid shining LED's in eyes.

©2023 NEXTOOL Inc.

**nex+LED**  
Work **BRIGHTER**

# 200 Lumens, Battery Powered, Flexible Shaft LED Work Light



## Features

- **Flexible Neck**
- **Battery Operated:**  
(3AA batteries not included)
- **Zoom In/Out Lamp Head Design**
- **Magnetic base**
- **Heavy Duty Aluminum Housing**
- **Cree XPG  
High Performance LED**

## Specifications

200 Lumen

LED Output (lumens):  
200 (high), 80 l(low)

Top mounted LED: 45 lumens

3 AA Batteries (not included)

Run Time: 8 hrs. (high)  
20 hrs. (low)

Beam distance: 325 feet

IP-54 Rated Water & Dust Resistant



Zoom Lamp  
Head Design



Cree ZPG  
High Performance  
LED



Flexible  
Neck



Magnetic  
Base



version 10/23

contact@mynextled.com  
(877) 886-6822  
www.mynextled.com

NOTE: Illustrations, figures and photos may vary slightly due to our program of continuous product improvements.

WARNING: LED's are extremely bright and direct exposure to eyes may cause injury. Avoid shining LED's in eyes.

©2023 NEXTOOL Inc.

**Nex+LED**  
Work **BRIGHTER**

Flexible Shaft

# Cree® LED Task Light

with Magnetic Pick-Up Tool



## Features

- Improved LED Head with Magnetic Tool Pick Function
- Flexible Neck
- Magnetic Base
- Zoom In/Out Lamp Head Design
- Battery Operated
- High-Low Function

## Specifications

Output (lumens):  
300 (high), 80 (low)

IP-54 Rated  
Water & Dust Resistant

Beam distance: 325 ft.

3AA batteries (not included)

Run Time:  
8 hrs. (high) / 20 hrs. (low)

Cree XPG  
High Performance LED

Pick Up Weight:  
Maximum 1 lb.

Maximum Extension: 24 in.



**Quick Zoom Function**  
Push/pull to focus light



**Strong Magnetic Head**  
Can pick up to 1 lb.



**Heavy Duty Magnetic Base**  
For hands-free operation



version 10/23

contact@mynextled.com  
(877) 886-6822  
www.mynextled.com

NOTE: Illustrations, figures and photos may vary slightly due to our program of continuous product improvements.

WARNING: LED's are extremely bright and direct exposure to eyes may cause injury. Avoid shining LED's in eyes.

©2023 NEXTOOL Inc.

**nex+LED**  
Work **BRIGHTER**

# Dual 200/80 Lumens, Battery Powered, Flexible Shaft LED Grill Light



## Features

- **Natural Lighting**  
More accurate lighting for food preparation
- **Dual Light Levels**  
High: 200 lumens  
Low: 80 lumens
- **Flexible Neck**  
To direct light where you need it
- **Compact Design**  
To reach tight places
- **Magnetic base**  
For hands-free operation
- **Battery Powered**  
(Batteries not included)
- **For Indoor or Outdoor Use**

## Specifications

Lumen Output: 200 lumens (high)  
70 lumens (low)

Run Time: 8 hrs. (high)  
20 hrs. (low)

3 AA Batteries Powered  
(not included)

Beam distance: 325 feet

Water proof : IP-54



Provides a more natural light for food preparation



Dual light levels:  
High: 200 lumens  
Low: 80 lumens

Flexible neck to place light where you need it



Strong magnetic base holds strong to metallic surfaces



version 10/23

contact@mynextled.com  
(877) 886-6822  
www.mynextled.com

NOTE: Illustrations, figures and photos may vary slightly due to our program of continuous product improvements.

WARNING: LED's are extremely bright and direct exposure to eyes may cause injury. Avoid shining LED's in eyes.

©2023 NEXTOOL Inc.

**Nex+LED**  
Work **BRIGHTER**

# ULTIMATE LED Grill Light

210 Lumens CREE LED  
Battery Powered, Magnetic Base



## Features

- **Warm, Even Lighting Makes Food Look As Good On The Grill As It Does On Your Plate**
- **Two Standard Brightness Levels**
- **Unique Lens Design for Wider, More Even Light**
- **Infinite Brightness Adjustability By Simply Holding Down The On/Off Button**
- **2 1/4" Magnetic Base Securely Holds Light In Place on Grill**

## Specifications

Light Output (lumens):  
210 (high), 60 (low)

Battery Life: 6 hrs. (high),  
10 hrs. (low)

Power: 3 AA batteries  
(not included)

LED Light:  
High Performance CREE LED

Light Rating: 3200k

Water Resistance:  
IPX4 rating

Weight:  
1.21 lbs. (excluding battery)



**Unique Lens Design**  
For wider, more even light



**Two Standard Brightness Levels**



**Infinite Brightness Adjustability**  
By simply holding down the on/off button



**Ultra-Strong Magnetic Base**  
Scratch-resistant, stable 2 1/4" magnetic base

version 10/23

contact@mynextled.com  
(877) 886-6822  
www.mynextled.com

NOTE: Illustrations, figures and photos may vary slightly due to our program of continuous product improvements.

WARNING: LED's are extremely bright and direct exposure to eyes may cause injury. Avoid shining LED's in eyes.

©2023 NEXTOOL Inc.



**Nex+LED**  
Work **BRIGHTER**

# Multi-Function Spot/Wide Beam Headlamp



## Features

- **Wrap Around 3 Light Design**
- **9 Functions:**
  - Wide Beam Light
  - Hi white/Low white/Red
  - Spotlight
  - High/Low/Strobe
  - Taillight
  - Red/Flashing/Sequential
- **3 Independent Switches**
- **Spotlight Pivots Up to 90 Degrees**
- **Durable Hat Strap**  
(with 2 clips to mount on hard hat)
- **Rechargeable**  
(USB-C Charging Cable Included)
- **Carrying Bag**



**Spot Light**  
High, Low, Strobe Light



**Tail Light**  
Red, Red Flashing,  
Red Sequential Light



**Wide Beam Light**  
High, Low, Red Light

## Specifications

Wide Beam Light (lumens):  
300/100/20

Spotlight (lumens): 200/100

Strobe Light (lumens): 200

Tail Light (lumens): 20

IP-54 Rated

Water & Dust Resistant

Battery: 3.7V 1500 mAh  
Lithium-Ion (included)

Run Time:

Wide Beam Light: 2 hrs.

Spot Light: 6 hrs.

Red Tail Light: 24 hours

Charging Time: 2 hrs.

Adaptor: 5V 1A  
(not included)



**Biking**



**Camping**



**Job Site**



**Home Repair**



version 10/23

contact@mynextled.com  
(877) 886-6822

www.mynextled.com

NOTE: Illustrations, figures and photos may vary slightly due to our program of continuous product improvements.

WARNING: LED's are extremely bright and direct exposure to eyes may cause injury. Avoid shining LED's in eyes.

©2023 NEXTOOL Inc.

**Nexi-LED**  
Work **BRIGHTER**



# Rechargeable, Dimmable Neck Light With Magnetic Base/Tripod Mount



## Features

- **Wrap Around Design**
- **Adjustable Snake Light Design**
- **Battery Case in the Back with Magnets and Tripod Mounting**
- **Strong Magnetic Bottom**

## Specifications

Fully dimmable  
white 300 lumen LED

Dual switch control  
(separate switch on each light)

2000 mAh Lithium-ion  
battery (included)

IP-X4 Rated Water Resistant

Impact resistant

Run time: 3-6 hours at full  
brightness (single/dual)


12 hours at lowest setting

Charging time:  
4-hour charge time


Adaptor: 5V 1A  
(not included)



Includes convenient magnetic  
and tripod mounting options



Bright illumination right  
where you need it



Keeps your hands free  
for critical work



version 10/23

contact@mynextled.com  
(877) 886-6822  
www.mynextled.com

NOTE: Illustrations, figures and photos may vary slightly  
due to our program of continuous product improvements.

WARNING: LED's are extremely bright and direct exposure  
to eyes may cause injury. Avoid shining LED's in eyes.

©2023 NEXTOOL Inc.

**nex+LED**  
Work **BRIGHTER**

Multi-Function, Rechargeable

# Keychain Light



## Features

- **Powerful Lighting in a compact Design**
- **Sturdy Aluminum Case**
- **300 Lumen COB LED**  
For ambient lighting
- **400 Lumen CREE LED**  
For bright, focused light
- **Easy Operation Light Switch**
- **Cap Clamp/Stand**  
For hands-free use
- **Includes Carabiner Clip**

## Specifications

CREE LED (lumens): 400 (high),  
50 (Low), Strobe: 50

CREE LED Run Time:  
30 min. (High), 5 hrs. (Low), 8 hrs. (Strobe)


CREE LED TEMPERATURE:  
6300-7000 K, focus distance 75m

COB LED (lumens): 300 (high), 50 (Low)

COB LED Run Time:  
35 min. (High), 5 hrs. (Low)

COB LED TEMPERATURE:  
6000-7000 K

Battery: 3.7V 250 mAh  
Lithium-ion (included)



version 10/23

contact@mynextled.com  
(877) 886-6822

www.mynextled.com

NOTE: Illustrations, figures and photos may vary slightly due to our program of continuous product improvements.

WARNING: LED's are extremely bright and direct exposure to eyes may cause injury. Avoid shining LED's in eyes.

©2023 NEXTOOL Inc.

**Nex+LED**  
Work **BRIGHTER**

## Dual Function, 3 brightness Levels

# Pocket LED Task Light

## with integrated Spot Light



### Features

- Rechargeable
- Magnetic bottom design
- Heavy Duty Aluminum Housing
- Built-In Hanging Hook/Clip Design
- Spot Light and Task Light
- Integrated Power Bank Function

### Specifications

100/300 Lumen Spotlight

500 Lumen COB Task Light

Run time: 3-10 hours

Battery: 3.7V 1500 mAh

Beam distance: 100 meters

Water proof : IPX4

Recharging time:  
3 hrs (USB charging port)

Adaptor: 5V 1A



Integrated  
Power Bank



Easy-Access  
Top Port for  
Fast Recharging



Convenient  
Magnetic Base  
Keeps Light  
Hands-Free



version 10/23

contact@mynextled.com  
(877) 886-6822

www.mynextled.com

NOTE: Illustrations, figures and photos may vary slightly due to our program of continuous product improvements.

WARNING: LED's are extremely bright and direct exposure to eyes may cause injury. Avoid shining LED's in eyes.

©2023 NEXTOOL Inc.

**Nex+LED**  
Work **BRIGHTER**

# Company Profile

NextLED has an unwavering dedication to providing superior lighting solutions and innovative designs in several key categories. We have been providing best-in-class value and innovation for both distributors and OEM customers since 2009.

In North America, we have our global headquarters, which includes sales, marketing, engineering, product development, warehousing and logistics. Additionally, we have offices overseas focused on Quality Assurance, Sourcing and Shipment Consolidation.

NextLED has a comprehensive business model focused on strategy and execution of our own branded products. We are also open to OEM opportunities that fit within our core competencies.



## NextLED Advantages & Complete Solutions:

### *Brand Advantages*

- Built-in rechargeable lithium-ion battery.
- Versatility to cover users' applications.
- Durability with heavy duty material & robust design.
- Continuous innovation with R & D in North America.

### *New Product Development*

- We can develop ground up, patentable, innovation.
- We are offering a family look of products with unique packaging designs.
- We will deliver quality products in a timely manner to meet our commitments.
- We will continue to provide steady innovation and manage the product life cycle.

### *Operational*

- Best-in-class manufacturing to bring the new products to market.
- Logistics management and consolidation of product assortments from overseas.
- Continuous quality improvement program for our products.
- Management of the customer's branded program as needed.