

LEDHUB

Your most reliable LED display solution partner

2024

➤ www.ledhub.tech



ABOUT US

AV Master is a trusted brand was born to provide reliable and top-notch solutions for our clients.

As a techie, we lacked efficient and incredible solutions to assist our clients. We soon realized that from the market, many clients felt the same lack of options they could trust with their eyes closed. It felt like we had to do something to make things better. We also wanted to start a business that could be a force for good.

We decided to follow our hearts. We dug into numerous products from our industry experts. And we decided we had to provide them. And in just over a few years, what started as an experiment with our clients has now turned into a trusty brand, available to serve its first 5,000+ customers. We sell worldwide and on several leading online platforms.

Indeed, every year along the way, we want to be better than we were before and constantly innovate to have the best products possible.

Pony Cheng

CEO OF LEDHUB TECHNOLOGY CO., LTD



GLOBAL DISTRIBUTION

EUROPE :

Albania, Austria, Czech Republic, Denmark, Finland, France, Germany, Greece, Hungary, Italy, Lithuania, Netherlands, Norway, Poland, Romania, Russia, Spain, Sweden, Switzerland, Turkey, UK, Ukraine

NORTH AMERICA :

US, Canada and Mexico

SOUTH AMERICA :

Brazil, Chile, Peru

AFRICA :


Ghana, Kenya, South Africa, Tunisia, Nigeria, Zimbabwe, Uganda

MIDDLE EAST :

Bahrain, Egypt, Iraq, Iran, Yemen, Jordan, Kuwait, Lebanon, Morocco, Oman, Qatar, Saudi Arabia, UAE, and Israel

ASIA & OCEANIA :

India, Sri Lanka, Pakistan, Indonesia, Malaysia, Singapore, Japan, Korea, Nepal, Vietnam, Thailand, Australia and New Zealand



OUR PRODUCTS




CUE SERIES




FIBER CABLES



FIBER EXTENDERS & SOLUTIONS



MATRIX



MORE KEY BRANDS




PROFESSIONAL SIGNAL CABLES



VIDEO RECORDER




MEDIA SERVER



MAGEWELL CARDS



PERFECT CUE




FEATURES



- 400 METERS RANGE
- WITH 2 REMOTES
- A FLIGHT CASE
- FOR TWO LAPTOPS



SUPER CUE - STANDARD




FEATURES

- TOUCH SCREEN WITH TIMER FUNCTION
- LESS TRANSMISSION DELAY
- CONNECT UP TO 6 LAPTOPS
- RECHARGEABLE REMOTES
- WITH 2 REMOTES + A FLIGHT CASE
- UP TO 100 METERS (300 FEETS)





SUPER CUE -MINI





FEATURES

- TOUCH SCREEN WITH TIMER FUNCTION
- LESS TRANSMISSION DELAY
- FOR 1 LAPTOP
- RECHARGEABLE REMOTE
- UP TO 100 METERS (300 FEETS)



TIMER

FOR SUPER CUE SERIES



FEATURES

- SPEAKER TIMER
- EXCLUSIVELY MADE FOR SUPER CUE SERIES
- WATCH THE DEMO ON OUR WEBSITES



ARMOUR FIBER CABLES



TPU

SINGLE & MULTIMODE - ARMOUR FIBER CABLES

FEATURES

SINGLE MODE

YOFC SINGLE-MODE G657.A1

2KMS AT 10GBPS

MULTI MODE

YOFC MULTI-MODE OM3


300M AT 10GBPS




**ANTI
FREEZE**



**WEAR
RESISTANCE**



**PRESSURE
RESISTANCE**





**TENSILE
RESISTANCE**



DURABLE



ARMOUR FIBER CABLES



CHOOSE ANY
LC/SC/ST



PROTECTION
CAPS



ROXTONE PCD SERIES WIRE
ROULETTE 235/310/380

FEATURES

We made it 🏆

TPU

SINGLE & MULTIMODE - ARMOUR FIBER CABLES

THE INTERIOR USES DUPONT KEVLAR AND METAL WOVEN REINFORCEMENT MEMBERS.

THERMOPLASTIC
POLYURETHANES

SPIRAL
ARMOUR

OM3
MULTI MODE

YOFC
SINGLE-MODE G657.A1




ARMOUR FIBER CABLES



FEATURES

SINGLE & MULTIMODE



2, 4, 6, 8 & 12 CORE

IN SEVERAL SIZES - 100, 150, 200, 300 METERS AND
CUSTOMIZATION ALSO AVAILABLE


LC/SC/ST

INTERFACE TYPE can be made on your requirements



HF4K@60HZ

HDMI 2.0 TO FIBER EXTENDER



FEATURES

- 18 GBPS VIDEO BANDWIDTH
- HDR-10 BIT & EDID MANAGEMENT
- UHD 4:4:4 SUPPORTS 3840 X 2160 @ 60HZ
- HDCP 2.2 SUPPORT BI-DIRECTIONAL IR CONTROL,RS 232 PASS
- THROUGH TX SUPPORTS LOOP OUT & AUDIO EMBEDDING (SUPPORTS UP TO 10 KMS)
- RX SUPPORTS AUDIO EXTRACTING
- SUPPORTS SINGLE MODE AND MULTI MODE



MINI HF4K@60HZ



HDMI 2.0 TO FIBER EXTENDER

FEATURES

- 18 GBPS VIDEO BANDWIDTH
- HDR-10 BIT
- EDID MANAGEMENT
- UHD 4:4:4 SUPPORTS 3840 X 2160 @ 60HZ
- HDCP 2.2 SUPPORT
- SUPPORTS UP TO 1 KM
- SUPPORTS SINGLE MODE AND MULTI MODE



MINI DF4K@60HZ



DVI TO FIBER EXTENDER

FEATURES

- DVI-D, DVI 1.0 AT 10 GBPS, DVI 24+1 MALE TYPE
- HDR-10 BIT
- PLUG AND PLAY
- EDID MANAGEMENT
- UHD 4:4:4 SUPPORTS 3840 X 2160 @ 60HZ
- WAVE LENGTH 1310-1550NM (SINGLE FIBER)
- SUPPORTS UP TO 10 KMS
- SUPPORTS SINGLE MODE AND MULTI MODE



SDI TO FIBER



FEATURES

- AVAILABLE IN 3G-HD SDI, 6G SDI, 12G SDI.
- SDI COMPLAINE : SMPTE ST-2082,SMPTE ST-2081 ,SMPTE 424M, SMPTE 292M, SMPTE 259M, DVB-ASI
- SUPPORTS UP TO 20KMS
- SUPPORTS UP TO 12G BANDWIDTH
- 10KM TRANSMISSION DISTANCE
- SFP/ LC FIBER TRANSMITTER & RECEIVER
- SDI EQUALIZATION AND RE-CLOCKING
- PLUG AND PLAY,EAST TO INSTALL
- SUPPORTS SINGLE MODE AND MULTI MODE

CAT6 TO FIBER



FEATURES

- SUPPORT ALL THE POPULAR LED CONTROL SYSTEMS IN THE MARKET LIKE NOVASTAR,COLORLIGHT ,LINSN,MOONCELL.
- MAXIMUM LOAD CAPACITY 650,000 PIXELS
- SUPPORTS UP TO 20KMS
- SUPPORT MOUNTING INTO 2U CASE, MAX14 PCS IN ONE 2U CASE
- SFP LIGHT MODULE, EASY INSTALLATION AND MAINTENANCE
- PLUG AND PLAY,EAST TO INSTALL
- SUPPORTS SINGLE MODE AND MULTI MODE

XLR AUDIO TO FIBER



FEATURES

- SUPPORTS 1 TO 32 CHANNELS OF BALANCED AUDIO FORWARD/BIDIRECTIONAL TRANSMISSION
- BROADCAST STANDARD ANALOG BALANCED AUDIO
- USING FPGA, DIGITAL CODING/DECODING AND CLOCK RECOVERY TECHNOLOGY, HIGH INTERGRATION AND HIGH STABILITY
- AUDIO INTERFACE IS XLR CARNON HEAD BALANCE INTERFACE, HIGH DYNAMIC RANGE OF 100DB
- PLUG AND PLAY,EAST TO INSTALL
- SUPPORTS SINGLE MODE AND MULTI MODE



SEAMLESS



HDMI 2.0 MATRIX (8 IN 8 OUT)

FEATURES

- 18 GBPS VIDEO BANDWIDTH
- UHD 4:4:4 SUPPORTS 3840 X 2160 @ 60Hz
- HDCP 2.2 Support and HDR -10 BIT
- EDID MANAGEMENT
- HDMI AUDIO EXTRACT
- RS232, TCP/IP






RECORDER X1



4K VIDEO RECORDER

FEATURES

- INCLUDES A ROBUST LIST OF FEATURES AND CAPABILITIES
- WITH AUTO SENSING VIDEO CONNECTIONS AND AUTOMATIC VIDEO RESOLUTION DETECTION
- SET UP IS QUICK AND EASY. THE FRONT CONTROL PANEL ALLOWS USERS TO INTUITIVELY RECORD VIDEOS AND PHOTOS / SNAPSHOTS WITH FOOT PEDAL
- . PLUG & PLAY WITH USB DRIVE IS INCLUDED FOR RELIABLE RECORDING
- SPECTACULAR QUALITY WITH A BRIGHT AND CLEAR 7 INCH DISPLAY
- ALL INPUTS - HDMI, VGA, YPBPR, LINE IN, MIC, FOOT
- OUTPUTS - HDMI (PASS-THROUGH), USB, SD, TYPEC TO PC, LINE OUT



HDMI 2.1 AOC CABLES



8K@60Hz at 48 GBPS

FEATURES

- HDMI 2.1 AOC CABLES DESIGNED FOR LED SCREENS OPERATIONS
- WITH ROXTONE PCD SERIES WIRE ROULETTE
- AVAILABLE IN NUMEROUS SIZES
- IN 10, 15, 20,30, 50, 100 & 120 METERS
- CUSTOMIZATION OPTION IS AVAILABLE



HDMI 2.1 AOC

A MULTI CORE CABLE



8K@60Hz at 48 GBPS

FEATURES

- HDMI 2.1 AOC CABLES DESIGNED FOR LED SCREENS OPERATIONS
- DETACHABLE CONNECTORS
- WITH ROXTONE PCD SERIES WIRE ROULETTE
- UP TO 200 METERS (ARMOUR HDMI 2.1 CABLE)
- 2 IN 2 OUT or 4 IN 4 OUT



CAT6 LOOPS & CABLES

FEATURES

- WITH ROXTONE PCD SERIES WIRE ROULETTE
- AVAILABLE IN NUMEROUS SIZES
- IN 1 METER, 1.2, 1.5, 10, 20, 30, 50, 100 METERS
- CUSTOMIZATION OPTION IS AVAILABLE
- BENDING RESISTANCE , MORE FLEXIBLE, BEND MORE THAN 1,00,000 TIMES
- EXTRA WIDE LATCH FOR QUICK CONNECTION/REMOVAL
- EASY COIL, KINK RESISTANT DURABLE BREAK-RESISTANT CONNECTOR
- DOUBLE PROTECTION ,FIRE PROOF & MOISTURE PROOF



KEY BRANDS WE DEAL WITH



HIRENDER S3



MEDIA SERVER

FEATURES

- TIMELINE AND WINDOWS MODE
- ALL IN ONE MODE, COLLABORATIVE MODE
- REDUNDANT MODE, PRE-MONITOR MODE, AUTOMATIC SAVE
- PROJECTION BLENDING/3D MAPPING, VIRTUAL SCREEN/SCREEN SLICING
- DMX FIXTURE LIBRARY MODE, MULTIPLE EFFECTS TO CREATE PERFECT STAGE
- FLEXIBLE CONTROL WITH SHORTCUT KEYS (0-9, A-Z, F1-F12)
- DIGITAL COPYRIGHT PROTECTION, BROADCASTING SECURITY PROTECTION
- GLOBAL BRIGHTNESS ADJUSTMENT, CENTRAL CONTROL OF AUDIO-VISUAL-ELECTRONICS
- SMART CENTRAL CONTROL. SUPPORTS UP TO 16K*2K



HIRENDER P1+

PROFESSIONAL MEDIA PLAYER

FEATURES

- BUILT-IN UNIVERSAL DECODER, SUPPORTS ALMOST ALL VIDEO FORMATS IN INDUSTRY
- DUAL PREVIEW WINDOWS
- SUPPORTS SEAMLESS SWITCHING (FADE IN AND OUT) BETWEEN OUTPUT AND PREVIEW
- USER-FRIENDLY OPERATION, INSTANT PLAYBACK, EASY TO USE
- BUILT-IN VARIOUS TRANSITION EFFECTS, FLEXIBLE PLAYBACK PROCESS MANAGEMENT
- SUPPORTS INDEPENDENT AUDIO PLAYBACK
- SUPPORTS COLLABORATIVE PLAYBACK, UNLIMITED NODE CASCADING
- VIDEO VOLUME CAN BE ADJUSTED INDEPENDENTLY
- SUPPORTS MIDI CONSOLE TRIGGER



MAGEWELL

PRO, USB, ECO, PRO CONVERT CAPTURE CARDS

MAGEWELL™ Digital Video Essentials

USB CAPTURE 4K PLUS



PRO CAPTURE DUAL HDMI 4K PLUS LT




PRO CAPTURE QUAD HDMI




PRO CONVERT HDMI 4K PLUS I



ECO CAPTURE DUAL HDMI M.2





SALES, AFTER SALES SUPPORT, AND SERVICE

PONY CHENG

+86-134-26229766

RAJ

+86-158-18727449

+91 9581601285

HARRY

+86-188-50208382

TOMI

+86-132-88298705

MIKE

+86-131-63710406



sales@avmastertech.com



www.avmastertech.com



Make sure to keep visiting these websites for the latest products and offers on the pricing.

http://



WWW.LEDHUB.TECH

http://



WWW.SUPERCUE.TECH

(For Cue Series)

http://



WWW.FIBERHUB.TECH

(For Fiber Solutions)



+86-131-63710406



sales@ledhub.tech, sales@supercue.tech, sales@fiberhub.tech