



ArtisanCutlery



ARTISAN CUTLERY INC High Quality Precision Crafted Knife

2023 CATALOG

We are one of the knives craftsman that inherited the spiritual of craftsmanship, driven by innovation yet focusing on the traditions.

Our knowledge of processing technology for our knives has been well researched by our artisan to create our masterful design knives base on people oriented.

For knives users and hobbyist, we provide you with our unique novelty and easy to use knives in addition to our quality services.

By ArtisanCutlery



字



篆体



大篆体



方篆体



LOGO形成

The basis of Chinese calligraphy and Chinese writing is logogram/pictograms or graphic representations which evolves over time to form the current system.





































Designed always with an eye towards the ergonomics of the end user, Artisan's logo reflects this strive for ease in use and its heritage in the calligraphy of the East. Its evolution is shown in the graph below.

The basis of the Artisan logo is the character for "human", shown on the left. This is the modern version, which changed through the many centuries and many forms shown in the progression to the right. The basis of the Artisan logo comes from the style of writing originating in the time of the Qin dynasty. The final rendition of the logo is a geometric mirror image of the character that relays the "human-centric" design philosophy behind the Artisan brand.



CONTENTS



	ATZ-1857	P.01		ATZ-1827G	P.23		ATZ-1815G	P.45		ATZ-1803G	P.66
	ATZ-1856	P.02		ATZ-1827P	P.24		ATZ-1815P	P.46		ATZ-1803P	P.67
	ATZ-1855B	P.03		ATZ-1826G	P.25		ATZ-1815B	P.47		ATZ-1802GD	P.68
	ATZ-1854G	P.04		ATZ-1825G	P.26		ATZ-1813G	P.48		ATZ-1802G	P.69
	ATZ-1851	P.05		ATZ-1824G	P.27		ATZ-1813P	P.49		ATZ-1802P	P.70
	ATZ-1850G	P.06		ATZ-1823G	P.28		ATZ-1812G	P.50		ATZ-1801G	P.71
	ATZ-1849G	P.07		ATZ-1823P	P.29		ATZ-1812P	P.51		ATZ-1801P	P.72
	ATZ-1849P	P.08		ATZ-1821G	P.30		ATZ-1811G	P.52		ATZ-1707GD	P.73
	ATZ-1848P	P.09		ATZ-1821GD	P.31		ATZ-1811P	P.53		ATZ-1707G	P.74
	ATZ-1845P	P.10		ATZ-1821P	P.32		ATZ-1810G	P.54		ATZ-1707P	P.75
	ATZ-1843	P.11		ATZ-1820G	P.33		ATZ-1810P	P.55		ATZ-1706G	P.76
	ATZ-1842B	P.12		ATZ-1819G	P.34		ATZ-1809G	P.56		ATZ-1706P	P.77
	ATZ-1841G	P.13		ATZ-1819P	P.35		ATZ-1809P	P.57		ATZ-1705G	P.78
	ATZ-1840P	P.14		ATZ-1818GD	P.36		ATZ-1808G	P.58		ATZ-1705P	P.79
	ATZ-1839G	P.15		ATZ-1818G	P.37		ATZ-1808P	P.59		ATZ-1703G	P.80
	ATZ-1838G	P.16		ATZ-1818P	P.38		ATZ-1807G	P.60		ATZ-1703P	P.81
	ATZ-1834G	P.17		ATZ-1817GD	P.39		ATZ-1807P	P.61		ATZ-1702GD	P.82
	ATZ-1831G	P.18		ATZ-1817G	P.40		ATZ-1805G	P.62		ATZ-1702G	P.83
	ATZ-1831P	P.19		ATZ-1817P	P.41		ATZ-1805P	P.63		ATZ-1702P	P.84
	ATZ-1830G	P.20		ATZ-1816G	P.42		ATZ-1803B	P.64		ATG-1606	P.85
	ATZ-1828G	P.21		ATZ-1816P	P.43		ATZ-1803GD	P.65			
	ATZ-1828P	P.22		ATZ-1815GD	P.44						



Nebulax

ATZ-1857A

Blade Length: 3.51"
 Overall Length: 12.13"
 Blade Material: Stainless Steel
 Blade Style: Axe
 Blade Finish: Black PVD Coating/ Stone Wash
 Handle Material: G10
 Sheath Material: Kydex
 Weight: 20.2 oz



Andromeda

ATZ-1856

Blade Length: 3.42" (87mm)
 Blade Thickness: 0.106" (2.7mm)
 Blade Finish: Sand Polish/Black PVD Coating
 Blade Grind: Flat
 Blade Material: S35VN/AR-RPM9
 Blade Hardness: HRC59-61
 Blade Style: Drop point
 Overall Length: 7.9" (201mm)
 Closed Length: 4.49" (114mm)
 Handle Material: Titanium/ Micarta/G10
 Clip Material: Titanium
 Pivot Assembly: Ceramic Ball Bearing
 Lock Type: Button Lock



1857A-BBK



1857A-BK



1854G-GY



1854G-GY



1854G-GY



1854G-GY



1854G-GY



Wreckhart

ATZ-1855B

Blade Length:4.41"(112mm)
 Blade Thickness:0.13"(3.2mm)
 Blade Finish:Black PVD Coating
 Blade Grind:Flat
 Blade Material:AR-RPM9
 Blade Hardness:HRC59-61
 Blade Style:Spear point
 Overall Length:9.26"(235mm)
 Handle Material:G10
 Accessory:Rope and Sheath
 Designer:Joe Flowers



1855B-BBK



Tylos

ATZ-1854

Blade Length:3.21" (81.5mm)
 Blade Thickness:0.13"(3.2mm)
 Blade Finish:Stone Wash
 Blade Grind:Flat
 Blade Material:S35VN
 Blade Hardness:HRC59-61
 Blade Style:Drop point
 Overall Length:7.34"(186.5mm)
 Closed Length:4.13"(105mm)
 Handle Material:Titanium and Marbled Carbon Fiber
 Clip Material:Titanium
 Pivot Assembly:Ceramic Ball Bearing
 Weight:2.65oz/75g
 Lock Type:Frame Lock



1854G-MCF



Ahab

ATZ-1851P

Blade Length:3.31" (84mm)
 Blade Thickness:0.11"(2.7mm)
 Blade Hardness:HRC59-61
 Blade Style Drop point
 Blade Finish:Sand Polish
 Blade Grind:Flat
 Blade Material:AR-RPM9
 Overall Length:7.9"(201mm)
 Closed Length:4.61" (117mm)
 Handle Material:G10/Wood
 Lock Type Liner Lock
 Clip Material:Titanium



1851P-BK



1851P-WD



Valor

ATZ-1850G

Blade Length:3.53" (89.6mm)
 Blade Thickness:0.15"(3.7mm)
 Blade Finish:Satin
 Blade Grind:Flat
 Blade Material:S35VN
 Blade Hardness:HRC59-61
 Blade Style Drop Point
 Overall Length:8.06"(204.6mm)
 Closed Length:4.53"(115mm)
 Handle Material:Titanium
 Clip Material:Titanium
 Pivot Assembly:Ceramic Ball Bearing
 Weight:4.76oz/135g
 Lock Type Frame Lock



1850G-GY



Sirius

ATZ-1849G

Blade Length: 3.54"90mm
 Blade Thickness:0.11"2.7mm
 Blade Finish:Sand Blast
 Blade Grind:Flat
 Blade Material:S35VN
 Blade Hardness: HRC59-61
 Blade Style:Drop Point

Overall Length:8.04"(204.13mm)
 Closed Length:4.5"(114.26mm)

Handle Material: Titanium
 Clip Material: Titanium
 Pivot Assembly: Ceramic Ball Bearing
 Weight:95g/3.35oz
 Lock Type: Frame Lock



1849G-GY



Sirius

ATZ-1849P

Blade Length: 3.54"90mm
 Blade Thickness:0.11"2.7mm
 Blade Finish:Black PVD Coating/ Satin
 Blade Grind:Flat
 Blade Material: AR-RPM9
 Blade Hardness: HRC59-61
 Blade Style:Drop Point

Overall Length:8.04"(204.13mm)
 Closed Length:4.5"(114.26mm)

Handle Material: G10/Micarta
 Clip Material: Titanium
 Pivot Assembly: Ceramic Ball Bearing
 Weight:95g/3.35oz
 Lock Type: Liner Lock



1849P-DRC

1849P-ODG

1849P-BK

1849P-BDRC

1849P-BODG

1849P-BBK



Cazador

ATZ-1848P

Blade Length: 3.48"88.28mm
 Blade Thickness:0.11"2.7mm
 Blade Finish:Sand polish
 Blade Grind:Flat
 Blade Material: AR-RPM9
 Blade Hardness: HRC59-61
 Blade Style:Wharncliffe

Overall Length:8.2"208.28mm
 Closed Length:4.72"120mm

Handle Material: G10/Micarta
 Clip Material: Titanium
 Pivot Assembly: Ceramic Ball Bearing
 Weight:3.35oz(95g)
 Lock Type: Liner Lock



1845P-ODG



1845P-NTG

Arroyo

ATZ-1845P

Blade Length: 3.31"84.13mm
 Blade Thickness:0.11"2.7mm
 Blade Finish:Sand polish
 Blade Grind:Flat
 Blade Material: AR-RPM9
 Blade Hardness: HRC59-61
 Blade Style:Upswept

Overall Length:7.48"190mm
 Closed Length:4.12"104.75mm

Handle Material: G10/Micarta
 Clip Material: Steel
 Pivot Assembly: Ceramic Ball Bearing
 Weight:3.53oz/100g
 Lock Type: Liner Lock



1845P-GY



1845P-NTG



1845P-ODG



ARTISAN CUTLERY


Arion

ATZ-1843G

Blade Length: 3.81"97mm
Blade Thickness:0.13"3.2mm
Blade Finish: Satin
Blade Grind:Flat
Blade Material: AR-RPM9
Blade Hardness: HRC59-61
Blade Style:Drop Point

Overall Length:8.34"212mm
Closed Length:4.72"120mm

Handle Material: Micarta And Titanium
Clip Material: Titanium
Pivot Assembly: Ceramic Ball Bearing
Weight:3.35oz(95g)
Lock Type: Frame Lock



1843G

Sea Snake

ATZ-1842B

Blade Length: 3.15"80.05mm
Blade Thickness:0.10"2.5mm
Blade Finish:Satin
Blade Grind:Flat
Blade Material: AR-RPM9
Blade Hardness: HRC59-61
Blade Style:Wharncliffe
Overall Length:6.78"172.18mm
Handle Material: G10
Weight:3.17oz/90g
Sheath&Rope



1842B-GN



1842B-BK



1842B-DE



Great White

ATZ-1841G

Blade Length: 3.79"96.17mm
 Blade Thickness:0.15"3.8mm
 Blade Finish: Satin
 Blade Grind:Flat
 Blade Material: S35VN
 Blade Hardness: HRC59-61
 Blade Style:Tanto

Overall Length:8.45"214mm
 Closed Length:4.66"118.47mm

Handle Material: Titanium
 Clip Material: Titanium
 Pivot Assembly: Ceramic Ball Bearing
 Weight:115g/4.06oz
 Lock Type: Frame Lock



1841G



Biome

ATZ-1840P

Blade Length: 2.82"71.71mm
 Blade Thickness:0.1"2.5mm
 Blade Finish:Stone Wash
 Blade Grind:Flat
 Blade Material: swedish sandvik 12C27
 Blade Hardness: HRC58-60
 Blade Style: Drop Point

Overall Length:6.61"167.85mm
 Closed Length:3.79"96.14mm

Handle Material: G10/Carbon Fiber
 Pivot Assembly: Ceramic Ball Bearing
 Weight:1.41oz/40g
 Lock Type: Non-locking slip joint



1840P-BU

1840P-BK

1840P-NTG

1840P-CF



Centauri

ATZ-1839G

Blade Length: 3.46"88mm
 Blade Thickness:0.13"3.2mm
 Blade Finish:Satin
 Blade Grind:Flat
 Blade Material: S35VN/Damascus
 Blade Hardness: HRC59-61
 Blade Style:Drop Point

Overall Length:8.15"207mm
 Closed Length:4.69"119mm

Handle Material: Titanium+Carbon fiber
 Clip Material: Titanium
 Pivot Assembly: Ceramic Ball Bearing
 Weight:3.7oz/105g
 Lock Type: Frame Lock



1839G-DCF

1839G-MCF

MODEL NAME	CLOSED LENGTH		OVERALL LENGTH		BLADE LENGTH		BLADE THICKNESS		BLADE STEEL	WEIGHT		LOCK TYPE	HANDLE
	in	mm	in	mm	in	mm	in	mm		oz	g		
ATZ-1839G	4.69	119	8.15	207	3.46	88	0.13	3.2	S35VN/Damascus	3.7	105	Frame Lock	Titanium+Carbon fiber



1839GSD-CF

MODEL NAME	CLOSED LENGTH		OVERALL LENGTH		BLADE LENGTH		THICKNESS		BLADE STEEL	WEIGHT		LOCK TYPE	HANDLE
	in	mm	in	mm	in	mm	in	mm		oz	g		
ATZ-1839GSD	3.86	98	6.73	171	2.87	73	0.11	2.7	Damascus	/	/	Frame Lock	Titanium+Carbon fiber

Tacit

ATZ-1838G

Blade Length: 3.42"86.88mm
 Blade Thickness:0.13"3.2mm
 Blade Finish:Pickling
 Blade Grind:Flat
 Blade Material: Damascus
 Blade Hardness: HRC59-61
 Blade Style:Tanto

Overall Length:7.69"195.38mm
 Closed Length:4.27"108.5mm

Handle Material: Titanium
 Clip Material: Titanium
 Pivot Assembly: Ceramic Ball Bearing
 Weight:4.06oz/115g
 Lock Type: Frame Lock



1838G



Hyperion

ATZ-1834G

Blade Finish:Sa
Blade Grind:Flat
Blade Material: S35VN
Blade Hardness: HRC59-61
Blade Style:Clip Point
Clip Material: Titanium



1834G-BK 1834G-GY 1834G-BU 1834G-GN

MODEL NAME	CLOSED LENGTH		OVERALL LENGTH		BLADE LENGTH		BLADE THICKNESS		BLADE STEEL	WEIGHT		LOCK TYPE	HANDLE
	in	mm	in	mm	in	mm	in	mm		oz	g		
ATZ-1834G	5	127	9.0	228	4.0	100	0.13	3.2	S35VN	4.9	140	Frame Lock	Titanium+Carbon Fiber



1834GSD-BK 1834GSD-GY 1834GSD-BU 1834GSD-GN

MODEL NAME	CLOSED LENGTH		OVERALL LENGTH		BLADE LENGTH		BLADE THICKNESS		BLADE STEEL	WEIGHT		LOCK TYPE	HANDLE
	in	mm	in	mm	in	mm	in	mm		oz	g		
ATZ-1821GS	3.74	94	6.75	171	3.0	76.6	0.11	2.7	Damascus	/	/	Frame Lock	Titanium+Carbon Fiber

Kinetic-Variant

ATZ-1831G

Blade Length: 3.93" 100mm
Blade Thickness:0.12"3.2mm
Blade Finish:Stone wash
Blade Material:8CR
Blade Hardness: HRC58-60

Overall Length:9.45"240mm
Closed Length: 5.51"140mm

Handle Material: Titanium
Clip Material: Titanium
Pivot Assembly: Automatic
Weight:4.23oz/120g
Lock Type: button lock



1831G-Bk 1831G-GY 1831G-GN 1831G-BU



Kinetic-Variant

ATZ-1831P

Blade Length: 3.93"100mm
Blade Thickness:0.12"3.2mm
Blade Finish:Stone wash/coated
Blade Material:8CR
Blade Hardness: HRC58-60

Overall Length:9.45"240mm
Closed Length: 5.51"140mm

Handle Material: Steel
Clip Material: Steel
Pivot Assembly: Automatic
Weight: 4.23oz/120g
Lock Type: button lock



1831P-BK

1831P-GY

1831P-ST

Cutlass

ATZ-1830G

Blade Length: 3.7"94mm
Blade Thickness:0.15"3.8mm
Blade Finish:Satin
Blade Grind:Flat
Blade Material: S35VN
Blade Hardness: HRC59-61
Blade Style:Cleaver

Overall Length:8.7"221mm
Closed Length:5.0"127mm

Handle Material: Titanium/CarbonFiber
Clip Material: Titanium
Pivot Assembly: Ceramic Ball Bearing
Weight:4.06oz/115g
Lock Type: Frame Lock



1830G-BU

1830G-GN

1830G-BK

1830G-GY



Corsair ATZ-1828G

Blade Length: 2.95"75mm
Blade Thickness:0.15"3.8mm
Blade Finish:Satin
Blade Grind:Flat
Blade Material: S35VN
Blade Hardness: HRC58-60
Blade Style:Cleaver

Overall Length:6.89"175mm
Closed Length:3.93"100mm

Handle Material: Titanium/CarbonFiber
Clip Material: Titanium
Pivot Assembly: Ceramic Ball Bearing
Weight:3oz/85g
Lock Type: Frame Lock



1828G-BK 1828G-GY 1828G-BU 1828G-GN

Corsair ATZ-1828P

Blade Length: 2.95"75mm
Blade Thickness:0.12"3.2mm
Blade Finish:Stone wash
Blade Grind:Flat
Blade Material: D2
Blade Hardness: HRC58-60
Blade Style:Cleaver

Overall Length:6.89"175mm
Closed Length:3.93"100mm

Handle Material: Mikata/G10/CarbonFiber
Clip Material: Steel
Pivot Assembly: Ceramic Ball Bearing
Weight:3oz/85g
Lock Type: Liner Lock
Accessory: Loop



1828P-BR 1828P-GNC 1828P-BUC 1828P-BKC 1828P-CF



Cygnus ATZ-1827G

Blade Length: 3.54"90mm
Blade Thickness:0.15"3.8mm
Blade Finish:Satin
Blade Grind:Flat
Blade Material: S35VN
Blade Hardness: HRC58-60
Blade Style:drop point

Overall Length:8.46"215mm
Closed Length:4.92"125mm

Handle Material: Titanium
Clip Material: Titanium
Pivot Assembly: Ceramic Ball Bearing
Weight:4.23oz/120g
Lock Type: Frame Lock



1827G-BU

1827G-GN

1827G-GY

1827G-BK

Cygnus ATZ-1827P

Blade Length: 3.54"90mm
Blade Thickness:0.15"3.8mm
Blade Finish:Stone wash
Blade Grind:Flat/Curve
Blade Material: D2

Blade Style:drop point

Overall Length:8.46"215mm
Closed Length:4.92"125mm

Handle Material: G10/Carbon Fiber
Clip Material: Steel
Pivot Assembly: Ceramic Ball Bearing
Weight:4.23oz/120g
Lock Type: Liner Lock



1827P-BKC

1827P-BKF

1827P-BKF

1827P-CF



Pangolin

ATZ-1826G

Blade Length: 3.92" 99.5mm
Blade Thickness: 0.15" 3.8mm
Blade Finish: Satin
Blade Grind: Flat
Blade Material: S35VN
Blade Hardness: HRC58-60
Blade Style: Drop point

Overall Length: 8.89" 226mm
Closed Length: 4.98" 126.5mm

Handle Material: Titanium
Clip Material: Titanium
Pivot Assembly: Ceramic Ball Bearing
Weight: 5.29oz/150g
Lock Type: Frame Lock



1826G-BK

1826G-GY

1826G-GN

1826G-BU



Wren

ATZ-1825G

Blade Length: 2.95" (75mm)
Blade Thickness: 0.15" (3.8mm)
Blade Finish: Satin/Sand polish
Blade Grind: Flat
Blade Material: S35VN
Blade Hardness: HRC58-60
Blade Style: drop point

Overall Length: 7.48" (190mm)
Closed Length: 4.52" (115mm)

Handle Material: Titanium
Clip Material: Titanium
Pivot Assembly: Ceramic Ball Bearing
Weight: 5.11oz/145g
Lock Type: Frame Lock



1825G-BU

1825G-GN

1825G-GY

1825G-BK



Mastiff ATZ- 1824G

Blade Length: 3.58"(91mm)
Blade Thickness:0.15"(3.75mm)
Blade Finish:Satin/Sand polish
Blade Grind:Flat
Blade Material:M390/S35VN
Blade Hardness:HRC58-60
Blade Style:Tanto

Overall Length:8.58"(218mm)
Closed Length:5"(127mm)

Handle Material:Titanium
Clip Material:Titanium
Pivot Assembly:Ceramic Ball Bearing
Weight:6.87oz/195g
Lock Type:Frame Lock



1824G-BK

1824G-GY

1824G-BU

1824G-GN

Kinetic-Tool ATZ-1823G

Blade Finish:Satin/Sand polish
Blade Material: 8CR
Blade Hardness: HRC58-60
Pivot Assembly: Automatic



1823G-GY

1823G-BK

1823G-BU

1823G-GN

MODEL NAME	CLOSED LENGTH		OVERALL LENGTH		BLADE LENGTH		BLADE THICKNESS		BLADE STEEL	WEIGHT		LOCK TYPE	HANDLE
	in	mm	in	mm	in	mm	in	mm		oz	g		
ATZ-1823G	5.62	143	9.64	245	4.01	102	0.12	3.2	8CR	4.23	120	button lock	Titanium



1823GS-GY

1823GS-BK

1823GS-BU

1823GS-GN

MODEL NAME	CLOSED LENGTH		OVERALL LENGTH		BLADE LENGTH		BLADE THICKNESS		BLADE STEEL	WEIGHT		LOCK TYPE	HANDLE
	in	mm	in	mm	in	mm	in	mm		oz	g		
ATZ-1823GS	4.72	120	7.87	200	3.93	100	0.12	3.2	8CR	4.23	120	button lock	Titanium



Kinetic-Tool

ATZ-1823P

Blade Length: 4.01"(102mm)
 Blade Thickness: 0.12"(3.2mm)
 Blade Finish: Satin/Sand polish
 Blade Material: 8CR
 Blade Hardness: HRC58-60

Overall Length: 9.64"(245mm)
 Closed Length: 5.62"(143mm)

Handle Material: G10/Steel
 Clip Material: Steel
 Pivot Assembly: Automatic
 Weight: 5.99oz/170g
 Lock Type: button lock



1823P-GY 1823P-BKC 1823P-BKF 1823P-CF 1823P-GNF

Archaeo

ATZ-1821G

Blade Material: M390
 Blade Finish: Satin/Sand polish
 Blade Style: Drop Point



1821G-BK 1821G-GY 1821G-BU 1821G-GN

MODEL NAME	CLOSED LENGTH		OVERALL LENGTH		BLADE LENGTH		BLADE THICKNESS		BLADE STEEL	WEIGHT		LOCK TYPE	HANDLE
	in	mm	in	mm	in	mm	in	mm		oz	g		
ATZ-1821G	5	127	8.85	225	3.85	98	0.15	3.75	M390	3.88	110	Frame Lock	Titanium



1821GS-BK 1821GS-GY 1821GS-BU 1821GS-GN

MODEL NAME	CLOSED LENGTH		OVERALL LENGTH		BLADE LENGTH		BLADE THICKNESS		BLADE STEEL	WEIGHT		LOCK TYPE	HANDLE
	in	mm	in	mm	in	mm	in	mm		oz	g		
ATZ-1821GS	3.97	101	7.08	180	3.07	78	0.15	3.75	M390	2.17	90	Frame Lock	Titanium



Archaeo

ATZ-1821GD

Blade Material: Damascus
Blade Finish: Satin/Sand polish
Blade Hardness: HRC58-60
Blade Style: Drop Point



1821GD-BK 1821GD-BU 1821GD-GN 1821GD-GY

MODEL NAME	CLOSED LENGTH		OVERALL LENGTH		BLADE LENGTH		BLADE THICKNESS		BLADE STEEL	WEIGHT		LOCK TYPE	HANDLE
	in	mm	in	mm	in	mm	in	mm		oz	g		
ATZ-1821GD	5	127	8.85	225	3.85	98	0.15	3.75	Damascus	3.88	110	Frame Lock	Titanium

Archaeo

ATZ-1821P

Blade Finish: Stone wash
Blade Material: D2
Blade Hardness: HRC58-60
Blade Style: Drop Point



1821P-CF 1821P-BKC 1821P-BKF 1821P-BKF 1821P-BGC

MODEL NAME	CLOSED LENGTH		OVERALL LENGTH		BLADE LENGTH		BLADE THICKNESS		BLADE STEEL	WEIGHT		LOCK TYPE	HANDLE
	in	mm	in	mm	in	mm	in	mm		oz	g		
ATZ-1821P	5	127	8.85	225	3.85	98	0.15	3.75	D2	4.05	115	Liner Lock	G10/Carbon Fiber



1821GSD-BK 1821GSD-BU 1821GSD-GN 1821GSD-GY

MODEL NAME	CLOSED LENGTH		OVERALL LENGTH		BLADE LENGTH		BLADE THICKNESS		BLADE STEEL	WEIGHT		LOCK TYPE	HANDLE
	in	mm	in	mm	in	mm	in	mm		oz	g		
ATZ-1821GSD	3.97	101	7.08	180	3.07	78	0.15	3.75	Damascus	3.17	90	Frame Lock	Titanium



1821PS-CF 1821PS-BKC 1821PS-BKF 1821PS-BKF 1821PS-BGC

MODEL NAME	CLOSED LENGTH		OVERALL LENGTH		BLADE LENGTH		BLADE THICKNESS		BLADE STEEL	WEIGHT		LOCK TYPE	HANDLE
	in	mm	in	mm	in	mm	in	mm		oz	g		
ATZ-1821PS	3.98	101	7.04	179	3.07	78	0.15	3.75	D2	2.47	70	Liner Lock	G10/Carbon Fiber



Proponent

ATZ-1820G

Blade Finish:Satin/Sand polish
Blade Material: S35VN
Blade Hardness: HRC58-60
Blade Style:Wharncliffe



1820G-BK 1820G-GY 1820G-BU 1820G-GN

MODEL NAME	CLOSED LENGTH		OVERALL LENGTH		BLADE LENGTH		BLADE THICKNESS		BLADE STEEL	WEIGHT		LOCK TYPE	HANDLE
	in	mm	in	mm	in	mm	in	mm		oz	g		
ATZ-1820G	5	127	8.85	225	3.85	98	0.18	4.75	S35VN	10.9	310	Frame Lock	Titanium



1820GS-BK 1820GS-GY 1820GS-BU 1820GS-GN

MODEL NAME	CLOSED LENGTH		OVERALL LENGTH		BLADE LENGTH		BLADE THICKNESS		BLADE STEEL	WEIGHT		LOCK TYPE	HANDLE
	in	mm	in	mm	in	mm	in	mm		oz	g		
ATZ-1820GS	3.93	100	7.48	190	3.54	90	0.15	3.8	S35VN	5.99	170	Frame Lock	Titanium

Ravine

ATZ-1819G

Blade Length: 2.83"(72mm)
Blade Thickness: 0.15"(3.8mm)
Blade Finish:Satin/Sand polish
Blade Grind:Flat
Blade Material: M390/S35VN
Blade Hardness: HRC58-60
Blade Style:Wharncliffe

Overall Length:7.83"(199mm)
Closed Length: 5"(127mm)

Handle Material: Titanium
Clip Material: Titanium
Pivot Assembly: Ceramic Ball Bearing
Weight:5.64oz /160g
Lock Type: Frame Lock



1819G-GNS 1819G-BUS 1819G-BKS 1819G-GYS



Ravine

ATZ-1819P

Blade Length: 2.83"(72mm)
 Blade Thickness: 0.15"(3.8mm)
 Blade Finish: Stone wash
 Blade Grind: Flat
 Blade Material: D2
 Blade Hardness: HRC58-60
 Blade Style: Wharncliffe

Overall Length: 7.83"(199mm)
 Closed Length: 5"(127mm)

Handle Material: G10
 Clip Material: Steel
 Pivot Assembly: Ceramic Ball Bearing
 Weight: 5.64oz /160g
 Lock Type: Liner Lock



1819P-BK

1819P-CF

1819P-CFB

1819P-GN

1819P-OE

Eterno

ATZ-1818GD

Blade Length: 3.54"(90mm)
 Blade Thickness: 0.15"(3.8mm)
 Blade Finish: Satin/Sand polish
 Blade Grind: Flat
 Blade Material: Damascus
 Blade Hardness: HRC58-60
 Blade Style: Drop Point

Overall Length: 8.46"(215mm)
 Closed Length: 4.92"(125mm)

Handle Material: Titanium
 Clip Material: Titanium
 Pivot Assembly: Ceramic Ball Bearing
 Weight: 5.46oz /155g
 Lock Type: Frame Lock



1818GD-BU

1818GD-GN

1818GD-BK

1818GD-GY



Eterno ATZ-1818G

Blade Length: 3.54"(90mm)
Blade Thickness: 0.15"(3.8mm)
Blade Finish: Satin/Sand polish
Blade Grind: Flat
Blade Material: M390/S35VN
Blade Hardness: HRC58-60
Blade Style: Drop Point

Overall Length: 8.46"(215mm)
Closed Length: 4.92"(125mm)

Handle Material: Titanium
Clip Material: Titanium
Pivot Assembly: Ceramic Ball Bearing
Weight: 5.46oz /155g
Lock Type: Frame Lock



1818G-BKM

1818G-GYM

1818G-BUM

1818G-GNM

Eterno ATZ-1818P

Blade Length: 3.54"(90mm)
Blade Thickness: 0.15"(3.8mm)
Blade Finish: Stone Wash
Blade Grind: Flat/Curve
Blade Material: D2
Blade Hardness: HRC58-60
Blade Style: Drop Point

Overall Length: 8.85"(225mm)
Closed Length: 5.12"(130mm)

Handle Material: G10
Clip Material: Steel
Pivot Assembly: Ceramic Ball Bearing
Weight: 5.82oz/165g
Lock Type: Liner Lock



1818P-BKC

1818P-GNC

1818P-CF

1818P-BKF

1818P-GNF

1818P-OEF

Orthodox

ATZ-1817G

Blade Finish:Satin
Blade Material:M390/S35VN
Blade Hardness:HRC58-60
Blade Style:Tanto



1817G-BKM 1817G-GYM 1817G-GNM 1817G-BUM 1817G-REM

MODEL NAME	CLOSED LENGTH		OVERALL LENGTH		BLADE LENGTH		BLADE THICKNESS		BLADE STEEL	WEIGHT		LOCK TYPE	HANDLE
	in	mm	in	mm	in	mm	in	mm		oz	g		
ATZ-1817G	5.11	130	8.66	220	3.54	90	0.15	3.8	M390/S35VN	4.05	115	Frame Lock	Titanium



1817GS-BKM 1817GS-GYM 1817GS-GNM 1817GS-BUM 1817GS-REM

MODEL NAME	CLOSED LENGTH		OVERALL LENGTH		BLADE LENGTH		BLADE THICKNESS		BLADE STEEL	WEIGHT		LOCK TYPE	HANDLE
	in	mm	in	mm	in	mm	in	mm		oz	g		
ATZ-1817GS	4.05	103	7.0	178	2.95	75	0.12	3.2	M390/S35VN	2.47	70	Frame Lock	Titanium

Orthodox

ATZ-1817GD

Blade Finish:Satin
Blade Material:Damascus
Blade Hardness:HRC58-60
Blade Style:Tanto



1817GD-BK 1817GD-GY 1817GD-BU 1817GD-GN

MODEL NAME	CLOSED LENGTH		OVERALL LENGTH		BLADE LENGTH		BLADE THICKNESS		BLADE STEEL	WEIGHT		LOCK TYPE	HANDLE
	in	mm	in	mm	in	mm	in	mm		oz	g		
ATZ-1817GD	5.11	130	8.66	220	3.54	90	0.15	3.8	Damascus	4.05	115	Frame Lock	Titanium



1817GSD-BK 1817GSD-GY 1817GSD-BU 1817GSD-GN

MODEL NAME	CLOSED LENGTH		OVERALL LENGTH		BLADE LENGTH		BLADE THICKNESS		BLADE STEEL	WEIGHT		LOCK TYPE	HANDLE
	in	mm	in	mm	in	mm	in	mm		oz	g		
ATZ-1817GSD	4.05	103	7.0	178	2.95	75	0.12	3.2	Damascus	2.47	70	Frame Lock	Titanium



Orthodox

ATZ-1817P

Blade Finish: Stone Wash
Blade Material: D2
Blade Hardness: HRC58-60
Blade Style: Tanto



1817P-BKC 1817P-GNC 1817P-CF 1817P-BKF 1817P-GNF 1817P-OEF

MODEL NAME	CLOSED LENGTH		OVERALL LENGTH		BLADE LENGTH		BLADE THICKNESS		BLADE STEEL	WEIGHT		LOCK TYPE	HANDLE
	in	mm	in	mm	in	mm	in	mm		oz	g		
ATZ-1817P	5.11	130	8.66	220	3.54	90	0.15	3.8	D2	4.23	120	Liner Lock	G10



1817PS-BKC 1817PS-GNC 1817PS-CF 1817PS-BKF 1817PS-GNF 1817PS-OEF

MODEL NAME	CLOSED LENGTH		OVERALL LENGTH		BLADE LENGTH		BLADE THICKNESS		BLADE STEEL	WEIGHT		LOCK TYPE	HANDLE
	in	mm	in	mm	in	mm	in	mm		oz	g		
ATZ-1817PS	4.05	103	7.0	178	2.95	75	0.12	3.2	D2	2.47	70	Liner Lock	G10



Eagle ATZ-1816G

Blade Length: 3.46" (88mm)
Blade Thickness: 0.15" (3.8mm)
Blade Finish: Satin
Blade Grind: Flat
Blade Material: M390
Blade Hardness: HRC58-60
Blade Style: Hawkbill

Overall Length: 8.46" (215mm)
Closed Length: 5" (127mm)

Handle Material: Titanium
Clip Material: Titanium
Pivot Assembly: Ceramic Ball Bearing
Weight: 4.93oz / 140g
Lock Type: Frame Lock



1816G-BKM 1816G-GYM 1816G-BUM 1816G-GNM



Eagle ATZ-1816P

Blade Length:3.46"(88mm)
Blade Thickness:0.15"(3.8mm)
Blade Finish:Stone wash
Blade Grind:Flat
Blade Material:D2
Blade Hardness:HRC58-60
Blade Style:Hawkbill

Overall Length:8.46 "(215mm)
Closed Length:5"(127mm)

Handle Material:G10
Clip Material:Stainless Steel
Pivot Assembly:Ceramic Ball Bearing
Weight:4.93oz /140g
Lock Type:Liner Lock



Tomahawk ATZ-1815GD

Blade Material:Damascus
Blade Finish:Satin
Blade Hardness:HRC58-60
Blade Style:Drop Point



1815GD-BK 1815GD-GY 1815GD-BU 1815GD-GN

MODEL NAME	CLOSED LENGTH		OVERALL LENGTH		BLADE LENGTH		BLADE THICKNESS		BLADE STEEL	WEIGHT		LOCK TYPE	HANDLE
	in	mm	in	mm	in	mm	in	mm		oz	g		
ATZ-1815GD	5.04	128	8.98	228	3.94	100	0.16	3.98	Damascus	5.11	145	Frame Lock	Titanium



1815GSD-BK 1815GSD-GY 1815GSD-BU 1815GSD-GN

MODEL NAME	CLOSED LENGTH		OVERALL LENGTH		BLADE LENGTH		BLADE THICKNESS		BLADE STEEL	WEIGHT		LOCK TYPE	HANDLE
	in	mm	in	mm	in	mm	in	mm		oz	g		
ATZ-1815GSD	4.01	102	7.16	182	3.14	80	0.12	3.2	Damascus	2.64	75	Frame Lock	Titanium



Tomahawk

ATZ-1815G

Blade Finish:Satin
Blade Material: M390
Blade Hardness: HRC58-60
Blade Style:Drop Point



1815G-BK 1815G-GY 1815G-GN 1815G-BU 1815G-RE

MODEL NAME	CLOSED LENGTH		OVERALL LENGTH		BLADE LENGTH		BLADE THICKNESS		BLADE STEEL	WEIGHT		LOCK TYPE	HANDLE
	in	mm	in	mm	in	mm	in	mm		oz	g		
ATZ-1815G	5	128	9	228	4	100	0.16	3.98	M390	5.11	145	Frame lock	Titanium



1815GS-BK 1815GS-GY 1815GS-GN 1815GS-BU 1815GS-RE

MODEL NAME	CLOSED LENGTH		OVERALL LENGTH		BLADE LENGTH		BLADE THICKNESS		BLADE STEEL	WEIGHT		LOCK TYPE	HANDLE
	in	mm	in	mm	in	mm	in	mm		oz	g		
ATZ-1815GS	4.01	102	7.16	182	3.14	80	0.12	3.2	M390	2.64	75	Frame Lock	Titanium

Tomahawk

ATZ-1815P

Blade Finish:Stone wash
Blade Material:D2
Blade Hardness:HRC58-60
Blade Style:Drop Point



1815P-BGC 1815P-BKC 1815P-CF 1815P-BKF 1815P-GNF 1815P-OEF

MODEL NAME	CLOSED LENGTH		OVERALL LENGTH		BLADE LENGTH		BLADE THICKNESS		BLADE STEEL	WEIGHT		LOCK TYPE	HANDLE
	in	mm	in	mm	in	mm	in	mm		oz	g		
ATZ-1815P	5	128	9	228	4	100	0.16	3.98	D2	5.11	145	Liner Lock	G10



1815PS-BGC 1815PS-BKC 1815PS-CF 1815PS-BKF 1815PS-GNF 1815PS-OEF

MODEL NAME	CLOSED LENGTH		OVERALL LENGTH		BLADE LENGTH		BLADE THICKNESS		BLADE STEEL	WEIGHT		LOCK TYPE	HANDLE
	in	mm	in	mm	in	mm	in	mm		oz	g		
ATZ-1815PS	4.80	122	7.16	182	2.36	60	0.12	3.2	D2	2.64	75	Liner Lock	G10



Tomahawk

ATZ-1815B

Blade Length: 6.29"(160mm)
 Blade Thickness: 0.15"(3.8mm)
 Blade Finish: Stone wash Coated
 Blade Grind: Flat
 Blade Material: D2
 Blade Hardness: HRC58-60
 Blade Style: drop point

Overall Length: 11.81"(300mm)
 Closed Length: /

Handle Material: G10
 Weight: 11.64oz/330g
 Lock Type: Fixed Blade



Apache Nomad

ATZ-1813G

Blade Length: 4"(97mm)
 Blade Thickness: 0.15"(3.8mm)
 Blade Finish: Satin
 Blade Grind: Flat
 Blade Material:
 Blade Hardness: HRC58-60
 Blade Style: Tanto

Overall Length: 9 "(225mm)
 Closed Length: 5"(128mm)

Handle Material: Titanium/Carbon fiber
 Clip Material: Titanium
 Pivot Assembly: Ceramic Ball Bearing
 Weight: 3.53oz /100g
 Lock Type: Frame Lock





Apache Nomad

ATZ-1813P

Blade Length:3.70"(93.98mm)
 Blade Thickness:0.15"(3.8mm)
 Blade Finish:Stone wash
 Blade Grind:Flat
 Blade Material:D2
 Blade Hardness:HRC58-60
 Blade Style:Tanto

Overall Length:8.98"(228mm)
 Closed Length:6.2"(153mm)

Handle Material:Aluminum+G10/Carbon fiber
 Clip Material:Stainless Steel
 Pivot Assembly:Ceramic Ball Bearing
 Weight:5.82oz / 165g
 Lock Type:Liner Lock



1813P-BBK 1813P-BCF 1813P-GCF 1813P-GBK 1813P-BGN 1813P-GGN

Bombardier

ATZ-1812G

Blade Length:3.54"(90mm)
 Blade Thickness:0.15"(3.8mm)
 Blade Finish:Satin
 Blade Grind:Flat
 Blade Material:M390/S35VN
 Blade Hardness:HRC58-60
 Blade Style:Tanto

Overall Length:8.85"(225mm)
 Closed Length:5.12"(130mm)

Handle Material:Titanium
 Clip Material:Titanium
 Pivot Assembly:Ceramic Ball Bearing
 Weight:5.82oz/165g
 Lock Type:Liner lock



1812G-BKM 1812G-GYM 1812G-BUM 1812G-GNM



Bombardier

ATZ-1812P

Blade Length: 3.54" (90mm)
 Blade Thickness: 0.15" (3.8mm)
 Blade Finish: Stone-Wash
 Blade Grind: Flat
 Blade Material: D2
 Blade Hardness: HRC58-60
 Blade Style: Tanto

Overall Length: 8.85" (225mm)
 Closed Length: 5.12" (130mm)

Handle Material: G10
 Clip Material: Steel
 Pivot Assembly: Ceramic Ball Bearing
 Weight: 5.82oz / 165g
 Lock Type: Liner Lock



1812P-SBK

1812P-SGN

1812P-SOE



Cobra

ATZ-1811G

Blade Length: 3" (80mm)
 Blade Thickness: 0.15" (3.8mm)
 Blade Finish: Satin
 Blade Grind: Flat
 Blade Material: M390
 Blade Hardness: HRC58-60
 Blade Style: Tanto

Overall Length: 9" (230mm)
 Closed Length: 6" (150mm)

Handle Material: Carbon fiber
 Pivot Assembly: Ceramic Ball Bearing
 Weight: 5.47oz / 155g
 Lock Type: Liner Lock



1811G-GY

1811G-BU

1811G-RE

1811G-GN



Cobra

ATZ-1811P

Blade Length:2.99"(76.2mm)
 Blade Thickness:0.15"(3.7mm)
 Blade Finish:Sand polish
 Blade Grind:Flat
 Blade Material:D2
 Blade Hardness:HRC58-60
 Blade Style:Tanto

Overall Length:8.98"(228mm)
 Closed Length:6.02"(153mm)

Handle Material:G10(Flat)
 Clip Material:Stainless Steel
 Pivot Assembly:Ceramic Ball Bearing
 Weight:5.47oz / 155g
 Lock Type:Liner Lock



1811P-BGC

1811P-BKC

1811P-BKF

1811P-GNF

1811P-OEF

Hornet

ATZ-1810G

Blade Length:3.82"(97mm)
 Blade Thickness:0.15"(3.8mm)
 Blade Finish:Satin
 Blade Grind:Flat
 Blade Material:M390
 Blade Hardness:HRC58-60
 Blade Style:Spear Point

Overall Length:9.13 "(232mm)
 Closed Length:5.31"(135mm)

Handle Material:Titanium
 Clip Material:Titanium
 Pivot Assembly:Ceramic Ball Bearing
 Weight:4.93oz / 140g
 Lock Type:Frame Lock



1810G-BKM

1810G-GYM

1810G-BUM

1810G-GNM



Hornet

ATZ-1810P

Blade Length: 3.54" (90mm)
 Blade Thickness: 0.15" (3.8mm)
 Blade Finish: stone wash
 Blade Grind: Flat/Curve
 Blade Material: D2
 Blade Hardness: HRC58-60
 Blade Style: Spear Point

Overall Length: 9.05" (230mm)
 Closed Length: 5.31" (135mm)

Handle Material: G10
 Clip Material: steel
 Pivot Assembly: Ceramic Ball Bearing
 Weight: 4.93oz / 140g
 Lock Type: Liner Lock



1810P-BKC 1810P-CF 1810P-GNC 1810P-BKF 1810P-GNF 1810P-OEF

Megahawk

ATZ-1809G

Blade Length: 4" (92mm)
 Blade Thickness: 0.15" (3.8mm)
 Blade Finish: Satin
 Blade Grind: Flat
 Blade Material: M390
 Blade Hardness: HRC58-60
 Blade Style: Wharncliffe

Overall Length: 9" (220mm)
 Closed Length: 5" (128mm)

Handle Material: Titanium/Carbon Fiber
 Clip Material: Titanium
 Pivot Assembly: Ceramic Ball Bearing
 Weight: 5.82oz / 165g
 Lock Type: Frame Lock



1809G-BU 1809G-GN 1809G-RE 1809G-GY




Megahawk

ATZ-1809P

Blade Length:3.94"(100mm)
 Blade Thickness:0.15"(3.8mm)
 Blade Finish:Stone wash
 Blade Grind:Flat
 Blade Material:D2
 Blade Hardness:HRC58-60
 Blade Style:Wharncliffe

Overall Length:8.98"(228mm)
 Closed Length:5.04"(128mm)

Handle Material:Aluminum+ Carbon Fiber/G10
 Clip Material:Stainless Steel
 Pivot Assembly:Ceramic Ball Bearing
 Weight:5.64oz / 160g
 Lock Type:Liner Lock



Zumwalt

ATZ-1808G

Blade Length: 4"(96mm)
 Blade Thickness: 0.15"(3.73mm)
 Blade Finish:Satin/Stone-washed
 Blade Grind:Flat
 Blade Material: M390
 Blade Hardness: HRC58-60
 Blade Style:Drop Point

Overall Length:9"(226mm)
 Closed Length: 5"(130mm)

Handle Material: Titanium
 Clip Material: Titanium
 Pivot Assembly: Ceramic Ball Bearing
 Weight:5.11oz / 145g
 Lock Type: Frame Lock





Zumwalt

ATZ-1808P

Blade Length: 3.94" (100mm)
 Blade Thickness: 0.15" (3.8mm)
 Blade Finish: Sand polish
 Blade Grind: Flat/Curve
 Blade Material: D2
 Blade Hardness: HRC58-60
 Blade Style: Stonewash

Overall Length: 8.98" (228mm)
 Closed Length: 5.04" (128mm)

Handle Material: G10 (Flat)
 Clip Material: Stainless Steel
 Pivot Assembly: Ceramic Ball Bearing
 Weight: 5.11oz / 145g
 Lock Type: Liner Lock



1808P-BGC 1808P-BKC 1808P-CF 1808P-BKF 1808P-GNF 1808P-OEF

Virginia

ATZ-1807G

Blade Length: 4" (100mm)
 Blade Thickness: 0.15" (3.8mm)
 Blade Finish: Satin/Stone-washed
 Blade Grind: Flat
 Blade Material: M390
 Blade Hardness: HRC58-60
 Blade Style: Drop Point

Overall Length: 9" (228mm)
 Closed Length: 5" (128mm)

Handle Material: Carbon fiber/G10
 Clip Material: Stainless Steel
 Pivot Assembly: Ceramic Ball Bearing
 Weight: 4.94oz / 140g
 Lock Type: Liner Lock



1807G-BW 1807G-CF 1807G-BR 1807G-BK



Virginia

ATZ-1807P

Blade Length: 3.94" (100mm)
 Blade Thickness: 0.15" (3.8mm)
 Blade Finish: Sand polish
 Blade Grind: Flat/Curve
 Blade Material: D2
 Blade Hardness: HRC58-60
 Blade Style: Drop Point

Overall Length: 8.98" (228mm)
 Closed Length: 5.04" (128mm)

Handle Material: G10 (Curve)
 Clip Material: Stainless Steel
 Pivot Assembly: Ceramic Ball Bearing
 Weight: 4.76oz / 135g
 Lock Type: Liner Lock



S Waistline

ATZ-1805G

Blade Length: 4" (103mm)
 Blade Thickness: 0.15" (3.8mm)
 Blade Finish: Satin
 Blade Grind: Flat
 Blade Material: M390
 Blade Hardness: HRC58-60
 Blade Style: Drop Point

Overall Length: 9" (228mm)
 Closed Length: 5" (125mm)

Handle Material: Titanium
 Clip Material: Titanium
 Pivot Assembly: Ceramic Ball Bearing
 Weight: 3.7oz / 106g
 Lock Type: Frame Lock



1807P-BK 1807P-BW 1807P-BR 1807P-BKF 1807P-GNF 1807P-OEF



1805G-GN 1805G-BU 1805G-RE 1805G-GY 1805G-BK



S Waistline

ATZ-1805P

Blade Length: 4.06" (103mm)
 Blade Thickness: 0.15" (3.8mm)
 Blade Finish: stone-wash
 Blade Grind: Flat/Curve
 Blade Material: D2
 Blade Hardness: HRC58-60
 Blade Style: Drop Point

Overall Length: 8.98" (228mm)
 Closed Length: 4.92" (125mm)

Handle Material: G10/Carbon Fiber
 Clip Material: Stainless Steel
 Pivot Assembly: Ceramic Ball Bearing
 Weight: 3.7oz / 106g
 Lock Type: Liner Lock



1805P-BKF 1805P-GNF 1805P-OEF 1805P-BKC 1805P-CF

Osprey

ATZ-1803B

Blade Length: 3.94" (100mm)
 Blade Thickness: 0.15" (3.8mm)
 Blade Finish: Stone wash
 Blade Grind: Flat
 Blade Material: D2
 Blade Hardness: HRC58-60
 Blade Style: Drop Point

Overall Length: 8.58" (218mm)
 Closed Length: /

Handle Material: G10 (Curve)
 Weight: 6.00oz / 170g
 Lock Type: Fixed Blade



1803B-BOE 1803B-BGC 1803B-BRE



Osprey ATZ-1803GD

Blade Length: 3.74"(95mm)
Blade Thickness: 0.15"(3.82mm)
Blade Finish:Satin
Blade Grind:Flat
Blade Material: Damascus
Blade Hardness: HRC58-60
Blade Style:Drop Point

Overall Length: 8.66"(220mm)
Closed Length: 4.92"(125mm)

Handle Material: Titanium TC4
Clip Material: Titanium
Pivot Assembly: Ceramic Ball Bearing
Weight:6oz / 170g
Lock Type: Frame Lock



1803GD-BU

1803GD-GN

1803GD-BK

1803GD-GY

Osprey ATZ-1803G

Blade Length: 4"(95mm)
Blade Thickness: 0.15"(3.82mm)
Blade Finish:Satin
Blade Grind:Flat
Blade Material: M390
Blade Hardness: HRC58-60
Blade Style:Drop Point

Overall Length: 9"(220mm)
Closed Length: 5"(125mm)

Handle Material: Titanium TC4
Clip Material: Titanium
Pivot Assembly: Ceramic Ball Bearing
Weight:6oz / 170g
Lock Type: Frame Lock



1803G-GN

1803G-BU

1803G-RE

1803G-GY

1803G-BK



Osprey

ATZ-1803P

Blade Length:3.94"(100mm)
 Blade Thickness:0.15"(3.8mm)
 Blade Finish:Stone wash
 Blade Grind:Flat
 Blade Material:D2
 Blade Hardness:HRC58-60
 Blade Style:Drop Point

Overall Length:8.98"(228mm)
 Closed Length:5.04"(128mm)

Handle Material:G10(Flat)
 Clip Material:Stainless Steel
 Pivot Assembly:Ceramic Ball Bearing
 Weight:6.00oz/170g
 Lock Type:Liner Lock



1803P-BGC 1803P-BKC 1803P-CF 1803P-BKF 1803P-GNF 1803P-OEF

Classic

ATZ-1802GD

Blade Length: 4"(100mm)
 Blade Thickness: 0.15"(3.8mm)
 Blade Finish:Satin
 Blade Grind:Flat
 Blade Material:Damascus
 Blade Hardness: HRC58-60
 Blade Style:Drop Point

Overall Length:9"(225mm)
 Closed Length: 5"(125mm)

Handle Material: Steel/G10
 Clip Material: Stainless Steel
 Pivot Assembly: Ceramic Ball Bearing
 Weight:6.88oz / 195g
 Lock Type: Liner Lock



1802GD-GL 1802GD-BR 1802GD-BK 1802GD-GN



Classic

ATZ-1802G

Blade Length: 4"(100mm)
 Blade Thickness: 0.15"(3.8mm)
 Blade Finish: Satin
 Blade Grind: Flat
 Blade Material: M390
 Blade Hardness: HRC58-60
 Blade Style: Drop Point

Overall Length: 9"(225mm)
 Closed Length: 5"(125mm)

Handle Material: Steel/G10
 Clip Material: Stainless Steel
 Pivot Assembly: Ceramic Ball Bearing
 Weight: 6.88oz / 195g
 Lock Type: Liner Lock



Classic

ATZ-1802P

Blade Length: 3.94"(100mm)
 Blade Thickness: 0.15"(3.8mm)
 Blade Finish: Sand polish
 Blade Grind: Flat/Curve
 Blade Material: D2
 Blade Hardness: HRC58-60
 Blade Style: Drop Point

Overall Length: 8.98"(228mm)
 Closed Length: 5.04"(128mm)

Handle Material: G10
 Clip Material: Stainless Steel
 Pivot Assembly: Ceramic Ball Bearing
 Weight: 5.46oz/155g
 Lock Type: Liner Lock





Hoverwing

ATZ-1801G

Blade Length: 4"(100mm)
 Blade Thickness: 0.15"(3.8mm)
 Blade Finish:Satin/coated
 Blade Grind:Flat
 Blade Material: M390
 Blade Hardness: HRC58-60
 Blade Style:Drop Point

Overall Length:9"(228mm)
 Closed Length: 5"(128mm)

Handle Material: Titanium TC4
 Clip Material: Titanium
 Pivot Assembly: Ceramic Ball Bearing
 Weight:4.06oz / 115g
 Lock Type: Frame Lock



Hoverwing

ATZ-1801P

Blade Length: 4"(100mm)
 Blade Thickness: 0.15"(3.8mm)
 Blade Finish:Stone-wash/coated
 Blade Grind:Flat
 Blade Material:D2
 Blade Hardness: HRC58-60
 Blade Style:Drop Point

Overall Length: 9"(228mm)
 Closed Length: 5"(128mm)

Handle Material: Stainless Steel
 Clip Material: Stainless Steel
 Pivot Assembly: Ceramic Ball Bearing
 Weight:4.06oz / 115g
 Lock Type: Frame Lock





Shark ATZ-1707GD

Blade Length:3.94"(100mm)
Blade Thickness:0.15"(3.8mm)
Blade Finish:Saint
Blade Grind:Flat
Blade Material:Damascus
Blade Hardness:HRC58-60
Blade Style:Drop Point

Overall Length:8.94"(227mm)
Closed Length:5"(127mm)

Handle Material:Titanium TC4
Clip Material:Titanium
Pivot Assembly:Ceramic Ball Bearing
Weight:3.88oz / 110g
Lock Type:Frame Lock



Shark ATZ-1707G

Blade Material:S35VN
Blade Finish:Satin
Blade Hardness: HRC58-60
Blade Style:Drop Point



MODEL NAME	CLOSED LENGTH		OVERALL LENGTH		BLADE LENGTH		BLADE THICKNESS		BLADE STEEL	WEIGHT		LOCK TYPE	HANDLE
	in	mm	in	mm	in	mm	in	mm		oz	g		
ATZ-1707G	5	127	9	227	4	100	0.15	3.8	S35VN	3.88	110	Frame lock	Titanium/Carbon fiber



MODEL NAME	CLOSED LENGTH		OVERALL LENGTH		BLADE LENGTH		BLADE THICKNESS		BLADE STEEL	WEIGHT		LOCK TYPE	HANDLE
	in	mm	in	mm	in	mm	in	mm		oz	g		
ATZ-1707GS	4	105	7	185	3	80	0.12	3.2	S35VN	2.12	60	Frame lock	Titanium/Carbon fiber



Shark

ATZ-1707P

Blade Finish:Satin
Blade Material: S35VN
Blade Hardness: HRC58-60
Blade Style:Drop Point



1707P-BKF 1707P-CF 1707P-CGF 1707P-GNF 1707P-OEF

MODEL NAME	CLOSED LENGTH		OVERALL LENGTH		BLADE LENGTH		BLADE THICKNESS		BLADE STEEL	WEIGHT		LOCK TYPE	HANDLE
	in	mm	in	mm	in	mm	in	mm		oz	g		
ATZ-1707P	5	127	9	227	4	100	0.15	3.8	S35VN/D2	3.88	110	Liner lock	Carbon Fiber/G10



1707PS-BKF 1707PS-CF 1707PS-CGF 1707PS-GNF 1707PS-OEF

MODEL NAME	CLOSED LENGTH		OVERALL LENGTH		BLADE LENGTH		BLADE THICKNESS		BLADE STEEL	WEIGHT		LOCK TYPE	HANDLE
	in	mm	in	mm	in	mm	in	mm		oz	g		
ATZ-1707PS	3.93	100	7.08	180	3.2	80	0.12	3.2	D2	2.46	70	Liner lock	Carbon Fiber/G10

Predator

ATZ-1706G

Blade Length: 4"(95mm)
Blade Thickness: 0.15"(3.8mm)
Blade Finish:Satin
Blade Grind:Flat
Blade Material: S35VN
Blade Hardness: HRC58-60
Blade Style:Drop Point

Overall Length: 9"(233mm)
Closed Length: 5"(138mm)

Handle Material: Titanium TC4
Clip Material: Titanium
Pivot Assembly: Ceramic Ball Bearing
Weight: 5.47oz / 155g
Lock Type:Frame Lock



1706G-GY 1706G-GN 1706G-BU 1706G-RE

Predator

ATZ-1706P

Blade Finish: Satin/Stone-wash
 Blade Material: D2
 Blade Hardness: HRC58-60
 Blade Style: Drop Point



1706P-BK 1706P-CF 1706P-CG 1706P-GN 1706P-OE

MODEL NAME	CLOSED LENGTH		OVERALL LENGTH		BLADE LENGTH		BLADE THICKNESS		BLADE STEEL	WEIGHT		LOCK TYPE	HANDLE
	in	mm	in	mm	in	mm	in	mm		oz	g		
ATZ-1706P	5	138	9	233	4	95	0.15	3.8	D2/S35VN	6	170	Liner lock	G10/Carbon fiber



1706PS-BKF 1706PS-CF 1706PS-CGF 1706PS-GNF 1706PS-OEF

MODEL NAME	CLOSED LENGTH		OVERALL LENGTH		BLADE LENGTH		BLADE THICKNESS		BLADE STEEL	WEIGHT		LOCK TYPE	HANDLE
	in	mm	in	mm	in	mm	in	mm		oz	g		
ATZ-1706PS	3.74	95	7.08	180	2.76	70	0.12	3.2	D2/S35VN	2.99	85	Liner lock	G10

Jungle

ATZ-1705G

Blade Length: 4" (100mm)
 Blade Thickness: 0.15" (3.85mm)
 Blade Finish: Satin
 Blade Grind: Flat
 Blade Material: S35VN
 Blade Hardness: HRC58-60
 Blade Style: Tanto

Overall Length: 9" (228mm)
 Closed Length: 5" (128mm)

Handle Material: Titanium TC4
 Clip Material: Titanium
 Pivot Assembly: Ceramic Ball Bearing
 Weight: 6.17oz / 175g
 Lock Type: Frame Lock



1705G-BU 1705G-GN 1705G-GY



Jungle

ATZ-1705P

Blade Length: 4" (100mm)
 Blade Thickness: 0.15" (3.8mm)
 Blade Finish: Satin/Stone-wash
 Blade Grind: Flat
 Blade Material: D2/S35VN
 Blade Hardness: HRC58-60
 Blade Style: Tanto

Overall Length: 9" (228mm)
 Closed Length: 5" (128mm)

Handle Material: G10/Carbon fiber
 Clip Material: Stainless Steel
 Pivot Assembly: Ceramic Ball Bearing
 Weight: 6.35oz / 180g
 Lock Type: Liner Lock



1705P-BK

1705P-CF

1705P-GN

1705P-CG

1705P-OE

Littoral

ATZ-1703G

Blade Length: 4" (90mm)
 Blade Thickness: 0.15" (3.8mm)
 Blade Finish: Satin
 Blade Grind: Flat
 Blade Material: S35VN
 Blade Hardness: HRC58-60
 Blade Style: Drop Point

Overall Length: 9" (218mm)
 Closed Length: 5" (128mm)

Handle Material: Titanium TC4
 Clip Material: Titanium
 Pivot Assembly: Ceramic Ball Bearing
 Weight: 6oz / 170g
 Lock Type: Frame Lock



1703G-GN

1703G-RE

1703G-GY

1703G-BU



Littoral

ATZ-1703P

Blade Length: 4"(90mm)
 Blade Thickness: 0.15"(3.8mm)
 Blade Finish:Satin/Stone-wash
 Blade Grind:Flat
 Blade Material: D2/S35VN
 Blade Hardness: HRC58-60
 Blade Style:Drop Point

Overall Length: 9"(218mm)
 Closed Length: 5"(128mm)

Handle Material: G10/Carbon fiber
 Clip Material: Stainless Steel
 Pivot Assembly: Ceramic Ball Bearing
 Weight: 6oz / 170g
 Lock Type: Liner Lock



1703P-BK

1703P-CF

1703P-GN

1703P-CG

1703P-OE

Tradition

ATZ-1702GD

Blade Length:3.94"(100mm)
 Blade Thickness:0.15"(3.8mm)
 Blade Finish:Saint
 Blade Grind:Flat
 Blade Material:Damascus
 Blade Hardness:HRC58-60
 Blade Style:Drop Point

Overall Length:8.98"(228mm)
 Closed Length:5.04"(128mm)

Handle Material:Titanium TC4
 Clip Material:Titanium
 Pivot Assembly:Ceramic Ball Bearing
 Weight:6oz/170g
 Lock Type:Frame Lock



1702GD-BK

1702GD-GY

1702GD-GN

1702GD-BU

Tradition

ATZ-1702G

Blade Finish: Satin
 Blade Material: S35VN
 Blade Hardness: HRC58-60
 Blade Style: Drop Point



1702G-GY 1702G-GN 1702G-BU 1702G-RE

MODEL NAME	CLOSED LENGTH		OVERALL LENGTH		BLADE LENGTH		BLADE THICKNESS		BLADE STEEL	WEIGHT		LOCK TYPE	HANDLE
	in	mm	in	mm	in	mm	in	mm		oz	g		
ATZ-1702G	5	128	9	228	4	100	0.15	3.8	S35VN	6	170	Frame lock	Titanium



1702GS-GY 1702GS-GN 1702GS-BU 1702GS-RE

MODEL NAME	CLOSED LENGTH		OVERALL LENGTH		BLADE LENGTH		BLADE THICKNESS		BLADE STEEL	WEIGHT		LOCK TYPE	HANDLE
	in	mm	in	mm	in	mm	in	mm		oz	g		
ATZ-1702GS	4	102	7	185	3	83	0.12	3.2	S35VN	3.35	95	Frame lock	Titanium

Tradition

ATZ-1702P

Blade Finish: Satin/Stone-wash
 Blade Material: D2/S35VN
 Blade Hardness: HRC58-60
 Blade Style: Drop Point



1702P-BK 1702P-CF 1702P-CG 1702P-GN 1702P-OE

MODEL NAME	CLOSED LENGTH		OVERALL LENGTH		BLADE LENGTH		BLADE THICKNESS		BLADE STEEL	WEIGHT		LOCK TYPE	HANDLE
	in	mm	in	mm	in	mm	in	mm		oz	g		
ATZ-1702P	5	128	9	228	4	100	0.15	3.75	D2/S35VN	6.17	175	Liner Lock	G10/Carbon fiber



1702PS-BKF 1702PS-CF 1702PS-CGF 1702PS-GNF 1702PS-OEF

MODEL NAME	CLOSED LENGTH		OVERALL LENGTH		BLADE LENGTH		BLADE THICKNESS		BLADE STEEL	WEIGHT		LOCK TYPE	HANDLE
	in	mm	in	mm	in	mm	in	mm		oz	g		
ATZ-1702PS	/	100	/	180	3.2	80	0.12	3.2	D2	2.82	80	Liner lock	G10



Dragon

ATG-1606

Blade Length: 3"(75mm)
 Blade Thickness: 0.08"(1.94mm)
 Blade Finish:Satin/Stone-wash/coated
 Blade Grind:Flat
 Blade Material: AUS-8
 Blade Hardness: HRC58-60
 Blade Style:Drop Point

Overall Length: 8"(200mm)
 Closed Length:5"(125mm)

Handle Material: Stainless Steel
 Weight:1.06oz / 30g
 Lock Type: Frame Lock



MODEL NAME	CLOSED LENGTH		OVERALL LENGTH		BLADE LENGTH		BLADE THICKNESS		BLADE STEEL	WEIGHT		LOCK TYPE	HANDLE
	in	mm	in	mm	in	mm	in	mm		oz	g		
ATG-1606	5	125	8	200	3	75	0.08	1.94	AUS-8	1.06	30	Frame Lock	Stainless Steel