




CJR

CUTLERY

Instagram: Artisancutlery

Instagram: cjrbcutlery

sales@artisancutlery.net

www.artisancutlery.net



CONTENTS

About CJRB

CJRB was born out of the desire to make the quality and performance of Artisan Cutlery products accessible to everyone without compromising on materials or construction. All CJRB knives are machined and assembled by the same team that works on our premium Artisan Cutlery line. You can expect to see the same attention to detail and craftsmanship in every CJRB knife that you would find on any ArtisanCutlery piece. We have done everything possible to ensure that CJRB is a highly competitive force in the knife market, dedicated to bringing only the best products to our fans and customers while keeping

	1926	P.01
	1925	P.02
	1924	P.03
	1923	P.04
	1922b	P.05
	1921B	P.06
	1919	P.07
	1920	P.08
	1918L	P.09
	1918	P.10
	1915	P.11
	1917	P.12
	1912	P.13

	1912S	P.14
	1910	P.15
	1911	P.16
	1908	P.17
	1909	P.18
	1906	P.19
	1907	P.20
	1904R	P.21
	1905	P.22
	1903	P.23
	1904	P.24
	1901	P.25
	1902	P.26

Lago

J1926

Blade Length:3.41" (86.5mm)
 Blade Thickness:0.11"(2.7mm)
 Blade Finish:Sand Polish/Black PVD Coating
 Blade Grind:Flat
 Blade Material:AR-RPM9
 Blade Hardness:HRC59-61
 Blade Style:Drop Point
 Overall Length:8"(203.5mm)
 Closed Length:4.61" (117mm)
 Handle Material:G10
 Clip Material:Steel
 Pivot Assembly:Ceramic Ball Bearing
 Lock Type:Button Lock



1926-RE

1926-BK

1926-DE

1926-BBK

1926-BRE

Pyrite

J1925

Blade Length:3.11" (79mm)
 Blade Thickness:0.11"(2.7mm)
 Blade Finish:Stone Wash/Black PVD Coating
 Blade Grind:Flat
 Blade Material:AR-RPM9
 Blade Hardness:HRC59-61
 Blade Style:Drop Point
 Handle Material:Steel/G10
 Clip Material:Steel
 Pivot Assembly:Ceramic Ball Bearing
 Lock Type: Liner Lock



1925-GY

1925-BK

1925-ST

1925-BST

Hyperlite

J1924

Design by :Dirk Pinkerton
 Blade Length:3.09"(78.5mm)
 Blade Thickness:0.11"(2.7mm)
 Blade Finish:Sand Polish/Black PVD Coating
 Blade Grind:Flat
 Blade Material:AR-RPM9
 Blade Hardness:HRC59-61
 Blade Style Drop point
 Handle Material:G10
 Clip Material:Steel
 Pivot Assembly:Ceramic Ball Bearing
 Lock Type Liner Lock



1924-BK



1924-BBK



1924-VT



1924-BVT

Caldera

J1923

Blade Length:3.5"
 Blade Thickness:0.13"
 Blade Hardness:HRC59-61
 Blade Style:Cleaver
 Blade Finish:Black PVD Coating
 Blade Grind:Flat
 Blade Material:AR-RPM9
 Overall Length:8.3"
 Closed Length:4.8"
 Handle Material:G10
 Weight:4.94 oz
 Lock Type Liner Lock
 Clip Material:Stainless Steel



1923-BBU



1923-BRE

Hyperlite

J1922B

Blade Length: 4.17"(106mm)
 Blade Thickness: 0.11"(2.7mm)
 Blade Finish: Sand Polish
 Blade Grind: Flat
 Blade Material: AR-RPM9
 Blade Hardness: HRC59-61
 Blade Style: drop point
 Overall Length: 8.19"(208mm)
 Handle Material: G10
 Weight: 3.53oz(100g)
 Accessory: Rope and Sheath
 Designer: Joe Flowers



1922B-BK

SILAX

J1921B

Blade Length: 5.11"(129.77mm)
 Blade Thickness: 0.11"(2.8mm)
 Blade Finish: Sand Polish
 Blade Grind: Flat
 Blade Material: AR-RPM9
 Blade Hardness: HRC59-61
 Blade Style: Drop Point
 Overall Length: 9.74"(247.45mm)
 Handle Material: G10
 Weight: 6oz(170g)
 Accessory: Rope and Sheath



1921B-DE

1921B-BK

1921B-GN

TIGRIS

J1919

Blade Length: 3.5"(88.8mm)
 Blade Thickness: 0.13"(3.2mm)
 Blade Finish: Stone Wash/ Black PVD Coating
 Blade Grind: Flat
 Blade Material: AR-RPM9
 Blade Hardness: HRC59-61
 Blade Style: cleaver

Overall Length: 8.5"(215.8mm)
 Closed Length: 5"(127mm)

Handle Material: G10
 Clip Material: Stainless Steel
 Pivot Assembly: Ceramic Ball Bearing
 Weight: 6.35oz/180g
 Lock Type: Liner Lock



1919-BU



1919-WH

SCORIA

J1920

Blade Length: 3.48"
 Blade Thickness: 0.10"
 Blade Finish: Black PVD Coating
 Blade Grind: Flat
 Blade Material: AR-RPM9
 Blade Hardness: HRC59-61
 Blade Style: Drop point

Overall Length: 8.01"
 Closed Length: 4.53"

Handle Material: G10
 Clip Material: Titanium
 Pivot Assembly: Ceramic Ball Bearing
 Weight: 3.53oz
 Lock Type: Liner Lock



1920-BDRC



1920-BBK

MAILEAH

J1918

Blade Length: 2.39" (60.796mm)
 Blade Thickness: 0.09" (2.5mm)
 Blade Finish: Sand Polish
 Blade Grind: Flat
 Blade Material: AR-RPM9
 Blade Hardness: HRC59-61
 Blade Style: Wharncliffe

Overall Length: 5.51" (140mm)
 Closed Length: 3.14" (79.712mm)

Handle Material: G10
 Clip Material: Steel
 Pivot Assembly: Ceramic Ball Bearing
 Weight: 2.12oz / 60g
 Lock Type: Liner Lock



1918-REF



1918-BKF



1918-NTG

MAILEAH

J1918L

Blade Length: 3" (76mm)
 Blade Thickness: 0.11" (2.7mm)
 Blade Finish: Black PVD Coating
 Blade Grind: Flat
 Blade Material: AR-RPM9
 Blade Hardness: HRC59-61
 Blade Style: Wharncliffe

Overall Length: 6.93" (176mm)
 Closed Length: 3.94" (100mm)

Handle Material: G10
 Clip Material: Steel
 Pivot Assembly: Ceramic Ball Bearing
 Lock Type: Liner Lock



1918L-GNF



1918L-BKF

KICKER

J1915

Blade Length: 3.52"(89.28mm)
 Blade Thickness: 0.13"(3.2mm)
 Blade Finish: Stone Wash
 Blade Grind: Flat
 Blade Material: D2
 Blade Hardness: HRC59-61
 Blade Style: Drop Point

Overall Length: 8.27"(209.98mm)
 Closed Length: 4.75"(120.7mm)

Handle Material: Carbon Fiber
 Clip Material: Steel
 Weight: 4.59oz/130g
 Pivot Assembly: Ceramic Ball Bearing
 Lock Type: Recoil-lock



1915-CF 1915-GNF 1915-GYF 1915-BKF

RIA

J1917

Blade Length: 2.95"(74.91mm)
 Blade Thickness: 0.1"(2.5mm)
 Blade Finish: Sand Polish
 Blade Grind: Flat
 Blade Material: 12C27
 Blade Hardness: HRC59-61
 Blade Style: Drop Point

Overall Length: 6.86"(174.35mm)
 Closed Length: 3.9"(99.44mm)

Handle Material: G10
 Clip Material: Stainless Steel
 Pivot Assembly: Ceramic Ball Bearing
 Weight: 2.12oz/60g
 Lock Type: Liner Lock



1917-ODG 1917-NTG 1917-GYC 1917-CF

FELDSPAR

J1912

Blade Length:3.53"(89.67mm)
 Blade Thickness: 0.13"(3.2mm)
 Blade Finish:Stone Wash
 Blade Grind: Flat
 Blade Material: D2
 Blade Hardness: HRC59-61
 Blade Style: Drop point

Overall Length:8.11"(206mm)
 Closed Length: 4.57"(116mm)

Handle Material: G10(contoured & CNC pattern texture)
 Clip Material:Steel
 Pivot Assembly:Ceramic Ball Bearing
 Weight:120g/4.23oz
 Lock Type:Liner Lock



1912-NTG 1912-BNC 1912-GYC 1912-BKC

FELDSPAR

J1912S

Blade Length:3"(76mm)
 Blade Thickness: 0.106"(2.7mm)
 Blade Finish:Stone Wash
 Blade Grind: Flat
 Blade Material: D2
 Blade Hardness: HRC58-60
 Blade Style: Drop point

Overall Length:6.97"(177mm)
 Closed Length: 3.98"(101mm)

Handle Material: G10(contoured & CNC pattern texture)
 Clip Material:Steel
 Pivot Assembly:Ceramic Ball Bearing
 Weight:80g/2.82oz
 Lock Type:Liner Lock



1912S-NTG 1912S-BNC 1912S-GYC 1912S-BKC

MANGROVE

J1910

Blade Length:3.53"(89.7mm)
 Blade Thickness: 0.13"(3.2mm)
 Blade Finish:Stone Wash
 Blade Grind: Flat
 Blade Material: D2
 Blade Hardness: HRC59-61
 Blade Style: Drop point

 Overall Length:8.25"(209.6mm)
 Closed Length: 4.72"(120mm)

 Handle Material: G10
 Clip Material:Steel
 Pivot Assembly:Ceramic Ball Bearing
 Lock Type:Liner Lock



1910-NTG 1910-GNC 1910-GYC 1910-BKC

AGAVE

J1911

Blade Length:3.72"(94.5mm)
 Blade Thickness: 0.13"(3.2mm)
 Blade Finish:Stone Wash
 Blade Grind: Flat
 Blade Material: D2
 Blade Hardness: HRC59-61
 Blade Style: Drop point

 Overall Length:8.5"(215.9mm)
 Closed Length: 4.78"(121.4mm)

 Handle Material: Aluminum
 Clip Material:Steel
 Pivot Assembly:Ceramic Ball Bearing
 Weight:110g/3.88oz
 Lock Type:Liner Lock



1911-NTG 1911-ALC 1911-GYC 1911-BKC

KINETIC-FLIP

J1908

Blade Length:3.9"(99.81mm)
 Blade Thickness: 0.12"(3mm)
 Blade Finish:Stone Wash
 Blade Material: 3cr
 Blade Hardness: HRC59-61

Overall Length:9.45"(239.97mm)
 Closed Length: 5.52"(140.16mm)

Handle Material: G10
 Clip Material:Steel
 Pivot Assembly:Automatic
 Weight: 150g/5.29oz
 Lock Type:Button Lock



1908-CG 1908-GN 1908-GY 1908-BK

BARRANCA

J1909

Blade Length:3.72"(94.5mm)
 Blade Thickness: 0.13"(3.2mm)
 Blade Finish:Stone Wash
 Blade Grind: Flat
 Blade Material: D2
 Blade Hardness: HRC59-61
 Blade Style: Wharncliffe

Overall Length:8.5"(216mm)
 Closed Length: 4.78"(121.5mm)

Handle Material: COPPER/G10
 Clip Material:Steel
 Pivot Assembly:Ceramic Ball Bearing
 Lock Type:Liner Lock



1909-GNF 1909-GYF 1909-COP 1909-BKF

GOBI

J1906

Blade Length:3.5"(89mm)
 Blade Thickness: 0.13"(3.2mm)
 Blade Finish:Stone Wash
 Blade Grind: Flat
 Blade Material: D2
 Blade Hardness: HRC59-61
 Blade Style: Upswept

Overall Length:8.23"(209mm)
 Closed Length: 4.72"(120mm)

Handle Material: G10(contoured & CNC pattern texture)
 Clip Material:Steel
 Pivot Assembly:Ceramic Ball Bearing
 Weight:3.7oz/105g
 Lock Type:Liner Lock



1906-NTG

1906-GNC

1906-GYC

1906-BKC

RAMPART

J1907

Blade Length:3.5"(89mm)
 Blade Thickness: 0.13"(3.2mm)
 Blade Finish:Stone Wash
 Blade Grind: Flat
 Blade Material: D2
 Blade Hardness: HRC59-61
 Blade Style: Drop Point

Overall Length:8.23"(209mm)
 Closed Length: 4.72"(120mm)

Handle Material: COPPER/Carbon fiber/G10
 Clip Material:Steel
 Pivot Assembly:Ceramic Ball Bearing
 Weight:115g/165g
 Lock Type:Liner Lock



1907-CF

1907-COP

1907-BKF

CRAG

J1904R

Blade Length: 3.3"(84mm)
 Blade Thickness: 0.13"(3.2mm)
 Blade Finish: Stone Wash
 Blade Grind: Flat
 Blade Material: AR-RPM9
 Blade Hardness: HRC59-61
 Blade Style: Cleaver

Overall Length: 8.03"(204mm)
 Closed Length: 4.72"(120mm)

Handle Material: Carbon fiber
 Clip Material: Steel
 Pivot Assembly: Ceramic Ball Bearing
 Weight: 6oz/170g
 Lock Type: Recoil-lock



1904RCF

1904R-GNF

1904R-GYF

1904R-BKF

CENTROS

J1905

Blade Length: 3.66"(93mm)
 Blade Thickness: 0.13"(3.2mm)
 Blade Finish: Stone Wash
 Blade Grind: Flat
 Blade Material: D2
 Blade Hardness: HRC59-61
 Blade Style: Drop Point

Overall Length: 8.39"(213mm)
 Closed Length: 4.72"(120mm)

Handle Material: Carbon fiber/G10
 Clip Material: Steel
 Pivot Assembly: Ceramic Ball Bearing
 Weight: 4.59oz/130g
 Lock Type: Liner Lock



1905-CF

1905-GNF

1905-GYF

1905-BKF

TAIGA

J1903

Blade Length: 3.58"(91mm)
 Blade Thickness: 0.13"(3.2mm)
 Blade Finish: Stone Wash
 Blade Grind: Flat
 Blade Material: D2
 Blade Hardness: HRC59-61
 Blade Style: Drop Point

Overall Length: 8.31"(211mm)
 Closed Length: 4.72"(120mm)

Handle Material: Carbon fiber/G10
 Clip Material: Steel
 Pivot Assembly: Ceramic Ball Bearing
 Weight: 5.29oz/150g
 Lock Type: Liner Lock



1903-CF

1903-GNF

1903-GYF

1903-BKF

CRAG

J1904

Blade Length: 3.43"(87mm)
 Blade Thickness: 0.13"(3.2mm)
 Blade Finish: Stone Wash
 Blade Grind: Flat
 Blade Material: D2
 Blade Hardness: HRC59-61
 Blade Style: Cleaver

Overall Length: 8.15"(207mm)
 Closed Length: 4.72"(120mm)

Handle Material: Carbon fiber/G10
 Clip Material: Steel
 Pivot Assembly: Ceramic Ball Bearing
 Weight: 6oz/170g
 Lock Type: Liner Lock



1904-CF

1904-GNF

1904-GYF

1904-BKF