

Electric and gas cooking surfaces

This appliance complies with the eco-design requirements of Regulation (EU) No. 65/2014, which supplements Directive 2010/30/EU, in accordance with EN 60350-2, EN 15181 and EN 50564.

ENERGY SAVING TIPS

Make the most of your hot plate's residual heat by switching off cast iron hot plates 10 minutes before the end of your cooking time and glass ceramic hot plates 5 minutes before the end of cooking time.

The base of your pot or pan should cover the hot plate. If it is smaller, precious energy will be wasted and pots that boil over leave encrusted remains that can be

difficult to remove.

Cook your food in closed pots or pans with well-fitting lids and use as little water as possible. Cooking with the lid off will greatly increase energy consumption

Cook your food in closed pots or pans with well-fitting lids and use as little water as possible. Cooking with the lid off will greatly increase energy consumption. Use purely flat pots and pans

If you are cooking something that takes a long time, it's worth using a pressure cooker, which is twice as fast and saves a third of the energy.

Product information complies with Co	ommission Delegated Regulation (EU)	No. 66/2014	
·	Symbol	Value	Unit
rand		Kaiser	
lentification of the model		KCT 6730 FIG	
ype of surface cooking		Electric	
umber of cooking zones and/or areas		4	
Heating technology (induction cooking zones	and cooking areas, radiant cooking zo	nes and solid plate)	
lear left		INDUCTION	
ear centre		Х	
ear right		INDUCTION	
entre left		Х	
entre centre		Х	
entre right		Х	
ront left		INDUCTION	
ront centre		X	
ront right		INDUCTION	
For circular cooking areas: diameter of t	he useful surface area for electrically-		
ear left	Ø	18.0	cm
lear centre	Ø	X.X	cm
ear right	Ø	18.0	cm
entre left	Ø	X.X	cm
Centre centre	Ø	X.X	cm
Centre right	Ø	X.X	cm
ront left	Ø	18.0	cm
ront centre	Ø	X.X	cm
ront right	Ø	18.0	cm
For non-circular cooking areas: length and wid			CIII
ear left	L Width	X.X / X.X	om
lear centre	L Width	X.X / X.X	cm
	L Width	X.X / X.X	
lear right Sentre left	L Width	X.X / X.X X.X / X.X	cm
	L Width		
Centre centre		X.X / X.X	cm
Sentre right	L Width	X.X / X.X	cm
ront left	L Width	X.X / X.X	cm
ront centre	L Width	X.X / X.X	cm
ront right	L Width	X.X / X.X	cm
	ooking zone or area, calculated per kg		
tear left	EC electric cooking	194.9	Wh/Kg
tear centre	EC electric cooking	X.X	Wh/Kg
tear right	EC electric cooking	193.4	Wh/Kg
Centre left	EC electric cooking	X.X	Wh/Kg
entre centre	EC electric cooking	X.X	Wh/Kg
entre right	EC electric cooking	X.X	Wh/Kg
ront left	EC electric cooking	193.4	Wh/Kg
ront centre	EC electric cooking	X.X	Wh/Kg
ront right	EC electric cooking	194.9	Wh/Kg
nergy consumption for cooking zone or area, calculated per kg	EC electric cooking surface	194.15	Wh/Kg
umber of gas-powered burners	ficiency for gas burner	X.X	
Rear left	EE gas burner	X.X	
dear centre	EE gas burner	X.X	
ear right	EE gas burner	X.X	
ear right entre left	EE gas burner	X.X	
Centre centre	EE gas burner	X.X	
centre centre Centre right	EE gas burner EE gas burner	X.X X.X	
ront left		X.X X.X	
ront lett	EE gas burner	X.X X.X	
	EE gas burner		
ront right	EE gas burner	X.X	
nergy efficiency for the gas cooking surface	EE gas cooking surface	X.X	