



FABRIC RECOMMENDATIONS

DODY MEACUREMENTS (IN CM)

The Clementine Pinafore & Dress can be made in a range of fabrics, depending on the version you're making. Version 1 is especially suited for medium weight denims, corduroys, canvases and twills. If you'd like to use a lighter weight denim or needlecord then this will work better for version 2. You'll also need a viscose, cotton or crepe for linings/facings (0.6m sleeveless, or 0.4m for sleeved), 25cm interfacing, a 30cm zip, a 2.5cm wide slider/buckle and seam tape interfacing.

BODY MEAS	UREM	ENTS (I	N CM):					
	6	8	10	12	14	16	18	20
Bust	79	84	89	94	99	104	109	114
Waist	61	66	71	76	81	86	91	97
Hip	86.5	91.5	96.5	101.5	107	112	117	122
FABRIC REQ	UIRED	(IN ME	ETRES):					
VERSION 1 - SL								
1.15m wide	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4
1.40m wide	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1
VERSION 1 - SL	EEVED							
1.15m wide	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9
1.40m wide	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4
VERSION 2 - SL	EEVELE	SS						
1.15m wide	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4
1.40m wide	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5
VERSION 2 - SL	EEVED							
1.15m wide	4.1	4.1	4.1	4.1	4.1	4.1	4.1	4.1
1.40m wide	3.1	3.1	3.1	3.1	3.1	3.1	3.1	3.1
FINISHED G	ARMEI	NT (IN C	CM):					
Bust	90	95	100	105	110	115	121	126
Waist	75	80	85	90	95	101	105	110
Hip	93	98	103	108	113	118	123	128
Nape to waist	32.4	33	33.6	34.2	34.8	35.4	36	36.6
Nape to hem (V1)	82.5	83.1	83.7	84.3	85.0	85.6	86.2	86.8
Waist to hem (V2)	72	72	72	72	72	72	72	72
Sleeve	38.9	38.9	38.9	38.9	38.9	38.9	38.9	38.9
Bicep (sleeved)	24.2	25.8	27.2	28.7	30.2	31.7	33.2	34.7



FABRIC RECOMMENDATIONS

The Clementine Pinafore & Dress can be made in a range of fabrics, depending on the version you're making. Version 1 is especially suited for medium weight denims, corduroys, canvases and twills. If you'd like to use a lighter weight denim or needlecord then this will work better for version 2. You'll also need a viscose, cotton or crepe for linings/facings (0.6m sleeveless, or 0.4m for sleeved), 25cm interfacing, a 30cm zip, a 2.5cm wide slider/buckle and seam tape interfacing.

BODY MEASU	JREME1	NTS (IN	CM):				
Bust Waist Hip	18 114 96.5 122	20 119 101.5 127	22 124 106.5 132	24 130 112 137	26 135 117 142	28 140 122 147.5	30 145 127 152.5
FABRIC REQU	JIRED (IN METI	RES):				
VERSION 1 - SLE 1.15m wide 1.40m wide	EVELESS 2.4 2.4	2.4 2.4	2.4 2.4	2.4 2.4	2.4 2.4	2.4 2.4	2.4 2.4
VERSION 1 - SLE 1.15m wide 1.40m wide	3.0 3.0	3.0 3.0	3.0 3.0	3.0 3.0	3.0 3.0	3.0 3.0	3.0 3.0
VERSION 2 - SLE 1.15m wide 1.40m wide	4.1 3.5	4.1 3.5	4.1 3.5	4.1 3.5	4.1 3.5	4.1 3.5	4.1 3.5
VERSION 2 - SLE 1.15m wide 1.40m wide	4.75 4.3	4.75 4.3	4.75 4.3	4.75 4.3	4.75 4.3	4.75 4.3	4.75 4.3
FINISHED GA	RMENT	(IN CM	() :				
Bust Waist Hip	130 117 129	135 122 134	140 127 139	145 132 144	150 137 149	155 142 154	160 147 159
Nape to waist Nape to hem (V1) Waist to hem (V2) Sleeve	36.1 85.9 66 42.4	36.5 86.2 66 42.4	36.9 86.5 66 42.4	37.3 86.8 66 42.4	37.7 87.1 66 42.4	38.1 87.4 66 42.4	38.5 87.7 66 42.4
Bicep (sleeved)	38.1	39.8	41.6	43.3	45.1	46.9	48.7

CLEMENTINE PINAFORE + DRESS FABRIC REQUIREMENTS - IMPERIAL







VERSION 2

GATHERERD SKIRT & OPTIONAL SLEEVES

FABRIC RECOMMENDATIONS

The Clementine Pinafore & Dress can be made in a range of fabrics, depending on the version you're making. Version 1 is especially suited for medium weight denims, corduroys, canvases and twills. If you'd like to use a lighter weight denim or needlecord then this will work better for version 2. You'll also need a viscose, cotton or crepe for linings/facings, ½ yard interfacing, a 12 inch zip, a 2.5cm wide slider/buckle and seam tape interfacing.

BODY MEAS	UREME	ENTS (II	NINCH	IES):				
	6	8	10	12	14	16	18	20
Bust	31	33	35	37	39	41	43	45
Waist	24	26	28	30	32	34	36	38
Hip	34	36	38	40	42	44	46	48
FABRIC REQ	UIRED	(IN YA	RDS):					
VERSION 1 - SL	EEVELES	SS						
44" wide	2 5/8	2 5/8	2 5/8	2 5/8	2 5/8	2 5/8	2 5/8	2 5/8
55" wide	2 3/8	2 3/8	2 3/8	2 3/8	2 3/8	2 3/8	2 3/8	2 3/8
VERSION 1 - SL	EEVED							
44" wide	3 1/4	3 1/4	3 1/4	3 1/4	3 1/4	3 1/4	3 1/4	3 1/4
55" wide	2 5/8	2 5/8	2 5/8	2 5/8	2 5/8	2 5/8	2 5/8	2 5/8
VERSION 2 - SL	EEVELES	SS						
44" wide	3 3/4	3 3/4	3 3/4	3 3/4	3 3/4	3 3/4	3 3/4	3 3/4
55" wide	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4
VERSION 2 - SL	EEVED							
44" wide	4 1/2	4 1/2	4 1/2	4 1/2	4 1/2	4 1/2	4 1/2	4 1/2
55" wide	3 1/2	3 1/2	3 1/2	3 1/2	3 ½	3 1/2	3 1/2	3 ½
FINISHED G	ARMEN	I (IN I	NCHES) :				
Bust	35 %	37 ½	39 ½	41 1/2	43 ½	45 ¾	47 1/2	49 3/8
Waist	29 3/4	31 5/8	33 %	35 %	37 5/8	39 1/8	41 3/8	43 ½
Hip	36 3/4	38 %	40	42 5/8	44 1/2	46 1/2	48 ½	50 ½
Nape to waist	12 3/4	13	13 1/4	13 ½	13 3/4	13 1/8	14 1/8	14 3/8
Nape to hem (V1)	32 ½	32 3/4	33	33 1/4	33 ½	33 3/4	33 %	34 1/4
Waist to hem (V2)		26	26	26	26	26	26	26
Sleeve	15 1/4	15 1/4	15 1/4	15 1/4	15 1/4	15 1/4	15 1/4	15 1/4
Bicep (sleeved)	9 ½	10 1/8	10 3/4	11 1/4	11 1/8	12 ½	13 1/8	13 5/8




FABRIC RECOMMENDATIONS

The Clementine Pinafore & Dress can be made in a range of fabrics, depending on the version you're making. Version 1 is especially suited for medium weight denims, corduroys, canvases and twills. If you'd like to use a lighter weight denim or needlecord then this will work better for version 2. You'll also need a viscose, cotton or crepe for linings/facings, ½ yard interfacing, a 12 inch zip, a 2.5cm wide slider/buckle and seam tape interfacing


2.5cm wide slider/bi	uckie and se	eam tape ini	terracing.				
BODY MEASU			0):			
	18	20	22	24	26	28	30
Bust	45	47	49	51	53	55	57
Waist	38	40	42	44	46	48	50
Hip	48	50	52	54	56	58	60
FABRIC REQU	JIRED (I	N YARD	S):				
VERSION 1 - SLE	EVELESS				0.57	0.57	
44" wide	2 5/8	2 5/8	2 5/8	2 5/8	2 5/8	2 5/8	2 5/8
55" wide	2 1/8	2 1/8	2 5/8	2 5/8	2 1/8	2 1/8	2 5/8
VERSION 1 - SLEI	EVED						
44" wide	3 %	3 %	3 3/8	3 3/8	3	3 %	3 3/8
55" wide	3 %	3 %	3 3/8	3 3/8	3	3 %	3
VERSION 2 - SLE							
44" wide	4 ½	4 ½	4 ½	4 1/2	4 1/2	4 ½	4 1/2
55" wide	3 1/8	3 1/8	3 1/8	3 1/8	3 1/8	3 1/8	3 1/8
VERSION 2 - SLE	EVED						
44" wide	5 1/4	5 1/4	5 1/4	5 1/4	5 1/4	5 1/4	5 1/4
55" wide	4 3/4	4 3/4	4 3/4	4 3/4	4 3/4	4 3/4	4 3/4
FINISHED GA	RMENT	(IN INC	CHES):				
Bust	51	53	55 1/8	57 1/8	59 1/8	61 1/4	63
Waist	46 1/8	48	49 1/8	51 %	53 3/4	55 %	57 %
Hip	50 3/4	52 3/4	54 3/4	56 ³ / ₄	58 3/4	60 %	62 3/4
Nape to waist	14 1/4	$14^{-3}/_{8}$	14 ½	14 5/8	14 1/8	15	15 1/8
Nape to hem (V1)	33 3/4	33 %	34	34 1/8	34 1/4	34 3/8	34 ½
Waist to hem (V2)	26	26	26	26	26	26	26
Sleeve	16 %	16	16 %	16 %	16 1/8	16 1/8	16 %
Bicep	15	15 ⅓	16 ¾	17	17 3/4	18 ½	19 1/8

ROSEMARY TROUSERS FABRIC REQUIREMENTS - METRIC



VERSION 1

BUTTON & ELASTIC CLOSURE, BACK
DARTS, CURVED FRONT WAISTBAND &
REGULAR HEM



VERSION 2

ELASTIC ONLY, NO BACK DARTS, FLAT FRONT WAISTBAND & TURN UP HEM


FABRIC RECOMMENDATIONS

You'll want to use a classic medium weight trouser fabric for your Rosemary Trousers. Think cotton twill, stretch cotton, denim or canvas. You'll also need a lighter weight lining fabric (a cotton or viscose) for the upper pocket bag, 20cm interfacing and 1m of 5cm wide elastic, and 5x 20-25mm buttons if you're making version 1.

BODY ME	45URE <i>n</i> 6	8 8	(IN CM) 10): 12	14	16	18	20
Waist	61	66	71	76	81	86	91	97
Hip	86.5	91.5	96.5	101.5	107	112	117	122
FABRIC RI	EQUIRE	D (IN M	METRES):				
1.15m wide	3.25	3.25	3.25	3.25	3.25	3.25	3.25	3.25
1.40m wide	2.6	2.6	2.6	2.6	2.75	2.75	2.75	2.75
FINISHED	GARMI	ENT (IN	CM):					
Waist (V1)*	74	79	84	89	94	99	104	109
Hip (V1)	95	100	105	110	115	120	125	130
Waist (V2)*	92	97	102	107	112	117	122	127
Hip (V2)	105	110	115	120	125	130	135	140
Inside leg	70.5	70.5	70.5	70.5	70.5	70.5	70.5	70.5


^{*}before inserting elastic. Elastic is altered to individual fit.

ROSEMARY TROUSERS FABRIC REQUIREMENTS - METRIC



VERSION 1

BUTTON & ELASTIC CLOSURE, BACK
DARTS, CURVED FRONT WAISTBAND &
REGULAR HEM



VERSION 2

ELASTIC ONLY, NO BACK DARTS, FLAT FRONT WAISTBAND & TURN UP HEM


FABRIC RECOMMENDATIONS

You'll want to use a classic medium weight trouser fabric for your Rosemary Trousers. Think cotton twill, stretch cotton, denim or canvas. You'll also need a lighter weight lining fabric (a cotton or viscose) for the upper pocket bag, 20cm interfacing and 1m of 5cm wide elastic, and 5x 20-25mm buttons if you're making version 1.

BODY MEASU	JREMEN 18	ITS (IN C	CM):	24	26	28	30
Waist Hip	96.5 122	101.5 127	106.5 132	112 137	117 142	122 147.5	127 152.5
FABRIC REQU	JIRED (I	N METR	ES):				
1.15m wide	4	4	4	4	4	4	4
1.40m wide	3	3	3	3	3	3	3
FINISHED GA	RMENT	(IN CM)):				
Waist (V1)*	109	114	119	124	129	134	139
Hip (V1)	128	133	138	143	148	153	158
Waist (V2)*	127	132	137	142	147	152	157
Hip (V2)	142	147	152	157	162	167	172
Inside leg	71.5	71.5	71.5	71.5	71.5	71.5	71.5


^{*}before inserting elastic. Elastic is altered to individual fit.

ROSEMARY TROUSERS FABRIC REQUIREMENTS - IMPERIAL



VERSION 1

BUTTON & ELASTIC CLOSURE, BACK DARTS, CURVED FRONT WAISTBAND & REGULAR HEM



VERSION 2

ELASTIC ONLY, NO BACK DARTS, FLAT FRONT WAISTBAND & TURN UP HEM


FABRIC RECOMMENDATIONS

You'll want to use a classic medium weight trouser fabric for your Rosemary Trousers. Think cotton twill, stretch cotton, denim or canvas. You'll also need a lighter weight lining fabric (a cotton or viscose) for the upper pocket bag, $\frac{1}{2}$ yard interfacing and 1m of 5cm wide elastic, and 5x 20-25mm buttons if you're making version 1.

BODY ME	ASUREA	MENTS (IN INC	HES):				
	6	8	10	12	14	16	18	20
Waist	24	26	28	30	32	34	36	38
Нір	34	36	38	40	42	44	46	48
FABRIC RI	EQUIRE	D (IN Y	ARDS):					
44" wide	3 1/8	3 5/8	3 5/8	3 5/8	3 5/8	3 5/8	3 5/8	3 5/8
55" wide	2 1/8	2 1/8	2 1/8	2 1/8	3 1/8	3 1/8	3 1/8	3 1/8
FINISHED	GARME	ENT (IN	INCHE	S):				
Waist (V1)*	29 1/8	31 1/8	33 1/8	35	37	39	41	42 1/8
Hip (V1)	37 3/8	39 ¾	41 3/8	43 1/4	45 1/4	47 1/4	49 1/4	51 1/8
	36 1/4	38 1/4	40 1/8	42 1/8	44 1/8	46 1/8	48	50
Hip (V2)	41 3/8	43 1/4	45 1/4	47 1/4	49 1/4	51 1/8	53 1/8	55 1/8
Inside leg	27 3/4	27 3/4	27 3/4	27 3/4	27 3/4	27 3/4	27 3/4	27 3/4


^{*}before inserting elastic. Elastic is altered to individual fit.

ROSEMARY TROUSERS FABRIC REQUIREMENTS - IMPERIAL



VERSION 1

BUTTON & ELASTIC CLOSURE, BACK
DARTS, CURVED FRONT WAISTBAND &
REGULAR HEM



VERSION 2

ELASTIC ONLY, NO BACK DARTS, FLAT FRONT WAISTBAND & TURN UP HEM


FABRIC RECOMMENDATIONS

You'll want to use a classic medium weight trouser fabric for your Rosemary Trousers. Think cotton twill, stretch cotton, denim or canvas. You'll also need a lighter weight lining fabric (a cotton or viscose) for the upper pocket bag, ½ yard interfacing and 1m of 5cm wide elastic, and 5x 20-25mm buttons if you're making version 1.

BODY MEA	SUREME	NTS (IN	INCHES	5):			
	18	20	22	24	26	28	30
Waist	38	40	42	44	46	48	50
Hip	48	50	52	54	56	58	60
FABRIC RE	QUIRED	(IN YAR	DS):				
44" wide	4 3/8	4 3/8	4 3/8	4 3/8	4 3/8	4 3/8	$4^{3}/_{8}$
55" wide	3 3/8	3 3/8	3 3/8	3	3	3	3
FINISHED	GARMEN	T (IN IN	CHES):				
Waist (V1)*	42 1/8	44 1/8	46 1/8	48 1/8	50 3/4	52 3/4	54 3/4
Hip (V1)	50 ¾	52 ³ / ₈	54 ¾	56 1/4	58 1/4	60 1/4	62 1/4
Waist (V2)*	50	52	53 %	55 %	57 1/8	59 %	61 3/4
Hip (V2)	55 %	57 1/8	59 1/8	61 3/4	63 3/4	65 3/4	67 3/4
Inside leg	28 1/8	28 1/8	28 1/8	28 1/8	28 1/8	28 1/8	28 1/8

^{*}before inserting elastic. Elastic is altered to individual fit.

JACINTA BLOUSE FABRIC REQUIREMENTS - METRIC




FABRIC RECOMMENDATIONS

The Jacinta Blouse is designed to show off a luxourious lighter weight woven fabric. Think viscoses, crepes, silks & georgettes. You can also use cotton but we wouldn't recommend anything heavier than a cotton lawn. You'll also need 25cm interfacing and 5x 12mm buttons

BODY MEA	SURE	MENTS	(IN CM):				
	6	8	10	12	14	16	18	20
Bust	79	84	89	94	99	104	109	114
Waist	61	66	71	76	81	86	91	97
Hip	86.5	91.5	96.5	101.5	107	112	117	122
FABRIC RE	QUIRE	D (IN M	METRES):				
1.15m wide	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4
1.40m wide	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1
FINISHED	GARMI	ENT (IN	CM):					
Bust	102	106	112	116	121	126	131	136
Waist	104	109	114	119	124	131	134	139
Hip	109	114	119	124	129	134	139	144
Sleeve	48	48	48	48	48	48	48	48
Nape to hem	59.0	59.6	60.2	60.8	61.4	62.0	62.6	63.2

JACINTA BLOUSE FABRIC REQUIREMENTS - METRIC




FABRIC RECOMMENDATIONS

The Jacinta Blouse is designed to show off a luxourious lighter weight woven fabric. Think viscoses, crepes, silks & georgettes. You can also use cotton but we wouldn't recommend anything heavier than a cotton lawn. You'll also need 25cm interfacing and 5x 12mm buttons

BODY MEA	18	20	22	24	26	28	30
Bust	114	119	124	130	135	140	145
Waist	96.5	101.5	106.5	112	117	122	127
Hip	122	127	132	137	142	147.5	152.5
FABRIC RE	QUIRED	(IN MET	RES):				
1.15m wide	2.6	2.6	2.6	2.6	3.2	3.2	3.2
1.40m wide	2.5	2.5	2.5	2.5	2.5	2.5	2.5
FINISHED (GARMEN	T (IN CA	۸):				
Bust	134	139	144	149	154	159	164
Waist	136.3	141.3	146.3	151.3	156.3	161.3	166.3
Hip	140	145	150	155	160	165	170
Sleeve	48	48	48	48	48	48	48
Nape to hem	62.5	62.8	63.1	63.4	63.7	64.0	64.3

JACINTA BLOUSE FABRIC REQUIREMENTS - IMPERIAL




FABRIC RECOMMENDATIONS

The Jacinta Blouse is designed to show off a luxourious lighter weight woven fabric. Think viscoses, crepes, silks & georgettes. You can also use cotton but we wouldn't recommend anything heavier than a cotton lawn. You'll also need $\frac{3}{4}$ yard interfacing and 5x 12mm buttons

BODY MEA	ASUREA	MENTS ((IN INC	HES):				
	6	8	10	12	14	16	18	20
Bust	31	33	35	37	39	41	43	45
Waist	24	26	28	30	32	34	36	38
Hip	34	36	38	40	42	44	46	48
FABRIC RE	QUIRE	D (IN Y	ARDS):					
44" wide	2 5/8	2 5/8	2 5/8	2 5/8	2 5/8	2 5/8	2 5/8	2 5/8
55" wide	2 3/8	2 3/8	2 3/8	2 3/8	2 3/8	2 3/8	2 3/8	2 3/8
FINISHED	GARME	ENT (IN	INCHE	S):				
Bust	40	41	43 1/8	45 %	47 3/4	49 3/4	51 3/4	53 ⅓
Waist	40 1/8	42 1/8	44 %	46 3/4	48 3/4	51 ½	52 5/8	54 %
Hip	42 1/8	44 1/8	46 1/8	48 3/4	50 3/4	52 3/4	54 %	56 %
	18 3/4	18 %	18 3/4	18 3/4	18 3/4	18 3/4	18 3/4	18 3/4
Nape to hem	23 1/4	23 ½	23 3/4	23 %	24 1/8	24 3/8	24 5/8	24 1/8

JACINTA BLOUSE FABRIC REQUIREMENTS - IMPERIAL




FABRIC RECOMMENDATIONS

The Jacinta Blouse is designed to show off a luxourious lighter weight woven fabric. Think viscoses, crepes, silks & georgettes. You can also use cotton but we wouldn't recommend anything heavier than a cotton lawn. You'll also need $\frac{3}{4}$ yard interfacing and 5x 12mm buttons

	18	20	22	24	26	28	30
Bust	45	47	49	51	53	55	57
Waist	38	40	42	44	46	48	50
Hip	48	50	52	54	56	58	60
FABRIC RE	QUIRED	(IN YAR	DS):				
44" wide	2 1/8	2 1/8	2 1/8	2 1/8	2 1/8	2 1/8	2 1/8
55" wide	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4
FINISHED	GARMEN	T (IN IN	CHES):				
Bust	52 3/4	54 3/4	56 ³ / ₄	58 %	60 ⅓	62 5/8	64 5/8
	53 %	55 ⅓	57 ⅓	59 %	61 ½	63 ½	65 ½
Waist							
		57 1/8	59	61	63	65	66 1/8
Waist Hip Sleeve	55 1/8		59 18 %		63 18 %	65 18 ¾	66 / ₈ 18 ⁷ / ₈

ASTRID BODYSUIT + TOP FABRIC REQUIREMENTS - METRIC




FABRIC RECOMMENDATIONS

The Astrid Bodysuit & Top works best in cotton jerseys with at least 5% lycra or spandex content. To keep the wrap snug, you want a fabric with good recovery. If you're making the bodysuit version then you'll also want 3x 10mm snap fasteners and 1m of clear elastic.

BODY MEAS	UREM	ENTS (I	N CM):	:				
	6	8	10	12	14	16	18	20
Bust	79	84	89	94	99	104	109	114
Waist	61	66	71	76	81	86	91	97
Hip	86.5	91.5	96.5	101.5	107	112	117	122
FABRIC REQ	UIRED	(IN MI	ETRES)	•				
VERSION 1								
1.15m wide	1.7	2.4	2.4	2.4	2.4	2.4	2.4	_
1.40m wide	1.3	2.1	2.1	2.1	2.1	2.1	2.1	2.1
VERSION 2								
1.15m wide	1.4	2.1	2.1	2.1	2.1	2.1	2.1	-
1.40m wide	1.2	1.8	1.8	1.8	1.8	1.8	1.8	1.8
FINISHED G	ARME	NT (IN	CM):					
Bust	72.2	77.2	82.2	87.2	92.2	97.2	102.2	107.2
Waist	59.1	64.1	69.1	74.1	79.1	84.1	89.1	94.1
Hip	63.15	68.15	73.15	78.15	83.15	88.15	93.15	109.15
Nape to hem (V1)	* 78.0	79.5	81.0	82.5	84.0	85.5	87.0	88.5
Nape to hem (V2)		54.6	55.2	55.8	56.4	57.0	57.6	58.2
*measured from th		the narro	west part	of the bod	ysuit gusse	et.		

ASTRID BODYSUIT + TOP FABRIC REQUIREMENTS - METRIC



FABRIC RECOMMENDATIONS

The Astrid Bodysuit & Top works best in cotton jerseys with at least 5% lycra or spandex content. To keep the wrap snug, you want a fabric with good recovery. If you're making the bodysuit version then you'll also want 3x 10mm snap fasteners and 1m of clear elastic.

BODY MEASU	JREMEI	NTS (IN	CM):				
	18	20	22	24	26	28	30
Bust	114	119	124	130	135	140	145
Waist	96.5	101.5	106.5	112	117	122	127
Hip	122	127	132	137	142	147.5	152.5
FABRIC REQU	JIRED (IN MET	RES):				
VERSION 1							
1.15m wide	-	_	-	-	_	_	_
1.40m wide	2.6	2.6	2.6	2.6	2.6	3	3
VERSION 2							
1.15m wide	-	-	-	-	-	-	-
1.40m wide	2	2	2	2	2	2.5	2.5
FINISHED GA	RMENI	(IN CN	1):				
Bust	104.0	109.0	114.5	119.5	124.5	129.5	134.5
Waist	93.75	98.75	103.75	108.75	113.75	118.75	123.75
Hip	108.75	113.75	118.75	123.75	128.75	133.75	138.75
Nape to hem (V1)*	87.5	89.0	90.5	92.0	93.5	95.0	96.5
Nape to hem (V2)	56.3	56.5	56.8	57.0	57.3	57.5	57.8
*	to th		t nort of the	had wite	.ccat		

^{*}measured from the nape to the narrowest part of the bodysuit gusset.

ASTRID BODYSUIT + TOP FABRIC REQUIREMENTS - IMPERIAL




FABRIC RECOMMENDATIONS

The Astrid Bodysuit & Top works best in cotton jerseys with at least 5% lycra or spandex content. To keep the wrap snug, you want a fabric with good recovery. If you're making the bodysuit version then you'll also want 3x 10mm snap fasteners and 1m of clear elastic.

BODY MEASU	JREME	NTS (IN	INCH	ES):				
	6	8	10	12	14	16	18	20
Bust	31	33	35	37	39	41	43	45
Waist	24	26	28	30	32	34	36	38
Hip	34	36	38	40	42	44	46	48
FABRIC REQ	UIRED	(IN YAI	RDS):					
VERSION 1								
44" wide	17/8	25/8	25/8	25/8	25/8	25/8	25/8	-
55" wide	11/2	23/8	23/8	23/8	23/8	23/8	23/8	23/8
VERSION 2								
44" wide	15/8	23/8	23/8	23/8	23/8	23/8	23/8	-
55" wide	13/8	2	2	2	2	2	2	2
FINISHED GA	ARMEN	T (IN I)	(CHES):				
Bust	28	30 %	32 3/8	34	36 1/4	38 1/4	40 1/4	42 1/4
Waist	23 1/4	25 1/4	27 1/4	29 1/8	31 1/8	33 1/8	35 1/8	37
Hip	24 1/8	26 1/8	28¾	30 3/4	32 3/4	34 3/4	36 %	43
Nape to hem (V1)*	30 3/4	31 1/4	31 %	32 ½	33 1/8	33 %	34 1/4	34 %
Nape to hem (V2)	21 1/4	21 1/8	21 3/4	22	22 1/4	22 ½	22 5/8	22 1/8

^{*}measured from the nape to the narrowest part of the bodysuit gusset.

ASTRID BODYSUIT + TOP FABRIC REQUIREMENTS - IMPERIAL



FABRIC RECOMMENDATIONS


The Astrid Bodysuit & Top works best in cotton jerseys with at least 5% lycra or spandex content. To keep the wrap snug, you want a fabric with good recovery. If you're making the bodysuit version then you'll also want 3x 10mm snap fasteners and 1m of clear elastic.


BODY MEASU):			
	18	20	22	24	26	28	30
Bust	45	47	49	51	53	55	57
Waist	38	40	42	44	46	48	50
Hip	48	50	52	54	56	58	60
FABRIC REQU	JIRED ((IN YAR	DS):				
VERSION 1							
44" wide	-	-	-	-	-	-	-
55" wide	27/8	27/8	27/8	27/8	27/8	27/8	27/8
VERSION 2							
44" wide	-	-	-	-	-	-	-
55" wide	21/4	21/4	21/4	21/4	21/4	23/4	23/4
FINISHED GA	RMEN	T (IN IN	CHES):				
Bust	41	42 1/8	45 1/8	47	49	51	53
Waist	36 %	38 %	40 1/8	42 1/8	44 3/4	46 %	48 3/4
Hip	42 1/8	44 3/4	46 3/4	48 3/4	50 3/4	52 %	54 ⅓
Nape to hem (V1)*	34 ½	35	35 %	36 1/4	36 3/4	37 3/8	38
Nape to hem (V2)			22 3/8	22 ½	22 ½	22 5/8	22 3/4

^{*}measured from the nape to the narrowest part of the bodysuit gusset.

FARLEY SHACKET FABRIC REQUIREMENTS - METRIC

FARLEY SHACKET FABRIC REQUIREMENTS - METRIC





VERSION 1 HIP LENGTH

VERSION 2 CROPPED LENGTH

FABRIC RECOMMENDATIONS

The Farley Shacket can be made in a range of fabrics that will alter the way it looks. Try a more structured fabric such as a canvas, heavier denim or corduroy for the shorter version 2. Or use the longer length of version 1 to show off a lighter chambray, needlecord or stretch cotton. You can even use a viscose or viscose twill for a warmer weather layering piece. You'll also need 7x or 9x 20-25mm buttons, and 30cm of lining fabric for the pockets

BODY MEAS								
Bust Waist Hip	6 79 61 86.5	8 84 66 91.5	10 89 71 96.5	94 76 101.5	14 99 81 107	16 104 86 112	18 109 91 117	20 114 97 122
FABRIC REQ	UIRED	(IN ME	TRES):					
VERSION 1 1.15m wide 1.40m wide VERSION 2 1.15m wide 1.40m wide	2.7 2.4 2.2 2.0	2.7 2.4 2.2 2.0	2.7 2.4 2.2 2.0	2.7 2.4 2.2 2.0	2.7 2.4 2.2 2.0	2.7 2.4 2.2 2.0	2.9 2.4 2.6 2.0	2.9 2.4 2.6 2.0
FINISHED GA	ARMEN	IT (IN C	M):					
Bust Waist Hip Sleeve Nape to hem (V1) Nape to hem (V2)	111 111 113 48.7 61.1 43.5	116 116 118 48.8 61.7 44.2	121 121 123 48.9 62.3 44.8	126 126 128 48.9 63.0 45.4	131 131 133 49.0 63.6 46.0	136 136 138 49.1 64.2 46.7	141 141 143 49.2 64.8 47.3	146 146 148 49.3 65.5 47.9

VERSION 1

VERSION 2 CROPPED LENGTH


FABRIC RECOMMENDATIONS


The Farley Shacket can be made in a range of fabrics that will alter the way it looks. Try a more structured fabric such as a canvas, heavier denim or corduroy for the shorter version 2. Or use the longer length of version 1 to show off a lighter chambray, needlecord or stretch cotton. You can even use a viscose or viscose twill for a warmer weather layering piece. You'll also need 7x or 9x 20-25mm buttons, and 30m of lining fabric for the pockets

BODY MEASU	IREME	NTS (IN	CM):				
Bust Waist Hip	18 114 96.5 122	20 119 101.5 127	22 124 106.5 132	24 130 112 137	26 135 117 142	28 140 122 147.5	30 145 127 152.5
FABRIC REQU	JIRED (IN MET	RES):				
VERSION 1							
1.15m wide	3.4	3.4	3.4	3.4	3.4	3.4	3.4
1.40m wide	2.5	2.5	2.5	2.5	2.5	2.5	2.9
VERSION 2							
1.15m wide	3	3	3	3	3	3	3
1.40m wide	2.1	2.1	2.1	2.1	2.1	2.1	2.4
FINISHED GA	RMEN	T (IN CA	۸):				
Bust	148	153	158	163	168	173	178
Waist	146	151	156	161	166	171	176
Hip	147	152	157	162	167	172	177
Sleeve	48.7	48.8	48.9	48.9	49.0	49.1	49.2
Nape to hem (V1)	64.7	65.0	65.3	65.6	65.9	66.2	66.5
Nape to hem (V2)	47.1	47.4	47.8	48.1	48.4	48.7	49.0

FARLEY SHACKET FABRIC REQUIREMENTS - IMPERIAL

FARLEY SHACKET FABRIC REQUIREMENTS - IMPERIAL





VERSION 1

VERSION 2 CROPPED LENGTH

FABRIC RECOMMENDATIONS

The Farley Shacket can be made in a range of fabrics that will alter the way it looks. Try a more structured fabric such as a canvas, heavier denim or corduroy for the shorter version 2. Or use the longer length of version 1 to show off a lighter chambray, needlecord or stretch cotton. You can even use a viscose or viscose twill for a warmer weather layering piece. You'll also need 7x or 9x 20-25mm buttons, and $\frac{1}{4}$ yard of lining fabric for the pockets

BODY MEAS	UREME	ENTS (II	N INCH	IES):				
	6	8	10	12	14	16	18	20
Bust	31	33	35	37	39	41	43	45
Waist	24	26	28	30	32	34	36	38
Hip	34	36	38	40	42	44	46	48
FABRIC REQ	UIRED	(IN YA	RDS):					
VERSION 1								
44" wide	3	3	3	3	3	3	31/6	31/6
55" wide	25/8	25/8	25/8	25/8	25/8	25/8	25/8	25/8
VERSION 2	270	2,0	270	270	270	270	2,0	270
44" wide	22/5	22/5	22/5	2%	2%	2%	25/6	25/6
55" wide	21/5	21/5	21/5	21/5	21/5	21/5	21/5	21/5
FINISHED GA	ARMEN	IT (IN II	NCHES):				
Bust	43 3/4	45 %	47 5/8	49 5/8	51 ⁵ / ₈	53 %	55 ½	57 ½
Waist	43 %	45 %	47 5/8	49 1/2	51 ½	53 ½	55 ½	57 3/8
Hip	44 3/8	46 3/8	48 1/4	50 1/4	52 1/4	54 1/4	56 1/8	58 1/8
Sleeve	19 1/8	19 1/4	19 1/4	19 1/4	19 1/4	19 3/8	19 3/8	19 3/8
Nape to hem (V1)		24 1/4	24 ½	24 3/4	25	25 1/4	25 ½	25 3/4
Nape to hem (V2)		17 3/8	17 5/8	17 %	18 1/8	18 3/8	18 %	18 1/8
	-	-	-	-				

VERSION 1


VERSION 2 CROPPED LENGTH

FABRIC RECOMMENDATIONS

The Farley Shacket can be made in a range of fabrics that will alter the way it looks. Try a more structured fabric such as a canvas, heavier denim or corduroy for the shorter version 2. Or use the longer length of version 1 to show off a lighter chambray, needlecord or stretch cotton. You can even use a viscose or viscose twill for a warmer weather layering piece. You'll also need 7x or 9x 20-25mm buttons, and $\frac{7}{4}$ yard of lining fabric for the pockets

BODY MEASL	JREME	NTS (IN	INCH	ES):				
	18	20	22	24		26	28	30
Bust	45	47	49	51		53	55	57
Waist	38	40	42	44		46	48	50
Hip	48	50	52	54		56	58	60
FABRIC REQU	JIRED	(IN YAI	RDS):					
VERSION 1								
44" wide	3 3/4	3 3/4	3 3/4	3 3/4	3 3/4	3 3/4	3 3/4	3 3/4
55" wide	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4
VERSION 2								
44" wide	31/4	31/4	31/4	31/4	31/4	31/4	31/4	31/4
55" wide	2 3/8	2 3/8	2 3/8	2 3/8	2	2 3/8	2 3/8	2 5/8
FINISHED GA	RMEN	IT (IN II	NCHES?):				
Bust	58 1/4	60 1/4	62 1/4	64	1/8	66 1/8	68 1/8	70 1/8
Waist	57 ½	59 ½	61 3/8	63	3/8	65 ¾	67 ³ / ₈	69 1/4
Hip	57 %	59 %	61 3/4	63	3/4	65 3/4	67 3/4	69 5/8
Sleeve	19 1/8	19 1/4	19 1/4	19	1/4	19 1/4	19 3/8	19 3/8
Nape to hem (V1)	25 ½	25 %	25 3/4	25	7/8	26	26 1/8	26 1/4
Nape to hem (V2)	18 ½	18 5/8	18 3/4	18	7/8	19	19 1/8	19 1/4
1								

OPAL COAT FABRIC REQUIREMENTS - METRIC




FABRIC RECOMMENDATIONS

For the Opal Coat, we recommend a medium to heavyweight fabric such as tweed, boucle, melton, jacquard and boiled wool. For the lining, opt for a viscose or crepe - something that will allow you to put your coat on with ease. If you can, opt for woven interfacing which will elevate your make.

BODY MEASUR								
Bust Waist Hip	6 79 61 86.5	8 84 66 91.5	10 89 71 96.5	12 94 76 101.5	14 99 81 107	16 104 86 112	18 109 91 117	20 114 97 122
FABRIC REQUI	RED (I	N MET	RES):					
VERSION 1								
Main (140cm wide) Lining (140cm wide) Interfacing (90cm wide)	4.75 2.9 de)3.9	4.75 2.9 3.9						
VERSION 2								
Main (140cm wide) Lining (140cm wide) Interfacing (90cm wide)	3.75 2.25 de) 3.2	3.75 2.25 3.2						
FINISHED GAR	MENT	(IN CA	۸)։					
Bust* Waist* Hip* Sleeve Nape to hem (V1) Nape to hem (V2)	109 106 106 42 129.3 93.4	114 111 111 42 129.9 94.0	119 116 116 42 130.5 94.6	124 121 121 42 131.1 95.2	129 126 126 42 131.7 95.8	134 131 131 42 132.3 96.4	139 136 136 42 132.9 97.0	144 141 141 42 133.5 97.6

^{*}The Opal Coat has a large wrap, these measurements are taken from in line with the notch at the top of the lapel on the coat front, **not** the front edge, as this marks the centre front line. The coat can be wrapped tighter than these measurements, or left looser too.

OPAL COAT FABRIC REQUIREMENTS - METRIC




FABRIC RECOMMENDATIONS

For the Opal Coat, we recommend a medium to heavyweight fabric such as tweed, boucle, melton, jacquard and boiled wool. For the lining, opt for a viscose or crepe - something that will allow you to put your coat on with ease. If you can, opt for woven interfacing which will elevate your make.

BODY MEASURE	MENTS	(IN CN	\) :				
Bust Waist Hip	18 114 96.5 122	20 119 101.5 127	22 124 106.5 132	24 130 112 137	26 135 117 142	28 140 122 147.5	30 145 127 152.5
FABRIC REQUIR	ED (IN	METRE	S):				
VERSION 1 Main (140cm wide) Lining (140cm wide) Interfacing (90cm wide) VERSION 2 Main (140cm wide) Lining (140cm wide) Interfacing (90cm wide)	4.5 4.25 3.3	5.0 3.9 4.5 4.25 3.3 3.8	5.0 3.9 4.5 4.25 3.3 3.8	5.0 3.9 4.5 4.25 3.3 3.8	5.0 3.9 4.5 4.25 3.3 3.8	5.0 3.9 4.5 4.25 3.3 3.8	5.0 3.9 4.5 4.25 3.3 3.8
FINISHED GARM	NENT (II	N CM):					
Bust* Waist* Hip* Sleeve Nape to hem (V1) Nape to hem (V2)	154 154 154 42 132.8 102.5	160 160 160 42 133.1 102.8	166 166 166 42 133.4 103.1	172 172 172 42 133.7 103.4	178 178 178 42 134.0 103.7	184 184 184 42 134.3 104.0	190 190 190 42 134.6 104.3

^{*}The Opal Coat has a large wrap, these measurements are taken from in line with the notch at the top of the lapel on the coat front, **not** the front edge, as this marks the centre front line. The coat can be wrapped tighter than these measurements, or left looser too.

OPAL COAT FABRIC REQUIREMENTS - IMPERIAL



VERSION 1
ANKLE LENGTH

VERSION 2
CALF LENGTH


FABRIC RECOMMENDATIONS

For the Opal Coat, we recommend a medium to heavyweight fabric such as tweed, boucle, melton, jacquard and boiled wool. For the lining, opt for a viscose or crepe - something that will allow you to put your coat on with ease. If you can, opt for woven interfacing which will elevate your make.

BODY MEASUR	EMEN.	TS (IN	INCHE	S):				
	6	8	10	12	14	16	18	20
Bust	31	33	35	37	39	41	43	45
Waist	24	26	28	30	32	34	36	38
Hip	34	36	38	40	42	44	46	48
FABRIC REQUIF	RED (II	N YARE	S):					
VERSION 1								
Main (55" wide)	5 1/4	5 1/4	5 1/4	5 1/4	5 1/4	5 1/4	5 1/4	5 1/4
Lining (55" wide)	3 1/4	3 1/4	3 1/4	3 1/4	3 1/4	3 1/4	3 1/4	3 1/4
Interfacing (36" wide)	4 1/4	4 1/4	4 1/4	4 1/4	4 1/4	4 1/4	4 1/4	4 1/4
VERSION 2								
Main (55" wide)	4 1/8	4 1/8	4 1/8	4 1/8	4 1/8	4 1/8	4 1/8	4 1/8
Lining (55" wide)	2 ½	2 1/2	2 1/2	2 1/2	2 1/2	2 1/2	2 1/2	2 1/2
Interfacing (36" wide)	3½	3½	3½	31/2	31/2	3½	31/2	31/2
FINISHED GAR	MENT	(IN IN	CHES):					
Bust*	42 1/8	44	46 1/8	48 %	50 3/4	52 3/4	54 3/4	56 ³ / ₄
Waist*	41 3/4	43 3/4	45 %	47 5/8	49 5/8	51 1/8	53 ½	55 ½
Hip*	41 3/4	43 3/4	45 %	47 5/8	49 5/8	51 ⅓	53 ½	55 ½
Sleeve	16 3/8	16 ¾	16 3/8	16 3/ ₈	16 ¾	16 ¾	16 ¾	16 3/8
Nape to hem (V1)	50 %	51 1/8	51 3/8	51 %	51 %	52 1/8	52 1/4	52 ½
Nape to hem (V2)	36 3/4	37	37 1/4	37 ½	37 3/4	38	38 1/4	38 3/8

*The Opal Coat has a large wrap, these measurements are taken from in line with the notch at the top of the lapel on the coat front, **not** the front edge, as this marks the centre front line. The coat can be wrapped tighter than these measurements, or left looser too.

OPAL COAT FABRIC REQUIREMENTS - IMPERIAL



FABRIC RECOMMENDATIONS

For the Opal Coat, we recommend a medium to heavyweight fabric such as tweed, boucle, melton, jacquard and boiled wool. For the lining, opt for a viscose or crepe - something that will allow you to put your coat on with ease. If you can, opt for woven interfacing which will elevate your make.

BODY MEASUR	EMENT 18	S (IN IN	NCHES)	: 24	26	28	30
Bust	45	47	49	51	53	55	57
Waist	38	40	42	44	46	48	50
Hip	48	50	52	54	56	58	60
· ····································							
FABRIC REQUIR	RED (IN	YARD	S):				
VERSION 1							
Main (55" wide)	5 ½					5 ½	5 ½
Lining (55" wide)				$4^{3}/_{8}$		$4^{3/_{8}}$	$4^{3/_{8}}$
Interfacing (36" wide)	5	5	5	5	5	5	5
VERSION 2							
Main (55" wide)	$4^{3}/_{4}$	4 3/4	4 3/4	4 3/4	$4^{3}/_{4}$	4 3/4	$4^{3}/_{4}$
Lining (44" wide)	3 5/8	3 5/8	3 5/8	3 5/8	3 5/8	3 5/8	3 %
Interfacing (36" wide)		4 1/4		4 1/4	4 1/4	4 1/4	4 1/4
FINISHED GARI	MENT (IN INCI	HES):				
Bust*	60 5/8	63	65 %	67 3/4	70 1/8	72 ½	74 3/4
Waist*	60 %	63	65 3/8	67 3/4		72 ½	74 3/4
Hip*	60 %	63	65 3/8	67 3/4			74 3/4
Sleeve	16 3/8		16 3/8			16 3/8	16 3/8
Nape to hem (V1)			52 ½		52 3/4	52 %	53
Nape to hem (V2)	38 1/4	38 1/4	38 3/8	38 ½	38 5/8	38 3/4	38 %
Nape to HeIII (VZ)	JU /4	JO /4	JU /8	JO /2	JU /8	JO /4	JU /8

^{*}The Opal Coat has a large wrap, these measurements are taken from in line with the notch at the top of the lapel on the coat front, **not** the front edge, as this marks the centre front line. The coat can be wrapped tighter than these measurements, or left looser too.