

Printed on Tuesday, 21 February 2017

GHS: According to 2015/830/EU

Code Number 002-13146

Version 2 Revised 21/02/2017 2:40:56 PM

Section 1. I dentification of the substance/mixture and of the company/undertaking

1.1 Product I dentifier

Product Name GERANIUM OIL EGYPTIAN ORGANIC

Code Number 002-13146
Alternative Name EOGEREO
REACH Reg No Not registered

- 1.2 Relevant identified uses of the substance or mixture and uses advised against Concentrated material for manufacturing purposes only
- 1.3 Details of the supplier of the safety data sheet

Australian Botanical Products Ltd

39 Melverton Drive Victoria, 3803 Australia

ABN: 006 782 529

Telephone Number Tel No. +61 97094800 Email Address info@abp.com.au

1.4 Emergency Tel No Emergency No. +61 438196124

Section 2. HAZARD IDENTIFICATION

2.1 Classification of the substance or mixture

FL 4 Flammable liquid, category 4
ATO 5 Acute toxicity, oral, category 5
AH 1 Aspiration hazard, category 1
SCI 2 Skin corrosion/irritation, category 2
SS 1 Skin sensitisation, category 1
EDI 1 Eye damage/irritation, category 1

EH A2 Aquatic hazard, acute, category 2
EH C3 Aquatic hazard, chronic, category 3

Printed on Tuesday, 21 February 2017

GHS: According to 2015/830/EU

Code Number 002-13146

Version 2 Revised 21/02/2017 2:40:56 PM

2.2 Label elements

GHS classification according to Regulation (EC) No 1272/2008

Hazard Pictograms



Signal Word Danger

Hazard Statements

H227 Combustible liquid

H303 May be harmful if swallowed

H304 May be fatal if swallowed and enters airways

H315 Causes skin irritation

H317 May cause an allergic skin reaction

H318 Causes serious eye damage

H401 Toxic to aquatic life

H412 Harmful to aquatic life with long lasting effects

Precautionary Statements

P210 Keep away from heat, hot surfaces, sparks, open flames and

other ignnition sources. No smoking.

P261 Avoid breathing fumes.

P264 Wash hands thoroughly after handling

P273 Avoid release to the environment.

P280 Wear protective gloves and eye protection

P301+P310 IF SWALLOWED: Immediately call a POISON CENTRE.

P331 Do NOT induce vomiting.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents and container in accordance with local

regulation.

Printed on Tuesday, 21 February 2017

GHS: According to 2015/830/EU

Code Number 002-13146

Version 2 Revised 21/02/2017 2:40:56 PM

2.3 Other Hazards

Contains Citral, Citronellol, Geraniol, Limonene and Linalool which may produce an allergic reaction

No further information available at this time

Section 3. Composition / information on ingredients

Any percentage values listed here for hazardous components are for illustrative purposes only

3.1 Substances

Description GERANIUM OIL EGYPTIAN ORGANIC

EC/EINECS 290-140-0
CAS Number 90082-51-2
USCAS Number 8000-46-2

Hazardous components

ID Numbers	Chemical Name, Classification and Hazards	Conc (%)
CAS 106-22-9 EINECS 203-375-0 REACH	Citronellol(d,I-Citronellol) ATD 5(2650);ATO 5(3450);SCI 2;EDI 2A;SS 1B;EH A2 H303,H313,H315,H317,H319,H401	34.0000
CAS 106-24-1 EINECS 203-377-1 REACH	Geraniol ATO 5(4200); SCI 2; EDI 1; SS 1; EH A2 H303, H315, H317, H318, H401	17.5000
CAS 78-70-6 EINECS 201-134-4 REACH	Linalool FL 4;ATO 5(3000);EDI 2A;SCI 2;EH A3 H227,H303,H315,H319,H402	5.7000
CAS 10458-14-7 EINECS 233-944-9 REACH	Menthone FL 4;ATO 5(2500);SCI 2;SS 1B;EH A3 H227,H303,H315,H317,H402	1.8000
CAS 80-56-8 EINECS 201-291-9 REACH	Pinenes FL 3;ATO 5(3500);SCI 2;SS 1B;AH 1 H226,H303,H304,H315,H317	0.6000
CAS 141-27-5 EINECS 205-476-5 REACH	Geranial (3,7-Dimethyl-2,6-octadienal) FL 4;ATD 5(2250);SCI 2;SS 1B;EDI 2A;EH A2 H227,H313,H315,H317,H319,H401	0.4000
CAS 106-26-3 EINECS 203-379-2 REACH	Neral FL 4;ATD 5(2250);SCI 2;SS 1B;EDI 2A;EH A2 H227,H313,H315,H317,H319,H401	0.4000
CAS 5989-27-5 EINECS 227-813-5 REACH	d-Limonene (p-Mentha-1,8-diene) FL 3; SCI 2; SS 1B; AH 1; EH A1,C1 H226,H304,H315,H317,H400,H410	0.3000

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on Tuesday, 21 February 2017

GHS: According to 2015/830/EU

Code Number 002-13146

Version 2 Revised 21/02/2017 2:40:56 PM

Refer to section 16 for the wording of listed classification and hazard statement codes

Section 4. First Aid measures

Take phrases in sections 2 into account

4.1 Description of first aid measures

After inhalation

Remove from the exposure area to fresh air, lay patient on back until breathing returns to normal. Contact a doctor if necessary.

After skin contact

Remove contaminated clothing. Wash thoroughly with soap and water. Seek medical advice if irritation persists or there is any sign of tissue damage.

After eye contact

Flush with plenty of water for 15 minutes including under eyelid and seek medical advice if necessary.

After ingestion

Do NOT induce vomiting. Position to avoid aspiration should vomiting occur. Wash mouth with plenty of water and obtain medical advice immediately.

- 4.2 Most important symptoms and effects, both acute and delayed No further information available at this time
- 4.3 Indication of immediate medical attention and special treatment needed No further information available at this time

Section 5. Fire-fighting measures

5.1 Extinguishing Media

Carbon dioxide, foam or dry powder. DO NOT USE A DIRECT WATER JET.

5.2 Special hazards arising from the substance or mixture

May produce Carbon dioxide and unidentified organic compounds.

5.3 Advice for fire-fighters

Wear Self-Contained Breathing Apparatus (S.C.B.A.) and full protective clothing to minimise skin exposure. Avoid inhalation of vapours. Keep containers cool with water spray. Do not use direct water jet on burning material. Do not allow spillage of fire to enter drains or watercourses.

Printed on Tuesday, 21 February 2017

GHS: According to 2015/830/EU

Code Number 002-13146

Version 2 Revised 21/02/2017 2:40:56 PM

Section 6. Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Remove all sources of ignition. Avoid inhalation, skin and eye contact. Ensure proper ventilation. Evacuate all unnecessary personnel. If possible contain the spill.
- 6.2 Environmental precautions

Do not discharge directly into drains or the soil. Keep away from surface and ground water

6.3 Methods and material for containment and cleaning up

Soak up spillage with sand or other inert absorbant material such as earth or vemiculite; transfer used material to a suitable waste container and dispose in accordance with regulations. If large quantities of this material enter the waterways, contact the EPA or your local Waste Management Group.

6.4 Reference to other sections

Refer to information in Sections 7, 8 and 13

Section 7. Handling and storage

7.1 Precautions for safe handling

Maintain good occupational and personal hygiene. Avoid inhalation and contact with skin and eyes. Wear protective clothing and use safety glasses. Keep in original container or an alternative made from a compatiable material.

7.2 Conditions for safe storage, including any incompatibilities

Store in tightly sealed original containers away from ignition sources and in a cool place. Avoid contact with incompatible materials that support combustion, such as strong oxidising agents.

7.3 Specific end use(s)

No further information available

Section 8. Exposure controls / personal protection

8.1 Control Parameters

No exposure standards have been established for this material by Work safe Australia. However as a matter of course avoid repeated or prolonged contact with the skin. Keep out of eyes. Do not ingest. Use with good ventilation, do not breathe vapour. Sensitive individuals may develop an allergic response.

8.2 Exposure controls

Engineering controls

Natural ventilation should be sufficient, however where vapours of mists are generated the use of a grounded mechanical exhaust ventilation system is recommended.

Printed on Tuesday, 21 February 2017

GHS: According to 2015/830/EU

002-13146 Code Number

Version 2 Revised 21/02/2017 2:40:56 PM

Individual protection measures

Refer to Section 5 for specific fire/chemical personal protective equipment advice. Always wash routinely before breaks, meals and at the end of the work period.

Eye/face protection

Use splash-proof safety glasses and face shield where splashing is possible.

Hand protection

Wear chemically resistant disposable gloves.

Other skin protection

Wear overalls. Depending on conditions in the workplace, additional body protection should be considered. Always wash routinely before breaks, meals and at the end of the work period.

Respiratory protection

Not generally required. Use inhalation protection in poorly ventilated areas

Thermal hazards

No information

Environmental exposure controls

Emissions from ventilation and process equipment should be checked to ensure compliance with environmental protection legislation.

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

FLASH POINT (°C) 85

APPEARANCE Mobile liquid

COLOUR Pale yellow to olive-green

ODOUR Sweet floral, rosey-leafy

ODOUR THRESHOLD Not available Not available pH @20 DEG C MELTING/FREEZING POINT Not available INITIAL BOILING POINT AND Not available

RANGE

EVAPORATION RATE < 1.0

FLAMMABILITY (SOLID/GAS) Not available

SAFETY DATA SHEET Printed on Tuesday, 21 February 2017

GHS: According to 2015/830/EU

Code Number 002-13146

Version 2 Revised 21/02/2017 2:40:56 PM

UPPER/LOWER FLAMMABILITY

LIMITS

Not available

VAPOUR PRESSURE

Not available

VAPOUR DENSITY

>1.0

SPECIFIC GRAVITY @ 20 deg C

0.86 to 0.905

SOLUBILITIES

Insoluble in water

PARTITION COEFF N-OCTANAL/WATER Not available

Not available **AUTO-IGNITION TEMPERATURE**

DECOMPOSITION TEMPERATURE

Not available

VISCOSITY @ 20 DEG C

Not available

EXPLOSIVE PROPERTIES

Not available

OXIDISING PROPERTIES

Not available

9.2 Other information

No further information available

Section 10. Stability and reactivity

10.1 Reactivity

Not determined

10.2 Chemical Stability

Stable under the recommended storage conditions (see section 7).

10.3 Possibility of hazardous reactions

No hazardous reactions if stored under suitable storage conditions.

10.4 Conditions to avoid

Avoid exposure to heat, sources of ignition, and open flame. Avoid exposure to air.

10.5 Incompatible materials

Keep away from oxidising agents and from highly alkaline or acidic material.

10.6 Hazardous decomposition products

During combustion may form carbon monoxide, carbon dioxide and unidentified organic compounds.

Printed on Tuesday, 21 February 2017

GHS: According to 2015/830/EU

Code Number 002-13146

Version 2 Revised 21/02/2017 2:40:56 PM

Section 11. Toxicological information

11.1 Information on toxicological effects

Acute toxicity

May be harmful if swallowed.

Skin corrosion / irritation

May cause skin irritation.

Serious eye damage / irritation

May irritate eyes.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Germ cell mutagenicity

No data

Carcinogenicity

No data

Reproductive toxicity

No data

STO-single exposure

No data

STO-repeated exposure

No data

Aspiration hazard

No data

Information on likely routes of exposure

No data

Symptoms related to the physical, chemical and toxicological characteristics

Delayed and immediate effects as well as chronic effects from short and long-term exposure

No data

Interactive effects

No data

SAFETY DATA SHEET Printed on Tuesday, 21 February 2017

GHS: According to 2015/830/EU

Code Number 002-13146

Version 2 Revised 21/02/2017 2:40:56 PM

Other information

No data

Section 12. Ecological information

12.1 Toxicity

Toxic to aquatic life with long lasting effects. Avoid contaminating waterways.

12.2 Persistence and degradability

No data

12.3 Bioaccumulative potential

No data

12.4 Mobility in soil

Prevent contamination of soil, ground and surface water.

12.5 Results of PBT and vPvB assessment

No data

12.6 Other adverse effects

See sections 6, 7, 13 and 15.

Section 13. Disposal considerations

Please refer to the information in section 8 (Exposure controls and personal protection)

13.1 Waste treatment methods

Dispose in accordance with the law and local regulations. Treat as trade effluent.

Section 14. Transport information

14.1 UN number Not Regulated

14.2 UN proper shipping name Not Restricted

14.3 Transport hazard class(es)

14.4 Packing group

Tunnel Code

14.5 Environmental Hazards

No relevant information available

14.6 Special precautions for user

No relevant information available

SAFETY DATA SHEET Printed on Tuesday, 21 February 2017

GHS: According to 2015/830/EU

002-13146 Code Number

Version 2 Revised 21/02/2017 2:40:56 PM

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable

Section 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Poisons Schedule: Not applicable 15.2 Chemical safety assessment

A chemical safety assessment has not been carried out

Section 16. Other information

Full list of	precautionary	phrases
--------------	---------------	---------

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignnition sources. No smoking.	
P261	Avoid breathing fumes.	
P264	Wash hands thoroughly after handling	
P272	Contaminated work clothing should not be allowed out of the workplace.	
P273	Avoid release to the environment.	
P280	Wear protective gloves and eye protection	
P301+P310	IF SWALLOWED: Immediately call a POISON CENTRE.	
P301+P312	IF SWALLOWED: Immediately call a POISON CENTRE if you feel unwell.	
P302+P352	IF ON SKIN: Wash with plenty of water.	
P305	IF IN EYES:	
P331	Do NOT induce vomiting.	
P333+P313	If skin irritation or rash occurs: Get medical advice.	
P351	Rinse cautiously with water for several minutes.	
P362+P364	Take off all contaminated clothing and wash it before reuse.	
P403+P235	Store in a well-ventilated place. Keep cool.	
P405	Store locked up.	
P501	Dispose of contents and container in accordance with local regulation.	

Printed on Tuesday, 21 February 2017

GHS: According to 2015/830/EU

Code Number 002-13146

Version 2 Revised 21/02/2017 2:40:56 PM

Wording of ar	ny hazard classes listed in section 3
FL 3	Flammable liquid, category 3
FL 4	Flammable liquid, category 4
ATO 5	Acute toxicity, oral, category 5
AH 1	Aspiration hazard, category 1
ATD 5	Acute toxicity, dermal, category 5
SCI 2	Skin corrosion/irritation, category 2
SS 1	Skin sensitisation, category 1
SS 1B	Skin sensitisation, category 1B
EDI 1	Eye damage/irritation, category 1
EDI 2A	Eye damage/irritation, category 2A
EH A1	Aquatic hazard, acute, category 1
EH A2	Aquatic hazard, acute, category 2
EH A3	Aquatic hazard, acute, category 3
EH C1	Aquatic hazard, chronic, category 1
Wording of ar	ny hazard statements listed in section 3
H226	Flammable liquid and vapour
H227	Combustible liquid
H303	May be harmful if swallowed
H304	May be fatal if swallowed and enters airways
H313	May be harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H400	Very toxic to aquatic life
H401	Toxic to aquatic life
H402	Harmful to aquatic life