SECTION 1 – IDENTIFICATION: PRODUCT IDENTIFIER/CHEMICAL IDENTITY

1.1 PRODUCT IDENTIFIER: Evolution of the Color Cube Metallic Silver 7MS

1.2 PRODUCT CODE: PF015693

1.3 RELEVANT IDENTIFIED USES OF THE MIXTURE AND USES ADVISED AGAINST: RELEVANT IDENTIFIED USES: RESTRICTIONS ON USE:
Permanent cosmetic colouring cream for medium blonde hair.
Hair colourants can cause severe allergic reactions. This product contains ingredients which may cause skin irritation or sensitisation to certain individuals. A preliminary test according to the directions accompanying the product should be made before use. This product must not be used for dyeing eyelashes or eyebrows; to do so may be injurious to the eye. The product is not intended for use in individuals under the age of 16 years. Temporary black henna tattoos may increase the risk of an allergic reaction. Do not colour hair if there is a rash on the face; sensitive, irritated or damaged scalp; the person has ever experienced a reaction after colouring hair; or, they have experienced a reaction previously to a temporary black henna tattoo.

1.4 DETAILS OF THE SUPPLIER OF T SUPPLIER NAME: ADDRESS (Australia): TELEPHONE NUMBER (Australia): SUPPLIER NAME (New Zealand): ADDRESS (New Zealand): TELEPHONE NUMBER (New Zealand) E-MAIL:	Alfhair Australia Pty Ltd (ABN: 60 095 773 274), 15 Concorde Drive, Keilor Park, VIC, Australia, 3042 +61 3 9336 2088 (Int); Fax: +61 3 9336 2044 (Int) Salon Warehouse NZ, Unit G, 11 Douglas Alexander Parade, Albany – Auckland, NZ
1.5 EMERGENCY TEL. NUMBER:	Australia: 0407 236 601 (Poisons Information Centre (Aust 131 126; NZ 0800 764 766))
1.6 HSNO DETAILS: HSNO APPROVAL NUMBER:	HSR002552

HSNO GROUP TITLE: Cosmetic Products Group Standard 2006.

SECTION 2 – HAZARD(S) IDENTIFICATION

2.1 CLASSIFICATION OF THE HAZARDOUS CHEMICAL: GHS CLASSIFICATION HAZARD

CLASS & CATEGORY: Under the Model Work Health and Safety Regulations the product would be rated as hazardous: Skin Corrosion/Irritation - Category 2 Serious Eye Damage/Irritation - Category 2A Chronic Aquatic Toxicity - Category 3

2.2 LABEL ELEMENTS INCLUDING PRECAUTIONARY STATEMENTS: SIGNAL WORD: Warning PICTOGRAMS:

HAZARD STATEMENTS:

- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H412 Harmful to aquatic life with long lasting effects.

SECTION 2 – HAZARD(S) IDENTIFICATION Continued

PRECAUTIONARY STATEMENTS:

PRECAUTIONART STATEME	
PREVENTION:	 P102 - Keep out of reach of children. P103 - Read label before use. P264 - Wash hands thoroughly after handling. P273 - Avoid release to the environment. P280 - Wear protective gloves/protective clothing/eye protection/face protection.
RESPONSE:	 P101 - If medical advice is needed, have product container or label at hand. P302+P352 - IF ON SKIN: Wash with plenty of soap and water. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P332+P313 - If skin irritation occurs: Get medical advice/attention. P337+P313 - If eye irritation persists: Get medical advice/attention. P362 - Take off contaminated clothing and wash before reuse.
STORAGE:	Not applicable.
DISPOSAL:	P501 - Dispose of contents/container in accordance with local regulations.
2.3 OTHER HAZARDS:	Excessive exposure may result in irritation to the respiratory system. The product contains Toluene-2,5-diamine sulfate, Resorcinol and m- and p-aminophenol components. These may produce an allergic reaction. People with pre-existing skin conditions, such as eczema or dermatitis, should take precautions so as not to exacerbate the condition. As for all chemical products, persons should not expose open wounds, cuts, abrasions or irritated skin to this

SECTION 3 – COMPOSITION / INFORMATION ON INGREDIENTS

material.

INGREDIENTS	CAS NUMBER	Concentration % W/W	GHS Classification*
Castor oil, hydrogenated, ethoxylated (PEG-40 Hydrogenated Castor Oil) Ammonium hydroxide (Ammonia)	61788-85-0 1336-21-8	2% - 5% 1% - < 2%	Eye Irrit 2A - H319 Acut Tox 4 - H302 Skin Corr 1B - H314 Acut Tox 4 - H332 Acut Aq Tox 1 - H400 AUH071
1-Propanaminium, 3-amino-N-(carboxyr	nethyl)-N N-dimethyl	- N-coco acvl derivative	
(Cocamidopropyl betaine)	61789-40-0	1% - 2%	Eye Irrit 2A - H319 Acut Aq Tox 1 - H400
1-Tetradecanol (Myristyl alcohol)	112-72-1	1% - 2%	Eye Irrit 2A - H319 Acut Aq Tox 1 - H400
Ethanol, 2-amino (Monoethanolamine)	144-43-5	0.3 - < 0.5%	Acut Tox 4 - H302 Acut Tox 4 - H312 Skin Corr 1B - H314 Acut Tox 4 - H332
Sulfurous acid, disodium salt (Sodium sulfite)	7757-83-7	0.3 - < 0.5%	Acut Tox 4 - H302 Eye Dam 1 - H318
1,4-Benzenediamine, 2-methyl-, sulfate	(1.1)		
(Toluene-2,5-diamine sulfate)	615-50-9	< 0.25%	Acut Tox 3 - H301 Acut Tox 4 - H312 Skin Sen 1 - H317 Acut Tox 4 - H332 Chron Ag Tox 2 - H411
Ethanol, 2-[(3-amino-4-methoxyphenyl)a amino]anisole sulfate)	amino]-, sulfate (1:1) 83763-48-8	(salt) (2-Amino-4-[(2-hyd < 0.1%	

SECTION 3 – COMPOSITION / INFORMATION ON INGREDIENTS Cont'd

INGREDIENTS	CAS NUMBER	Concentration	GHS
1,3-Benzenediol (Resorcinol)	108-46-3	% W/W < 0.1%	Classification* Acut Tox 4 - H302 Skin Irrit 2 - H315 Skin Sen 1 - H317
4-Aminophenol (p-Aminophenol)	123-30-8	< 0.1%	Eye Irrit 2A - H319 Acut Aq Tox 1 - H400 Acut Tox 4 - H302 Skin Sen 1 - H317 Acut Tox 4 - H332 Muta 2 - H341
3-Aminophenol (m-Aminophenol)	591-27-5	< 0.1%	STOT (RE) 2 - H373 Chron Aq Tox 1 - H410 Acut Tox 4 - H302 Skin Sen 1 - H317 Acut Tox 4 - H332
Other non-hazardous ingredients	-	To 100%	Chron Aq Tox 2 - H411 Not Applic
Not Applic = Not Applicable * Pleas	se see Section 15 of this	SDS for full text descript	ion of the Label Elements.

SECTION 4 – FIRST AID MEASURES

4.1 DESCRIPTION OF NECESSARY FIRST AID MEASURES: INGESTION: Rinse mouth out with water

INGESTION:	Rinse mouth out with water. Due to the blend of ingredients present, the manufacturer recommends that if swallowed, do NOT induce vomiting. If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration. The product has a relatively high pH. If irritation or a burning sensation develops or persists or vomiting has occurred after ingestion, seek immediate medical assistance.
EYE <i>:</i>	If in eyes, hold eyelids apart and flush the eye immediately with large amounts of running water. Continue flushing for at least 15 minutes or until advised to stop by a Doctor. Check for contact lenses. If there are contact lenses, these should be removed after several minutes of rinsing by the exposed person or medical personnel if it can be done easily. As the product is rated as causes serious eye irritation, after flushing, if irritation persists, seek medical assistance.
SKIN CONTACT:	If skin or hair contact has occurred remove any contaminated clothing and footwear, wash skin or hair thoroughly with soap and water. As the product is rated as causes skin irritation, after flushing, if irritation occurs and persists, seek medical assistance.
	If affected, remove the patient from further exposure into fresh air, if safe to do so. If providing assistance, avoid exposure to yourself - only enter contaminated environments with adequate respiratory equipment. Once removed, lay patient down in a well-ventilated area and reassure them whilst waiting for medical assistance. If not breathing, provide artificial respiration and seek immediate medical assistance. If unconscious, place in a recovery position and seek immediate medical assistance. If irritation develops/persists, consult a Doctor.
PROTECTION FOR FIRST AIDERS:	No personnel shall place themselves in a situation that is potentially hazardous to themselves. If the person has ingested the product, caution should be exercised in using direct mouth-to-mouth resuscitation techniques. Always ensure that you are wearing gloves when dealing with first aid procedures involving chemicals and/or blood.
FIRST AID FACILITIES:	Eye wash fountain and safety showers, or at least a source of flowing water, are recommended in the area where the product is used.

SECTION 4 – FIRST AID MEASURES Continued

4.2 MOST IMPORTANT SYMPTOMS & EFFECTS, BOTH ACUTE & DELAYED, CAUSED BY EXPOSURE: ACUTE: The product is rated as causes serious eve irritation. Eve contact may lead

The product is rated as causes serious eye irritation. Eye contact may lead to
localised burning, redness, pain, swelling, and tearing. The product is rated as
a skin irritant. Skin contact may lead to redness or itching. Ingestion or inhalation of vapours may lead to irritation of the mouth and respiratory tract. Ingestion may lead to nausea and diarrhoea.
Skin contact may aggravate/exacerbate existing skin conditions such as

CHRONIC: Skin contact may aggravate/exacerbate existing skin conditions, such as dermatitis. The product contains Toluene-2,5-diamine sulfate, Resorcinol and m- and p-aminophenol components. These may produce an allergic reaction.

4.3 INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NECESSARY: ADVICE TO DOCTOR: Treat symptomatically.

SECTION 5 – FIRE FIGHTING MEASURES

5.1 EXTINGUISHING MEDIA: SUITABLE MEDIA:	Use extinguishing media appropriate for surrounding fire. Use carbon dioxide, foam, dry chemical or water spray. Spray down fumes resulting from fire.
	Avoid using full water jet directed at residual burning material once the aqueous component has evaporated. Water may cause splattering on hot residue.
5.2 SPECIAL HAZARDS ARIS COMBUSTION HAZARDS:	ING FROM THE SUBSTANCE OR MIXTURE: Combustion of the residual material after evaporation of the aqueous component may produce oxides of carbon and small amounts of nitrogen and sulfur as well as smoke and irritating vapours.
5.3 ADVICE FOR FIREFIGHTI	3
FIRE:	This product is not flammable under conditions of use. Once the aqueous component has evaporated, the residue will be combustible. Keep storage tanks, pipelines, fire exposed surfaces, etc. cool with water spray.
HAZCHEM CODE:	Not applicable.
EXPLOSION:	No information to indicate that the product is an explosion hazard. Extinguish all sources of flame or spark. Closed containers may explode when exposed to extreme heat.
PROTECTIVE EQUIPMENT:	In the event of a fire, wear full protective clothing and self-contained breathing equipment with full-face piece operated in the pressure demand or other positive pressure mode.

SECTION 6 – ACCIDENTAL RELEASE MEASURES

6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES:

PERSONAL PROTECTION: For small spills, wear PVC, Nitrile or Neoprene gloves, glasses/goggles, boots and full-length clothing. During routine operation for a small spill in the open a respirator is not required. For large spills, or in confined spaces, a full chemically resistant body-suit is recommended. If in doubt about potential oxygen deficiency wear self-contained breathing apparatus.

CONTROL MEASURES: Ventilate area and extinguish and/or remove all sources of ignition. Stop the leak if safe to do so. CAUTION: The spilled product will be slippery. Avoid contact with the spilled material.

EMERGENCY PROCEDURES: In the event of a spill or accidental release, notify the relevant authorities in accordance with all applicable regulations.

6.2 ENVIRONMENTAL PRECAUTIONS:

SPILL ADVICE: Do not allow product to enter drains, surface water, sewers or watercourses - inform local authorities if this occurs.

SECTION 6 – ACCIDENTAL RELEASE MEASURES Continued

6.3 METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP:

- **CONTAINMENT:** Contain the spill and absorb with a proprietary absorbent material, sand or earth. For large spills prepare a bund/barrier/dyke ahead of the spill to confine the spill and allow later recovery. If there is the possibility of spills to enter drains, surface water, sewers or watercourses ensure bunding, or that drains are covered, to minimise the potential for this to occur.
- **CLEANING PROCEDURES:** Having contained the spill, as mentioned above, collect all material quickly and place used absorbent in suitable containers. Follow local regulations for the disposal of waste. For large spills that have been bunded, the material can be scooped into vessels and returned for reprocessing or destruction. Personnel must wear gloves, goggles or glasses, boots and full-length clothing during cleaning procedures. Wash and rinse the contaminated area and objects with water after spill has been cleared. Do not allow wash water or rinsings to enter drains, surface water, sewers or water courses.

SECTION 7 – HANDLING AND STORAGE, INCLUDING HOW THE CHEMICAL MAY BE SAFELY USED

7.1 PRECAUTIONS FOR SAFE HANDLING:

SAFE HANDLING: If handling in bulk, avoid contact with the product by using appropriate protective equipment such as gloves, glasses or goggles and full-length clothing. Prevent small spills and leakage to avoid slip hazards. Properly dispose of any contaminated rags or cleaning materials. Eating, drinking, and smoking should be prohibited in the area where this material is handled, stored and processed. Workers should follow good personal hygiene practices, such as washing hands before eating, drinking and smoking. The product is a hair colouring agent. When using the product, personnel must wear gloves, glasses, full length clothing and an apron. Remove contaminated clothing and protective equipment before entering eating areas. Keep containers tightly closed when not in use. Prevent product from entering waterways, drains or sewers.

7.2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATABILITIES: SAFE STORAGE: Store in a dry, well ventilated area away from direct sunlight, ignition sources, oxidising agents, foodstuffs and clothing. Keep containers closed when not in use. Containers that have been opened must be carefully resealed to prevent

INCOMPATIBILITIES: Strong oxidizing substances including strong acids.

leakage.

SECTION 8 – EXPOSURE CONTROLS & PERSONAL PROTECTION

8.1 EXPOSURE CONTROL MEASURES:

EXPOSURE LIMIT VALUES: Exposure standards for the product have not been established. The following values are applicable for the individual components:

		ia (Gas):				
	TWA:	25 ppm	17 mg/m ³	STEL:	35 ppm	24 mg/m ³
		, 2-amino-:				
	TWA:	3 ppm	7.5 mg/m ³	STEL:	6 ppm	15 mg/m ³
		zenediol-:	-			-
	TWA:	10 ppm	45 mg/m ³	STEL:	20 ppm	80 mg/m ³
8.2 BIOLOGICAL			-			-
MONITORING:	No data	available.				

8.3 CONTROL BANDING: No data available.

SECTION 8 – EXPOSURE CONTROLS & PERSONAL PROTECTION Cont'd

8.4 ENGINEERING CONTROLS:

ENGINEERING CONTROLS: 8.5 INDIVIDUAL PROTECTION	use scenarios. However, at elevated temperatures, or in confined spaces vapour may be generated and local exhaust ventilation should be provided to maintain airborne concentration levels below the nominated exposure standard and at an acceptable level that does not cause irritation.
EYE & FACE PROTECTION:	Wear safety glasses/goggles to avoid eye contact. Use eye protection in accordance with AS 1336 and AS 1337.
SKIN (HAND) PROTECTION:	The product is a hair colouring agent. When using the product, personnel must wear gloves to provide hand protection. PVC, Nitrile or Neoprene gloves are recommended.
SKIN (CLOTHING)	
PROTECTION:	The product is a hair colouring agent. During normal operating procedures, long sleeved clothing and an apron are required to avoid skin contact. Soiled clothing should be washed with detergent prior to re-use.
RESPIRATORY PROTECTION	: During routine operation a respirator is not required. However, if vapours are generated at a level that is uncomfortable to the individual, an approved half face organic vapour/particulate respirator is required. Use respirators in accordance with AS 1715 and AS 1716.
THERMAL PROTECTION:	Not applicable.

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

9.1 PHYSICAL AND CHEMICAL PROPERTIES:

APPEARANCE:	Ivory cream.
ODOUR:	Characteristic.
ODOUR THRESHOLD:	No data available.
pH:	Typically 10.0 - 11.0.
MELTING/FREEZING POINT:	No data available.
INITIAL BOILING POINT:	No data available.
BOILING RANGE (°C):	No data available.
FLASHPOINT (°C):	Not applicable.
EVAPORATION RATE:	No data available.
FLAMMABILITY LIMITS (%):	Not applicable.
VAPOUR PRESSURE(mmHg)	No data available.
VAPOUR DENSITY:	No data available.
DENSITY @ 20.0°C:	No data available.
SOLUBILITY IN WATER(g/L):	Completely miscible.
PARTITION COEFFICIENT:	No data available for n-octanol/water.
AUTO-IGNITION TEMP (°C):	Not applicable.
DECOMPOSITION TEMP (°C):	No data available.
VISCOSITY (cPs):	No data available.

SECTION 10 – STABILITY AND REACTIVITY

10.1 REACTIVITY:	The product does not pose any further reactivity hazards other than those listed in the following sub-sections.
10.2 CHEMICAL STABILITY: 10.3 POSSIBILITY OF	Stable under recommended storage and handling conditions (see section 7).
HAZARDOUS REACTIONS:	Keep away from strong oxidising agents, such as strong acids, chlorates, nitrates and peroxides. Hazardous polymerisation does not occur.
10.4 CONDITIONS TO AVOID:	Observe the usual precautionary measures for handling chemicals. Do not heat the container, leave it in direct sunlight or leave the container open when not in use.
10.5 INCOMPATIBLE	
MATERIALS:	Strong oxidising agents including concentrated acids.
10.6 HAZARDOUS DECOMPO	SITION
PRODUCTS:	Hazardous decomposition products are not expected to form during normal storage requirements. See Section 5.2 for Hazardous Combustion products.

SECTION 11 – TOXICOLOGICAL INFORMATION

11.1 INFORMATION ON TOXICOLOGICAL EFFECTS:

The product is a mixture and test data is not available for the product as a whole.

Ammonia:

Oral - LD₅₀ (Rat): 350 mg/kg bw (aqueous ammonia solution)

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivatives, hydroxides, inner salts:

Oral - LD_{50} (Rat): > 5,000 mg/kg bw (30 - 35.5% aqueous solution) Dermal - LD_{50} (Rat): >2,000 mg/kg bw (30 - 35.5% aqueous solution)

1-Tetradecanol:

Oral - LD_{50} (Rat): 2,000 mg/kg bw Dermal - LD_{50} (Rabbit): 8,000 mg/kg bw

Ethanol, 2-amino-:

Oral - LD_{50} (Rat): 1,089 mg/kg bw Dermal - LD_{50} (Rabbit): 1,025 mg/kg bw

Sulfurous acid, disodium salt:

Oral - LD₅₀ (Rat): > 2,000 mg/kg bw Oral - LD₅₀ (Mouse): 820 mg/kg bw Oral - LD₅₀ (Rabbit): 600 - 700 mg/kg bw

Ethanol, 2-[(3-amino-4-methoxyphenyl)amino]-, sulfate (1:1)(salt): Oral - LD₅₀ (Rat): 475 - 588 mg/kg bw

1,3-Benzenediol-:

 $\begin{array}{l} \mbox{Oral - } LD_{50} \, (Rat): \, 200 - 980 \ \mbox{mg/kg} \ \mbox{bw} \\ \mbox{Dermal - } LD_{50} \, (Rat): \, > \, 2000 \ \mbox{mg/kg} \\ \mbox{Inhalation - } LC_{50} \, (Rat, \, aerosol, \, 1 \ \mbox{hours}): \, > \, 7.8 \ \mbox{mg/l} \\ \mbox{Inhalation - } LC_{50} \, (Rat, \, aerosol, \, 8 \ \mbox{hours}): \, > \, 2.8 \ \mbox{mg/l} \\ \end{array}$

Phenol, 3-amino-:

 $\begin{array}{l} { Oral - LD_{50} \left({Rat} \right):812 - 1000 \ mg/kg \ bw} \\ { Dermal - LD_{50} \left({Rabbit} \right):>8000 \ mg/kg } \\ { Inhalation - LC_{50} \left({Rat} \right):1.162 \ mg/l } \end{array}$

Phenol, 4-amino-:

Oral - LD_{50} (Rat): 671 mg/kg bw Dermal - LD_{50} (Rat): > 5000 mg/kg Inhalation - LC_{50} (Rat): > 3.42 mg/l

SECTION 11 – TOXICOLOGICAL INFORMATION Continued

11.2 SWALLOWED: This product may cause severe irritation to the mouth, throat and digestive tract due to the presence of ammonia, ethanolamine and the colouring agents, if ingested. During normal usage ingestion should not be a means of exposure.11.3 SKIN CORROSION/

IRRITATION: This product is rated by calculation as Causes skin irritation. Prolonged or repeated contact may cause defatting of the skin which may lead to dermatitis. Correct handling procedures incorporating appropriate protective clothing and gloves should minimise the risk of skin irritation. People with pre-existing skin conditions, such as dermatitis, should take extreme care so as not to exacerbate the condition. Results from the Amended Draize Patch Test concluded that the product was not an irritant when it is mixed in its final application ratio.

11.4 SERIOUS EYE DAMAGE/

- IRRITATION: The product is rated by calculation as Causes serious eye irritation. Symptoms may include localised burning, redness, pain, swelling and tearing. This product must not be used for dyeing eyelashes or eyebrows; to do so may be injurious to the eye. Correct handling procedures incorporating appropriate eye protection should minimise the risk of eye irritation.
 11.5 RESPIRATORY OR
- **SKIN SENSITISATION:** This product is not expected to be a skin sensitiser, based on the available data and the known hazards of the components. The product contains Toluene-2,5-diamine sulfate, Resorcinol and m- and p-aminophenol components. These may produce an allergic reaction. This product is not expected to be a respiratory tract sensitiser, based on the available data and the known hazards of the components.

11.6 GERM CELL MUTAGENICITY: This product is not expected to be mutagenic, based on the available data and the known hazards of the components. The product contains 4-Aminophenol, at levels of <0.1% which is rated as Germ Cell Mutagenicity Category 2: H341 -

the known hazards of the components. The product contains 4-Aminophenol, at levels of <0.1%, which is rated as Germ Cell Mutagenicity Category 2: H341 - Suspected of causing genetic effects, however this is present at amounts below the Concentration cut-off level that would indicate that there is a potential hazard.

11.7 CARCINOGENICITY: This product is not expected to be a carcinogen, based on the available data and the known hazards of the components.

11.8 REPRODUCTIVE TOXICITY:

This product is not expected to be a reproductive hazard, based on the available data and the known hazards of the components.

11.9 SPECIFIC TARGET ORGAN TOXICITY (STOT) -

SINGLE EXPOSURE: There is no data available for the product as a whole. This product is not expected to cause organ damage from a single exposure, based on the available data and the known hazards of the components. This product is not expected to pose an irritation hazard at ambient temperature or under normal handling conditions. Not classified as a respiratory irritant, however inhalation of vapours or mist (generated at elevated temperatures) may cause irritation to the nose, throat and respiratory system.

11.10 SPECIFIC TARGET ORGAN TOXICITY (STOT) -

REPEATED EXPOSURE: There is no data available for the product as a whole. This product is not expected to cause organ damage from prolonged or repeated exposure, based on the available data and the known hazards of the components as stated by the manufacturer. The product contains 4-Aminophenol, at levels of <0.1%, which is rated as STOT (RE) Category 2: H373 - May cause damage to organs through prolonged or repeated exposure through the oral route, however this is present at amounts below the Concentration cut-off level that would indicate that there is a potential hazard.

SECTION 11 – TOXICOLOGICAL INFORMATION Continued

11.11 ASPIRATION HAZARD: This product is not expected to be an aspiration hazard, based on the available data and the known hazards of the components. However, the manufacturer recommends that if swallowed, do NOT induce vomiting. If vomiting has occurred after ingestion the person should be observed to ensure that aspiration into the lungs has not occurred.

11.12 OTHER INFORMATION: Hair colourants can cause severe allergic reactions. This product contains ingredients which may cause skin irritation to certain individuals.

SECTION 12 – ECOLOGICAL INFORMATION

12.1 ECOTOXICITY:	The following Ecotoxicity data is applicable to components:
	$\begin{array}{l} \textbf{1-Tetradecanol:}\\ LC_{50} (fish, 96hr): 1mg/L.\\ EC_{50} (Aquatic invertebrates, 48hr): 3.2mg/L.\\ EL_{50} (Aquatic algae and cyanobacteria, 96hr): 10mg/L.\\ \textbf{1,3-Benzenediol:}\\ LC_{50} (fish, 96hr): 26.8 - 29.5mg/L.\\ LC_{50} (fish, 96hr): 26.8 - 29.5mg/L.\\ LC_{50} (Aquatic invertebrates, 48hr): 1 - 78mg/L.\\ EC_{50} (Aquatic algae and cyanobacteria, 72hr): 97mg/L.\\ \textbf{Phenol, 4-amino-:}\\ LC_{50} (fish, 96hr): 0.82mg/L.\\ EC_{50} (fish, 96hr): 0.82mg/L.\\ EC_{50} (Aquatic invertebrates, 48hr): 0.182mg/L.\\ EC_{50} (Aquatic algae and cyanobacteria, 72hr): 0.065 - 253mg/L.\\ \textbf{Phenol, 3-amino-:}\\ LC_{50} (fish, 96hr): 82.64 - 313.7mg/L.\\ EC_{50} (Aquatic invertebrates, 48hr): 1.1 - 3.6mg/L.\\ EC_{50} (Aquatic algae and cyanobacteria, 72hr): 2.4 - 160mg/L.\\ \end{array}$
12.2 PERSISTENCE &	There is no data available for the product as a whole. Based upon calculated values, the overall product would be expected to be rated as H412 - Harmful to aquatic life with long lasting effects.
DEGRADABILITY: 12.3 BIOACCUMULATIVE	There is no data available for the product as a whole.
POTENTIAL:	There is no data available for the product as a whole.
12.4 MOBILITY IN SOIL: 12.5 OTHER ADVERSE	There is no data available for the product as a whole.
EFFECTS:	Do not allow the product to reach ground water, water courses or sewage systems. The product is miscible in water.

SECTION 13 – DISPOSAL CONSIDERATIONS

13.1 DISPOSAL METHODS: PRODUCT:

The product should not be released to the environment, so any unused material should be recycled wherever possible or be disposed of as waste at an appropriate collection depot. Spilled product that cannot be recovered should be absorbed and then shovelled into a suitable waste container, such as a plastic drum and then be treated as a solid waste. Follow Government regulations for disposal of such waste. All unused, waste or spilled product must be taken for recycling or disposal by suitably licensed contractors in accordance with Government regulations.

CONTAINERS: Empty containers may contain residual product. They should be completely drained and then stored until disposed of. Empty containers should be taken for recycling after cleaning or for disposal through suitably licensed contractors in accordance with Government regulations.

SECTION 14 – TRANSPORT INFORMATION

This product is not regulated for land, sea or air transportation.

14.1 LAND (ADG Code): UN NUMBER: UN PROPER SHIPPING NAME: TRANSPORT HAZARD CLASS(ES): PACKAGING GROUP: ENVIRONMENTAL HAZARDS: SPECIAL PRECAUTIONS FOR USER: HAZCHEM CODE:	Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable
14.2 SEA (IMDG): UN NUMBER: UN PROPER SHIPPING NAME: TRANSPORT HAZARD CLASS(ES): PACKAGING GROUP: ENVIRONMENTAL HAZARDS: SPECIAL PRECAUTIONS FOR USER:	Not applicable Not applicable Not applicable Not applicable Not applicable
14.3 AIR (IATA): UN NUMBER: UN PROPER SHIPPING NAME: TRANSPORT HAZARD CLASS(ES): PACKAGING GROUP: ENVIRONMENTAL HAZARDS: SPECIAL PRECAUTIONS FOR USER:	Not applicable Not applicable Not applicable Not applicable Not applicable

SECTION 15 – REGULATORY INFORMATION

15.1 SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS:		
APPLICABLE REGULATIONS:		
SUSMP:	Schedule 5.	
AICS:	All ingredients are on the AICS List.	
MONTREAL PROTOCOL:	Not applicable to this product.	
STOCKHOLM CONVENTION:	Not applicable to this product.	
ROTTERDAM CONVENTION:	Not applicable to this product.	
BASEL CONVENTION:	Not applicable to this product.	
INTERNATIONAL CONVENTION FOR THE PREVENTION OF POLLUTION FROM		
SHIPS (MARPOL):	Not determined.	

SECTION 15 – REGULATORY INFORMATION Continued

GHS CLASSIFICATION HAZARD CLASS & CATEGORY

AND HAZARD STATEMENT	: Acute Toxicity - Oral Category 3; H301 - Toxic if swallowed. Acute Toxicity - Oral Category 4; H302 - Harmful if swallowed. Acute Toxicity - Dermal Category 4; H312 - Harmful in contact with skin. Skin Corrosion/Irritation Category 1B; H314 - Causes severe skin burns and eye damage. Skin Corrosion/Irritation Category 2; H315 - Causes skin irritation. Sensitisation - Skin Category 1; H317 - May cause an allergic skin reaction. Serious Eye Damage/Irritation Category 1; H318 - Causes serious eye damage. Serious Eye Damage/Irritation Category 2A; H319 - Causes serious eye damage. Serious Eye Damage/Irritation Category 4; H332 – Harmful if inhaled. Germ Cell Mutagenicity Category 2; H341 - Suspected of causing genetic defects. STOT (Repeated Exposure) Category 2; H373 - May cause damage to organs through prolonged or repeated exposure through the oral route. Acute Aquatic Toxicity Category 1; H400 - Very toxic to aquatic life. Chronic Aquatic Toxicity Category 2; H411 - Toxic to aquatic life with long lasting effects. Chronic Aquatic Toxicity Category 3; H412 - Harmful to aquatic life with long lasting effects. Chronic Aquatic Toxicity Category 3; H412 - Harmful to aquatic life with long lasting effects. AUH071 - Corrosive to the respiratory tract.
HSNO APPROVAL NUMBER:	HSR002552

HSNO GROUP TITLE:

Cosmetic Products Group Standard 2006.

SECTION 16 – ANY OTHER RELEVANT INFORMATION

SUSMPStandard for the Uniform Scheduling of Medicines and PoisonsCAS NumberChemical Abstracts Service Registry NumberEINECSEuropean Inventory of Existing Commercial Chemical SubstancesUN NumberUnited Nations NumberOSHAOccupational Safety and Health AdministrationACGIHAmerican Conference of Governmental Industrial HygienistsHSE-WELHealth and Safety Executive - Workplace Exposure LimitIMDGInternational Maritime Dangerous GoodsIATAInternational Maritime Dangerous GoodsIATAInternational Miritime Chemical Information DatabaseRTECSRegistry of Toxic Effects of Chemical Substances%W/WPercent weight for weightOECDOrganisation for Economic Co-Operation and DevelopmentADG CodeAustralian Code for the Transport of Dangerous Goods by Road and RailHAZCHEM CodeEmergency action code of numbers and letters which gives information to emergency servicesNOHSCNational Industrial Chemicals Notification & Assessment SchemeIMAPInventory Multi-Tiered Assessment and PrioritisationAICSAustralian Inventory of Chemical SubstancesTWATime-Weighted AverageSTELShort Term Exposure LimitHSNOHazardous Substances and New Organisms Act 1996GHSGlobally Harmonised System of Classification and Labelling of Chemicals	SDS INFORMATI Date of SDS Prep REVISION CHAN ACRONYMS:	paration:	10 th January 2017 Initial preparation of SDS in new format.	Revision: 1.0
	SUSMP CAS Number EINECS UN Number OSHA ACGIH HSE-WEL IMDG IATA IUCLID RTECS %W/W OECD ADG Code HAZCHEM Code NOHSC NICNAS IMAP AICS TWA STEL	Chemical A European Ir United Natio Occupations American C Health and Internationa Internationa Internationa Registry of Percent wei Organisatio Australian C Emergency National Inc Inventory M Australian In Time-Weigh Short Term Hazardous	bstracts Service Registry Number nventory of Existing Commercial Chemical Substances ons Number al Safety and Health Administration conference of Governmental Industrial Hygienists Safety Executive - Workplace Exposure Limit al Maritime Dangerous Goods al Air Transport Association al Uniform Chemical Information Database Toxic Effects of Chemical Substances ight for weight n for Economic Co-Operation and Development Code for the Transport of Dangerous Goods by Road and Rail action code of numbers and letters which gives information to em coupational Health and Safety Commission dustrial Chemicals Notification & Assessment Scheme lulti-Tiered Assessment and Prioritisation nventory of Chemical Substances ted Average Exposure Limit Substances and New Organisms Act 1996	nergency services

SECTION 16 – ANY OTHER RELEVANT INFORMATION Continued

ACRONYMS Continued:

WHS	Work Health and Safety
PPE	Personal Protective Equipment.
LD ₅₀	Median Lethal Dose
LC ₅₀	Median Lethal Concentration
EC ₅₀	Effective Concentration of a substance that causes 50% of the maximum response after exposure for a nominated time
NOAEL	No Observed Adverse Effect Level
NOEC	No Observed Effect Concentration
EH40	EH40/2005 Workplace Exposure Limits
ECHA	European Chemicals Agency
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals

LITERATURE REFERENCES AND SOURCES OF DATA:

OECD Guidelines for Testing of Chemicals Annex I: OECD Test Guidelines for Studies Included in SIDS Manual for the Assessment of Chemicals Chapter 2 Data Gathering International Toxicity Testing Guidelines Hazardous Substance Information System - Guidance Material for Hazard Classifications Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice. Model Work Health and Safety Regulations. Model Work Health and Safety Regulations - Transitional Principles Workplace Exposure Standards for Airborne Contaminants Australian Dangerous Goods Code 7th Edition Approved Criteria for Classifying Hazardous Substances [NOHSC:1008 (2004)] Guidance on the Classification of Hazardous Chemicals under the WHS Regulations Assigning a Hazardous Substance to a Group Standard User Guide to the HSNO Thresholds and Classifications Summary User Guide to the HSNO Thresholds and Classifications of Hazardous Substances Correlation between GHS and New Zealand HSNO Hazard Classes and Categories **HSNO** Control Regulations Record of Group Standard Assignment Labelling of Hazardous Substances Hazard and Precautionary Information Thresholds and Classifications Under the Hazardous Substances and New Organisms Act 1996 Workplace Exposure Standards and Biological Exposure Indices ECHA Brief Profile for 1-Tetradecanol ECHA Brief Profile for Resorcinol ECHA Brief Profile for 3-Aminophenol ECHA Brief Profile for 4-Aminophenol NICNAS IMAP Human Health Tier II Assessment for Ammonia and Ammonium Hydroxide CAS Number: 1336-21-6 and 7664-41-7 NICNAS IMAP Human Health Tier II Assessment for Ethanol, 2-amino- CAS Number: 141-43-5 NICNAS IMAP Human Health Tier II Assessment for Sulfites, including Sodium Sulfite CAS Number: 7757-83-7 NICNAS IMAP Human Health Tier II Assessment for 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,Ndimethyl-, N-coco acyl derivatives, hydroxides, inner salts CAS Number: 61789-40-0 NICNAS IMAP Human Health Tier II Assessment for 2-Amino-4-hydroxyethylaminoanisole and its sulfate including CAS Number: 83763-48-8 NICNAS IMAP Human Health Tier II Assessment for 1,3-Benzenediol CAS Number: 108-46-3 NICNAS IMAP Human Health Tier II Assessment for Phenol, 3-amino- CAS Number: 591-27-5 NICNAS IMAP Human Health Tier II Assessment for Phenol, 4-amino- CAS Number: 123-30-8 CIR Safety Assessment of Alkyl PEG Ethers as Used in Cosmetics including Alcohols, C16-18, Ethoxylated CAS Number 68439-49-6

All information contained in this Safety Data Sheet and the health, safety and environmental information are considered to be accurate to the best of our knowledge as of the issue date specified above. However, no warranty or representation, expressed or implied, is made as to the accuracy or completeness of the data and information contained in this data sheet.

Health and safety precautions and environmental advice noted in this data sheet may not be accurate for all individuals and/or situations. It is the user's obligation to evaluate and use this product safely and to comply with all applicable laws and regulations. The Company accepts no responsibility for any injury, loss or damage, resulting from abnormal use of the material, from any failure to adhere to recommendations, or from any hazards inherent in the nature of the material.