#### SECTION 1 **IDENTIFICATION:** PRODUCT **IDENTIFIER/CHEMICAL IDENTITY**

#### **1.1 PRODUCT IDENTIFIER: Evolution of the Color Cube 2**

PF005766 **1.2 PRODUCT CODE:** 

1.3 RELEVANT IDENTIFIED USES OF THE MIXTURE AND USES ADVISED AGAINST: RELEVANT IDENTIFIED USES: Permanent cosmetic colouring cream. **RESTRICTIONS ON USE:** Hair colourants can cause severe allergic reactions. This product contains ingredients which may cause skin irritation or sensitisation to certain individuals. A preliminary test according to the directions

accompanying the product should be made before use. This product must not be used for dveing evelashes or evebrows; to do so may be injurious to the eye. The product is not intended for use in individuals under the age of 16 years. Temporary black henna tattoos may increase the risk of an allergic reaction. Do not colour hair if there is a rash on the face: sensitive, irritated or damaged scalp; the person has ever experienced a reaction after colouring hair; or, they have experienced a reaction previously to a temporary black henna tattoo.

1.4 DETAILS OF THE SUPPLIER OF T SUPPLIER NAME: ADDRESS (Australia): TELEPHONE NUMBER (Australia): SUPPLIER NAME (New Zealand): ADDRESS (New Zealand): TELEPHONE NUMBER (New Zealand E-MAIL:	Alfhair Australia Pty Ltd (ABN: 60 095 773 274), 15 Concorde Drive, Keilor Park, VIC, Australia, 3042 +61 3 9336 2088 (Int); Fax: +61 3 9336 2044 (Int) Salon Warehouse NZ, Unit G, 11 Douglas Alexander Parade, Albany – Auckland, NZ
1.5 EMERGENCY TEL. NUMBER:	Australia: 0407 236 601 (Poisons Information Centre (Aust 131 126; NZ 0800 764 766))
1.6 HSNO DETAILS: HSNO APPROVAL NUMBER:	HSR002552

HSNO GROUP TITLE:

Cosmetic Products Group Standard 2006.

### SECTION 2 – HAZARD(S) IDENTIFICATION

#### 2.1 CLASSIFICATION OF THE HAZARDOUS CHEMICAL: **GHS CLASSIFICATION HAZARD**

CLASS & CATEGORY:

Under the Model Work Health and Safety Regulations the product would be rated as hazardous: Skin Corrosion/Irritation - Category 2 Sensitisation - Skin - Category 1 Serious Eye Damage/Irritation - Category 1

Chronic Aquatic Toxicity - Category 3

#### 2.2 LABEL ELEMENTS INCLUDING PRECAUTIONARY STATEMENTS: SIGNAL WORD: Danger **PICTOGRAMS:**

**HAZARD STATEMENTS:** 

- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H412 Harmful to aquatic life with long lasting effects.

## **SECTION 2 – HAZARD(S) IDENTIFICATION Continued**

#### PRECAUTIONARY STATEMENTS:

PREVENTION:	<ul> <li>P102 - Keep out of reach of children.</li> <li>P103 - Read label before use.</li> <li>P261 - Avoid breathing vapours.</li> <li>P264 - Wash hands thoroughly after handling.</li> <li>P272 - Contaminated work clothing should not be allowed out of the workplace.</li> <li>P273 - Avoid release to the environment.</li> <li>P280 - Wear protective gloves/protective clothing/eye protection/face protection.</li> </ul>
RESPONSE:	<ul> <li>P101 - If medical advice is needed, have product container or label at hand.</li> <li>P302+P352 - IF ON SKIN: Wash with plenty of soap and water.</li> <li>P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.</li> <li>P310 - Immediately call a POISON CENTRE or doctor/physician.</li> <li>P362 - Take off contaminated clothing and wash before reuse.</li> </ul>
STORAGE:	Not applicable.
DISPOSAL:	P501 - Dispose of contents/container in accordance with local regulations.
2.3 OTHER HAZARDS:	Excessive exposure may result in irritation to the respiratory system. People with pre-existing skin conditions, such as eczema or dermatitis, should take precautions so as not to exacerbate the condition. As for all chemical products, persons should not expose open wounds, cuts, abrasions or irritated skin to this

## **SECTION 3 – COMPOSITION / INFORMATION ON INGREDIENTS**

material.

INGREDIENTS	CAS NUMBER	Concentration % W/W	GHS Classification*
1,4-Benzenediamine, 2-methyl-, sulfate	(1:1)		
(Toluene-2,5-diamine sulfate)	615-50-9	3.5 - 4.0%	Acut Tox 3 - H301
			Acut Tox 4 - H312
			Skin Sen 1 - H317
			Acut Tox 4 - H332
			Chron Aq Tox 2 - H411
Ethanol, 2-amino (Monoethanolamine)	141-43-5	2.5 - 3.0%	Acut Tox 4 - H302
			Acut Tox 4 - H312
			Skin Corr 1B - H314
Operatory will be released and a stheory data d			Acut Tox 4 - H332
Castor oil, hydrogenated, ethoxylated	C1700 0F 0		
(PEG-40 Hydrogenated Castor Oil)	61788-85-0	2.5 - 3.0%	Eye Irrit 2A - H319
1-Propanaminium, 3-amino-N-(carboxyr (Cocamidopropyl betaine)	61789-40-0	1.0 - 1.5%	Eye Irrit 2A - H319
(Cocamidopropyi betaine)	01709-40-0	1.0 - 1.3 /8	Acut Aq Tox 1 - H400
1-Tetradecanol (Myristyl alcohol)	112-72-1	1.0 - 1.2%	Eye Irrit 2A - H319
		1.0 1.270	Chron Aq Tox 1 - H410
Ammonium hydroxide (Ammonia)	1336-21-6	1.0 - 1.2%	Acut Tox 4 - H302
	1000 21 0	110 11270	Skin Corr 1B - H314
			Acut Tox 4 - H332
			Acut Aq Tox 1 - H400
			ÁUH071
1,3-Benzenediol (Resorcinol)	108-46-3	0.7 - 0.9%	Acut Tox 4 - H302
			Skin Irrit 2 - H315
			Skin Sen 1 - H317
			Eye Irrit 2A - H319
			Acut Aq Tox 1 - H400

## SECTION 3 – COMPOSITION / INFORMATION ON INGREDIENTS Cont'd

INGREDIENTS	CAS NUMBER	Concentration % W/W	GHS Classification*
3-Aminophenol ( <i>m</i> -Aminophenol)	591-27-5	0.5 - 0.7%	Acut Tox 4 - H302 Skin Sen 1 - H317 Acut Tox 4 - H332 Chron Aq Tox 2 - H411
Ethanol, 2-(2,4-diaminophenoxy)-, di	hydrochloride		
(2,4-Diaminophenoxyethanol HCI)	66422-95-5	0.4 - 0.5%	Acut Tox 4 - H302 Skin Sen 1 - H317 Eye Irrit 2A - H319 Chron Aq Tox 2 - H411
Sulfurous acid, disodium salt (Sodium sulfite)	7757-83-7	0.3 - 0.4%	Acut Tox 4 - H302 Eye Dam 1 - H318
1,3-Benzenediol, 2-methyl- (2-Methylresorcinol)	608-25-3	0.3 - 0.4%	Acut Tox 4 - H302 Skin Sen 1 - H317 Eye Dam 1 - H318 Acut Aq Tox 1 - H400
1H-Pyrazole-1-ethanol, 4,5-diamino-	sulfate (1·1) salt (1-Hv	droxvethyl 4 5-diamino	
pyrazole sulfate)	155601-30-2	< 0.1%	Skin Sen 1 - H317 Eye Dam 1 - H318 Chron Aq Tox 2 - H411
1-Dodecanaminium, N-[3-[[4-(dimeth methylbenzenesulfonic acid (1:1) (Di		propyl]-N,N-dimethyl-, s	
laurdimonium tosylate)	156679-41-3	< 0.1%	Skin Sen 1 - H317 Eye Dam 1 - H318
Other non-hazardous ingredients	-	To 100%	Chron Aq Tox 1 - H410 Not Applic
Not Applic = Not Applicable * Ple	ease see Section 15 of this	SDS for the full text desci	ription of the Label Elements.

## **SECTION 4 – FIRST AID MEASURES**

#### 4.1 DESCRIPTION OF NECESSARY FIRST AID MEASURES:

The second for the second of the second seco		
INGESTION:	Rinse mouth out with water. Due to the blend of ingredients present, the manufacturer recommends that if swallowed, do NOT induce vomiting. If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration. The product has a relatively high pH. If irritation or a burning sensation develops or persists or vomiting has occurred after ingestion, seek immediate medical assistance.	
EYE:	If in eyes, hold eyelids apart and flush the eye immediately with large amounts of running water. Continue flushing for at least 15 minutes or until advised to stop by a Doctor. Check for contact lenses. If there are contact lenses, these should be removed after several minutes of rinsing by the exposed person or medical personnel if it can be done easily. As the product is rated as Causes severe eye damage, after flushing, immediately call a Poisons Information Centre (Tel. Australia 13 11 26; New Zealand 0800 764 766) or doctor/ physician.	
SKIN CONTACT:	If skin or hair contact has occurred remove any contaminated clothing and footwear, wash skin or hair thoroughly with soap and water. As the product is rated as Causes skin irritation and May cause an allergic reaction, after flushing, if skin irritation or rash occurs, seek immediate medical assistance.	

## **SECTION 4 – FIRST AID MEASURES Continued**

INHALATION: PROTECTION FOR FIRST AIDERS:	If affected, remove the patient from further exposure into fresh air, if safe to do so. If providing assistance, avoid exposure to yourself - only enter contaminated environments with adequate respiratory equipment. Once removed, lay patient down in a well-ventilated area and reassure them whilst waiting for medical assistance. If not breathing, provide artificial respiration and seek immediate medical assistance. If unconscious, place in a recovery position and seek immediate medical assistance. If irritation develops/persists, consult a Doctor. No personnel shall place themselves in a situation that is potentially hazardous to themselves. If the person has ingested the product, caution should be exercised in using direct mouth-to-mouth resuscitation techniques. Always ensure that you are wearing gloves when dealing with first aid procedures involving chemicals and/or blood.
FIRST AID FACILITIES:	Eye wash fountain and safety showers, or at least a source of flowing water, are recommended in the area where the product is used.
4.2 MOST IMPORTANT SYMP ACUTE:	<b>TOMS &amp; EFFECTS, BOTH ACUTE &amp; DELAYED, CAUSED BY EXPOSURE:</b> The product is rated as Causes serious eye damage. Eye contact may lead to severe burns, redness, pain, swelling, tearing and blurred vision, as well as permanent eye damage in a worst case scenario. The product is rated as Causes skin irritation. Skin contact may lead to redness or itching. Ingestion or inhalation of vapours may lead to irritation of the mouth and respiratory tract. Ingestion may lead to nausea and diarrhoea.
CHRONIC:	Skin contact may aggravate/exacerbate existing skin conditions, such as dermatitis. The product is rated as May cause an allergic skin reaction.

4.3 INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NECESSARY: ADVICE TO DOCTOR: Treat symptomatically.

## **SECTION 5 – FIRE FIGHTING MEASURES**

5.1 EXTINGUISHING MEDIA: SUITABLE MEDIA:	Use extinguishing media appropriate for surrounding fire. Use carbon dioxide, alcohol-resistant foam, dry chemical or water spray. Spray down fumes resulting from fire.
UNSUITABLE MEDIA:	Avoid using full water jet directed at residual burning material once the aqueous component has evaporated. Water may cause splattering on hot residue.
<b>5.2 SPECIAL HAZARDS ARISI</b>	NG FROM THE SUBSTANCE OR MIXTURE:
COMBUSTION HAZARDS:	Combustion of the residual material after evaporation of the aqueous component may produce oxides of carbon and small amounts of nitrogen and sulfur as well as smoke and irritating vapours.
<b>5.3 ADVICE FOR FIREFIGHTE</b>	RS:
FIRE:	This product is not flammable under conditions of use. Once the aqueous component has evaporated, the residue will be combustible. Keep storage tanks, pipelines, fire exposed surfaces, etc. cool with water spray.
HAZCHEM CODE:	Not applicable.
EXPLOSION:	No information to indicate that the product is an explosion hazard. Extinguish all sources of flame or spark. Closed containers may explode when exposed to extreme heat.
PROTECTIVE	
EQUIPMENT:	In the event of a fire, wear full protective clothing and self-contained breathing equipment with full-face piece operated in the pressure demand or other positive pressure mode.

## **SECTION 6 – ACCIDENTAL RELEASE MEASURES**

#### 6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES:

- **PERSONAL PROTECTION:** For small spills, wear PVC, Nitrile or Neoprene gloves, glasses/goggles, boots and full-length clothing. During routine operation for a small spill in the open a respirator is not required. For large spills, or in confined spaces, a full chemically resistant body-suit is recommended. If in doubt about potential oxygen deficiency wear self-contained breathing apparatus.
- **CONTROL MEASURES:** Ventilate area and extinguish and/or remove all sources of ignition. Stop the leak if safe to do so. CAUTION: The spilled product will be slippery. Avoid contact with the spilled material.

**EMERGENCY PROCEDURES:** In the event of a spill or accidental release, notify the relevant authorities in accordance with all applicable regulations.

6.2 ENVIRONMENTAL PRECAUTIONS:

**SPILL ADVICE:** Do not allow product to enter drains, surface water, sewers or watercourses - inform local authorities if this occurs.

#### 6.3 METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP:

**CONTAINMENT:** Contain the spill and absorb with a proprietary absorbent material, sand or earth. For large spills prepare a bund/barrier/dyke ahead of the spill to confine the spill and allow later recovery. If there is the possibility of spills to enter drains, surface water, sewers or watercourses ensure bunding, or that drains are covered, to minimise the potential for this to occur.

**CLEANING PROCEDURES:** Having contained the spill, as mentioned above, collect all material quickly and place used absorbent in suitable containers. Follow local regulations for the disposal of waste. For large spills that have been bunded, the material can be scooped into vessels and returned for reprocessing or destruction. Personnel must wear gloves, goggles or glasses, boots and full-length clothing during cleaning procedures. Wash and rinse the contaminated area and objects with water after spill has been cleared. Do not allow wash water or rinsings to enter drains, surface water, sewers or water courses.

### SECTION 7 – HANDLING AND STORAGE, INCLUDING HOW THE CHEMICAL MAY BE SAFELY USED

### 7.1 PRECAUTIONS FOR SAFE HANDLING:

SAFE HANDLING:	If handling in bulk, avoid contact with the product by using appropriate protective equipment such as gloves, glasses or goggles and full-length clothing. Prevent small spills and leakage to avoid slip hazards. Properly dispose of any contaminated rags or cleaning materials. Eating, drinking, and smoking should be prohibited in the area where this material is handled, stored and processed. Workers should follow good personal hygiene practices, such as washing hands before eating, drinking and smoking. The product is a hair colouring agent. When using the product, personnel must wear gloves, glasses, full length clothing and an apron. Remove contaminated clothing and protective equipment before entering eating areas. Keep containers tightly closed when not in use. Prevent product from entering waterways, drains or sewers.
7.2 CONDITIONS FOR SAFE S	TORAGE, INCLUDING ANY INCOMPATABILITIES:
SAFE STORAGE:	Store in a dry, well ventilated area away from direct sunlight, ignition sources, oxidising agents, foodstuffs and clothing. Keep containers closed when not in use. Containers that have been opened must be carefully resealed to prevent leakage.
INCOMPATIBILITIES:	Strong oxidizing substances including strong acids.

### **SECTION 8 – EXPOSURE CONTROLS & PERSONAL PROTECTION**

#### 8.1 EXPOSURE CONTROL MEASURES:

6.1 EXPOSURE CONTROL MI	EASURES:					
EXPOSURE LIMIT VALUES:	Exposure standards for the product have not been established. The following					
	values are applicable for the individual components:					
	Ammonia (Gas):					
		5 ppm	17 mg/m <sup>3</sup>	STEL:	35 ppm	24 mg/m <sup>3</sup>
	Ethanol, 2-a		0			2
			7.5 mg/m <sup>3</sup>	STEL:	6 ppm	15 mg/m <sup>3</sup>
	1,3-Benzene	ediol-:				
	TWA: 10	) ppm	45 mg/m <sup>3</sup>	STEL:	20 ppm	90 mg/m <sup>3</sup>
8.2 BIOLOGICAL						
MONITORING:	No data avail	lable.				
8.3 CONTROL BANDING:	No data avail	lable.				
8.4 ENGINEERING CONTROL						
ENGINEERING CONTROLS:						g this product in normal
						or in confined spaces
						on should be provided to
		naintain airborne concentration levels below the nominated exposure standard and at an acceptable level that does not cause irritation.				
			e level that do	oes not cau	se irritation	
8.5 INDIVIDUAL PROTECTION						
EYE & FACE PROTECTION:					e contact.	Use eye protection in
	accordance v	with AS	1336 and AS	5 1337.		
SKIN (HAND) PROTECTION:	The product	is a hai	r colouring a	gent. Wher	n using the	product, personnel must
						or Neoprene gloves are
	recommende				-, -	
SKIN (CLOTHING)						
PROTECTION:	The product i	is a haiı	· colouring a	aent. Durino	normal or	perating procedures, long
						n contact. Soiled clothing
	should be wa					C C
<b>RESPIRATORY PROTECTION:</b> During routine operation a respirator is not required. However, if vapours are						
RESPIRATORY PROTECTION						vidual, an approved half
						ed. Use respirators in
	accordance v				is require	
				5 17 10.		
THERMAL PROTECTION:	Not applicable	le.				

## **SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES**

### 9.1 PHYSICAL AND CHEMICAL PROPERTIES:

APPEARANCE:	Beige/Ivory cream.
ODOUR:	Characteristic.
ODOUR THRESHOLD:	No data available.
pH:	Typically 9.8 - 10.8.
MELTING/FREEZING POINT:	No data available.
INITIAL BOILING POINT:	No data available.
BOILING RANGE (°C):	No data available.
FLASHPOINT (°C):	Not applicable.
EVAPORATION RATE:	No data available.
FLAMMABILITY LIMITS (%):	Not applicable.
VAPOUR PRESSURE(mmHg)	No data available.
VAPOUR DENSITY:	No data available.
DENSITY @ 20.0°C:	No data available.
SOLUBILITY IN WATER(g/L):	Completely miscible.
PARTITION COEFFICIENT:	No data available for n-octanol/water.
AUTO-IGNITION TEMP (°C):	Not applicable.
DECOMPOSITION TEMP (°C):	: No data available.
VISCOSITY (cPs):	No data available.

## **SECTION 10 – STABILITY AND REACTIVITY**

10.1 REACTIVITY:	The product does not pose any further reactivity hazards other than those listed in the following sub-sections.	
10.2 CHEMICAL STABILITY: 10.3 POSSIBILITY OF	Stable under recommended storage and handling conditions (see section 7).	
HAZARDOUS REACTIONS:	Keep away from strong oxidising agents, such as strong acids, chlorates, nitrates and peroxides. Hazardous polymerisation does not occur.	
10.4 CONDITIONS TO AVOID:	Observe the usual precautionary measures for handling chemicals. Do not heat the container, leave it in direct sunlight or leave the container open when not in use.	
10.5 INCOMPATIBLE		
MATERIALS:	Strong oxidising agents including concentrated acids.	
10.6 HAZARDOUS DECOMPOSITION		
PRODUCTS:	Hazardous decomposition products are not expected to form during normal storage requirements. See Section 5.2 for Hazardous Combustion products.	

### **SECTION 11 – TOXICOLOGICAL INFORMATION**

#### **11.1 INFORMATION ON TOXICOLOGICAL EFFECTS:**

The product is a mixture and test data is not available for the product as a whole.

#### Ammonia:

Oral - LD<sub>50</sub> (Rat): 350 mg/kg bw (aqueous ammonia solution)

## 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivatives, hydroxides, inner salts:

Oral -  $LD_{50}$  (Rat): > 5,000 mg/kg bw (30 - 35.5% aqueous solution) Dermal -  $LD_{50}$  (Rat): >2,000 mg/kg bw (30 - 35.5% aqueous solution)

#### 1-Tetradecanol:

Oral - LD<sub>50</sub> (Rat): 2,000 mg/kg bw Dermal - LD<sub>50</sub> (Rabbit): 8,000 mg/kg bw

#### 1,3-Benzenediol-:

Oral -  $LD_{50}$  (Rat): 200 - 980 mg/kg bw Dermal -  $LD_{50}$  (Rat): > 2000 mg/kg Inhalation -  $LC_{50}$  (Rat, aerosol, 1 hours): >7.8 mg/l Inhalation -  $LC_{50}$  (Rat, aerosol, 8 hours): >2.8 mg/l

#### Ethanol, 2-amino-:

Oral -  $LD_{50}$  (Rat): 1,089 mg/kg bw Dermal -  $LD_{50}$  (Rabbit): 1,025 mg/kg bw

#### Sulfurous acid, disodium salt:

Oral -  $LD_{50}$  (Rat): > 2,000 mg/kg bw Oral -  $LD_{50}$  (Mouse): 820 mg/kg bw Oral -  $LD_{50}$  (Rabbit): 600 - 700 mg/kg bw

#### **3-Aminophenol:**

Oral -  $LD_{50}$  (Rat): 812 - 1000 mg/kg bw Dermal -  $LD_{50}$  (Rabbit): > 8000 mg/kg Inhalation -  $LC_{50}$  (Rat): 1.162 mg/l

**11.2 SWALLOWED:** This product may cause severe irritation to the mouth, throat and digestive tract due to the presence of ammonia, ethanolamine and the colouring agents, if ingested. During normal usage ingestion should not be a means of exposure.

## **SECTION 11 – TOXICOLOGICAL INFORMATION Continued**

#### 11.3 SKIN CORROSION/

**IRRITATION:** This product is rated by calculation as Causes skin irritation. Prolonged or repeated contact may cause defatting of the skin which may lead to dermatitis. Correct handling procedures incorporating appropriate protective clothing and gloves should minimise the risk of skin irritation. People with pre-existing skin conditions, such as dermatitis, should take extreme care so as not to exacerbate the condition. Results from the Amended Draize Patch Test concluded that the product was not an irritant when it is mixed in its final application ratio.

#### 11.4 SERIOUS EYE DAMAGE/ IRRITATION:

TOXICITY:

The product is rated by calculation as Causes serious eye damage. Eye contact may lead to severe burns, redness, pain, swelling, tearing and blurred vision, as well as permanent eye damage in a worst case scenario. This product must not be used for dyeing eyelashes or eyebrows; to do so may be injurious to the eye. Correct handling procedures incorporating appropriate eye protection should minimise the risk of eye irritation.

11.5 RESPIRATORY OR
 SKIN SENSITISATION: This product is rated as a May cause an allergic skin reaction. This product is not expected to be a respiratory tract sensitiser, based on the available data and the known hazards of the components.
 11.6 GERM CELL

**MUTAGENICITY:** This product is not expected to be mutagenic, based on the available data and the known hazards of the components.

11.7 CARCINOGENICITY: This product is not expected to be a carcinogen, based on the available data and the known hazards of the components.11.8 REPRODUCTIVE

This product is not expected to be a reproductive hazard, based on the available data and the known hazards of the components.

#### 11.9 SPECIFIC TARGET ORGAN TOXICITY (STOT) -

**SINGLE EXPOSURE:** There is no data available for the product as a whole. This product is not expected to cause organ damage from a single exposure, based on the available data and the known hazards of the components. This product is not expected to pose an irritation hazard at ambient temperature or under normal handling conditions. Not classified as a respiratory irritant, however inhalation of vapours or mist (generated at elevated temperatures) may cause irritation to the nose, throat and respiratory system.

### 11.10 SPECIFIC TARGET ORGAN TOXICITY (STOT) -

**REPEATED EXPOSURE:** There is no data available for the product as a whole. This product is not expected to cause organ damage from prolonged or repeated exposure, based on the available data and the known hazards of the components as stated by the manufacturer.

**11.11 ASPIRATION HAZARD:** This product is not expected to be an aspiration hazard, based on the available data and the known hazards of the components. However, the manufacturer recommends that if swallowed, do NOT induce vomiting. If vomiting has occurred after ingestion the person should be observed to ensure that aspiration into the lungs has not occurred.

**11.12 OTHER INFORMATION:** Hair colourants can cause severe allergic reactions. This product contains ingredients which may cause skin irritation to certain individuals.

### **SECTION 12 – ECOLOGICAL INFORMATION**

12.1 ECOTOXICITY:	The following Ecotoxicity data is applicable to components:
	$\begin{array}{l} \textbf{1-Tetradecanol:}\\ LC_{50} \mbox{ (fish, 96hr): 1mg/L.}\\ EC_{50} \mbox{ (Aquatic invertebrates, 48hr): 3.2mg/L.}\\ EL_{50} \mbox{ (Aquatic algae and cyanobacteria, 96hr): 10mg/L.}\\ \textbf{1,3-Benzenediol:}\\ LC_{50} \mbox{ (fish, 96hr): 26.8 - 29.5mg/L.}\\ LC_{50} \mbox{ (Aquatic invertebrates, 48hr): 1 - 78mg/L.}\\ EC_{50} \mbox{ (Aquatic algae and cyanobacteria, 72hr): 97mg/L.}\\ \textbf{3-Aminophenol:}\\ LC_{50} \mbox{ (fish, 96hr): 82.64 - 313.7mg/L.}\\ EC_{50} \mbox{ (Aquatic invertebrates, 48hr): 1.1 - 3.6mg/L.}\\ EC_{50} \mbox{ (Aquatic algae and cyanobacteria, 72hr): 2.4 - 160mg/L.}\\ \end{array}$
	There is no data available for the product as a whole. Based upon calculated values, the overall product would be expected to be rated as Harmful to aquatic life with long lasting effects.
12.2 PERSISTENCE & DEGRADABILITY: 12.3 BIOACCUMULATIVE	There is no data available for the product as a whole.
POTENTIAL:	There is no data available for the product as a whole.
12.4 MOBILITY IN SOIL: 12.5 OTHER ADVERSE	There is no data available for the product as a whole.
EFFECTS:	Do not allow the product to reach ground water, water courses or sewage systems. The product is miscible in water.

## **SECTION 13 – DISPOSAL CONSIDERATIONS**

13.1 DISPOSAL METHODS: PRODUCT:

The product should not be released to the environment, so any unused material should be recycled wherever possible or be disposed of as waste at an appropriate collection depot. Spilled product that cannot be recovered should be absorbed and then shovelled into a suitable waste container, such as a plastic drum and then be treated as a solid waste. Follow Government regulations for disposal of such waste. All unused, waste or spilled product must be taken for recycling or disposal by suitably licensed contractors in accordance with Government regulations.

**CONTAINERS:** Empty containers may contain residual product. They should be completely drained and then stored until disposed of. Empty containers should be taken for recycling or for disposal through suitably licensed contractors in accordance with Government regulations.

## **SECTION 14 – TRANSPORT INFORMATION**

This product is not regulated for land, sea or air transportation.

14.1 LAND (ADG Code):		
UN NUMBER:	Not applicable	
UN PROPER SHIPPING		
NAME:	Not applicable	
TRANSPORT HAZARD		
CLASS(ES):	Not applicable	
PACKAGING GROUP:	Not applicable	
ENVIRONMENTAL		
HAZARDS:	Not applicable	
SPECIAL PRECAUTIONS		
FOR USER:	Not applicable	
HAZCHEM CODE:	Not applicable	

## **SECTION 14 – TRANSPORT INFORMATION Continued**

14.2 SEA (IMDG): UN NUMBER: UN PROPER SHIPPING	Not applicable	
NAME: TRANSPORT HAZARD CLASS(ES):	Not applicable	
PACKAGING GROUP: ENVIRONMENTAL	Not applicable	
HAZARDS: SPECIAL PRECAUTIONS	Not applicable	
FOR USER:	Not applicable	
14.3 AIR (IATA): UN NUMBER: UN PROPER SHIPPING	Not applicable	
NAME: TRANSPORT HAZARD	Not applicable	
CLASS(ES): PACKAGING GROUP:	Not applicable Not applicable	
ENVIRONMENTAL HAZARDS:	Not applicable	
SPECIAL PRECAUTIONS FOR USER:	Not applicable	

## **SECTION 15 – REGULATORY INFORMATION**

APPLICABLE REGULATIONS SUSMP: AICS: MONTREAL PROTOCOL: STOCKHOLM CONVENTION: ROTTERDAM CONVENTION: BASEL CONVENTION:	Workplace product (for professional use only). Not for domestic use. All ingredients are on the AICS List. Not applicable to this product. Not applicable to this product.
GHS CLASSIFICATION HAZAI AND HAZARD STATEMENT	<ul> <li>RD CLASS &amp; CATEGORY</li> <li>Acute Toxicity - Oral Category 3; H301 - Toxic if swallowed.</li> <li>Acute Toxicity - Oral Category 4; H302 - Harmful if swallowed.</li> <li>Acute Toxicity - Dermal Category 4; H312 - Harmful in contact with skin.</li> <li>Skin Corrosion/Irritation Category 1B; H314 - Causes severe skin burns and eye damage.</li> <li>Skin Corrosion/Irritation Category 2; H315 - Causes skin irritation.</li> <li>Sensitisation - Skin Category 1; H317 - May cause an allergic skin reaction.</li> <li>Serious Eye Damage/Irritation Category 1; H318 - Causes serious eye damage.</li> <li>Serious Eye Damage/Irritation Category 2A; H319 - Causes serious eye irritation.</li> <li>Acute Toxicity - Inhalation Category 4; H332 - Harmful if inhaled.</li> <li>Acute Aquatic Toxicity Category 1; H410 - Very toxic to aquatic life.</li> <li>Chronic Aquatic Toxicity Category 2; H411 - Toxic to aquatic life with long lasting effects.</li> <li>Chronic Aquatic Toxicity Category 4; H412 - Harmful to aquatic life with long lasting effects.</li> <li>AUH071 - Corrosive to the respiratory tract.</li> </ul>

## **SECTION 15 – REGULATORY INFORMATION Continued**

HSNO APPROVAL NUMBER: HSR002552

**HSNO GROUP TITLE:** 

Cosmetic Products Group Standard 2006.

## SECTION 16 – ANY OTHER RELEVANT INFORMATION

SDS INFORMATI Date of SDS Prep	-	14 <sup>th</sup> March 2017	Revision: 1.0		
•		Initial preparation of SDS in new format.			
ACRONYMS:					
SUSMP	Standard fo	r the Uniform Scheduling of Medicines and Poisons			
CAS Number	Chemical Abstracts Service Registry Number				
EINECS	European Inventory of Existing Commercial Chemical Substances				
UN Number	United Nations Number				
OSHA	Occupation	al Safety and Health Administration			
ACGIH	American C	onference of Governmental Industrial Hygienists			
HSE-WEL	Health and	Safety Executive - Workplace Exposure Limit			
IMDG	International Maritime Dangerous Goods				
IATA		I Air Transport Association			
IUCLID		I Uniform Chemical Information Database			
RTECS	Registry of Toxic Effects of Chemical Substances				
%W/W	Percent weight for weight				
OECD	Organisation for Economic Co-Operation and Development				
ADG Code	Australian Code for the Transport of Dangerous Goods by Road and Rail				
HAZCHEM Code					
NOHSC	National Occupational Health and Safety Commission				
NICNAS	National Industrial Chemicals Notification & Assessment Scheme				
IMAP	Inventory Multi-Tiered Assessment and Prioritisation				
AICS	Australian Inventory of Chemical Substances				
TWA	Time-Weighted Average				
STEL	Short Term Exposure Limit				
HSNO		Substances and New Organisms Act 1996			
GHS		rmonised System of Classification and Labelling of Chemicals			
WHS PPE		n and Safety			
	Median Leth	otective Equipment.			
LD <sub>50</sub>					
LC <sub>50</sub>	Median Lethal Concentration Effective Concentration of a substance that causes 50% of the maximum response after				
EC <sub>50</sub>		r a nominated time	polise alter		
NOAEL	•	d Adverse Effect Level			
NOEC		d Effect Concentration			
EH40		Workplace Exposure Limits			
ECHA		chemicals Agency			
REACH		, Evaluation, Authorisation and Restriction of Chemicals			
	registration				

### LITERATURE REFERENCES AND SOURCES OF DATA:

OECD Guidelines for Testing of Chemicals Annex I: OECD Test Guidelines for Studies Included in SIDS Manual for the Assessment of Chemicals Chapter 2 Data Gathering International Toxicity Testing Guidelines Hazardous Chemical Information System - Guidance Material for Hazard Classifications Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice. Model Work Health and Safety Regulations. Model Work Health and Safety Regulations - Transitional Principles Workplace Exposure Standards for Airborne Contaminants Australian Dangerous Goods Code 7<sup>th</sup> Edition Approved Criteria for Classifying Hazardous Substances [NOHSC:1008 (2004)] Guidance on the Classification of Hazardous Chemicals under the WHS Regulations Assigning a Hazardous Substance to a Group Standard

## **SECTION 16 – ANY OTHER RELEVANT INFORMATION Continued**

#### LITERATURE REFERENCES AND SOURCES OF DATA (Continued):

User Guide to the HSNO Thresholds and Classifications

Summary User Guide to the HSNO Thresholds and Classifications of Hazardous Substances

Correlation between GHS and New Zealand HSNO Hazard Classes and Categories

**HSNO** Control Regulations

Record of Group Standard Assignment

Labelling of Hazardous Substances Hazard and Precautionary Information

Thresholds and Classifications Under the Hazardous Substances and New Organisms Act 1996

Workplace Exposure Standards and Biological Exposure Indices

ECHA Brief Profile for 1-Tetradecanol

ECHA Brief Profile for 3-Aminophenol

NICNAS IMAP Human Health Tier II Assessment for Ammonia and Ammonium Hydroxide CAS Number: 1336-21-6 and 7664-41-7

NICNAS IMAP Human Health Tier II Assessment for Ethanol, 2-amino- CAS Number: 141-43-5 NICNAS IMAP Human Health Tier II Assessment for Sulfites, including Sodium Sulfite CAS Number: 7757-83-7 NICNAS IMAP Human Health Tier II Assessment for 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,Ndimethyl-, N-coco acyl derivatives, hydroxides, inner salts CAS Number: 61789-40-0

NICNAS IMAP Human Health Tier II Assessment for Phenol, 3-amino- CAS Number: 591-27-5 NICNAS IMAP Human Health Tier II Assessment for Ethanol, 2-(2,4-diaminophenoxy)-, dihydrochloride CAS

Number: 66422-95-5.

All information contained in this Safety Data Sheet and the health, safety and environmental information are considered to be accurate to the best of our knowledge as of the issue date specified above. However, no warranty or representation, expressed or implied, is made as to the accuracy or completeness of the data and information contained in this data sheet.

Health and safety precautions and environmental advice noted in this data sheet may not be accurate for all individuals and/or situations. It is the user's obligation to evaluate and use this product safely and to comply with all applicable laws and regulations. The Company accepts no responsibility for any injury, loss or damage, resulting from abnormal use of the material, from any failure to adhere to recommendations, or from any hazards inherent in the nature of the material.