Page 1 of 13 Product: Evolution of the Colour Cube 6 Issue Date:23 March 2017

Revision: 1.0

SAFETY DATA SHEET

SECTION 1 – IDENTIFICATION: PRODUCT IDENTIFIER/CHEMICAL IDENTITY

1.1 PRODUCT IDENTIFIER: Evolution of the Color Cube 6

1.2 PRODUCT CODE: PF005770

1.3 RELEVANT IDENTIFIED USES OF THE MIXTURE AND USES ADVISED AGAINST:

RELEVANT IDENTIFIED USES: Permanent cosmetic colouring cream.

RESTRICTIONS ON USE: Hair colourants can cause severe a

Hair colourants can cause severe allergic reactions. This product contains ingredients which may cause skin irritation or sensitisation to certain individuals. A preliminary test according to the directions accompanying the product should be made before use. This product must not be used for dyeing eyelashes or eyebrows; to do so may be injurious to the eye. The product is not intended for use in individuals under the age of 16 years. Temporary black henna tattoos may increase the risk of an allergic reaction. Do not colour hair if there is a rash on the face; sensitive, irritated or damaged scalp; the person has ever experienced a reaction after colouring hair; or, they have experienced a reaction previously to a temporary black henna tattoo.

1.4 DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET:

SUPPLIER NAME: Alfhair Australia Pty Ltd (ABN: 60 095 773 274),
ADDRESS (Australia): 15 Concorde Drive, Keilor Park, VIC, Australia, 3042
+61 3 9336 2088 (Int); Fax: +61 3 9336 2044 (Int)

SUPPLIER NAME (New Zealand): Salon Warehouse NZ,

ADDRESS (New Zealand): Unit G, 11 Douglas Alexander Parade, Albany – Auckland, NZ

TELEPHONE NUMBER (New Zealand):09 555 5730

E-MAIL: sales@alfaparf.com.au

1.5 EMERGENCY TEL. NUMBER: Australia: 0407 236 601

(Poisons Information Centre (Aust 131 126; NZ 0800 764 766))

1.6 HSNO DETAILS:

HSNO APPROVAL NUMBER: HSR002552

HSNO GROUP TITLE: Cosmetic Products Group Standard 2006.

SECTION 2 – HAZARD(S) IDENTIFICATION

2.1 CLASSIFICATION OF THE HAZARDOUS CHEMICAL:

GHS CLASSIFICATION HAZARD

CLASS & CATEGORY: Under the Model Work Health and Safety Regulations the product would be

rated as hazardous:

Skin Corrosion/Irritation - Category 2 Sensitisation - Skin - Category 1

Serious Eye Damage/Irritation - Category 1 Chronic Aquatic Toxicity - Category 3

2.2 LABEL ELEMENTS INCLUDING PRECAUTIONARY STATEMENTS:

SIGNAL WORD: Danger

PICTOGRAMS:



HAZARD STATEMENTS: H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction. H318 - Causes serious eye damage.

H412 - Harmful to aquatic life with long lasting effects.

SECTION 2 – HAZARD(S) IDENTIFICATION Continued

PRECAUTIONARY STATEMENTS:

PREVENTION: P102 - Keep out of reach of children.

P103 - Read label before use. P261 - Avoid breathing vapours.

P264 - Wash hands thoroughly after handling.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

RESPONSE: P101 - If medical advice is needed, have product container or label at hand.

P302+P352 - IF ON SKIN: Wash with plenty of soap and water.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a POISON CENTRE or doctor/physician.

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

P362 - Take off contaminated clothing and wash before reuse.

STORAGE: Not applicable.

DISPOSAL: P501 - Dispose of contents/container in accordance with local regulations.

2.3 OTHER HAZARDS: Excessive exposure may result in irritation to the respiratory system. People

with pre-existing skin conditions, such as eczema or dermatitis, should take precautions so as not to exacerbate the condition. As for all chemical products, persons should not expose open wounds, cuts, abrasions or irritated skin to

this material.

SECTION 3 - COMPOSITION / INFORMATION ON INGREDIENTS

INGREDIENTS	CAS NUMBER	Concentration % W/W	GHS Classification*	
Castor oil, hydrogenated, ethoxylated (PEG-40 Hydrogenated Castor Oil)	61788-85-0	1.5 - 3.0%	Eye Irrt 2A - H319	
Ammonium hydroxide (Ammonia)	1336 -21-6	1.5 - 2.0%	Acut Tox 4 - H302 Skin Corr 1B - H314 Acut Tox 4 - H332 Acut Aq Tox 1 - H400 AUH071	
1,4-Benzenediamine, 2-methyl-, sulfate (Toluene-2,5-diamine sulfate)	(1:1) 615-50-9	1.0 - 1.5%	Acut Tox 3 - H301 Acut Tox 4 - H312 Skin Sen 1 - H317 Acut Tox 4 - H332 Chron Aq Tox 2 - H411	
1-Propanaminium,3-amino-N-(carboxymethyl)-N,N-dimethyl-,N-coco acyl derivatives ,hydroxides,				
inner salts (Cocamidopropyl betaine)	61789-40-0	1.0 - 1.5%	Eye Irrt 2A - H319 Acut Aq Tox 1 - H400	
1-Tetradecanol (Myristyl alcohol)	112-72-1	1.0 - 1.2%	Eye Irrt 2A - H319 Chron Ag Tox 1 - H410	
Ethanol,2-amino (Monoethanolamine)	141-43-5	1.0 - 1.2%	Acut Tox 4 - H302 Acut Tox 4 - H312 Skin Corr 1B - H314 Acut Tox 4 - H332	

SECTION 3 – COMPOSITION / INFORMATION ON INGREDIENTS Cont'd

INGREDIENTS	CAS NUMBER	Concentration % W/W	GHS Classification*	
Sulfurous acid, disodium salt (Sodium sulfite)	7757-83-7	0.3 - 0.5%	Acut Tox 4 - H302 Eye Dam 1 - H318	
1,3-Benzenediol (Resorcinol)	108-46-3	0.3 - 0.5%	Acut Tox 4 - H302 Skin Irrit 2 - H315 Skin Sen 1 - H317 Eye Irrt 2A - H319 Acut Aq Tox 1 - H400	
1,3-Benzenediol, 2-methyl- (2-Methylresorcinol)	608-25-3	0.2 - 0.3%	Acut Tox 4 - H302 Skin Sen 1 - H317 Eye Dam 1 - H318 Acut Aq Tox 1 - H400	
3-Aminophenol (<i>m</i> -Aminophenol)	591-27-5	< 0.1%	Acut Tox 4 - H302 Skin Sen 1 - H317 Acut Tox 4 - H332 Chron Aq Tox 2 - H411	
Ethanol, 2-(2,4-diaminophenoxy)-, dihy (2,4-Diaminophenoxyethanol HCl)	drochloride 66422-95-5	< 0.05%	Acut Tox 4 - H302 Skin Sen 1 - H317 Eye Irrt 2A - H319 Chron Aq Tox 2 - H411	
1-Dodecanaminium, N-[3-[[4-(dimethylamino)benzoyl]amino]propyl]-N,N-dimethyl-, Salt with 4-methylbenzenesulfonic acid (1:1) (Dimethylpabamidopropyl				
laurdimonium tosylate)	156679-41-3	< 0.05%	Skin Sen 1 - H317 Eye Dam 1 - H318 Chron Aq Tox 1 - H410	
Other non-hazardous ingredients Not Applic = Not Applicable * Pleas	se see Section 15 of this	To 100% SDS for the full text desc	Not Applic cription of the Label Elements.	

SECTION 4 – FIRST AID MEASURES

4.1 DESCRIPTION OF NECESSARY FIRST AID MEASURES:

INGESTION:

Rinse mouth out with water. Due to the blend of ingredients present, the manufacturer recommends that if swallowed, do NOT induce vomiting. If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration. The product has a relatively high pH. If irritation or a burning sensation develops or persists or vomiting has occurred after ingestion, seek immediate medical assistance.

EYE:

If in eyes, hold eyelids apart and flush the eye immediately with large amounts of running water. Continue flushing for at least 15 minutes or until advised to stop by a Doctor. Check for contact lenses. If there are contact lenses, these should be removed after several minutes of rinsing by the exposed person or medical personnel if it can be done easily. As the product is rated as Causes severe eye damage, after flushing, immediately call a Poisons Information Centre (Tel. Australia 13 11 26; New Zealand 0800 764 766) or doctor/physician.

Page 4 of 13 Product: Evolution of the Colour Cube 6 Issue Date:23 March 2017 Revision: 1.0

SAFETY DATA SHEET

SECTION 4 - FIRST AID MEASURES Continued

SKIN CONTACT: If skin or hair contact has occurred remove any contaminated clothing and

footwear, wash skin or hair thoroughly with soap and water. As the product is rated as Causes skin irritation and May cause an allergic reaction, after flushing,

if skin irritation or rash occurs, seek immediate medical assistance.

INHALATION: If affected, remove the patient from further exposure into fresh air, if safe to do

so. If providing assistance, avoid exposure to yourself - only enter contaminated environments with adequate respiratory equipment. Once removed, lay patient down in a well-ventilated area and reassure them whilst waiting for medical assistance. If not breathing, provide artificial respiration and seek immediate medical assistance. If unconscious, place in a recovery position and seek immediate medical assistance. If irritation develops/persists, consult a Doctor.

PROTECTION FOR FIRST

AIDERS: No personnel shall place themselves in a situation that is potentially hazardous

to themselves. If the person has ingested the product, caution should be exercised in using direct mouth-to-mouth resuscitation techniques. Always ensure that you are wearing gloves when dealing with first aid procedures

involving chemicals and/or blood.

FIRST AID FACILITIES: Eye wash fountain and safety showers, or at least a source of flowing water, are

recommended in the area where the product is used.

4.2 MOST IMPORTANT SYMPTOMS & EFFECTS, BOTH ACUTE & DELAYED, CAUSED BY EXPOSURE:

ACUTE:

The product is rated as Causes serious eye damage. Eye contact may lead to severe burns, redness, pain, swelling, tearing and blurred vision, as well as permanent eye damage in a worst case scenario. The product is rated as Causes skin irritation. Skin contact may lead to redness or itching. Ingestion or inhalation of vapours may lead to irritation of the mouth and respiratory tract.

Ingestion may lead to nausea and diarrhoea.

CHRONIC: Skin contact may aggravate/exacerbate existing skin conditions, such as

dermatitis. The product is rated as May cause an allergic skin reaction.

4.3 INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NECESSARY:

ADVICE TO DOCTOR: Treat symptomatically.

SECTION 5 - FIRE FIGHTING MEASURES

5.1 EXTINGUISHING MEDIA:

SUITABLE MEDIA: Use extinguishing media appropriate for surrounding fire. Use carbon dioxide,

alcohol-resistant foam, dry chemical or water spray. Spray down fumes

resulting from fire.

UNSUITABLE MEDIA: Avoid using full water jet directed at residual burning material once the aqueous

component has evaporated. Water may cause splattering on hot residue.

5.2 SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE:

COMBUSTION HAZARDS: Combustion of the residual material after evaporation of the aqueous

component may produce oxides of carbon and small amounts of nitrogen and

sulfur as well as smoke and irritating vapours.

5.3 ADVICE FOR FIREFIGHTERS:

FIRE: This product is not flammable under conditions of use. Once the aqueous

component has evaporated, the residue will be combustible. Keep storage

tanks, pipelines, fire exposed surfaces, etc. cool with water spray.

HAZCHEM CODE: Not applicable.

Page **5** of **13** Product: Evolution of the Colour Cube 6 Issue Date:23 March 2017

Revision: 1.0

SAFETY DATA SHEET

SECTION 5 - FIRE FIGHTING MEASURES Continued

EXPLOSION: No information to indicate that the product is an explosion hazard. Extinguish all

sources of flame or spark. Closed containers may explode when exposed to

extreme heat.

PROTECTIVE

EQUIPMENT: In the event of a fire, wear full protective clothing and self-contained breathing

equipment with full-face piece operated in the pressure demand or other

positive pressure mode.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES:

PERSONAL PROTECTION: For small spills, wear PVC, Nitrile or Neoprene gloves, glasses/goggles, boots

and full-length clothing. During routine operation for a small spill in the open a respirator is not required. For large spills, or in confined spaces, a full chemically resistant body-suit is recommended. If in doubt about potential

oxygen deficiency wear self-contained breathing apparatus.

CONTROL MEASURES: Ventilate area and extinguish and/or remove all sources of ignition. Stop the

leak if safe to do so. CAUTION: The spilled product will be slippery. Avoid

contact with the spilled material.

EMERGENCY PROCEDURES: In the event of a spill or accidental release, notify the relevant authorities in

accordance with all applicable regulations.

6.2 ENVIRONMENTAL PRECAUTIONS:

SPILL ADVICE: Do not allow product to enter drains, surface water, sewers or watercourses -

inform local authorities if this occurs.

6.3 METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP:

CONTAINMENT: Con

Contain the spill and absorb with a proprietary absorbent material, sand or earth. For large spills prepare a bund/barrier/dyke ahead of the spill to confine the spill and allow later recovery. If there is the possibility of spills to enter drains, surface water, sewers or watercourses ensure bunding, or that drains

are covered, to minimise the potential for this to occur.

CLEANING PROCEDURES:

Having contained the spill, as mentioned above, collect all material quickly and place used absorbent in suitable containers. Follow local regulations for the disposal of waste. For large spills that have been bunded, the material can be scooped into vessels and returned for reprocessing or destruction. Personnel must wear gloves, goggles or glasses, boots and full-length clothing during cleaning procedures. Wash and rinse the contaminated area and objects with water after spill has been cleared. Do not allow wash water or rinsings to enter drains, surface water, sewers or water courses.

Revision: 1.0

SAFETY DATA SHEET

SECTION 7 – HANDLING AND STORAGE, INCLUDING HOW THE CHEMICAL MAY BE SAFELY USED

7.1 PRECAUTIONS FOR SAFE HANDLING:

SAFE HANDLING:

If handling in bulk, avoid contact with the product by using appropriate protective equipment such as gloves, glasses or goggles and full-length clothing. Prevent small spills and leakage to avoid slip hazards. Properly dispose of any contaminated rags or cleaning materials. Eating, drinking, and smoking should be prohibited in the area where this material is handled, stored and processed. Workers should follow good personal hygiene practices, such as washing hands before eating, drinking and smoking. The product is a hair colouring agent. When using the product, personnel must wear gloves, glasses, full length clothing and an apron. Remove contaminated clothing and protective equipment before entering eating areas. Keep containers tightly closed when not in use. Prevent product from entering waterways, drains or sewers.

7.2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATABILITIES:

SAFE STORAGE:

Store in a dry, well ventilated area away from direct sunlight, ignition sources, oxidising agents, foodstuffs and clothing. Keep containers closed when not in use. Containers that have been opened must be carefully resealed to prevent leakage.

INCOMPATIBILITIES: Strong oxidising substances including strong acids.

SECTION 8 – EXPOSURE CONTROLS & PERSONAL PROTECTION

8.1 EXPOSURE CONTROL MEASURES:

EXPOSURE LIMIT VALUES: Exposure standards for the product have not been established. The following

values are applicable for the individual components:

Ammonia (Gas):

TWA: 25 ppm 17 mg/m³ STEL: 35 ppm 24 mg/m³

Ethanol, 2-amino-:

TWA: $3 \text{ ppm} \quad 7.5 \text{ mg/m}^3 \quad \text{STEL}$: $6 \text{ ppm} \quad 15 \text{ mg/m}^3$

1.3-Benzenediol-:

TWA: $10 \text{ ppm} \quad 45 \text{ mg/m}^3 \quad \text{STEL}$: $20 \text{ ppm} \quad 90 \text{ mg/m}^3$

8.2 BIOLOGICAL

MONITORING: No data available.

8.3 CONTROL BANDING: No data available.

8.4 ENGINEERING CONTROLS:

ENGINEERING CONTROLS: Special ventilation is not normally required when using this product in normal

use scenarios. However, at elevated temperatures, or in confined spaces vapour may be generated and local exhaust ventilation should be provided to maintain airborne concentration levels below the nominated exposure standard

and at an acceptable level that does not cause irritation.

8.5 INDIVIDUAL PROTECTION MEASURES:

EYE & FACE PROTECTION: Wear safety glasses/goggles to avoid eye contact. Use eye protection in

accordance with AS 1336 and AS 1337.

SKIN (HAND) PROTECTION: The product is a hair colouring agent. When using the product, personnel must

wear gloves to provide hand protection. PVC, Nitrile or Neoprene gloves are

recommended.

SKIN (CLOTHING)

PROTECTION: The product is a hair colouring agent. During normal operating procedures, long

sleeved clothing and an apron are required to avoid skin contact. Soiled clothing

should be washed with detergent prior to re-use.

SECTION 8 – EXPOSURE CONTROLS & PERSONAL PROTECTION - Continued

RESPIRATORY PROTECTION: During routine operation a respirator is not required. However, if vapours are

generated at a level that is uncomfortable to the individual, an approved half face organic vapour/particulate respirator is required. Use respirators in

accordance with AS 1715 and AS 1716.

THERMAL PROTECTION: Not applicable.

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

9.1 PHYSICAL AND CHEMICAL PROPERTIES: APPEARANCE: Beige/Ivory cream ODOUR: Characteristic. **ODOUR THRESHOLD:** No data available. pH: Typically 10.0 - 11.0 **MELTING/FREEZING POINT:** No data available. **INITIAL BOILING POINT:** No data available. **BOILING RANGE (°C):** No data available FLASHPOINT (°C): Not applicable. **EVAPORATION RATE:** No data available. FLAMMABILITY LIMITS (%): Not applicable. VAPOUR PRESSURE(mmHg): No data available. VAPOUR DENSITY: No data available. DENSITY @ 20.0°C: No data available. **SOLUBILITY IN WATER(g/L):** Completely miscible.

PARTITION COEFFICIENT: No data available for n-octanol/water.

AUTO-IGNITION TEMP (°C): Not applicable.

DECOMPOSITION TEMP (°C): No data available.

VISCOSITY (cPs): No data available.

SECTION 10 – STABILITY AND REACTIVITY

10.1 REACTIVITY: The product does not pose any further reactivity hazards other than those listed

in the following sub-sections.

10.2 CHEMICAL STABILITY: Stable under recommended storage and handling conditions (see section 7).

10.3 POSSIBILITY OF

HAZARDOUS REACTIONS: Keep away from strong oxidising agents, such as strong acids, chlorates,

nitrates and peroxides. Hazardous polymerisation does not occur.

10.4 CONDITIONS TO AVOID: Observe the usual precautionary measures for handling chemicals. Do not heat

the container, leave it in direct sunlight or leave the container open when not in

use.

10.5 INCOMPATIBLE

MATERIALS: Strong oxidising agents including concentrated acids.

10.6 HAZARDOUS DECOMPOSITION

PRODUCTS: Hazardous decomposition products are not expected to form during normal

storage requirements. See Section 5.2 for Hazardous Combustion products.

SECTION 11 – TOXICOLOGICAL INFORMATION

11.1 INFORMATION ON TOXICOLOGICAL EFFECTS:

The product is a mixture and test data is not available for the product as a whole.

Ammonia:

Oral - LD₅₀ (Rat): 350 mg/kg bw (aqueous ammonia solution)

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivatives, hydroxides, inner salts:

Oral - LD_{50} (Rat): > 5,000 mg/kg bw (30 - 35.5% aqueous solution) Dermal - LD_{50} (Rat): >2,000 mg/kg bw (30 - 35.5% aqueous solution)

1-Tetradecanol:

Oral - LD₅₀ (Rat): 2,000 mg/kg bw Dermal - LD₅₀ (Rabbit): 8,000 mg/kg bw

1,3-Benzenediol-:

Oral - LD_{50} (Rat): 200 - 980 mg/kg bw Dermal - LD_{50} (Rat): > 2000 mg/kg

Inhalation - LC_{50} (Rat, aerosol, 1 hours): >7.8 mg/l Inhalation - LC_{50} (Rat, aerosol, 8 hours): >2.8 mg/l

Ethanol, 2-amino-:

Oral - LD₅₀ (Rat): 1,089 mg/kg bw Dermal - LD₅₀ (Rabbit): 1,025 mg/kg bw

Sulfurous acid, disodium salt:

Oral - LD_{50} (Rat): > 2,000 mg/kg bw Oral - LD_{50} (Mouse): 820 mg/kg bw Oral - LD_{50} (Rabbit): 600 - 700 mg/kg bw

3-Aminophenol:

Oral - LD_{50} (Rat): 812 - 1000 mg/kg bw Dermal - LD_{50} (Rabbit): > 8000 mg/kg Inhalation - LC_{50} (Rat): 1.162 mg/l

11.2 SWALLOWED:

This product may cause severe irritation to the mouth, throat and digestive tract due to the presence of ammonia, ethanolamine and the colouring agents, if ingested. During normal usage ingestion should not be a means of exposure.

11.3 SKIN CORROSION/ IRRITATION:

This product is rated by calculation as Causes skin irritation. Prolonged or repeated contact may cause defatting of the skin which may lead to dermatitis. Correct handling procedures incorporating appropriate protective clothing and gloves should minimise the risk of skin irritation. People with pre-existing skin conditions, such as dermatitis, should take extreme care so as not to exacerbate the condition. Results from the Amended Draize Patch Test concluded that the product was not an irritant when it is mixed in its final application ratio.

11.4 SERIOUS EYE DAMAGE/ IRRITATION:

The product is rated by calculation as Causes serious eye damage. Eye contact may lead to severe burns, redness, pain, swelling, tearing and blurred vision, as well as permanent eye damage in a worst case scenario. This product must not be used for dyeing eyelashes or eyebrows; to do so may be injurious to the eye. Correct handling procedures incorporating appropriate eye protection should minimise the risk of eye irritation.

11.5 RESPIRATORY OR SKIN SENSITISATION:

This product is rated as May cause an allergic skin reaction. This product is not expected to be a respiratory tract sensitiser, based on the available data and the known hazards of the components.

Page 9 of 13 Product: Evolution of the Colour Cube 6 Issue Date:23 March 2017 Revision: 1.0

SAFETY DATA SHEET

SECTION 11 – TOXICOLOGICAL INFORMATION Continued

11.6 GERM CELL

MUTAGENICITY: This product is not expected to be mutagenic, based on the available data and

the known hazards of the components.

11.7 CARCINOGENICITY: This product is not expected to be a carcinogen, based on the available data

and the known hazards of the components.

11.8 REPRODUCTIVE

TOXICITY: This product is not expected to be a reproductive hazard, based on the available

data and the known hazards of the components.

11.9 SPECIFIC TARGET ORGAN TOXICITY (STOT) -

SINGLE EXPOSURE: There is no data available for the product as a whole. This product is not

expected to cause organ damage from a single exposure, based on the available data and the known hazards of the components. This product is not expected to pose an irritation hazard at ambient temperature or under normal handling conditions. Not classified as a respiratory irritant, however inhalation of vapours or mist (generated at elevated temperatures) may cause irritation to the

nose, throat and respiratory system.

11.10 SPECIFIC TARGET ORGAN TOXICITY (STOT) -

REPEATED EXPOSURE: There is no data available for the product as a whole. This product is not

expected to cause organ damage from prolonged or repeated exposure, based on the available data and the known hazards of the components as stated by

the manufacturer.

11.11 ASPIRATION HAZARD: This product is not expected to be an aspiration hazard, based on the available

data and the known hazards of the components. However, the manufacturer recommends that if swallowed, do NOT induce vomiting. If vomiting has occurred after ingestion the person should be observed to ensure that aspiration

into the lungs has not occurred.

11.12 OTHER INFORMATION: Hair colourants can cause severe allergic reactions. This product contains

ingredients which may cause skin irritation to certain individuals.

SECTION 12 – ECOLOGICAL INFORMATION

12.1 ECOTOXICITY: The following Ecotoxicity data is applicable to components:

1-Tetradecanol:

LC₅₀ (fish, 96hr): 1mg/L.

EC₅₀ (Aquatic invertebrates, 48hr): 3.2mg/L.

EL₅₀ (Aquatic algae and cyanobacteria, 96hr): 10mg/L.

1,3-Benzenediol:

LC₅₀ (fish, 96hr): 26.8 - 29.5mg/L.

LC₅₀ (Aquatic invertebrates, 48hr): 1 - 78mg/L.

EC₅₀ (Aquatic algae and cyanobacteria, 72hr): 97mg/L.

3-Aminophenol:

LC₅₀ (fish, 96hr): 82.64 - 313.7mg/L.

EC₅₀ (Aquatic invertebrates, 48hr): 1.1 - 3.6mg/L.

EC₅₀ (Aquatic algae and cyanobacteria, 72hr): 2.4 - 160mg/L.

There is no data available for the product as a whole. Based upon calculated values, the overall product would be expected to be rated as Harmful to aquatic

life with long lasting effects.

12.2 PERSISTENCE & DEGRADABILITY: 12.3 BIOACCUMULATIVE

There is no data available for the product as a whole.

POTENTIAL: There is no data available for the product as a whole.

Revision: 1.0

SAFETY DATA SHEET

SECTION 12 – ECOLOGICAL INFORMATION Continued

12.4 MOBILITY IN SOIL:

There is no data available for the product as a whole.

12.5 OTHER ADVERSE

EFFECTS: Do not allow the product to reach ground water, water courses or sewage

systems. The product is miscible in water.

SECTION 13 - DISPOSAL CONSIDERATIONS

13.1 DISPOSAL METHODS:

PRODUCT: The product should not be released to the environment, so any unused material

should be recycled wherever possible or be disposed of as waste at an appropriate collection depot. Spilled product that cannot be recovered should be absorbed and then shovelled into a suitable waste container, such as a plastic drum and then be treated as a solid waste. Follow Government regulations for disposal of such waste. All unused, waste or spilled product must be taken for recycling or disposal by suitably licensed contractors in

accordance with Government regulations.

CONTAINERS: Empty containers may contain residual product. They should be completely

drained and then stored until disposed of. Empty containers should be taken for recycling or for disposal through suitably licensed contractors in accordance

with Government regulations.

SECTION 14 – TRANSPORT INFORMATION

This product is not regulated for land, sea or air transportation.

14.1 LAND (ADG Code):

UN NUMBER: Not applicable

UN PROPER SHIPPING

NAME: Not applicable

TRANSPORT HAZARD

CLASS(ES): Not applicable PACKAGING GROUP: Not applicable

ENVIRONMENTAL

HAZARDS: Not applicable

SPECIAL PRECAUTIONS

FOR USER: Not applicable HAZCHEM CODE: Not applicable

14.2 SEA (IMDG):

UN NUMBER: Not applicable

UN PROPER SHIPPING

NAME: Not applicable

TRANSPORT HAZARD

CLASS(ES): Not applicable PACKAGING GROUP: Not applicable

ENVIRONMENTAL

HAZARDS: Not applicable

SPECIAL PRECAUTIONS

FOR USER: Not applicable

SECTION 14 – TRANSPORT INFORMATION Continued

14.3 AIR (IATA):

UN NUMBER: Not applicable

UN PROPER SHIPPING

NAME: Not applicable

TRANSPORT HAZARD

CLASS(ES): Not applicable PACKAGING GROUP: Not applicable

ENVIRONMENTAL

HAZARDS: Not applicable

SPECIAL PRECAUTIONS

FOR USER: Not applicable

SECTION 15 – REGULATORY INFORMATION

15.1 SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS:

APPLICABLE REGULATIONS:

SUSMP: Workplace product (for professional use only). Not for domestic use.

AICS: All ingredients are on the AICS List.

MONTREAL PROTOCOL: Not applicable to this product. STOCKHOLM CONVENTION: Not applicable to this product. ROTTERDAM CONVENTION: Not applicable to this product. Not applicable to this product.

INTERNATIONAL CONVENTION FOR THE PREVENTION OF POLLUTION FROM

SHIPS (MARPOL): Not determined.

GHS CLASSIFICATION HAZARD CLASS & CATEGORY

AND HAZARD STATEMENT: Acute Toxicity - Oral Category 3; H301 - Toxic if swallowed.

Acute Toxicity - Oral Category 4; H302 - Harmful if swallowed.

Acute Toxicity - Dermal Category 4; H312 - Harmful in contact with skin.

Skin Corrosion/Irritation Category 1B; H314 - Causes severe skin burns and

eye damage.

Skin Corrosion/Irritation Category 2; H315 - Causes skin irritation.

Sensitisation - Skin Category 1; H317 - May cause an allergic skin reaction. Serious Eye Damage/Irritation Category 1; H318 - Causes serious eye damage. Serious Eye Damage/Irritation Category 2A; H319 - Causes serious eye

irritation.

Acute Toxicity - Inhalation Category 4; H332 - Harmful if inhaled. Acute Aquatic Toxicity Category 1; H400 - Very toxic to aquatic life.

Chronic Aquatic Toxicity Category 1; H410 - Very toxic to aquatic life with long

lasting effects.

Chronic Aquatic Toxicity Category 2; H411 - Toxic to aquatic life with long

lasting effects.

Chronic Aquatic Toxicity Category 4; H412 - Harmful to aquatic life with long

lasting effects.

AUH071 - Corrosive to the respiratory tract.

HSNO APPROVAL NUMBER: HSR002552

HSNO GROUP TITLE: Cosmetic Products Group Standard 2006.

Revision: 1.0

SAFETY DATA SHEET

SECTION 16 – ANY OTHER RELEVANT INFORMATION

SDS INFORMATION:

Date of SDS Preparation: 23 March 2017 Revision: 1.0

REVISION CHANGES: Initial preparation of SDS in new format.

ACRONYMS:

SUSMP Standard for the Uniform Scheduling of Medicines and Poisons

CAS Number Chemical Abstracts Service Registry Number

EINECS European Inventory of Existing Commercial Chemical Substances

UN Number United Nations Number

OSHA Occupational Safety and Health Administration

ACGIH American Conference of Governmental Industrial Hygienists
HSE-WEL Health and Safety Executive - Workplace Exposure Limit

IMDG International Maritime Dangerous Goods IATA International Air Transport Association

IUCLID International Uniform Chemical Information Database RTECS Registry of Toxic Effects of Chemical Substances

%W/W Percent weight for weight

OECD Organisation for Economic Co-Operation and Development

ADG Code Australian Code for the Transport of Dangerous Goods by Road and Rail

HAZCHEM Code Emergency action code of numbers and letters which gives information to emergency services

NOHSC National Occupational Health and Safety Commission

NICNAS National Industrial Chemicals Notification & Assessment Scheme

IMAP Inventory Multi-Tiered Assessment and Prioritisation AICS Australian Inventory of Chemical Substances

TWA Time-Weighted Average

STEL Short Term Exposure Limit
HSNO Hazardous Substances and New Organisms Act 1996

GHS Globally Harmonised System of Classification and Labelling of Chemicals

WHS Work Health and Safety
PPE Personal Protective Equipment.

LD₅₀ Median Lethal Dose

LC₅₀ Median Lethal Concentration

EC₅₀ Effective Concentration of a substance that causes 50% of the maximum response after

exposure for a nominated time

NOAEL No Observed Adverse Effect Level
NOEC No Observed Effect Concentration
EH40 EH40/2005 Workplace Exposure Limits

ECHA European Chemicals Agency

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals

LITERATURE REFERENCES AND SOURCES OF DATA:

OECD Guidelines for Testing of Chemicals

Annex I: OECD Test Guidelines for Studies Included in SIDS

Manual for the Assessment of Chemicals Chapter 2 Data Gathering

International Toxicity Testing Guidelines

Hazardous Chemical Information System - Guidance Material for Hazard Classifications

Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice.

Model Work Health and Safety Regulations.

Model Work Health and Safety Regulations - Transitional Principles

Workplace Exposure Standards for Airborne Contaminants

Australian Dangerous Goods Code 7th Edition

Approved Criteria for Classifying Hazardous Substances [NOHSC:1008 (2004)] Guidance on the Classification of Hazardous Chemicals under the WHS Regulations

Assigning a Hazardous Substance to a Group Standard

User Guide to the HSNO Thresholds and Classifications

Summary User Guide to the HSNO Thresholds and Classifications of Hazardous Substances

Correlation between GHS and New Zealand HSNO Hazard Classes and Categories

HSNO Control Regulations

Page 13 of 13 Product: Evolution of the Colour Cube 6 Issue Date:23 March 2017

Revision: 1.0

SAFETY DATA SHEET

SECTION 16 – ANY OTHER RELEVANT INFORMATION Continued

LITERATURE REFERENCES AND SOURCES OF DATA (Continued)

Record of Group Standard Assignment

Labelling of Hazardous Substances Hazard and Precautionary Information

Thresholds and Classifications Under the Hazardous Substances and New Organisms Act 1996

Workplace Exposure Standards and Biological Exposure Indices

ECHA Brief Profile for 1-Tetradecanol

ECHA Brief Profile for 3-Aminophenol

NICNAS IMAP Human Health Tier II Assessment for Ammonia and Ammonium Hydroxide CAS Number: 1336-21-6 and 7664-41-7

NICNAS IMAP Human Health Tier II Assessment for Ethanol, 2-amino- CAS Number: 141-43-5

NICNAS IMAP Human Health Tier II Assessment for Sulfites, including Sodium Sulfite CAS Number: 7757-83-7 NICNAS IMAP Human Health Tier II Assessment for 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-

dimethyl-, N-coco acyl derivatives, hydroxides, inner salts CAS Number: 61789-40-0

NICNAS IMAP Human Health Tier II Assessment for Phenol, 3-amino- CAS Number: 591-27-5

NICNAS IMAP Human Health Tier II Assessment for 1,3-Benzenediol, 2-methyl- CAS Number: 608-25-3.

All information contained in this Safety Data Sheet and the health, safety and environmental information are considered to be accurate to the best of our knowledge as of the issue date specified above. However, no warranty or representation, expressed or implied, is made as to the accuracy or completeness of the data and information contained in this data sheet.

Health and safety precautions and environmental advice noted in this data sheet may not be accurate for all individuals and/or situations. It is the user's obligation to evaluate and use this product safely and to comply with all applicable laws and regulations. The Company accepts no responsibility for any injury, loss or damage, resulting from abnormal use of the material, from any failure to adhere to recommendations, or from any hazards inherent in the nature of the material.