### ITEM #: AO-100, AO-150

Bocchi Laboratories

# ories Safety Data Sheet Date Date Section 1: CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name	JOHN PAUL MITCHELL SYSTEMS AWAPUHI WILD G OIL	INGER STYLING TREATMENT
Product Code # Recommended Use CAS #	JPMS-113 REV-01 HAIR STYLING / PERSONAL CARE / COSMETICS N/A	
Manufacturer	Bocchi Laboratories	
Address	26421 Ruether Avenue Santa Clarita, CA 91350	
Phone	661-252-3807	
Emergency Contact	For all emergencies, call Chem Tel (24 Hours/7 Days): International:	1-800-255-3924 00-1-813979-0626
	For all SDS questions or requests call:	1-661-252-3807

### SECTION 2: HAZARD(S) IDENTIFICATION

Hazard	Physical Hazard - Category 3
Classifications:	





Signal Word:	Warning
Hazardous Statements:	H226 Flammable liquids and vapor.
Precautionary Statements:	P210 Keep away from heat / sparks / open flames / hot surfaces. No smoking. P102 Keep out of reach of children.
Percent of the mixture consisting of ingredient(s) of unknown toxicity:	N/A

### **SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS**

Chemical Designation	% of Comp	CAS	EINECS
Cyclopentasiloxane	60-65	541-02-6	208-764-9
Isoeicosane	5-10	52845-07-5	N/A
PPG-3 Benzyl Ether Myristate	1-5	642443-86-5	N/A
Fragrance	0.010 - 1.00	N/A	N/A
Trade Secret	0.010 - 1.00	N/A	N/A

### SECTION 4: FIRST AID MEASURES

Eyes:	If irritation or redness due to vapors develops, move victim away from exposure and into fresh air. If material gets into the eyes, flush eyes immediately with clean water for at least 15 minutes. If available, use eyecups or eye wash fountain. If symptoms persist, get medical attention.
Skin:	Flush / wash skin with plenty of water. If irritation develops, get medical attention.
Inhalation:	If respiratory symptoms develop, move victim away from source of exposure and into fresh air. If symptoms persist, get medical attention. If victim is not breathing immediately begin artificial respiration. Get medical attention.
Ingestion:	Product is not likely to be ingested. If this occurs, treat systematically. Never give fluids or induce vomiting if the victim is unconscious or having convulsions. Get medical

### **SECTION 5: FIRE FIGHTING MEASURES**

Fire Hazard:	Material may be ignited, for example in a fire. Relative hazard is anticipated to be the same as typical combustible materials. Use foam, carbon dioxide, and dry chemical or water spray when fighting fires.
Flash Point F(C):	<118°F (47.77°C)
Flammable Limits:	N/A
Extinguishing Media:	Use foam, carbon dioxide, and dry chemical or water spray when fighting fires
Special protective Equipment and firefighting procedures:	In case of fire, use normal firefighting equipment including a NIOSH approved self-contained breathing apparatus (SCBA). Use water to cool containers
Unusual Fire & Explosion:	N/A

### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

Personal Precautions: See Section 8.

attention.

Spills/<br/>Leaks:SPILL ON LAND (LARGE SPILL): Eliminate sources of ignition. Prevent additional<br/>discharge of material, if possible to do so without risk. Minimize breathing of vapors and

### Safety Data Sheet

skin contact. Ventilate confined spaces. For small spills implement the following cleanup procedures: Prevent material from entering sewers, watercourses or low areas. Contain spilled material with sand or earth. Do not use combustible materials such as sawdust. Observe precautions for volatile, combustible vapors from absorbed material. For large spills, implement the preceding cleanup procedures and, if in public area, keep public away and advise authorities. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations.

**SPILL ON WATER (LARGE SPILL)**: Eliminate sources of ignition. Warn occupants and shipping in surrounding and downwind areas of fire and explosion hazard and request all to stay clear. Remove from surface by skimming or scooping up floating material. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations.

**SMALL SPILLS**: Leaking containers should be placed in open containers, outdoors, away from any source of ignition, until all pressure has been released.

### **SECTION 7: HANDLING & STORAGE**

### Handling: STORAGE TEMPERATURE: Ambient

LOADING/UNLOADING TEMPERATURE: Ambient

**STORAGE AND HANDLING**: Keep container closed. Handle and open containers with care. Store in a cool, well-ventilated place away from incompatible materials. DO NOT handle or store near an open flame, heat, or other source of ignition. DO NOT pressurize, cut, heat, or weld empty containers. DO NOT reuse containers.

Storage: STORAGE TEMPERATURE: Ambient LOADING/UNLOADING TEMPERATURE: Ambient STORAGE AND HANDLING: Keep container tightly closed. Handle and open containers with care. Store in a cool, well-ventilated place away from incompatible materials. DO NOT handle or store near an open flame, heat, or other source of ignition. DO NOT pressurize, cut, heat, or weld empty containers. DO NOT reuse containers.

### **SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION**

Exposure Limits: OSHA Permissible N/A Exposure Limits (PELs): Threshold Limit N/A Values (TLVs):

Engineering Controls: If applicable, local exhaust ventilation may be necessary.

#### **Personal Protective Equipment:**

Face:	None required.
Eyes:	Not necessary, except as a good industrial practice.

**Skin:** Not necessary, except as a good industrial practice.

#### Respiratory: Not required.

Pictograms:



FORM B-053 REV 00 6/2/15

Appearance:	Slightly Hazy Semi-Viscous Liquid	Upper Flammability/Explosive Limit:	N/A
Odor:	Ginger	Lower Flammability/Explosive Limit:	<118°F (47.77°C)
pH value @ 25°C:	N/A	Vapor Pressure:	N/A
Melting Point F(C):	N/A	Vapor Density:	N/A
Freezing Point F(C):	N/A	Vapor Temperature:	N/A
Boiling Point F(C):	N/A	Relative Density/Specific Gravity (@ 25°C):	0.92 – 0.97
Boiling Range:	N/A	Solubility:	N/A
Flash Point F(C):	<118°F (47.77°C)	Partition Coefficient:	N/A
Flash Point Method used:	TAG CLOSED CUP	Auto-ignition temperature:	N/A
Evaporation Rate:	N/A	Decomposition temperature:	N/A
Flammability:	N/A	Viscosity:	600 - 900 cps (RVD #4 @ 100 rpm)

### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

### SECTION 10: STABILITY AND REACTIVITY

Chemical Reactivity:	None known.
Chemical Stability:	Stable under normal conditions of storage and handling.
Conditions to Avoid:	None known.
Materials to Avoid:	None known.
Hazardous	Will not occur.
Decomposition:	

### SECTION 11: TOXICOLOGICAL INFORMATION

Inhalation:

 Description of effects from short- and long-term exposure:

 Not known

 Description of symptoms:

 Not known

 Measure of toxicity:

 Not known

 Ingestion:

 Description of effects from short- and long-term exposure:

 Not known

 Description of effects from short- and long-term exposure:

 Not known

 Description of symptoms:

 Not known

Measure of toxicity: Not known Eyes:

FORM B-053 REV 00 6/2/15

Bocchi Laboratories

## Safety Data Sheet

Description of effects from short- and long-term exposure: Not known Description of symptoms: Not known Measure of toxicity: Not known

Description of effects from short- and long-term exposure: Not known Description of symptoms: Not known Measure of toxicity: Not known

#### Carcinogens listing:

Skin:

NTP: Not Available
IARC: Not Available
OSHA Not Available
GHS: Not Available
Chronic Toxicity: Not Available

### **SECTION 12: ECOLOGICAL INFORMATION**

Aquatic Toxicity:Not AvailableBiodegradability:Not AvailableBioaccumulation:Not Available

### **SECTION 13: DISPOSAL CONSIDERATION**

All recovered material should be packaged, labeled, transported, disposed and reclaimed in conformance with local, county, state, and federal regulations. May be disposed of by controlled incineration. Do not contaminate any lakes, streams, ponds, or underground water supplies.

Empty containers may be disposed of as normal refuse.

### **SECTION 14 : TRANSPORT INFORMATION**

Land transport U.S. DOT (Containers less than 1 Liter) Proper Shipping Name: Consumer Commodity Hazard class: ORM-D UN-Number: UN1993 Packaging group: III Description of goods: Considered to be Consumer Commodity in container less than 1 liter.

Land transport U.S. DOT (Containers greater than 1 Liter) Proper Shipping Name: Flammable liquids N.O.S. Hazard class: 3 UN-Number: UN1193

FORM B-053 REV 00 6/2/15

### **Bocchi Laboratories**

### Safety Data Sheet

Packaging group: III Description of goods: Flammable in containers greater than 1 liter (Contains Cyclopentaxiloxane)

Maritime transport IMDG: IMDG Class: 3 UN Number: UN1193 Label: 3 Packaging group: III EMS Number: F-E-S-D Marine pollutant: NA Proper Shipping Name: Flammable liquids N.O.S.

Air transport ICAO-TI and IATA-DGR: ICAO/IATA Class: 3 UN/ID Number: UN1193 Label: 3 Packaging group: III Proper shipping name: Flammable liquids N.O.S.

**Pictograms:** 



UNITED STATES:

### SECTION 15: REGULATORY INFORMATION

### Additional Regulatory Information:

Toxic Substances Control Act (TSCA) Inventory of Existing Chemi	ical Substances:	NONE
Superfund Amendments and Reauthorization Act (SARA) Title III: Hazard Categories Sections 311/312 (40 CFR 370.2):	Health: Physical:	NONE NONE
Emergency Planning & Community Right to Know (40 CFR 355, Ap Extremely Hazardous Substance Section 302 - Threshold Plannin		
Reportable Quantity (40 CFR 302.4):	N/A	
California Right-to-Know Regulations (Prop. 65)		NONE
	Health: Physical:	NONE NONE

### **SECTION 16: OTHER INFORMATION**

### **Bocchi Laboratories**

### Safety Data Sheet



 _	
 N / I	
IVI	

JPMS AWAPUHI WILD GINGER STYLING TREATMENT OIL		
HEALTH	1	
FLAMMABILITY	2	
REACTIVITY	1	
PERSONAL B PROTECTION		

**HAZARD RATING SYSTEMS**: This information is for people trained in: National Paint & Coatings Association's (NPCA) Hazardous Materials Identification System (HMIS) and/or National Fire Protection Association (NFPA 704) Identification of the Fire Hazards of Materials.

#### NPCA-HMIS NFPA 704 KEY: NPCA-HMIS/NFPA 704

HEALTH	1	0	4=Severe/Extreme
FLAMMABILITY	2	2	3=Serious/High
REACTIVITY	1	0	2=Moderate/Moderate
			1=Slight/Slight
			0=Minimal/Insignificant

**NOTE** The information presented herein for this product or its components has been compiled from different supplier sources considered to be dependable and accurate to the best of our knowledge as to the proper use and handling of this product under normal conditions. However, no representation, warranty, or guarantee is made as to its accuracy, reliability, or completeness. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use. We do not accept liability for any loss or damage that may occur from the use of this information. Any use of this product which is not in conformance with this SDS or which involves using the product in combination with any other product or any process is the responsibility of the user.

### **EXPLANATION OF ABBREVIATIONS:**

CAS# - Chemical Abstract System No. EINECS# - European Inventory of Existing Chemical Substance DOT - Department Of Transportation IMDG - International Maritime Dangerous Goods N/A - Not Applicable HMIS - Hazardous Material Identification System NFPA - National Fire Protection Association OSHA - Occupational Safety and Health Administration EMS - Environmental Management System ICAO-TI - International Civil Aviation Organization Technical Instructions IATA - DGR - International Air Transport Association Dangerous Goods Regulations SARA - Superfund Amendments and Reauthorization Act Title I, II, III

The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. Bocchi Laboratories makes no expressed or implied warranty of merchantability or fitness for a particular purpose of course of performance or usage of trade.

**DISCLAIMER** This SDS is intended to provide a brief summary of our knowledge and guidance regarding the use of this material. The information contained here has been compiled from sources considered by Bocchi Laboratories to be dependable and is accurate to the best of the company's knowledge. The information is offered in good faith. Each user of this material needs to evaluate the

### Safety Data Sheet

conditions of use and design the appropriate protective mechanisms to prevent employee exposures, property damage, or release to the environment. Bocchi Laboratories assumes no responsibility for injury to the recipient or third persons, or for any damage to any property resulting from misuse of the product.

Due to remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information, Bocchi Laboratories makes no representations as to its completeness or accuracy. Information obtained from a database may not be as current as the information in the SDS available directly from Bocchi Laboratories.