SAFETY DATA SHEET

Page 1 of 6 **PM-022**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 1.3

SDS Revision Date: 7/1/2016

.1 Product Name: DALIL MITCHELL COLOD CHOTC DED					
1.1	Froduct Name.	PAUL MITCHELL COLOR SHOTS RED			
1.2	Chemical Name:	NA			
1.3	Synonyms:	JPMS Color Shots Red			
1.4	Trade Names:	Paul Mitchell Color Shots Red			
1.5	Product Uses & Restrictions:	Professional Use Only			
1.6	Distributor's Name:	JPMS Manufacturing, LLC			
1.7	Distributor's Address:	237 Buttonwood Street, Reading, PA 19601 USA			
1.8	Emergency Phone:	CHEMTREC: +1 (703) 527-3887 / +1 (800) 424-9300 (CCN 11977)			
1.9	Business Phone / Fax:	+1 (610) 374-4845 / +1(610) 373-7101			

2. HAZARDS IDENTIFICATION

2.1 Hazard Identification: This product is classified as a HAZARDOUS SUBSTANCE but NOT as DANGEROUS GOODS according to the classification criteria of NOHSC: 1088 (2004) and ADG Code (Australia).

WARNING! MAY CAUSES AN ALLERGIC SKIN REACTION. CAUSES SERIOUS EYE IRRITATION.

Classification: Skin Sens.1; Eye Irrit. 2A

<u>Hazard Statements</u> (H): H317 – May cause an allergic skin reaction. H319 – Causes serious eye irritation.

<u>Precautionary Statements</u> (P): P271 – Use only in well-ventilated area. P280 – Wear protective gloves and eye/face protection. P305+P351+P338 – IF IN EYES: Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 – If eye irritation persists: Get medical advice/attention. P312 – Call a POISON CENTER/doctor if you feel unwell. P332+P313 – If skin irritation occurs: get medical advice/attention. P405 – Store locked up. P501 – Dispose of contents/container to a licensed treatment, storage or disposal facility (TSDF).

NOTICE: This product is designed and intended for use by a licensed cosmetologist/professional hairdresser only, and carries no warranty, expressed or implied, if used by others. CAN CAUSE AN ALLERGIC REACTION. Preliminary patch testing is recommended. Tattoos, including black and temporary henna, may increase the risk of allergy. If a severe allergic reaction should occur, seek immediate medical attention. This product must not be used for dyeing the eyelashes or eyebrows - to do so may cause blindness.



3 COMPOSITION & INGREDIENT INFORMATION

	5. COM CONTON & MCREDIENT IN CHIMATION												
					EXPOSURE LIMITS IN AIR (mg/m ³)								
					AC	GIH		NOHSC			OSHA		
					pp	om		ppm			ppm		
							ES-	ES-	ES-				
CHEMICAL NAME(S)	CAS No.	RTECS No.	EINECS No.	%	TLV	STEL	TWA	STEL	PEAK	PEL	STEL	IDLH	OTHER
JPMS PROPRIETARY BLEND	NA	NA	NA	60-100	NA	NA	NF	NF	NF	NA	NA	NA	
JEWIS PROPRIETART BLEIND													
4 AMINO 2 NITROPLIENO	610-81-1	NA	210-236-8	< 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
4-AMINO-3-NITROPHENOL			•										
4-HYDROXYPROPYLAMINO-3-	92952-81-3	NA	NA	< 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
NITROPHENOL													
3-NITRO-9-	625235-31-6	NA	265-648-0	< 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
HYDROXYEHTYLAMINOPHENOL													
HC RED NO. 3	2871-01-4	NA	220-701-7	< 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
HC RED NO. 3													
- DUENNI ENEDIAMINE	106-50-3	SS8050000	203-404-7	< 1.0	NA	NA	NF	0.1	NF	NA	NA	25	
p-PHENYLENEDIAMINE	Acute Tox. 3 *	Acute Tox. 3 *; A	Acute Tox. 3 *; E	ye Irrit. 2; S	Skin Se	ns. 1; H	331, H	311, H3	01, H3	19, H31	7		
N,N'-bis (2-HYDROXYETHYL)-2-	84041-77-0	NA	281-856-4	< 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
NÍTRO-p-PHENYLENEDIAMINE	Skin Irrit. 2; Ey	Skin Irrit. 2; Eye Irrit. 2; STOT SE3; H315, H319											

4 FIRST AID MEASURES

			T. I INOT AID MEAGURES
4.1	First Aid:	Ingestion:	If ingested, do not induce vomiting. If product has been swallowed, drink plenty of water or milk
			IMMEDIATELY. If the patient is vomiting, continue to offer water or milk. Never give water or milk to an
			unconscious person. Contact the nearest Poison Control Center or local emergency number. Provide an
			estimate of the time at which the material was ingested and the amount of the substance that was swallowed.
		Eyes:	Splashes are not likely; however, if product gets in the eyes, flush with copious amounts of lukewarm water for at least 15 minutes. If irritation occurs, contact a physician.
		Skin:	If irritation occurs and product is on the skin, rinse thoroughly with lukewarm water, followed by a thorough
			washing of the affected area with soap and water. If irritation, redness or swelling persists, contact a
			physician immediately.
		Inhalation:	Remove victim to fresh air at once.

SAFETY DATA SHEET

Page 2 of 6

PM-022 Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision: 1.3 SDS Revision Date: 7/1/2016 4. FIRST AID MEASURES - cont'd 42 Effects of Exposure: If product is swallowed, may cause nausea, vomiting and/or diarrhea. Ingestion: Irritating to the eyes. Symptoms of overexposure may include redness, itching, irritation and watering. Eyes: May be irritating to skin. The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) in Skin: some sensitive individuals. None expected. Inhalation: 4.3 Symptoms of Overexposure: Overexposure in eyes may cause redness, itching and watering. Symptoms of skin overexposure may include redness, itching, and irritation of affected areas. The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) in some sensitive individuals. Moderate irritation to eyes. Symptoms of overexposure may include redness, itching, stinging, irritation and watering. 4.4 Acute Health Effects: Moderate irritation to skin near affected areas. 4.5 Chronic Health Effects: No harmful or chronic health effects are expected to occur from a single accidental ingestion. 4 6 Target Organs: Eyes, Skin 47 Medical Conditions Pre-existing dermatitis, other skin conditions, and disorders of the **HEALTH** 1 Aggravated by Exposure: target organs (eyes and skin). **FLAMMABILITY** 0 PHYSICAL HAZARDS 1 PROTECTIVE EQUIPMENT В EYES SKIN 5. FIREFIGHTING MEASURES 5.1 Fire & Explosion Hazards: This product is not flammable. However, if involved in a fire, this product may decompose at high temperatures to form toxic gases (e.g., CO, CO₂, and NOx). 52 Extinguishing Methods: Water, Foam, CO2, Dry Chemical 5.3 Firefighting Procedures: Fight fires as for surrounding materials. Hazardous decomposition products may be released. Thermal degradation may produce oxides of carbon and/or nitrogen, hydrocarbons and/or derivatives. Firefighters should wear a MSHA/NIOSH approved or equivalent self-contained breathing apparatus (SCBA) and protective clothing. Fire should be fought from a safe distance. Keep containers cool until well after the fire is out. Use water spray to cool fire-exposed surfaces and to protect personal. Fight fire upwind. Prevent runoff from fire control or dilution from entering sewers, drains, drinking water supply, or any natural waterway. 6. ACCIDENTAL RELEASE MEASURES Spills 6.1 Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment (PPE). Keep incompatible materials (e.g., organics such as oil) away from spill. For small spills (e.g., < 1 gallon (3.8 L)) wear appropriate personal protective equipment (e.g., goggles, gloves). Maximize ventilation (open doors and windows). Remove spilled material with absorbent material and place into appropriate closed container(s) for disposal. Dispose of properly in accordance with local, state and federal regulations. Wash all affected areas and outside of container with plenty of warm water and soap. Remove any contaminated clothing and wash thoroughly before reuse. For <u>large spills</u> (e.g., ≥ 1 gallon (3.8 L)), deny entry to all unprotected individuals. Dike and contain spill with inert material (e.g., sand or earth). Transfer liquid to containers for recovery or disposal and solid diking material to separate containers for proper disposal. Remove contaminated clothing promptly and wash affected skin areas with soap and water. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water. 7. HANDLING & STORAGE INFORMATION Do not eat, drink, or smoke while handling this product. Wash thoroughly after handling. Avoid contact with flammable or Work & Hygiene Practices: combustible materials. Avoid contamination from any source, including metals, dust and organic materials. Keep bulk covered. Wash unintentional residues with soap and warm water. Use and store in a cool, dry, well-ventilated location (e.g., local exhaust ventilation, fans). Keep away from excessive heat and open flames. Avoid temperatures above 120 °F. Keep away from incompatible substances. Protect 7.2 Storage & Handling: containers from physical damage. Special Precautions: 7.3 Spilled material may present a slipping hazard if left unattended. Clean all spills promptly. 8. EXPOSURE CONTROLS & PERSONAL PROTECTION Exposure Limits: ACGIH NOHSC OSHA OTHER 8.1 ppm (mg/m³) TLV STEL ES-TWA ES-STEL ES-PEAK PEL STEL ID<u>LH</u> CHEMICAL NAME(S) p-PHENYLENEDIAMINE NA NA NF 0.1 NF NA NA 25 8.2 Ventilation & Engineering General mechanical (e.g., fans) or natural ventilation is sufficient when this product is in use. Use local or general exhaust ventilation to effectively remove and prevent buildup of vapors or mist generated from the handling of this product. Ensure appropriate decontamination equipment is available (e.g., sink, safety shower, eye-wash station) 8.3 Respiratory Protection: No special respiratory protection is required under typical circumstances of use or handling. In instances where vapors or sprays of this product are generated, and respiratory protection is needed, use only protection authorized by 29 CFR §1910.134, applicable U.S. State regulations, or the Canadian CAS Standard Z94.4-93 and applicable standards of Canadian Provinces. EC member States, or Australia.

SAFETY DATA SHEET

Page 3 of 6 **PM-022**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision Date: 7/1/2016 8. EXPOSURE CONTROLS & PERSONAL PROTECTION - cont'd 8.4 Eye Protection: Avoid eye contact. None required under normal conditions of use. When handling large quantities (e.g., ≥ 1 gallon (3.8 L)) safety glasses with side shields should be used. 8.5 Hand Protection: Required under normal conditions of use to prevent staining and keep exposure level to a minimum. Use latex or PVC gloves. When handling large quantities (e.g., ≥ 1 gallon (3.8 L)), wear rubber or impervious plastic gloves must be worn. 8.6 Body Protection: No apron required when handling small quantities. Lab coat or apron should be worn to protect skin and clothing. When handling large quantities (e.g., ≥ 1 gallon), eye wash stations and deluge showers should be available. Upon completion of work activities involving large quantities of this product, wash any exposed areas thoroughly with soap and water. 9. PHYSICAL & CHEMICAL PROPERTIES Appearance: 9 1 Red liquid 92 Odor: Mild perfumery 9.3 Odor Threshold NA 9.4 NA 9.5 Melting Point/Freezing Point: NA 9.6 Initial Boiling Point/Boiling NA Range: 9.7 Flashpoint NA Upper/Lower Flammability 9.8 NA Limits: Vapor Pressure: 9.9 NA Vapor Density: 9.10 NA Relative Density: 9.11 1.12 g/mL Solubility 9 12 Slightly soluble 9.13 Partition Coefficient (log Pow): NA 9.14 **Autoignition Temperature** NA 9.15 Decomposition Temperature: NA Viscosity 9.16 NA Other Information: 9.17 NA 10. STABILITY & REACTIVITY 10.1 Stability: This product is stable. 10.2 Hazardous Decomposition Oxides of carbon (CO, CO₂), nitrogen (NO_x) and sulfur (SO₂). Products: 10.3 Hazardous Polymerization: Will not occur. 10.4 Conditions to Avoid Open flames, sparks, high heat, incompatible substances and direct sunlight. 10.5 Incompatible Substances: Avoid extreme heat and ignition sources. Store away from oxidizers 11. TOXICOLOGICAL INFORMATION Routes of Entry: Inhalation: NO Absorption: YES 11.1 Ingestion: YES 11.2 Toxicity Data: This product has not been tested on animals to obtain toxicological data. There are toxicology data for the components of this product, which are found in the scientific literature. 11.3 Acute Toxicity: See section 4.4 Chronic Toxicity 11.4 See section 4.5 Suspected Carcinogen: This product contains p-Phenylenediamine, is not carcinogenic to humans, but is listed as Group 3 carcinogens by the IARC. This product contains p-Phenylenediamine, listed by ACGIH in group A4 11.6 Reproductive Toxicity: This product is not reported to produce reproductive toxicity in humans. Mutagenicity: This product is not reported to produce mutagenic effects in humans. **Embryotoxicity**: This product is not reported to produce embryotoxic effects in humans. Teratogenicity: This product is not reported to cause teratogenic effects in humans. Reproductive Toxicity This product is not reported to cause reproductive effects in humans. 11.7 Irritancy of Product See Section 4.3. Biological Exposure Indices ΝE Physician Recommendations: Treat symptomatically. 12. ECOLOGICAL INFORMATION 12.1 Environmental Stability There is no specific data available for this product. 122 Effects on Plants & Animals There is no specific data available for this product. 12.3 Effects on Aquatic Life: There is no specific data available for this product.

SAFETY DATA SHEET

Page 4 of 6 **PM-022**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision Date: 7/1/2016 13. DISPOSAL CONSIDERATIONS Waste Disposal: Dispose of in accordance with federal, state and local regulations 13.2 Special Considerations: 14. TRANSPORTATION INFORMATION The basic description (ID Number, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional descriptive information may be required by 49 CFR, IATA/ICAO, IMDG and the CTDGR. 14.1 49 CFR (GND): NOT REGULATED 14.2 IATA (AIR): NOT REGULATED IMDG (OCN): 14.3 **NOT REGULATED** TDGR (Canadian GND): 14.4 NOT REGULATED ADR/RID (EU): 14.5 **NOT REGULATED** SCT (MEXICO): 14.6 **NOT REGULATED** ADGR (AUS): 14.7 **NOT REGULATED** 15. REGULATORY INFORMATION This product does not contain any substances subject to SARA Title III, section 313 reporting requirements. 15.1 SARA Reporting Requirements: and p-Phenylenediamine are subject to the reporting requirements of SARA Title III, Sections 312/313. 15.2 SARA Threshold Planning There are no specific Threshold Planning Quantities for the components of this product. Quantity: 15.3 TSCA Inventory Status: The components of this product are listed on the TSCA Inventory. 15.4 CERCLA Reportable Quantity p-Phenylenediamine: 2,270 kg (5,000 lbs). (RQ): 15.5 Other Federal Requirements This product complies with the appropriate sections of the Food and Drug Administration's 21 CFR subchapter G (Cosmetics). This material does not contain any hazardous air pollutants. None of the components in this product are listed as priority pollutants under the CWA. None of the components in this product are listed as toxic pollutants under the CWA 15.6 Other Canadian Regulations: This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List. WHMIS D2B (Other Toxic Effects). p-Phenylenediamine is found on the following state criteria list:), Florida Toxic Substances List (FL), Massachusetts 15.7 State Regulatory Information: Hazardous Substances List (MA), Minnesota Hazardous Substances List (MN), New Jersey Right-to-Know List (NJ), Pennsylvania Right-to-Know List (PA) and Washington Permissible Exposures List (WA). No ingredients in this product, present in a concentration of 1.0% or greater, are listed on any of the following state criteria lists: California Proposition 65 (CA65), Delaware Air Quality Management List (DE), Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Michigan Critical Substances List (MI), Minnesota Hazardous Substances List (MN), New Jersey Right-to-Know List (NJ), New York Hazardous Substances List (NY). Pennsylvania Right-to-Know List (PA), Washington Permissible Exposures List (WA), Wisconsin Hazardous Substances List (WI). 15.8 Other Requirements: NA

SAFETY DATA SHEET

Page 5 of 6 **PM-022**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 1.3

SDS Revision Date: 7/1/2016

		40 OTHER INCORMATION				
		16. OTHER INFORMATION				
Other Information: WARNING! CAUSES MILD SKIN IRRITATION. CAUSES EYE IRRITATION. For external use only directed. Discontinue use immediately if irritation develops Keep away from children. Keep container tiglicool place. When using do not eat or drink. In case of contact with eyes, rinse immediately with plent seek medical advice. Wear suitable protective clothing, gloves and eye/face protection. If case of accide unwell seek medical advice immediately (show the label where possible). KEEP LOCKED UP AND OLOF CHILDREN. This product is designed and intended for use by a licensed cosmetologist/professional hairdresser only, warranty expressed or implied if used by others. CAN CAUSE AN ALLERGIC REACTION. Preliminary precommended. Tattoos, including black and temporary henna, may increase the risk of allergy, If a reaction should occur, immediately seek medical attention. This product must not be used for dyeing the						
16.2	Terms & Definitions:	eyebrows; to do so may cause blindness. See last page of this Safety Data Sheet.				
16.3	Disclaimer:	This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.12 government regulations must be reviewed for applicability to this product. To the best of ShipMate's Manufacturing, LLC's, knowledge, the information contained herein is reliable and accurate as of this date accuracy, suitability or completeness is not guaranteed and no warranties of any type, either expressed or i provided. The information contained herein relates only to the specific product(s). If this product(s) is con other materials, all component properties must be considered. Data may be changed from time to time. consult the latest edition.	s & JPMS e; however, mplied, are nbined with			
16.4	Prepared for:	JPMS Manufacturing, LLC 237 Buttonwood Street Reading, PA 19601 USA Tel: +1 (610) 374-4845 Fax: +1 (610) 373-7101				
16.5	Prepared by:	ShipMate, Inc. P.O. Box 787 Sisters, Oregon 97759-0787 USA Tel: +1 (310) 370-3600 Fax: +1 (310) 370-5700 http://www.shipmate.com				

SAFETY DATA SHEET

Page 6 of 6 PM-022

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision Date: 7/1/2016

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a SDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

CAS No.	Chemical Abstract Service Number					
EXPOSURE	EXPOSURE LIMITS IN AIR:					
ACGIH American Conference on Governmental Industrial Hygienists						
C Ceiling Limit						
ES	Exposure Standard (Australia)					
IDLH	Immediately Dangerous to Life and Health					
OSHA	U.S. Occupational Safety and Health Administration					
PEL	Permissible Exposure Limit					
STEL	Short-Term Exposure Limit					
TLV	Threshold Limit Value					
TWA	Time Weighted Average					

FIRST AID MEASURES:


Cardiopulmonary resuscitation - method in which a person whose heart has CPR stopped receives manual chest compressions and breathing to circulate blood and provide oxygen to the body


HMIS-III HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	Minimal Hazard			
1 Slight Hazard				
2	2 Moderate Hazard			
3 Severe Hazard				
4	Extreme Hazard			



PERSONAL PROTECTION RATINGS:









Synthetic Apron

Cy Face Shield & **Protective Eyewear**



Splash Goggles





Full Face Respirator

Dust & Vapor Half-Mask Respirator

Full Face Respirator

Airline Hood/Mask or SCBA

OTHER STANDARD ABBREVIATIONS:


ML	Maximum Limit		
mg/m3	milligrams per cubic meter		
NA Not Available			
ND	Not Determined		
NE	Not Established		
NF	Not Found		
NR	No Results		
ppm	parts per million		
SCBA	Self-Contained Breathing Apparatus		

NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILI	TY LIMITS IN AIR:
Autoignition Temperature	Minimum temperature required to initiate combustion in air with no other source of ignition
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source

HAZARD BATINGS

HAZARD KATINGS.					
0	Minimal Hazard				
1	Slight Hazard				
2	Moderate Hazard				
3	Severe Hazard				
4	Extreme Hazard				
ACD	Acidic				
ALK	Alkaline				
COR	Corrosive				
₩	Use No Water				
ОХ	Oxidizer				
TREFOIL	Radioactive				
TOYIOOL OOLOAL INFORMATION					



TOXICOLOGICAL INFORMATION:					
LD ₅₀	Lethal Dose (solids & liquids) which kills 50% of the exposed animals				
LC 50	Lethal concentration (gases) which kills 50% of the exposed animal				
ppm	Concentration expressed in parts of material per million parts				
TD _{Io} Lowest dose to cause a symptom					
TCLo	Lowest concentration to cause a symptom				
TD _{Io} , LD _{Io} , & LD _o or TC, TC _o , LC _{Io} , & LC _o	Lowest dose (or concentration) to cause lethal or toxic effects				
IARC	International Agency for Research on Cancer				
NTP	National Toxicology Program				
RTECS	Registry of Toxic Effects of Chemical Substances				
BCF	Bioconcentration Factor				
TL _m	Median threshold limit				
log K _{ow} or log K _{oc}	Coefficient of Oil/Water Distribution				

REGULATORY INFORMATION:

WHMIS	Canadian Workplace Hazardous Material Information System				
DOT	U.S. Department of Transportation				
TC	Transport Canada				
EPA	U.S. Environmental Protection Agency				
DSL Canadian Domestic Substance List					
NOHSC	National Occupational Health and Safety Commission (Australia)				
NDSL	Canadian Non-Domestic Substance List				
PSL	Canadian Priority Substances List				
TSCA	U.S. Toxic Substance Control Act				
EU	European Union (European Union Directive 67/548/EEC)				
WGK Wassergefährdungsklassen (German Water Hazard Class)					
HMIS-III	National Paint & Coatings Association Hazardous Materials Identification System				
	·				

WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

0	(2)	(2)		\odot	(4)		R
Class A	Class B	Class C	Class D1	Class D2	Class D3	Class E	Class F
Compressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive

EC (67/548/EEC) INFORMATION:

		M	*		9	X	×
С	E	F	N	0	Т	Xi	Xn
Corrosive	Explosive	Flammable	Harmful	Oxidizing	Toxic	Irritant	Harmful

CLP/GHS (1272/2008/EC) PICTOGRAMS:

			\Diamond			\		(
GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environment