SAFETY DATA SHEET

Page 1 of 6 **2K-011**

		<u> </u>			<i>,</i> , ,					2K-011
Prepared to OSHA, ACC, ANSI, I	NOHSC, WHMIS,	2001/58 & 1272/2	2008/EC Standar	rds	S	DS Revision	n: 1.7	SD	S Revision Da	ate: 1/1/2018
	1.	PRODUC	T & COM	PANY	IDENT	ΓΙ <mark>ΓΙ</mark> ΕΙ	TION			
1.1 Product Name:	JOHN P	AUL MITC	HELL SY	STEM	S 40 V	OL. C	REAN	/I DEV	ELOPE	R 12%
1.2 Chemical Name:	NA									
1.3 Synonyms:	_	JPMS 40 Vol. Cream Developer 12%								
1.4 Trade Names:		John Paul Mitchell Systems 40 Vol. Cream Developer 12%								
1.5 Product Uses & Restrictions:1.6 Distributor's Name:		or Cosmetic Us	se Only							
.7 Distributor's Address:	TU-K Industri	ne Place. South	Gate CA 903	280						
I.8 Emergency Phone:		.: +1 (800) 2			248_059	25				
.9 Business Phone / Fax:		-3365 / +1 (562		01-013-	240-030)				
	11 (302) 321	-55057 11 (502) 320-0134							
		2. H	AZARDS	IDENT	IFICA1	ΓΙΟΝ				
2.1 Hazard Identification:	according to DANGER! H Classification Hazard State Precautionar gloves and e present and o	t is classified the classificatio IARMFUL IF SV 1: Eye Irrit. 2; Action 1: Eye/face protect easy to do. Coed up. P501 ity (TSDF).	n criteria of NO WALLOWED. cute Oral 4 12 – Harmful if P): P264 – Wa ction. P305+F continue rinsing.	OHSC: 10- CAUSES swallowed ash thoroi P351+P33 P310 –	88 (2004) S SERIOUS 1. H318 – Lughly after 8 – IF IN Immediate	and ADG S EYE DA Causes s r handling I EYES: Fely call a p	Code (A MAGE. erious e . P280 Remove	ye dama – Wear contact	ge. protective lenses, if tor. P405	!
	2 C	OMPOSIT		CDENI	ENT IN	JEODI.	AATIC) NI		
	3. 0	ONIFOSIII	ION & IN	GKEDI		NFORM			IN AIR (mg/m ³)
					ACGIH		NOHSC		OSHA	
					ppm		ppm	F0	ppm	
HEMICAL NAME(S)	CAS No.	RTECS No.	EINECS No.	%	TLV S1	ES- TEL TWA		ES- PEAK PEI	L STEL IDI	LH OTHER
QUA (WATER/EAU)	7732-18-5	ZC0110000	231-791-2	60-100	NA N	NA NF	NF	NF NA	NA N	A
,	7722-84-1	MX0900000	231-765-0	7-13	(1.4) N	NA (1.4)	NF	NF (1.4	1) NA 7	5
YDROGEN PEROXIDE	Eye Irrit. 2; H		2017000	7 10	(1.4) 1	1/ ((1. 4)	141	141 (1	7) 14/1 7	<u> </u>
ECYL OLEATE	3687-46-5	NA	222-981-6	1-5	NA N	NA NF	NF	NF NA	NA N	A
	36653-82-4	MM0225000	253-149-0	1-5	NA N	NA NF	NF	NF NA	NA N	Δ
ETYL ALCOHOL	00000 02 4	WWWOZZOOOO	200 140 0	1.0	110.	w. I.I.	1	141 10	. 10.	, ,
PMS PROPRIETARY BLEND	NA	NA	NA	1-5	NA N	NA NF	NF	NF NA	A NA N	Α
	10378-23-1	NA	NA	< 1.0	NA N	NA NF	NF	NF NA	A NA N	A I
ETRASODIUM EDTA	10070 20 1	1000	107	11.0	14/1	V/	141	141 147	(14/(14	7.
ETRASODIUM PYRO-	7722-88-5	UX7350000	231-767-1	< 1.0	5 N	NA 5	NF	NF 5	NA N	Α
HOSPHATE	Eye Irrit. 2; H 7664-38-2	319 TB6300000	231-633-2	< 1.0	(4)	3) NF	NF	NF NA	NA 10	00
HOSPHORIC ACID	Skin Corr. 1B		231-033-2	\ 1.0	(1) (3) NF	INF	NF NA	A NA IU	00
	1.									
		4.	FIRST AI	D ME	ASURE	S				
.1 First Aid:	Ingestion: Eyes: Skin:	If ingested, d IMMEDIATEL' unconscious p estimate of th swallowed. Splashes are water for at lea If irritation occ washing of th physician imm	o not induce Y. If the patie person. Containe time at who not likely; howast 15 minutes urs and produce affected are rediately.	vomiting. Int is vomi Int is vomi Int the nea Int the m Int wever, if p Int Seek im Int is on the	If producting, conting, conting, contingerest Poisconaterial was product geometriate new skin, rins	uct has be nue to offe on Control as ingeste ets in the nedical att se thoroug	er water Center ed and the eyes, fluction. In the control of the c	or milk. or local e the amou ush with	Never give emergency n unt of the s copious am m water, follo	y of water or mill water or milk to an umber. Provide an substance that was nounts of lukewarn owed by a thorough persists, contact a
1.2 Effects of Exposure:	Inhalation:	Remove victing			UCO2 VOT	iting and/	or diarrh	02		
Lifetis of Exposure.	Ingestion: Eyes: Skin:	 on: If product is swallowed, may cause nausea, vomiting and/or diarrhea. Moderately irritating to the eyes. Symptoms of overexposure may include redness, itching, irritation and watering. May be irritating to skin. The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) in 								
		some sensitive	e individuals.	,				(0	5,	,
	Inhalation:	None expected	d.							

SAFETY DATA SHEET

Page 2 of 6 2K-011

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision Date: 1/1/2018 4. FIRST AID MEASURES - cont'd Overexposure in eyes may cause severe damage, redness, itching and watering. Symptoms of skin overexposure may 4.3 Symptoms of Overexposure: include redness, itching, and irritation of affected areas. The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) in some sensitive individuals 4.4 Acute Health Effects: Severe irritation to eyes. Symptoms of overexposure may include redness, itching, stinging, irritation and watering. Moderate irritation to skin near affected areas. 4.5 Chronic Health Effects: These ingredients may be irritating to skin and mucous membrane of the eye and respiratory system. 4.6 Target Organs: Eyes, Skin, Respiratory System Medical Conditions 4.7 Pre-existing dermatitis, other skin conditions, and disorders of the HEALTH 2 Aggravated by Exposure: target organs (eyes, skin, and respiratory system). **FLAMMABILITY** 0 1 PHYSICAL HAZARDS PROTECTIVE EQUIPMENT В **EYES** SKIN 5. FIREFIGHTING MEASURES Fire & Explosion Hazards: This product is not flammable. 5.2 Extinguishing Methods CO₂, Halon (if permitted), Dry Chemical, Foam, as authorized. As in any fire, wear MSHA/NIOSH approved self-contained breathing apparatus (pressure-5.3 Firefighting Procedures: demand) and full protective gear. Keep containers cool until well after the fire is out. Use water spray to cool fire-exposed surfaces and to protect personal. Fight fire upwind. Prevent runoff from fire control or dilution from entering sewers, drains, drinking water supply, or any natural waterway. Firefighters must use full bunker gear including NIOSH-approved positive pressure self-contained breathing apparatus to protect against potential hazardous combustion or decomposition products and oxygen deficiencies. 6. ACCIDENTAL RELEASE MEASURES Spills Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment (PPE). Keep incompatible materials (e.g., organics such as oil) away from spill. For small spills (e.g., < 1 gallon (3.8 L)) wear appropriate personal protective equipment (e.g., goggles, gloves). Maximize ventilation (open doors and windows). Remove spilled material with absorbent material and place into appropriate closed container(s) for disposal. Dispose of properly in accordance with local, state and federal regulations. Wash all affected areas and outside of container with plenty of warm water and soap. Remove any contaminated clothing and wash thoroughly before reuse. For <u>large spills</u> (e.g., ≥ 1 gallon (3.8 L)), deny entry to all unprotected individuals. Dike and contain spill with inert material (e.g., sand or earth). Transfer liquid to containers for recovery or disposal and solid diking material to separate containers for proper disposal. Remove contaminated clothing promptly and wash affected skin areas with soap and water. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water. 7. HANDLING & STORAGE INFORMATION Do not eat, drink, or smoke while handling this product. Wash thoroughly after handling. Avoid contact with flammable or 7.1 Work & Hygiene Practices: combustible materials. Avoid contamination from any source, including metals, dust and organic materials. Keep bulk covered. Wash unintentional residues with soap and warm water. Use and store in a cool, dry, well-ventilated location (e.g., local exhaust ventilation, fans). Keep away from excessive heat and open flames. Avoid temperatures above 120 °F. Keep away from incompatible substances. Protect containers 7.2 Storage & Handling: from physical damage. Special Precautions: 7.3 Spilled material may present a slipping hazard if left unattended. Clean all spills promptly. 8. EXPOSURE CONTROLS & PERSONAL PROTECTION Exposure Limits: ACGIH NOHSC OSHA OTHER 8.1 ppm (mg/m³) CHEMICAL NAME(S) TLV STEL ES-TWA ES-STEL ES-PEAK PEL STEL IDLH HYDROGEN PEROXIDE (1.4)NF (1.4)NA (1.4)NF NA 75 TETRASODIUM PYRO-NF NA 5 NA 5 NF 5 NA **PHOSPHATE** PHOSPHORIC ACID (3) NF NF NF NA 1000 (1) 8.2 Ventilation & Engineering When working with large quantities of product, provide adequate ventilation (e.g., local exhaust ventilation, fans). Controls Ensure that an eyewash station, sink or washbasin is available in case of exposure to eyes No special respiratory protection is required under typical circumstances of use or handling. If 8.3 Respiratory Protection: necessary, use only respiratory protection authorized per U.S. OSHA's requirement in 29 CFR §1910.134, or applicable U.S. state regulations, or the appropriate standards of Canada, its provinces, E.C. member states, or Australia. Wear protective eyewear (e.g., safety glasses with side-shield) at all times when handling this 8.4 Eye Protection: product. Always use protective eyewear when cleaning spills or leaks. Contact lenses pose a

special hazard; soft lenses may absorb and concentrate irritants.

SAFETY DATA SHEET

Page 3 of 6 **2K-011**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision Date: 1/1/2018 8. EXPOSURE CONTROLS & PERSONAL PROTECTION – cont'd 8.5 Hand Protection: AVOID SKIN CONTACT DUE TO SENSITIZING POTENTIAL. If anticipated that prolonged & repeated skin contact will occur during use of this product, wear latex or rubber gloves for routine industrial use. If necessary, refer to U.S. OSHA 29 CFR §1910.138, the appropriate standards of Canada, of the E.C. member states. 86 Body Protection: AVOID SKIN CONTACT DUE TO SENSITIZING POTENTIAL. However, no special body protection is required under typical circumstances of use and handling. If necessary, refer to appropriate standards of Canada, the E.C. member states, or U.S. OSHA. 9. PHYSICAL & CHEMICAL PROPERTIES 9.1 Appearance: White cream, free flowing lotion 92 Odor Characteristic Odor Threshold: 9.3 9.4 3.5-4.5 9.5 Melting Point/Freezing Point: NA Initial Boiling Point/Boiling 96 NA Range: 9.7 Flashpoint: NA Upper/Lower Flammability 9.8 NA 9.9 Vapor Pressure: NA Vapor Density: 9.10 NA Relative Density: 9.11 1.022-1.029 gm/ml 9.12 Solubility Partial to complete Partition Coefficient (log Pow): 9.13 NA 9.14 Autoignition Temperature: NA 9 15 Decomposition Temperature: NA 9 16 Viscosity 2,300-3,300 cPs 9.17 Other Information: NA 10. STABILITY & REACTIVITY 10.1 Stability: This product is stable. 10.2 Hazardous Decomposition Oxides of carbon (CO, CO₂) and sulfur (SO₂). Liberation of gas my result in dangerous pressure. Products: Hazardous Polymerization: Will not occur. 10.3 Open flames, sparks and high heat, direct sunlight. 10.4 Conditions to Avoid: Incompatible Substances: Store away from flammable liquids, flammable solids, aerosols and other incompatible materials (e.g., reducing 10.5 materials, combustible materials, metal contamination like iron, copper their alloys). Avoid contamination. Do not store any tint, lightener lotion or bleach powder after it has been mixed with developer; the container may rupture. Never return unused material to original container. Avoid extreme heat and ignition sources. 11. TOXICOLOGICAL INFORMATION Inhalation: YES Absorption: YES Ingestion: YES 11.1 Routes of Entry: 11.2 Toxicity Data: This product has not been tested on animals to obtain toxicological data. There are toxicology data for the components of this product, which are found in the scientific literature 11.3 Acute Toxicity: See section 4.4 11.4 Chronic Toxicity See section 4.5 11.5 Suspected Carcinogen: This product contains Hydrogen peroxide listed: ACGIH Group A3; IARC Group 3: Not classifiable as to is carcinogenicity to humans. Reproductive Toxicity: 11.6 This product is not reported to produce reproductive toxicity in humans. Mutagenicity: This product is not reported to produce mutagenic effects in humans. Embryotoxicity: This product is not reported to produce embryotoxic effects in humans. Teratogenicity: This product is not reported to cause teratogenic effects in humans. Reproductive Toxicity: This product is not reported to cause reproductive effects in humans. 11.7 Irritancy of Product: See Section 4.3. 11.8 Biological Exposure Indices: NE Physician Recommendations: 11.9 Treat symptomatically. 12. ECOLOGICAL INFORMATION 12.1 Environmental Stability: There is no specific data available for this product. 12.2 Effects on Plants & Animals There is no specific data available for this product. 12.3 Effects on Aquatic Life There is no specific data available for this product.

15.8

Other Requirements:

NA

SAFETY DATA SHEET

Page 4 of 6 **2K-011**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision Date: 1/1/2018 13. DISPOSAL CONSIDERATIONS Dispose of in accordance with federal, state and local regulations. Waste Disposal: 13.2 Special Considerations: 14. TRANSPORTATION INFORMATION The basic description (ID Number, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional descriptive information may be required by 49 CFR, IATA/ICAO, IMDG and the CTDGR. 49 CFR (GND): UN2984, HYDROGEN PEROXIDE, AQUEOUS SOLUTIONS (12%), 5.1, III (LTD QTY, IPVOL ≤ 5.0 L) UN2984, HYDROGEN PEROXIDE, AQUEOUS SOLUTIONS (12%), 5.1, III 14.2 IATA (AIR): (LTD QTY, IP VOL ≤ 0.5 L, PI Y541) IMDG (OCN): 14.3 UN2984, HYDROGEN PEROXIDE, AQUEOUS SOLUTIONS (12%), 5.1, III (LTD QTY, IP VOL ≤ 5.0 L) TDGR (Canadian GND): UN2984. HYDROGEN PEROXIDE, AQUEOUS SOLUTIONS (12%), 5.1, III 14.4 (LTD QTY, IP VOL \leq 5.0 L) ADR/RID (EU): UN2984, HYDROGEN PEROXIDE, AQUEOUS SOLUTIONS (12%), 5.1, III 14.5 (LTD QTY, IP VOL ≤ 5.0 L) SCT (MEXICO): 14.6 UN2984, PEROXIDO DE HIDROGENO EN SOLUCION ACUOSA (12%), 5.1, III (CANTIDAD LIMITADA, IP VOL ≤ 5.0 L) ADGR (AUS): 14.7 UN2984, HYDROGEN PEROXIDE, AQUEOUS SOLUTIONS (12%), 5.1, III (LTD QTY, IP VOL ≤ 5.0 L) 15. REGULATORY INFORMATION SARA Reporting This product contains Phosphoric Acid a substances subject to SARA Title III, section 313 reporting requirements. 15.1 SARA Threshold Planning 15.2 There are no specific Threshold Planning Quantities for the components of this product. Quantity: The components of this product are listed on the TSCA Inventory. 15.3 TSCA Inventory Status: 15.4 **CERCLA Reportable Quantity** Phosphoric Acid: 5,000 lbs (2,270 kg) (RQ): 15.5 Other Federal Requirements: This product complies with the appropriate sections of the Food and Drug Administration's 21 CFR subchapter G (Cosmetics). This material does not contain any hazardous air pollutants. None of the components in this product are listed as priority pollutants under the CWA. None of the components in this product are listed as toxic pollutants under the CWA Other Canadian Regulations: 15.6 This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List. WHMIS 15.7 State Regulatory Information: Hydrogen Peroxide is found on the following state criteria list: Florida Toxic Substances List (FL), Massachusetts

Pennsylvania Right-to-Know List (PA) and Washington Permissible Exposures List (WA). Phosphoric Acid is found on the following state criteria lists: FL, MA, MN, and PA.

Hazardous Substances List (MA), Minnesota Hazardous Substances List (MN), New Jersey Right-to-Know List (NJ),

No other ingredients in this product, present in a concentration of 1.0% or greater, are listed on any of the following state criteria lists: California Proposition 65 (CA65), Delaware Air Quality Management List (DE), Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Michigan Critical Substances List (MI), Minnesota Hazardous Substances List (MN), New Jersey Right-to-Know List (NJ), New York Hazardous Substances List (NY), Pennsylvania Right-to-Know List (PA), Washington Permissible Exposures List (WA), Wisconsin Hazardous Substances List (WI).

SAFETY DATA SHEET

Page 5 of 6 **2K-011**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 1.7

SDS Revision Date: 1/1/2018

	16. OTHER INFORMATION							
16.1	Other Information:	DANGER! HARMFUL IF SWALLOWED. CAUSES SERIOUS EYE DAMAGE. For external use only. Use only as directed. Discontinue use immediately if irritation develops Keep away from children. Keep container tightly closed in a cool place. When using do not eat or drink. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Wear suitable protective clothing, gloves and eye/face protection. If case of accident or if you feel unwell seek medical advice immediately (show the label where possible). KEEP LOCKED UP AND OUT OF REACH OF CHILDREN. This product is designed and intended for use by a licensed cosmetologist/professional hairdresser only, and carries no warranty expressed or implied if used by others. CAN CAUSE AN ALLERGIC REACTION. Preliminary patch testing is recommended. Tattoos, including black and temporary henna, may increase the risk of allergy, If a severe allergic reaction should occur, immediately seek medical attention. This product must not be used for dyeing the eyelashes or eyebrows; to do so may cause blindness.						
16.2	Terms & Definitions:	See last page of this Safety Data Sheet.						
16.3	Disclaimer:	government regulations must be reviewed for ap Systems' (2K Industries), knowledge, the inform accuracy, suitability or completeness are not gu provided. The information contained herein rel	OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other plicability to this product. To the best of ShipMate's & John Paul Mitchell lation contained herein is reliable and accurate as of this date; however, aranteed and no warranties of any type, either expressed or implied, are ates only to the specific product(s). If this product(s) is combined with be considered. Data may be changed from time to time. Be sure to					
16.4	Prepared for:	TU-K Industries, Inc. (2K) 5702 Firestone Place South Gate, CA 90280 USA Tel: +1 (562) 927-3365 Fax: +1 (562) 928-8154 http://www.2kindustries.com	PAUL MITCHELL					
16.5	Prepared by:	ShipMate, Inc. P.O. Box 787 Sisters, Oregon 97759-0787 USA Tel: +1 (310) 370-3600 Fax: +1 (310) 370-5700 http://www.shipmate.com	ShipMate* Dangerous Goods Training & Consulting					

SAFETY DATA SHEET

Page 6 of 6 2K-011

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision Date: 1/1/2018

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a SDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

CAS No.	Chemical Abstract Service Number				
EXPOSURE	EXPOSURE LIMITS IN AIR:				
ACGIH	American Conference on Governmental Industrial Hygienists				
С	Ceiling Limit				
ES	Exposure Standard (Australia)				
IDLH	Immediately Dangerous to Life and Health				
OSHA	U.S. Occupational Safety and Health Administration				
PEL	Permissible Exposure Limit				
STEL	Short-Term Exposure Limit				
TLV	Threshold Limit Value				
TWA	Time Weighted Average				

FIRST AID MEASURES:

CPR	Cardiopulmonary resuscitation - method in which a person whose heart has
	stopped receives manual chest compressions and breathing to circulate blood
	and provide oxygen to the body


HMIS-III HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

Minimal Hazard		
Slight Hazard		
Moderate Hazard		
Severe Hazard		
Extreme Hazard		



PERSONAL PROTECTION RATINGS:

Α		
В		
С	(E)	
D		
Е	(E)	
F		























9 Airline Hood/Mask or SCBA

OTHER STANDARD ABBREVIATIONS:


ML	Maximum Limit			
mg/m3	milligrams per cubic meter			
NA	lot Available			
ND	Not Determined			
NE	Not Established			
NF	Not Found			
NR	No Results			
ppm	parts per million			
SCBA	Self-Contained Breathing Apparatus			

NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILITY LIMITS IN AIR:					
Autoignition	Minimum temperature required to initiate combustion in air with no other				
Temperature	source of ignition				
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will				
	explode or ignite in the presence of an ignition source				
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will				
	explode or ignite in the presence of an ignition source				

HAZARD RATINGS:

0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard
ACD	Acidic
ALK	Alkaline
COR	Corrosive
₩	Use No Water
OX	Oxidizer
TREFOIL	Radioactive
	•



TOXICOLOGICAL INFORMATION:

LD ₅₀	Lethal Dose (solids & liquids) which kills 50% of the exposed animals
	S
LC ₅₀	Lethal concentration (gases) which kills 50% of the exposed animal
ppm	Concentration expressed in parts of material per million parts
TD _{io}	Lowest dose to cause a symptom
TCLo	Lowest concentration to cause a symptom
TD _{io} , LD _{io} , & LD _o or	Lowest dose (or concentration) to cause lethal or toxic effects
TC, TC _o , LC _{io} , & LC _o	
IARC	International Agency for Research on Cancer
NTP	National Toxicology Program
RTECS	Registry of Toxic Effects of Chemical Substances
BCF	Bioconcentration Factor
TLm	Median threshold limit
log Kow or log Koc	Coefficient of Oil/Water Distribution

REGULATORY INFORMATION:

WHMIS	Canadian Workplace Hazardous Material Information System
DOT	U.S. Department of Transportation
TC	Transport Canada
EPA	U.S. Environmental Protection Agency
DSL	Canadian Domestic Substance List
NOHSC	National Occupational Health and Safety Commission (Australia)
NDSL	Canadian Non-Domestic Substance List
PSL	Canadian Priority Substances List
TSCA	U.S. Toxic Substance Control Act
EU	European Union (European Union Directive 67/548/EEC)
WGK	Wassergefährdungsklassen (German Water Hazard Class)
HMIS-III	National Paint & Coatings Association Hazardous Materials Identification System

WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

0	(4)	(A)	@	\odot	®		(R)
Class A	Class B	Class C	Class D1	Class D2	Class D3	Class E	Class F
Compressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive

EC (67/548/EEC) INFORMATION:

T _A		*	*		® X	×	×
С	E	F	N	0	Т	Xi	Xn
Corrosive	Explosive	Flammable	Harmful	Oxidizing	Toxic	Irritant	Harmful

CLP/GHS (1272/2008/EC) PICTOGRAMS:

			\Diamond			\Diamond		
GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environment