SAFETY DATA SHEET

Page 1 of 6 **PM-039**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 1.3

SDS Revision Date: 7/1/2016

	Product Name:	PAUL MI WARM N		_	BACK	DEMI	-PEF	RMAN	IENT	CO	LOR	8 9W	N LIGHT
1.2	Chemical Name:	NA											
.3	Synonyms:	JPMS – Flash	Back Demi-pe	ermanent Color	· 9WN Ligł	nt Warm N	latural						
.4	Trade Names:	Paul Mitchell -	- Flash Back D	emi-permaner	nt Color 9V	VN Light \	Varm N	Vatural					
.5	Product Uses & Restrictions:	Professional U	lse Only										
.6	Distributor's Name:	JPMS Manufa	cturing, LLC										
.7	Distributor's Address:	237 Buttonwoo	od Street, Rea	ding, PA 1960	1 USA								
.8	Emergency Phone:	CHEMTRE	C: +1 (703)	527-3887 /	+1 (800) 424-9	300 (0	CCN 11	977)				
.9	Business Phone / Fax:	+1 (610) 374-4			``	/							
			2 H/			FICAT							
1	Hazard Identification:	according to th WARNING! M Classification: <u>Hazard Stater</u> H335 – May c <u>Precautionary</u> after handling eye/face prot comfortable fo and easy to	he classification MAY CAUSE / Skin Irrit. 3; E <u>ments</u> (H): H3 ⁻ ause respirator <u>Statements</u> (I <u>Statements</u> (I <u>P271 – Us</u> tection. P30 or breathing. do. Contin	17 – May cause	DHSC: 108 SKIN RE. e an allerg id breathir -ventilated INHALEE 2338 – IF 2337+P31	38 (2004) ACTION. ic skin rea ng mist/va I area. F D: Remo IN EYES 3 – If e doctor if y	and Al CAUS action. por/sp 2280 – /e per Remo ye irri pu feel	DG Code SES EYE H320 – ray. P26 Wear p son to bye conta tation po unwell.	(Austra IRRIT Causes 4 – Wa rotectiv fresh act lens ersists: P332+	alia). ATION s eye in ash tho ve glov air an ses, if Get P313	I. proughl ves an d kee preser medica – If ski	n. y d p nt al n	<u>(</u>)
		irritation occu Keep containe licensed treat	rs: get medic er tightly close ment, storage	al advice/atter d. P405 – Stor or disposal fac	ntion. P40 re locked u ility (TSDF	up. P501 ⁻).	– Disp	ose of co	ilon	/contai	iner to	a	
		irritation occu Keep containe licensed treat	rs: get medic er tightly close ment, storage	al advice/atter d. P405 – Sto or disposal fac	ntion. P40 re locked u ility (TSDF	ир. Р501 [:]). ENT II	– Disp	RMAT		/contai	I AIR (mg	a	
		irritation occu Keep containe licensed treat	rs: get medic er tightly close ment, storage	al advice/atter d. P405 – Sto or disposal fac	ntion. P40 re locked u ility (TSDF	ир. Р501 -). ENT II Ассын	– Disp	RMAT		/contai	I AIR (mg OSHA	a	
		irritation occu Keep containe licensed treat	rs: get medic er tightly close ment, storage	al advice/atter d. P405 – Sto or disposal fac	ntion. P40 re locked u ility (TSDF	ир. Р501 [:]). ENT II	– Disp	RMAT EXPC NOHSC ppm	ION SURE L	/contai	I AIR (mg	a	
IEMI	CAL NAME(S)	irritation occu Keep containe licensed treat	rs: get medic er tightly close ment, storage	al advice/atter d. P405 – Sto or disposal fac	ntion. P40 re locked u ility (TSDF	ир. Р501 ⁻). ENT II <u>Ассын</u> ррт	– Disp	RMAT EXPC NOHSC ppm	TION	/contai	I AIR (mg OSHA	a	OTHER
	CAL NAME(S) PROPRIETARY BLEND	irritation occu Keep containe licensed treatu 3. CC	rs: get medic er tightly close ment, storage OMPOSIT	al advice/atter d. P405 – Sto or disposal fac	ntion. P4 re locked u ility (TSDF GREDII	ир. Р501 ⁻). ENT II <u>Ассын</u> ррт		RMAT EXPO NOHSO ppm S- ES- VA STEL	TION	(contai	I AIR (mg OSHA ppm	g/m³)	OTHER
MS	PROPRIETARY BLEND	irritation occu Keep containe licensed treatu 3. CC CAS No.	rs: get medic er tightly close ment, storage DMPOSIT RTECS No.	al advice/atter d. P405 – Sto or disposal fac ION & INC EINECS No.	ntion. P4 re locked u ility (TSDF GREDII	ир. Р501 -). ENT II Ассін ррт тLV S1 NA N		RMAT EXPO NOHSO ppm S- ES- VA STEL F NF	ION SURE L ES- PEAK	(contai	I AIR (mg OSHA ppm STEL	g/m ³)	OTHER
PMS		irritation occu Keep containe licensed treati 3. CC CAS No. NA 106-50-3	rs: get medic er tightly close ment, storage DMPOSIT RTECS No. NA SS8050000	al advice/atter d. P405 – Sto or disposal fac ION & INC EINECS No. NA 203-404-7	ntion. P4 re locked u ility (TSDF GREDII % 60-100	IP. P501 ENT IN ACGIH PPM TLV S1 NA N	– Disp	RMAT EXPC NOHSC PPM S- ES- VA STEL F NF F 0.1	ION DSURE L S ES- PEAK NF	(contai	I AIR (mg OSHA ppm STEL NA	a g/m³) IDLH NA	OTHER
PHE	PROPRIETARY BLEND	irritation occu Keep containe licensed treati 3. CC CAS No. NA 106-50-3	rs: get medic er tightly close ment, storage DMPOSIT RTECS No. NA SS8050000	al advice/atter d. P405 – Sto or disposal fac ION & INC EINECS No. NA	ntion. P4 re locked u ility (TSDF GREDII % 60-100	IP. P501 ENT IN ACGIH PPM TLV S1 NA N	– Disp	RMAT EXP(NOHS) ppm S- ES- VA STEL F NF F 0.11, H311, H	ION DSURE L S ES- PEAK NF	(contai	I AIR (mg OSHA ppm STEL NA	a g/m³) IDLH NA	OTHER
PHE MET	PROPRIETARY BLEND NYLENEDIAMINE HYLRESORCINOL	irritation occu Keep containe licensed treatu 3. CC CAS No. NA 106-50-3 Acute Tox. 3 * 608-25-3 95-88-5	rs: get medic er tightly close ment, storage DMPOSIT NA RTECS No. NA SS8050000 ; Acute Tox. 3 *; VH2009500 VH0450000	al advice/atter d. P405 – Sto or disposal fac ION & IN(EINECS NO. NA 203-404-7 Acute Tox. 3 *; E 210-155-8 202-462-1	ntion. P4 re locked u ility (TSDF GREDII % 60-100 1-5 Eye Irrit. 2; S 0.5-1.0 < 1.0	IP. P501 P.	– Disp	Expr RMAT Expr NOHSO ppm S- F NF F 0.1 , H311, H F NF NF	ION DSURE L DSURE L DS	Vicontai	I AIR (mg OSHA ppm STEL NA 7	a g/m³) IDLH NA 25	OTHER
PHE MET	PROPRIETARY BLEND	irritation occu Keep containe licensed treati 3. CC CAS No. NA 106-50-3 Acute Tox. 3 * 608-25-3 95-88-5 Acute Tox. 4; \$	rs: get medic er tightly close ment, storage DMPOSIT NA SS8050000 ; Acute Tox. 3 *; VH2009500 VH0450000 Skin Irrit. 2; Eye	al advice/atter d. P405 – Sto or disposal fac ION & IN(EINECS No. NA 203-404-7 Acute Tox. 3 *; E 210-155-8 202-462-1 Irrit. 2A; STOT S	htion. P4 re locked u ility (TSDF GREDII % 60-100 1-5 5ye Irrit. 2; S 0.5-1.0 < 1.0 5 3; H302, I	IP. P501 P.	– Disp	See of ca EXPC NOHSO PPM S- ES- VA STEL F NF H311, H F NF , H319, H	ES- PEAK NF 301, H3 NF 335	Vertai	AIR (mg OSHA ppm STEL NA 7 NA 7 NA	a (m³) IDLH NA 25 NA NF	OTHER
PHE MET CHL	PROPRIETARY BLEND NYLENEDIAMINE HYLRESORCINOL	irritation occu Keep containe licensed treatu 3. CC CAS No. NA 106-50-3 Acute Tox. 3 * 608-25-3 95-88-5	rs: get medic er tightly close ment, storage DMPOSIT NA RTECS No. NA SS8050000 ; Acute Tox. 3 *; VH2009500 VH0450000	al advice/atter d. P405 – Sto or disposal fac ION & IN(EINECS NO. NA 203-404-7 Acute Tox. 3 *; E 210-155-8 202-462-1	ntion. P4 re locked u ility (TSDF GREDII % 60-100 1-5 Eye Irrit. 2; S 0.5-1.0 < 1.0	IP. P501 P.	– Disp	See of ca EXPC NOHSO PPM S- ES- VA STEL F NF H311, H F NF , H319, H	ION DSURE L DSURE L DS	MITS IN PEL NA 19, H31 NA	I AIR (mg OSHA ppm STEL NA 7 NA	a g/m ³) IDLH NA 25 NA	OTHER
PHE MET CHL	PROPRIETARY BLEND NYLENEDIAMINE HYLRESORCINOL ORORESORCINOL	irritation occu Keep containe licensed treati 3. CC CAS No. NA 106-50-3 Acute Tox. 3 * 608-25-3 95-88-5 Acute Tox. 4; \$	rs: get medic er tightly close ment, storage DMPOSIT NA SS8050000 ; Acute Tox. 3 *; VH2009500 VH0450000 Skin Irrit. 2; Eye	al advice/atter d. P405 – Sto or disposal fac ION & IN(EINECS No. NA 203-404-7 Acute Tox. 3 *; E 210-155-8 202-462-1 Irrit. 2A; STOT S	htion. P4 re locked u ility (TSDF GREDII % 60-100 1-5 5ye Irrit. 2; S 0.5-1.0 < 1.0 5 3; H302, I	IP. P501 P.	– Disp	RMAT EXP(NOHS0 NOHS0 PPM S- ES- VA STEL F NF H311, H F NF , H319, H F NF	ES- PEAK NF 301, H3 NF 335	Vertai	AIR (mg OSHA ppm STEL NA 7 NA 7 NA	a (m³) IDLH NA 25 NA NF	OTHER
PHE MET CHL	PROPRIETARY BLEND NYLENEDIAMINE HYLRESORCINOL ORORESORCINOL NOPHENOL NO-4-HYDROXYETHYL-	irritation occu Keep containe licensed treatu 3. CC CAS No. NA 106-50-3 Acute Tox. 3 * 608-25-3 95-88-5 Acute Tox. 4; 5 591-27-5	rs: get medic er tightly close ment, storage DMPOSIT NA RTECS No. NA SS8050000 ; Acute Tox. 3 *; VH2009500 VH0450000 Skin Irrit. 2; Eye NA	al advice/atter d. P405 – Sto or disposal fac ION & IN(EINECS No. NA 203-404-7 Acute Tox. 3 *; E 210-155-8 202-462-1 Irrit. 2A; STOT S 209-711-2	Mion. P4 re locked u ility (TSDF GREDII % 60-100 1-5 Image: System of the s	IP. P501 P.	– Disp	RMAT EXP(NOHS0 NOHS0 PPM S- ES- VA STEL F NF NF , H311, H F NF , H319, H F NF , H319, H F NF , H319, H F NF	ION DSURE L DSURE L DSURE L NF NF 301, H3 NF 301, H3 NF 301, H3 NF NF NF NF	Vertainer (Container) MITS IN PEL NA I9, H31 NA NF NA	AIR (mg OSHA ppm STEL NA 7 NA 7 NA NF	a g/m ³) IDLH NA 25 NA NF NA	OTHER
PHE MET CHL AMII	PROPRIETARY BLEND NYLENEDIAMINE HYLRESORCINOL ORORESORCINOL NOPHENOL NO-4-HYDROXYETHYL- DANISOLE SULFATE	irritation occu Keep containe licensed treatu 3. CC CAS No. NA 106-50-3 Acute Tox. 3 * 608-25-3 95-88-5 Acute Tox. 4; 5 591-27-5 83763-48-8	rs: get medic er tightly close ment, storage DMPOSIT NA SS8050000 ; Acute Tox. 3 *; VH2009500 VH0450000 Skin Irrit. 2; Eye NA	al advice/atter d. P405 – Sto or disposal fac ION & IN(EINECS No. NA 203-404-7 Acute Tox. 3 *; E 210-155-8 202-462-1 Irrit. 2A; STOT S 209-711-2 280-734-8	with the second seco	IP. P501 P.	- Disp	RMAT EXP(NOHS0 ppm S- ES- VA STEL F 0.1 , H311, H F NF , H319, H F NF , H319, H F NF , H319, H F NF F NF F NF F NF	ION SURE L SURE L S	Vertainer (Container) MITS IN PEL NA 19, H31 19, H31 NA NF NA	AIR (mg OSHA ppm STEL NA 7 NA NF NF NA	a g/m ³) IDLH NA 25 NA NF NA NA	OTHER
PHE MET CHL -AMI AMII AMII	PROPRIETARY BLEND NYLENEDIAMINE HYLRESORCINOL ORORESORCINOL NOPHENOL NO-4-HYDROXYETHYL- DANISOLE SULFATE NOPHENOL RCINOL NO-6-CHLORO-	irritation occu Keep containe licensed treati 3. CC CAS No. NA 106-50-3 Acute Tox. 3 * 608-25-3 95-88-5 Acute Tox. 4; § 591-27-5 83763-48-8 123-30-8	rs: get medic er tightly close ment, storage DMPOSIT NA SS8050000 ; Acute Tox. 3 *; VH2009500 VH0450000 Skin Irrit. 2; Eye NA NA	al advice/atter d. P405 – Sto or disposal fac ION & INC EINECS No. NA 203-404-7 Acute Tox. 3 *; E 202-462-1 Irrit. 2A; STOT S 209-711-2 280-734-8 204-616-2	ntion. P4 re locked u ility (TSDF GREDII % 60-100 1-5 Eye Irrit. 2; S 0.5-1.0 < 1.0	IP. P501 P.	- Disp	RMAT EXP(NOHS0 ppm S. ES-VA STEL F NF , H311, H F NF , H311, H F NF , H319, H F NF F NF F NF F NF F NF F NF	ION SURE L SURE SURE SURE SURE SURE SURE SURE SURE	/contai	AIR (mg OSHA ppm STEL NA 7 NA 7 NA NA NA NA	a g/m ³) IDLH NA 25 NA NF NA NA NA	OTHER
PHE MET CHL -AMI AMII AMII ESO AMII NITF	PROPRIETARY BLEND NYLENEDIAMINE HYLRESORCINOL ORORESORCINOL NOPHENOL NO-4-HYDROXYETHYL- DANISOLE SULFATE NOPHENOL RCINOL	irritation occu Keep containe licensed treati 3. CC CAS No. NA 106-50-3 Acute Tox. 3 * 608-25-3 95-88-5 Acute Tox. 4; 5 591-27-5 83763-48-8 123-30-8 108-46-3	rs: get medic er tightly close ment, storage DMPOSIT NA SS8050000 ; Acute Tox. 3 *; VH2009500 VH0450000 Skin Irrit. 2; Eye NA NA NA	al advice/atter d. P405 – Sto or disposal fac ION & INC EINECS No. NA 203-404-7 Acute Tox. 3 *; E 210-155-8 202-462-1 Irrit. 2A; STOT S 209-711-2 280-734-8 204-616-2 203-585-2	with the second seco	IP. P501 P.	- Disp	RMAT EXPC NOHSC ppm S- ES- VA STEL F NF H311, H F NF , H319, H F NF , H319, H F NF , H319, H F NF F NF	ION SURE L SURE L S	/contai	AIR (mg OSHA ppm STEL NA NA 7 NA NF NA NA NA	a j/m ³) IDLH NA 25 NF NA NA NA NA NA	OTHER

7.3

Special Precautions

SAFETY DATA SHEET

Page 2 of 6 **PM-039**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision: 1.3 SDS Revision Date: 7/1/2016 4. FIRST AID MEASURES If ingested, do not induce vomiting. If product has been swallowed, drink plenty of water or milk 41 First Aid Ingestion: IMMEDIATELY. If the patient is vomiting, continue to offer water or milk. Never give water or milk to an unconscious person. Contact the nearest Poison Control Center or local emergency number. Provide an estimate of the time at which the material was ingested and the amount of the substance that was swallowed Splashes are not likely; however, if product gets in the eyes, flush with copious amounts of lukewarm Eyes: water for at least 15 minutes. If irritation occurs, contact a physician. Skin: If irritation occurs and product is on the skin, rinse thoroughly with lukewarm water, followed by a thorough washing of the affected area with soap and water. If irritation, redness or swelling persists, contact a physician immediately. Remove victim to fresh air at once. Inhalation: 4.2 Effects of Exposure: Ingestion: If product is swallowed, may cause nausea, vomiting and/or diarrhea. Eyes: Moderately irritating to the eyes. Symptoms of overexposure may include redness, itching, irritation and watering. May be irritating to skin. The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) in Skin: some sensitive individuals. Inhalation: None expected 4.3 Symptoms of Overexposure: Overexposure in eyes may cause redness, itching and watering. Symptoms of skin overexposure may include redness, itching, and irritation of affected areas. The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) in some sensitive individuals. 4.4 Acute Health Effects: Moderate irritation to eyes. Symptoms of overexposure may include redness, itching, stinging, irritation and watering. Moderate irritation to skin near affected areas. Chronic Health Effects: 4.5 No harmful or chronic health effects are expected to occur from a single accidental ingestion. Target Organs: Eyes, Skin 4.6 4.7 Medical Conditions Pre-existing dermatitis, other skin conditions, and disorders of the HEALTH 1 Aggravated by Exposure: target organs (eves and skin). FLAMMABILITY 0 **PHYSICAL HAZARDS** 1 **PROTECTIVE EQUIPMENT** В EYES SKIN 5. FIREFIGHTING MEASURES 5.1 Fire & Explosion Hazards: This product is not flammable. However, if involved in a fire, this product may decompose at high temperatures to form toxic gases (e.g., CO, CO₂, and NOx) Extinguishing Methods: 5.2 Water, Foam, CO₂, Dry Chemical 53 Firefighting Procedures: Fight fires as for surrounding materials. Hazardous decomposition products may be released. Thermal degradation may produce oxides of carbon and/or nitrogen, hydrocarbons and/or derivatives. Firefighters should wear a MSHA/NIOSH approved or equivalent self-contained breathing apparatus (SCBA) and protective clothing. Fire should be fought from a safe distance. Keep containers cool until well after the fire is out. Use water spray to cool fire-exposed surfaces and to protect personal. Fight fire upwind. Prevent runoff from fire control or dilution from entering sewers, drains, drinking water supply, or any natural waterway. 6. ACCIDENTAL RELEASE MEASURES 6.1 Spills Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment. For small spills (e.g., < 1 gallon (3.8 L)) wear appropriate personal protective equipment (e.g., goggles, gloves). Maximize ventilation (open doors and windows) and secure all sources of ignition. Remove spilled material with absorbent material and place into appropriate closed container(s) for disposal. Dispose of properly in accordance with local, state and federal regulations. Wash all affected areas and outside of container with plenty of warm water and soap. Remove any contaminated clothing and wash thoroughly before reuse. For large spills (e.g., ≥ 1 gallon (3.8 L)), deny entry to all unprotected individuals. Dike and contain spill with inert material (e.g., sand or earth). Transfer liquid to containers for recovery or disposal and solid diking material to separate containers for proper disposal. Remove contaminated clothing promptly and wash affected skin areas with soap and water. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water. 7. HANDLING & STORAGE INFORMATION Do not eat, drink or smoke when handling this product. Wash thoroughly after handling. Avoid contact with eyes, skin, Work & Hygiene Practices: 7.1 and clothing. Do not expose to heat and flame. Use only in ventilated areas. Keep out of the reach of children. Wash unintentional residues with soap and warm water. 7.2 Storage & Handling: Use and store in a cool, dry, well-ventilated location (e.g., local exhaust ventilation, fans) away from heat and direct sunlight. Avoid temperatures above 120°F. Keep away from incompatible substances. Protect containers from physical damage. To avoid unintentional spraying keep cap in place when not in use. Keep away from children at all times!

Spilled material may present a slipping hazard. Clean up all spills promptly.

97

Page 3 of 6 **PM-039**

OTHER

SAFETY DATA SHEET Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision: 1.3 SDS Revision Date: 7/1/2016 8. EXPOSURE CONTROLS & PERSONAL PROTECTION 8.1 Exposure Limits: ACGIH NOHSC OSHA ppm (mg/m³) STEL ES-TWA ES-STEL ES-PEAK STEL IDLH CHEMICAL NAME(S) TLV PEL p-PHENYLENEDIAMINE NA NA NF 0.1 NF NA NA 25 8.2 Ventilation & Engineering General mechanical (e.g., fans) or natural ventilation is sufficient when this product is in use. Use local or general Controls: exhaust ventilation to effectively remove and prevent buildup of vapors or mist generated from the handling of this product. Ensure appropriate decontamination equipment is available (e.g., sink, safety shower, eye-wash station) 8.3 Respiratory Protection: No special respiratory protection is required under typical circumstances of use or handling. In instances where vapors or sprays of this product are generated, and respiratory protection is needed, use only protection authorized by 29 CFR §1910.134, applicable U.S. State regulations, or the Canadian CAS Standard Z94.4-93 and applicable standards of Canadian Provinces, EC member States, or Australia. 8.4 Eve Protection: Avoid eye contact. None required under normal conditions of use. When handling large quantities (e.g., ≥ 1 gallon (3.8 L)) safety glasses with side shields should be used. 85 Hand Protection: Required under normal conditions of use to prevent staining and keep exposure level to a minimum. Use latex or PVC gloves. When handling large quantities (e.g., \geq 1 gallon (3.8 L)), wear rubber or impervious plastic gloves must be worn. 86 Body Protection: No apron required when handling small quantities. Lab coat or apron should be worn to protect skin and clothing. When handling large quantities (e.g., ≥ 1 gallon), eye wash stations and deluge showers should be available. Upon completion of work activities involving large quantities of this product, wash any exposed areas thoroughly with soap and water. 9. PHYSICAL & CHEMICAL PROPERTIES 9.1 Appearance Clear liquid 9.2 Odor: Perfumerv 9.3 Odor Threshold: NA 9.4 pH: NA Melting Point/Freezing Point 9.5 NA 9.6 Initial Boiling Point/Boiling NA Range: Flashpoint: NA 9.8 Upper/Lower Flammability NA Limits: 99 Vapor Pressure: NA 9.10 Vapor Density: 1.12 g/mL 9.11 Relative Density: NA 9.12 Solubility Slightly soluble Partition Coefficient (log Pow): 9.13 NA Autoignition Temperature 9.14 NA Decomposition Temperature: 9.15 NA 9.16 Viscosity NA 9.17 Other Information: NA 10. STABILITY & REACTIVITY 10.1 Stability This product is stable. 10.2 Hazardous Decomposition Oxides of carbon (CO, CO₂), nitrogen (NO_x) and sulfur (SO₂). Products 10.3 Hazardous Polymerization: Will not occur. 10.4 Conditions to Avoid Open flames, sparks, high heat, incompatible substances and direct sunlight. 10.5 Incompatible Substances Avoid extreme heat and ignition sources. Store away from oxidizers **11. TOXICOLOGICAL INFORMATION** Routes of Entry: Inhalation: NO Absorption: YES

11.1 Indestion: YES 11.2 Toxicity Data: This product has NOT been tested on animals to obtain toxicology data. Toxicology data, found in scientific literature, is available for some of the components of the product but is not presented in this document. 11.3 Acute Toxicity: Moderate irritation to eves and skin near affected areas. Additionally, high concentrations of vapors can cause drowsiness, dizziness, headaches and nausea. 11.4 Chronic Toxicity This material may aggravate any pre-existing skin condition (e.g., dermatitis). 11.5 Suspected Carcinogen: This product contains P-Phenylenediamine and Resorcinol which are not carcinogenic to humans, but are listed as Group 3 carcinogens by the IARC. This product contains P-Phenylenediamine ACGIH listed A4.

15.8

Other Requirements:

NA

SAFETY DATA SHEET

Page 4 of 6 **PM-039**

repa	ared to USHA, ACC, ANSI, N	IOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision: 1.3 SDS Revision Date: 7/1/2016
		11. TOXICOLOGICAL INFORMATION – cont'd
11.6	Reproductive Toxicity:	This product is not reported to produce reproductive toxicity in humans.
	Mutagenicity:	This product is not reported to produce mutagenic effects in humans.
	Embryotoxicity:	This product is not reported to produce embryotoxic effects in humans.
	Teratogenicity:	This product is not reported to cause teratogenic effects in humans.
	Reproductive Toxicity:	This product is not reported to cause reproductive effects in humans.
11.7	Irritancy of Product:	The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) upon prolonged or repeated exposure.
11.8	Biological Exposure Indices:	NE
11.9	Physician Recommendations:	Treat symptomatically.
		12. ECOLOGICAL INFORMATION
12.1	Environmental Stability:	There is no specific data available for this product.
12.2	Effects on Plants & Animals:	There is no specific data available for this product.
12.3	Effects on Aquatic Life:	There is no specific data available for this product.
		13. DISPOSAL CONSIDERATIONS
13.1	Waste Disposal:	Products covered by this Safety Data Sheet, in their original form, when disposed as waste, are considered in
		hazardous waste according to Federal RCRA regulations (40 CFR 261). Disposal should be in accordance with lo
		state and federal regulations. Dispose of in accordance with federal, state and local regulations.
13.2	Special Considerations:	California Waste Code: 331
		14. TRANSPORTATION INFORMATION
		nber, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additio e required by 49 CFR, IATA/ICAO, IMDG and the CTDGR.
14.1	49 CFR (GND):	NOT REGULATED
14.2	IATA (AIR):	NOT REGULATED
14.3	IMDG (OCN):	NOT REGULATED
14.4	TDGR (Canadian GND):	NOT REGULATED
14.5	ADR/RID (EU):	NOT REGULATED
14.6	SCT (MEXICO):	NOT REGULATED
14.7	ADGR (AUS):	NOT REGULATED
		15. REGULATORY INFORMATION
15.1	SARA Reporting Requirements:	This product contains <u>p-Phenylenediamine</u> a substance subject to SARA Title III, section 313 reporting requirements.
15.2	SARA Threshold Planning Quantity:	This product is not subject to the reporting requirements of SARA Title III, Section 302.
15.3	TSCA Inventory Status:	All components of this product are listed in the TSCA Inventory or are exempt.
15.4	CERCLA Reportable Quantity (RQ):	p-Phenylenediamine: 2,270 kg (5,000 lbs).
15.5	Other Federal Requirements:	This product complies with the appropriate sections of the Food and Drug Administration's 21 CFR Subchapter (Cosmetics).
15.6	Other Canadian Regulations:	This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List. WHMIS D2B (Other Toxic Effects).
15.7	State Regulatory Information:	<u>p-Phenylenediamine</u> is found on the following state criteria list: Florida Toxic Substances List (FL), Massachuse Hazardous Substances List (MA), Minnesota Hazardous Substances List (MN), New Jersey Right-to-Know List (N

Hazardous Substances List (MA), Minnesota Hazardous Substances List (MN), New Jersey Right-to-Know List (NJ),

No other ingredients in this product, present in a concentration of 1.0% or greater, are listed on any of the following state criteria lists: California Proposition 65 (CA65), Delaware Air Quality Management List (DE), Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Michigan Critical Substances List (MI), Minnesota Hazardous Substances List (MN), New Jersey Right-to-Know List (NJ), New York Hazardous Substances List (NY), Pennsylvania Right-to-Know List (PA), Washington Permissible Exposures List (WA), Wisconsin Hazardous Substances List (WI).

Pennsylvania Right-to-Know List (PA), and Washington Permissible Exposures List (WA).

SAFETY DATA SHEET

Page 5 of 6 **PM-039**

SDS Revision: 1.3 Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision Date: 7/1/2016 **16. OTHER INFORMATION** WARNING! CAUSES MILD SKIN IRRITATION. CAUSES EYE IRRITATION. For external use only. Use only as 16.1 Other Information: directed. Discontinue use immediately if irritation develops Keep away from children. Keep container tightly closed in a cool place. When using do not eat or drink. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Wear suitable protective clothing, gloves and eye/face protection. If case of accident or if you feel unwell seek medical advice immediately (show the label where possible). KEEP LOCKED UP AND OUT OF REACH OF CHILDREN. This product is designed and intended for use by a licensed cosmetologist/professional hairdresser only, and carries no warranty expressed or implied if used by others. CAN CAUSE AN ALLERGIC REACTION. Preliminary patch testing is recommended. Tattoos, including black and temporary henna, may increase the risk of allergy, If a severe allergic reaction should occur, immediately seek medical attention. This product must not be used for dyeing the eyelashes or to do so may cause blindness

		eyebrows; to do so may cause blindness.	
16.2	Terms & Definitions:	See last page of this Safety Data Sheet.	
16.3	Disclaimer:	government regulations must be reviewed f Manufacturing, LLC's knowledge, the informa accuracy, suitability or completeness is not gu provided. The information contained herein n	OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other or applicability to this product. To the best of ShipMate's & JPMS tion contained herein is reliable and accurate as of this date; however, aranteed and no warranties of any type, either expressed or implied, are elates only to the specific product(s). If this product(s) is combined with at be considered. Data may be changed from time to time. Be sure to
16.4	Prepared for:	JPMS Manufacturing, LLC 237 Buttonwood Street Reading, PA 19601 USA Tel: +1 (610) 374-4845 Fax: +1 (610) 373-7101	PAUL MITCHELL
16.5	Prepared by:	ShipMate, Inc. P.O. Box 787 Sisters, Oregon 97759-0787 USA Tel: +1 (310) 370-3600 Fax: +1 (310) 370-5700 http://www.shipmate.com	ShipMate Dangerous Goods Training & Consulting

SAFETY DATA SHEET

Page 6 of 6 PM-039

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 1.3

SDS Revision Date: 7/1/2016

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a SDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

CAS No. Chemical Abstract Service Number

EXPOSURE LIMITS IN AIR:

ACGIH	American Conference on Governmental Industrial Hygienists				
C	Ceiling Limit				
ES Exposure Standard (Australia)					
IDLH	Immediately Dangerous to Life and Health				
OSHA	U.S. Occupational Safety and Health Administration				
PEL	Permissible Exposure Limit				
STEL	Short-Term Exposure Limit				
TLV	Threshold Limit Value				
TWA	Time Weighted Average				

FIRST AID MEASURES:

CPR	Cardiopulmonary resuscitation - method in which a person whose heart has
	stopped receives manual chest compressions and breathing to circulate blood
	and provide oxygen to the body.


HMIS-III HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	Minimal Hazard	HEALTH
1	Slight Hazard	FLAMMABILITY
2	Moderate Hazard	PHYSICAL HAZARDS
3	Severe Hazard	PERSONAL PROTECTION
4	Extreme Hazard	

PERSONAL PROTECTION RATINGS:

1 2100					_						
Α						G		F			
В						Н		F			
С			Ę,			I		F			
D	B					J	0	F			
Е						κ	F	F			
F			Ę,I			X			uperviso Ig directio		
Sa	Safety Glasses Splash Goggles						Shield &		GI	oves	5
	Boots Synthetic Apron				Ρ		tive Cloth	ning	Dust R	e spi	rator
Full F	Full Face Respirator						ull Face spirator		Airline H or S		
ОТН	ER STAN	DARD	ABBRE\	IATIONS	:						
	ML	Maxin	num Limit								
	mg/m3	milligr	ams per cu	bic meter							
	NA	Not A	vailable								
	ND	Not D	etermined								
	NE	Not E	stablished								
		Not E									

HAZARD RATINGS:					
0	Minimal Hazard				
1	Slight Hazard				
2	Moderate Hazard				
3	Severe Hazard				
4	Extreme Hazard				
ACD	Acidic				
ALK	Alkaline				
COR	Corrosive				
W	Use No Water				
ох	Oxidizer				
TREFOIL	Radioactive				



TOXICOLOGICAL INFORMATION:

LD 50	Lethal Dose (solids & liquids) which kills 50% of the exposed animals
LC 50	Lethal concentration (gases) which kills 50% of the exposed animal
ppm	Concentration expressed in parts of material per million parts
TD _{Io}	Lowest dose to cause a symptom
TCLo	Lowest concentration to cause a symptom
TD _{lo} , LD _{lo} , & LD _o or	Lowest dose (or concentration) to cause lethal or toxic effects
TC, TC _o , LC _{io} , & LC _o	
IARC	International Agency for Research on Cancer
NTP	National Toxicology Program
RTECS	Registry of Toxic Effects of Chemical Substances
BCF	Bioconcentration Factor
TLm	Median threshold limit
log K _{ow} or log K _{oc}	Coefficient of Oil/Water Distribution

REGULATORY INFORMATION:

WHMIS	WHMIS Canadian Workplace Hazardous Material Information System								
DOT	U.S. Department of Transportation								
тс	Transport Canada								
EPA	U.S. Environmental Protection Agency								
DSL	Canadian Domestic Substance List								
NOHSC	National Occupational Health and Safety Commission (Australia)								
NDSL	Canadian Non-Domestic Substance List								
PSL	Canadian Priority Substances List								
TSCA	U.S. Toxic Substance Control Act								
EU	European Union (European Union Directive 67/548/EEC)								
WGK	Wassergefährdungsklassen (German Water Hazard Class)								
HMIS-III	National Paint & Coatings Association Hazardous Materials Identification System								

WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

\bigcirc	۲	٨	\bigcirc	1	۲		Ŕ
Class A	Class B	Class C	Class D1	Class D2	Class D3	Class E	Class F
Compressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive

EC (67/548/EEC) INFORMATION:

1ª		N	¥	•	&	×	×
С	E	F	Ν	0	т	Xi	Xn
Corrosive	Explosive	Flammable	Harmful	Oxidizing	Toxic	Irritant	Harmful

CLP/GHS (1272/2008/EC) PICTOGRAMS:

			\Diamond			\diamondsuit		
GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environment

ppm parts per million SCBA Self-Contained Breathing Apparatus NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

NF Not Found NR No Results

FLAMMABILITY LIMITS IN AIR:						
Autoignition	Minimum temperature required to initiate combustion in air with no other					
Temperature	source of ignition					
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will					
	explode or ignite in the presence of an ignition source					
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will					
	explode or ignite in the presence of an ignition source					