## SAFETY DATA SHEET

Page 1 of 6 PM-035

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 1.3

SDS Revision Date: 7/1/2016

1. PRODUCT & COMPANY IDENTIFICATION					
1.1	Product Name:	PAUL MITCHELL – FLASH BACK DEMI-PERMANENT COLOR 6N MEDIUM			
		NEUTRAL			
1.2	Chemical Name:	NA NA			
1.3	Synonyms:	JPMS – Flash Back Demi-permanent Color 6N Medium Neutral			
1.4	Trade Names:	Paul Mitchell – Flash Back Demi-permanent Color 6N Medium Neutral			
1.5	Product Uses & Restrictions:	Professional Use Only			
1.6	Distributor's Name:	JPMS Manufacturing, LLC			
1.7	Distributor's Address:	237 Buttonwood Street, Reading, PA 19601 USA			
1.8	Emergency Phone:	CHEMTREC: +1 (703) 527-3887 / +1 (800) 424-9300 (CCN 11977)			
1.9	Business Phone / Fax:	+1 (610) 374-4845 / +1(610) 373-7101			

#### 2. HAZARDS IDENTIFICATION

This product is classified as a HAZARDOUS SUBSTANCE but NOT as DANGEROUS GOODS Hazard Identification: according to the classification criteria of NOHSC: 1088 (2004) and ADG Code (Australia).

> WARNING! MAY CAUSES AN ALLERGIC SKIN REACTION. CAUSES SERIOUS EYE IRRITATION.

Classification: Skin Sens.1; Eye Irrit. 2A

Hazard Statements (H): H317 - May cause an allergic skin reaction. H319 - Causes serious eye

Precautionary Statements (P): P271 - Use only in well-ventilated area. P280 - Wear protective gloves and eye/face protection. P305+P351+P338 - IF IN EYES: Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 - If eye irritation persists: Get medical advice/attention. P312 - Call a POISON CENTER/doctor if you feel unwell. P332+P313 - If skin irritation occurs: get medical advice/attention. P405 - Store locked up. P501 - Dispose of contents/container to a licensed treatment, storage or disposal facility (TSDF).

NOTICE: This product is designed and intended for use by a licensed cosmetologist/professional hairdresser only, and carries no warranty, expressed or implied, if used by others. CAN CAUSE AN ALLERGIC REACTION. Preliminary patch testing is recommended. Tattoos, including black and temporary henna, may increase the risk of allergy. If a severe allergic reaction should occur, seek immediate medical attention. This product must not be used for dyeing the eyelashes or eyebrows - to do so may cause blindness.



### 3. COMPOSITION & INGREDIENT INFORMATION

				EXPOSURE LIMITS IN AIR (mg/m³)									
					ACGIH		NOHSC		OSHA				
					pp	om		ppm			ppm		
CHEMICAL NAME(S)	CAS No.	RTECS No.	EINECS No.	%	TLV	STEL	ES- TWA	ES- STEL	ES- PEAK	PEL	STEL	IDLH	OTHER
PMS PROPRIETARY BLEND	NA	NA	NA	60-100	NA	NA	NF	NF	NF	NA	NA	NA	
-PHENYLENEDIAMINE	106-50-3	SS8050000	203-404-7	< 1.0	NA	NA	NF	0.1	NF	NA	NA	25	
THEINT ELINEDI/ WIIINE	Acute Tox. 3 *:	; Acute Tox. 3 *;	Acute Tox. 3 *;	Eye Irrit. 2; S	Skin Sei	ns. 1; H	1331, H	311, H3	301, H3°	19, H31	7		
C YELLOW NO. 7	104226-21-3	NA	146-420-6	< 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
-CHLORORESORCINOL	95-88-5	VH0450000	202-462-1	< 1.0	NA	NA	NF	NF	NA	NF	NF	NF	
-CHLORORESORCINOL	Acute Tox. 4; \$	Skin Irrit. 2; Eye	Irrit. 2A; STOT S	SE 3; H302,	H312, F	1332, H	1331, H	319, H3	35				
-AMINOPHENOL	123-30-8	NA	204-616-2	< 1.0	NA	NA	NF	NF	NF	NA	NA	NA	

			4. FIRST AID MEASURES
4.1	First Aid:	Ingestion:	If ingested, do not induce vomiting. If product has been swallowed, drink plenty of water or milk IMMEDIATELY. If the patient is vomiting, continue to offer water or milk. Never give water or milk to an unconscious person. Contact the nearest Poison Control Center or local emergency number. Provide an estimate of the time at which the material was ingested and the amount of the substance that was swallowed.
		Eyes:	Splashes are not likely; however, if product gets in the eyes, flush with copious amounts of lukewarm water for at least 15 minutes. If irritation occurs, contact a physician.
		Skin:	If irritation occurs and product is on the skin, rinse thoroughly with lukewarm water, followed by a thorough washing of the affected area with soap and water. If irritation, redness or swelling persists, contact a physician immediately.
		Inhalation:	Remove victim to fresh air at once.
1			

## SAFETY DATA SHEET

Page 2 of 6 **PM-035** 

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision: 1.3 SDS Revision Date: 7/1/2016 4. FIRST AID MEASURES - cont'd 42 Effects of Exposure: If product is swallowed, may cause nausea, vomiting and/or diarrhea. Ingestion: Moderately irritating to the eyes. Symptoms of overexposure may include redness, itching, irritation and Eyes: May be irritating to skin. The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) in Skin: some sensitive individuals. Inhalation: None expected. 4.3 Symptoms of Overexposure: Overexposure in eyes may cause redness, itching and watering. Symptoms of skin overexposure may include redness, itching, and irritation of affected areas. The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) in some sensitive individuals. 4.4 Acute Health Effects: Moderate irritation to eyes. Symptoms of overexposure may include redness, itching, stinging, irritation and watering. Moderate irritation to skin near affected areas. 4.5 Chronic Health Effects: No harmful or chronic health effects are expected to occur from a single accidental ingestion. 4.6 Target Organs: 4.7 Medical Conditions Pre-existing dermatitis, other skin conditions, and disorders of the 1 **HEALTH** Aggravated by Exposure: target organs (eyes and skin). **FLAMMABILITY** 0 PHYSICAL HAZARDS 1 PROTECTIVE EQUIPMENT В **EYES** SKIN 5. FIREFIGHTING MEASURES 5.1 Fire & Explosion Hazards: This product is not flammable. However, if involved in a fire, this product may decompose at high temperatures to form toxic gases (e.g., CO, CO<sub>2</sub>, and NOx). Extinguishing Methods: 5.2 Water, Foam, CO2, Dry Chemical 5.3 Firefighting Procedures: Fight fires as for surrounding materials. Hazardous decomposition products may be released. Thermal degradation may produce oxides of carbon and/or nitrogen, hydrocarbons and/or derivatives. Firefighters should wear a MSHA/NIOSH approved or equivalent self-contained breathing apparatus (SCBA) and protective clothing. Fire should be fought from a safe distance. Keep containers cool until well after the fire is out. Use water spray to cool fire-exposed surfaces and to protect personal. Fight fire upwind. Prevent runoff from fire control or dilution from entering sewers, drains, drinking water supply, or any natural waterway. 6. ACCIDENTAL RELEASE MEASURES 6.1 Spills: Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective For small spills (e.g., < 1 gallon (3.8 L)) wear appropriate personal protective equipment (e.g., goggles, gloves). Maximize ventilation (open doors and windows) and secure all sources of ignition. Remove spilled material with absorbent material and place into appropriate closed container(s) for disposal. Dispose of properly in accordance with local, state and federal regulations. Wash all affected areas and outside of container with plenty of warm water and soap. Remove any contaminated clothing and wash thoroughly before reuse. For large spills (e.g., ≥ 1 gallon (3.8 L)), deny entry to all unprotected individuals. Dike and contain spill with inert material (e.g., sand or earth). Transfer liquid to containers for recovery or disposal and solid diking material to separate containers for proper disposal. Remove contaminated clothing promptly and wash affected skin areas with soap and water. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water. 7. HANDLING & STORAGE INFORMATION 7.1 Work & Hygiene Practices: Do not eat, drink or smoke when handling this product. Wash thoroughly after handling. Avoid contact with eyes, skin, and clothing. Do not expose to heat and flame. Use only in ventilated areas. Keep out of the reach of children. Wash unintentional residues with soap and warm water. 7.2 Storage & Handling: Use and store in a cool, dry, well-ventilated location (e.g., local exhaust ventilation, fans) away from heat and direct sunlight. Avoid temperatures above 120°F. Keep away from incompatible substances. Protect containers from physical damage. To avoid unintentional spraying keep cap in place when not in use. Keep away from children at all times! Special Precautions: 7.3 Spilled material may present a slipping hazard. Clean up all spills promptly. 8. EXPOSURE CONTROLS & PERSONAL PROTECTION Exposure Limits: ACGIH NOHSC OSHA OTHER ppm (mg/m<sup>3</sup>) CHEMICAL NAME(S) TLV STEL ES-TWA ES-STEL ES-PEAK PEL STEL IDLH p-PHENYLENEDIAMINE NA NA NF 0.1 NF NA NA 25 8.2 Ventilation & Engineering General mechanical (e.g., fans) or natural ventilation is sufficient when this product is in use. Use local or general exhaust ventilation to effectively remove and prevent buildup of vapors or mist generated from the handling of this product. Ensure appropriate decontamination equipment is available (e.g., sink, safety shower, eye-wash station).



### SAFETY DATA SHEET

Page 3 of 6 **PM-035** 

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision Date: 7/1/2016 8. EXPOSURE CONTROLS & PERSONAL PROTECTION – cont'd 8.3 Respiratory Protection: No special respiratory protection is required under typical circumstances of use or handling. In instances where vapors or sprays of this product are generated, and respiratory protection is needed, use only protection authorized by 29 CFR §1910.134, applicable U.S. State regulations, or the Canadian CAS Standard Z94.4-93 and applicable standards of Canadian Provinces, EC member States, or Australia. 8 4 Eve Protection: Avoid eye contact. None required under normal conditions of use. When handling large quantities (e.g., ≥ 1 gallon (3.8 L)) safety glasses with side shields should be used. 8.5 Hand Protection: Required under normal conditions of use to prevent staining and keep exposure level to a minimum. Use latex or PVC gloves. When handling large quantities (e.g., ≥ 1 gallon (3.8 L)), wear rubber or impervious plastic gloves must be worn. Body Protection: 8.6 No apron required when handling small quantities. Lab coat or apron should be worn to protect skin and clothing. When handling large quantities (e.g., ≥ 1 gallon), eye wash stations and deluge showers should be available. Upon completion of work activities involving large quantities of this product, wash any exposed areas thoroughly with soap and water. 9. PHYSICAL & CHEMICAL PROPERTIES 9 1 Appearance: Clear liquid 9.2 Odor Perfumery 9.3 Odor Threshold: NA 94 pH: NA 9.5 Melting Point/Freezing Point: NA 9.6 Initial Boiling Point/Boiling NA 97 Flashpoint: NA Upper/Lower Flammability 9.8 NA Limits: Vapor Pressure: 9.9 NA Vapor Density 9 10 1.12 g/mL Relative Density 9 11 NA 9.12 Solubility: Slightly soluble Partition Coefficient (log Pow): 9.13 NA 9 14 Autoignition Temperature NA 9.15 Decomposition Temperature: NA Viscosity: 9.16 NA Other Information: 9.17 NA 10. STABILITY & REACTIVITY 10.1 Stability: This product is stable. Hazardous Decomposition 10.2 Oxides of carbon (CO, CO<sub>2</sub>), nitrogen (NO<sub>x</sub>) and sulfur (SO<sub>2</sub>). Products 10.3 Hazardous Polymerization: Will not occur. 10.4 Conditions to Avoid Open flames, sparks, high heat, incompatible substances and direct sunlight. Incompatible Substances: 10.5 Avoid extreme heat and ignition sources. Store away from oxidizers 11. TOXICOLOGICAL INFORMATION Absorption: YES Ingestion: YES 11.1 Routes of Entry: Inhalation: NO 11.2 Toxicity Data: This product has NOT been tested on animals to obtain toxicology data. Toxicology data, found in scientific literature, is available for some of the components of the product but is not presented in this document. 113 Acute Toxicity: Moderate irritation to eyes and skin near affected areas. Additionally, high concentrations of vapors can cause drowsiness, dizziness, headaches and nausea. Chronic Toxicity 11.4 This material may aggravate any pre-existing skin condition (e.g., dermatitis). 11.5 Suspected Carcinogen: This product contains p-Phenylenediamine which is not carcinogenic to humans, but is listed as Group 3 carcinogens by the IARC. This product contains p-Phenylenediamine listed by ACGIH in group A4. 116 Reproductive Toxicity This product is not reported to produce reproductive toxicity in humans. Mutagenicity This product is not reported to produce mutagenic effects in humans. Embryotoxicity This product is not reported to produce embryotoxic effects in humans. Teratogenicity This product is not reported to cause teratogenic effects in humans. Reproductive Toxicity This product is not reported to cause reproductive effects in humans. 11.7 Irritancy of Product: The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) upon prolonged or repeated exposure. 11.8 Biological Exposure Indices NE Physician Recommendations: 11.9 Treat symptomatically.

## SAFETY DATA SHEET

Page 4 of 6 **PM-035** 

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision Date: 7/1/2016 12. ECOLOGICAL INFORMATION 12.1 Environmental Stability: There is no specific data available for this product. 12 2 Effects on Plants & Animals There is no specific data available for this product. Effects on Aquatic Life: There is no specific data available for this product. 12.3 13. DISPOSAL CONSIDERATIONS Waste Disposal: 13.1 Products covered by this Safety Data Sheet, in their original form, when disposed as waste, are considered non hazardous waste according to Federal RCRA regulations (40 CFR 261). Disposal should be in accordance with local, state and federal regulations. Dispose of in accordance with federal, state and local regulations 13 2 Special Considerations: California Waste Code: 331 14. TRANSPORTATION INFORMATION The basic description (ID Number, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional descriptive information may be required by 49 CFR, IATA/ICAO, IMDG and the CTDGR. 49 CFR (GND): 14 1 **NOT REGULATED** IATA (AIR): 14 2 **NOT REGULATED** IMDG (OCN): 14.3 **NOT REGULATED** 14.4 TDGR (Canadian GND): **NOT REGULATED** ADR/RID (EU): 14.5 **NOT REGULATED** 14.6 SCT (MEXICO): **NOT REGULATED** 14.7 ADGR (AUS): NOT REGULATED 15. REGULATORY INFORMATION SARA Reporting 15.1 This product contains p-Phenylenediamine a substance subject to SARA Title III, section 313 reporting requirements. Requirements 15.2 SARA Threshold Planning This product is not subject to the reporting requirements of SARA Title III, Section 302. Quantity: 15.3 TSCA Inventory Status: All components of this product are listed in the TSCA Inventory or are exempt. **CERCLA Reportable Quantity** 15.4 p-Phenylenediamine: 2,270 kg (5,000 lbs). (RQ): 15.5 Other Federal Requirements: This product complies with the appropriate sections of the Food and Drug Administration's 21 CFR Subchapter G. (Cosmetics). 15.6 Other Canadian Regulations: This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List. WHMIS D2B (Other Toxic Effects). p-Phenylenediamine is found on the following state criteria list: Florida Toxic Substances List (FL), Massachusetts 15.7 State Regulatory Information: Hazardous Substances List (MA), Minnesota Hazardous Substances List (MN), New Jersey Right-to-Know List (NJ), Pennsylvania Right-to-Know List (PA), and Washington Permissible Exposures List (WA). No other ingredients in this product, present in a concentration of 1.0% or greater, are listed on any of the following state criteria lists: California Proposition 65 (CA65), Delaware Air Quality Management List (DE), Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Michigan Critical Substances List (MI), Minnesota Hazardous Substances List (MN), New Jersey Right-to-Know List (NJ), New York Hazardous Substances List (NY), Pennsylvania Right-to-Know List (PA), Washington Permissible Exposures List (WA), Wisconsin Hazardous Substances List (WI). Other Requirements: 15.8 NA

# **SAFETY DATA SHEET**

Page 5 of 6 **PM-035** 

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 1.3

SDS Revision Date: 7/1/2016

	40 OTHER INCORMATION					
			NFORMATION			
16.1	Other Information:	WARNING! CAUSES MILD SKIN IRRITATION. CAUSES EYE IRRITATION. For external use only. Use only as directed. Discontinue use immediately if irritation develops Keep away from children. Keep container tightly closed in a cool place. When using do not eat or drink. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Wear suitable protective clothing, gloves and eye/face protection. If case of accident or if you feel unwell seek medical advice immediately (show the label where possible). KEEP LOCKED UP AND OUT OF REACH OF CHILDREN.  This product is designed and intended for use by a licensed cosmetologist/professional hairdresser only, and carries no warranty expressed or implied if used by others. CAN CAUSE AN ALLERGIC REACTION. Preliminary patch testing is recommended. Tattoos, including black and temporary henna, may increase the risk of allergy, If a severe allergic reaction should occur, immediately seek medical attention. This product must not be used for dyeing the eyelashes or eyebrows: to do so may cause blindness.				
16.2	Terms & Definitions:	See last page of this Safety Data Sheet.				
16.3	Disclaimer:	government regulations must be reviewe Manufacturing, LLC's knowledge, the infor accuracy, suitability or completeness is not provided. The information contained herei	t to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other d for applicability to this product. To the best of ShipMate's & JPMS mation contained herein is reliable and accurate as of this date; however, guaranteed and no warranties of any type, either expressed or implied, are n relates only to the specific product(s). If this product(s) is combined with must be considered. Data may be changed from time to time. Be sure to			
16.4	Prepared for:	JPMS Manufacturing, LLC 237 Buttonwood Street Reading, PA 19601 USA Tel: +1 (610) 374-4845 Fax: +1 (610) 373-7101	PAUL MITCHELL			
16.5	Prepared by:	ShipMate, Inc. P.O. Box 787 Sisters, Oregon 97759-0787 USA Tel: +1 (310) 370-3600 Fax: +1 (310) 370-5700 http://www.shipmate.com	ShipMate  Dangerous Goods Training & Consulting			

## **SAFETY DATA SHEET**

Page 6 of 6 PM-035

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision Date: 7/1/2016

#### **DEFINITION OF TERMS**

A large number of abbreviations and acronyms appear on a SDS. Some of these that are commonly used include the following:

#### **GENERAL INFORMATION:**

CAS No. Chemical Abstract Service Number

#### **EXPOSURE LIMITS IN AIR:**

ACGIH	ACGIH   American Conference on Governmental Industrial Hygienists	
С	Ceiling Limit	
ES	Exposure Standard (Australia)	
IDLH	IDLH Immediately Dangerous to Life and Health	
OSHA U.S. Occupational Safety and Health Administration		
PEL Permissible Exposure Limit		
STEL Short-Term Exposure Limit		
TLV	Threshold Limit Value	
TWA Time Weighted Average		

#### FIRST AID MEASURES:

CPR	Cardiopulmonary resuscitation - method in which a person whose heart has
	stopped receives manual chest compressions and breathing to circulate blood
	and provide oxygen to the body


#### HMIS-III HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard



#### PERSONAL PROTECTION RATINGS:

Α			
В			
С		THE STATE OF THE S	
D		THE THE	
E			
F		THE STATE OF THE S	









Synthetic Apron





**Full Face Respirator** 



Full Face Respirator

Airline Hood/Mask or SCBA

#### OTHER STANDARD ABBREVIATIONS:

ML	ML Maximum Limit	
mg/m3	mg/m3   milligrams per cubic meter	
NA	Not Available	
ND	Not Determined	
NE	Not Established	
NF	Not Found	
NR	No Results	
ppm	parts per million	
SCBA	Self-Contained Breathing Apparatus	

#### NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILITY LIMITS IN AIR:				
Autoignition	Minimum temperature required to initiate combustion in air with no other			
Temperature	source of ignition			
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will			
	explode or ignite in the presence of an ignition source			
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will			
	explode or ignite in the presence of an ignition source			

#### **HAZARD RATINGS:**

0	Minimal Hazard	
1	Slight Hazard	
2	Moderate Hazard	
3	Severe Hazard	
4	Extreme Hazard	
ACD	Acidic	
ALK	Alkaline	
COR	Corrosive	
W	Use No Water	
OX	Oxidizer	
TREFOIL	Radioactive	



#### TOXICOLOGICAL INFORMATION:

LD <sub>50</sub>	Lethal Dose (solids & liquids) which kills 50% of the exposed animals
LC <sub>50</sub>	Lethal concentration (gases) which kills 50% of the exposed animal
ppm	Concentration expressed in parts of material per million parts
TD <sub>Io</sub>	Lowest dose to cause a symptom
TCLo	Lowest concentration to cause a symptom
TD <sub>io</sub> , LD <sub>io</sub> , & LD <sub>o</sub> or	Lowest dose (or concentration) to cause lethal or toxic effects
TC, TC <sub>o</sub> , LC <sub>io</sub> , & LC <sub>o</sub>	
IARC	International Agency for Research on Cancer
NTP	National Toxicology Program
RTECS	Registry of Toxic Effects of Chemical Substances
BCF	Bioconcentration Factor
TL <sub>m</sub>	Median threshold limit
log K <sub>ow</sub> or log K <sub>oc</sub>	Coefficient of Oil/Water Distribution

#### **REGULATORY INFORMATION:**

14/11410						
WHMIS	Canadian Workplace Hazardous Material Information System					
DOT	U.S. Department of Transportation					
TC	Transport Canada					
EPA	U.S. Environmental Protection Agency					
DSL	Canadian Domestic Substance List					
NOHSC	DHSC National Occupational Health and Safety Commission (Australia)					
NDSL	SL Canadian Non-Domestic Substance List					
PSL	Canadian Priority Substances List					
TSCA	U.S. Toxic Substance Control Act					
EU	European Union (European Union Directive 67/548/EEC)					
WGK	Wassergefährdungsklassen (German Water Hazard Class)					
HMIS-III	National Paint & Coatings Association Hazardous Materials Identification System					

#### WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

0	<b>(*)</b>	<b>(2)</b>	(3)	$\odot$	(4)		
Class A	Class B	Class C	Class D1	Class D2	Class D3	Class E	Class F
Compressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive

#### EC (67/548/EEC) INFORMATION:

13		M	*		<b>&amp;</b>	X	X
С	E	F	N	0	Т	Xi	Xn
Corrosive	Explosive	Flammable	Harmful	Oxidizing	Toxic	Irritant	Harmful

#### CLP/GHS (1272/2008/EC) PICTOGRAMS:

			$\Diamond$			<b>\</b>		
GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environment