Page 1 of 6 SAFETY DATA SHEET PAUL MITCHELL PM-036 SDS Revision: 1.3 Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision Date: 7/1/2016 1. PRODUCT & COMPANY IDENTIFICATION 11 Product Name: PAUL MITCHELL – FLASH BACK DEMI-PERMANENT COLOR 6WN MEDIUM WARM NATURAL 1.2 Chemical Name: NA 1.3 Synonyms JPMS - Flash Back Demi-permanent Color 6WN Medium Warm Natural 1.4 Trade Names: Paul Mitchell – Flash Back Demi-permanent Color 6WN Medium Warm Natural 1.5 Product Uses & Restrictions: Professional Use Only JPMS Manufacturing, LLC 1.6 Distributor's Name: 237 Buttonwood Street, Reading, PA 19601 USA 1.7 Distributor's Address: 18 Emergency Phone: CHEMTREC: +1 (703) 527-3887 / +1 (800) 424-9300 (CCN 11977) Business Phone / Fax: 19 +1 (610) 374-4845 / +1(610) 373-7101 2. HAZARDS IDENTIFICATION This product is classified as a HAZARDOUS SUBSTANCE but NOT as DANGEROUS GOODS 21 Hazard Identification: according to the classification criteria of NOHSC: 1088 (2004) and ADG Code (Australia). WARNING! MAY CAUSES AN ALLERGIC SKIN REACTION. CAUSES SERIOUS EYE **IRRITATION.** Classification: Skin Sens.1; Eye Irrit. 2A Hazard Statements (H): H317 - May cause an allergic skin reaction. H319 - Causes serious eye irritation. Precautionary Statements (P): P271 - Use only in well-ventilated area. P280 - Wear protective gloves and eye/face protection. P305+P351+P338 - IF IN EYES: Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 - If eye irritation persists: Get medical advice/attention. P312 - Call a POISON CENTER/doctor if you feel unwell. P332+P313 - If skin irritation occurs: get medical advice/attention. P405 - Store locked up. P501 - Dispose of contents/container to a licensed treatment, storage or disposal facility (TSDF). NOTICE: This product is designed and intended for use by a licensed cosmetologist/professional hairdresser only, and carries no warranty, expressed or implied, if used by others. CAN CAUSE AN ALLERGIC REACTION. Preliminary patch testing is recommended. Tattoos, including black and temporary henna, may increase the risk of allergy. If a severe allergic reaction should occur, seek immediate medical attention. This product must not be used for dyeing the eyelashes or evebrows - to do so may cause blindness 3. COMPOSITION & INGREDIENT INFORMATION EXPOSURE LIMITS IN AIR (mg/m³) ACGIH NOHSC OSHA ppm ppm ppm ES-ES-ES-RTECS No. EINECS No. TLV STEL TWA PEAK PEL STEL IDLH OTHER CAS No. % CHEMICAL NAME(S) STEL 60-100 NA NA NA NA NA NF NF NF NA NA NA JPMS PROPRIETARY BLEND 106-50-3 SS8050000 203-404-7 < 1.0 NA NA NF 0.1 NF NA NA 25 p-PHENYLENEDIAMINE Acute Tox. 3 *; Acute Tox. 3 *; Acute Tox. 3 *; Eye Irrit. 2; Skin Sens. 1; H331, H311, H301, H319, H317 591-27-5 209-711-2 < 1.0 NA NA NF NF NF NA NA NA NA m-AMINOPHENOL 210-155-8 608-25-3 VH2009500 < 1.0 NA NA NF NF NF NA NA NA 2-METHYLRESORCINOL 2-AMINO-4-83763-48-8 NA 280-734-8 < 1.0 NA NA NF NF NF NA NA NA HYDROXYETHYLAMINOANISOLE SULFATE 95-88-5 VH0450000 202-462-1 < 1.0 NA NA NF NF NA NF NF NF 4-CHLORORESORCINOL Acute Tox, 4: Skin Irrit, 2: Eve Irrit, 2A: STOT SE 3: H302, H312, H332, H331, H319, H335 204-616-2 NA NA NF NF NF NA NA 123-30-8 NA < 1.0 NA p-AMINOPHENOL

SAFETY DATA SHEET

Page 2 of 6 **PM-036**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision: 1.3 SDS Revision Date: 7/1/2016 4. FIRST AID MEASURES If ingested, do not induce vomiting. If product has been swallowed, drink plenty of water or milk 41 First Aid Ingestion: IMMEDIATELY. If the patient is vomiting, continue to offer water or milk. Never give water or milk to an unconscious person. Contact the nearest Poison Control Center or local emergency number. Provide an estimate of the time at which the material was ingested and the amount of the substance that was swallowed Splashes are not likely; however, if product gets in the eyes, flush with copious amounts of lukewarm Eyes: water for at least 15 minutes. If irritation occurs, contact a physician. If irritation occurs and product is on the skin, rinse thoroughly with lukewarm water, followed by a thorough Skin: washing of the affected area with soap and water. If irritation, redness or swelling persists, contact a physician immediately. Remove victim to fresh air at once. Inhalation: 4.2 Effects of Exposure: Ingestion: If product is swallowed, may cause nausea, vomiting and/or diarrhea. Eyes: Moderately irritating to the eyes. Symptoms of overexposure may include redness, itching, irritation and watering. May be irritating to skin. The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) in Skin: some sensitive individuals. Inhalation: None expected 4.3 Symptoms of Overexposure: Overexposure in eyes may cause redness, itching and watering. Symptoms of skin overexposure may include redness, itching, and irritation of affected areas. The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) in some sensitive individuals. 4.4 Acute Health Effects: Moderate irritation to eyes. Symptoms of overexposure may include redness, itching, stinging, irritation and watering. Moderate irritation to skin near affected areas. Chronic Health Effects: 4.5 No harmful or chronic health effects are expected to occur from a single accidental ingestion. Target Organs: Eyes, Skin 4.6 4.7 Medical Conditions Pre-existing dermatitis, other skin conditions, and disorders of the HEALTH 1 Aggravated by Exposure: target organs (eves and skin). FLAMMABILITY 0 **PHYSICAL HAZARDS** 1 **PROTECTIVE EQUIPMENT** В EYES SKIN 5. FIREFIGHTING MEASURES 5.1 Fire & Explosion Hazards: This product is not flammable. However, if involved in a fire, this product may decompose at high temperatures to form toxic gases (e.g., CO, CO₂, and NOx). Extinguishing Methods: 5.2 Water, Foam, CO₂, Dry Chemical 53 Firefighting Procedures: Fight fires as for surrounding materials. Hazardous decomposition products may be released. Thermal degradation may produce oxides of carbon and/or nitrogen, hydrocarbons and/or derivatives. Firefighters should wear a MSHA/NIOSH approved or equivalent self-contained breathing apparatus (SCBA) and protective clothing. Fire should be fought from a safe distance. Keep containers cool until well after the fire is out. Use water spray to cool fire-exposed surfaces and to protect personal. Fight fire upwind. Prevent runoff from fire control or dilution from entering sewers, drains, drinking water supply, or any natural waterway. 6. ACCIDENTAL RELEASE MEASURES 6.1 Spills Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment. For small spills (e.g., < 1 gallon (3.8 L)) wear appropriate personal protective equipment (e.g., goggles, gloves). Maximize ventilation (open doors and windows) and secure all sources of ignition. Remove spilled material with absorbent material and place into appropriate closed container(s) for disposal. Dispose of properly in accordance with local, state and federal regulations. Wash all affected areas and outside of container with plenty of warm water and soap. Remove any contaminated clothing and wash thoroughly before reuse. For large spills (e.g., ≥ 1 gallon (3.8 L)), deny entry to all unprotected individuals. Dike and contain spill with inert material (e.g., sand or earth). Transfer liquid to containers for recovery or disposal and solid diking material to separate containers for proper disposal. Remove contaminated clothing promptly and wash affected skin areas with soap and water. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water. 7. HANDLING & STORAGE INFORMATION Do not eat, drink or smoke when handling this product. Wash thoroughly after handling. Avoid contact with eyes, skin, Work & Hygiene Practices: 7.1 and clothing. Do not expose to heat and flame. Use only in ventilated areas. Keep out of the reach of children. Wash unintentional residues with soap and warm water. 7.2 Storage & Handling: Use and store in a cool, dry, well-ventilated location (e.g., local exhaust ventilation, fans) away from heat and direct sunlight. Avoid temperatures above 120°F. Keep away from incompatible substances. Protect containers from physical damage. To avoid unintentional spraying keep cap in place when not in use. Keep away from children at all times! Spilled material may present a slipping hazard. Clean up all spills promptly. 7.3 Special Precautions

SAFETY DATA SHEET

Page 3 of 6 **PM-036**

PAL	<u>JL MITCHELL</u>	
Prepa	ared to OSHA, ACC, ANSI, N	IOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision: 1.3 SDS Revision Date: 7/1/2016
		8. EXPOSURE CONTROLS & PERSONAL PROTECTION
8.1	Exposure Limits:	ACGIH NOHSC OSHA OTHER
	ppm (mg/m ³)	CHEMICAL NAME(S) TLV STEL ES-TWA ES-STEL ES-PEAK PEL STEL IDLH
8.2	Ventilation & Engineering	P-PHENYLENEDIAMINE NA NA NF 0.1 NF NA NA 25
0.2	Controls:	General mechanical (e.g., fans) or natural ventilation is sufficient when this product is in use. Use local or general exhaust ventilation to effectively remove and prevent buildup of vapors or mist generated from the handling of this
		product. Ensure appropriate decontamination equipment is available (e.g., sink, safety shower, eye-wash station).
8.3	Respiratory Protection:	No special respiratory protection is required under typical circumstances of use or handling. In
		instances where vapors or sprays of this product are generated, and respiratory protection is needed, use only protection authorized by 29 CFR §1910.134, applicable U.S. State regulations, or
		the Canadian CAS Standard Z94.4-93 and applicable standards of Canadian Provinces, EC
8.4	Eye Protection:	member States, or Australia. Avoid eye contact. None required under normal conditions of use. When handling large quantities
0.4	Lyc Frotection.	(e.g., \geq 1 gallon (3.8 L)) safety glasses with side shields should be used.
8.5	Hand Protection:	Required under normal conditions of use to prevent staining and keep exposure level to a
		minimum. Use latex or PVC gloves. When handling large quantities (e.g., ≥ 1 gallon (3.8 L)), wear
8.6	Body Protection:	rubber or impervious plastic gloves must be worn. No apron required when handling small quantities. Lab coat or apron should be worn to protect
0.0	body i fotection.	skin and clothing. When handling large quantities (e.g., ≥ 1 gallon), eye wash stations and deluge
		showers should be available. Upon completion of work activities involving large quantities of this
		product, wash any exposed areas thoroughly with soap and water.
		9. PHYSICAL & CHEMICAL PROPERTIES
9.1	Appearance:	Clear liquid
9.2	Odor:	Perfumery
9.3	Odor Threshold:	NA
9.4	pH:	NA
9.5 9.6	Melting Point/Freezing Point: Initial Boiling Point/Boiling	NA
	Range:	NA
9.7 9.8	Flashpoint: Upper/Lower Flammability	NA
	Limits:	NA
9.9 9.10	Vapor Pressure:	NA
9.10	Vapor Density: Relative Density:	1.12 g/mL NA
9.12	Solubility:	Slightly soluble
9.13	Partition Coefficient (log Pow):	NA
9.14	Autoignition Temperature:	NA
9.15	Decomposition Temperature:	NA
9.16 9.17	Viscosity: Other Information:	NA NA
		10. STABILITY & REACTIVITY
10.1	Stability:	This product is stable.
10.2	Hazardous Decomposition Products:	Oxides of carbon (CO, CO_2), nitrogen (NO _x) and sulfur (SO ₂).
10.3	Hazardous Polymerization:	Will not occur.
10.4	Conditions to Avoid:	Open flames, sparks, high heat, incompatible substances and direct sunlight.
10.5	Incompatible Substances:	Avoid extreme heat and ignition sources. Store away from oxidizers.
		11. TOXICOLOGICAL INFORMATION
11.1	Routes of Entry:	Inhalation: NO Absorption: YES Ingestion: YES
11.2	Toxicity Data:	This product has NOT been tested on animals to obtain toxicology data. Toxicology data, found in scientific literature, is
		available for some of the components of the product but is not presented in this document.
11.3	Acute Toxicity:	Moderate irritation to eyes and skin near affected areas. Additionally, high concentrations of vapors can cause
11.4	Chronic Toxicity:	drowsiness, dizziness, headaches and nausea. This material may aggravate any pre-existing skin condition (e.g., dermatitis).
11.5	Suspected Carcinogen:	This product contains <u>p-Phenylenediamine</u> , which are not carcinogenic to humans, but are listed as Group 3 carcinogens
		by the IARC. This product contains <u>p-Phenylenediamine</u> listed by ACGIH in group A4.
11.6	Reproductive Toxicity:	This product is not reported to produce reproductive toxicity in humans.
	Mutagenicity: Embryotoxicity:	This product is not reported to produce mutagenic effects in humans. This product is not reported to produce embryotoxic effects in humans.
	Teratogenicity:	This product is not reported to cause teratogenic effects in humans.
	Reproductive Toxicity:	This product is not reported to cause reproductive effects in humans.

SAFETY DATA SHEET

Page 4 of 6 **PM-036**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 1.3

SDS Revision Date: 7/1/2016

11. TOXICOLOGICAL INFORMATION – cont'd			
11.7	Irritancy of Product:	The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) upon prolonged or repeated exposure.	
11.8	Biological Exposure Indices:	NE	
11.9	Physician Recommendations:	Treat symptomatically.	

12. ECOLOGICAL INFORMATION

	Effects on Aquatic Life:	There is no specific data available for this product. There is no specific data available for this product.
12.2	Effects on Plants & Animals:	There is no specific data available for this product.
12.1	Environmental Stability:	There is no specific data available for this product.

13. DISPOSAL CONSIDERATIONS

13.1	Waste Disposal:	Products covered by this Safety Data Sheet, in their original form, when disposed as waste, are considered non hazardous waste according to Federal RCRA regulations (40 CFR 261). Disposal should be in accordance with local.			
		state and federal regulations. Dispose of in accordance with federal, state and local regulations.			
13.2	Special Considerations:	California Waste Code: 331			

14. TRANSPORTATION INFORMATION

The basic description (ID Number, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional descriptive information may be required by 49 CFR, IATA/ICAO, IMDG and the CTDGR.

14.1	49 CFR (GND):	NOT REGULATED
14.2	IATA (AIR):	NOT REGULATED
14.3	IMDG (OCN):	NOT REGULATED
14.4	TDGR (Canadian GND):	NOT REGULATED
14.5	ADR/RID (EU):	NOT REGULATED
14.6	SCT (MEXICO):	NOT REGULATED
14.7	ADGR (AUS):	NOT REGULATED

		15. REGULATORY INFORMATION		
15.1	15.1 SARA Reporting Requirements: This product contains <u>p-Phenylenediamine</u> a substance subject to SARA Title III, section 313 reporting requirements			
15.2	SARA Threshold Planning Quantity:	This product is not subject to the reporting requirements of SARA Title III, Section 302.		
15.3	TSCA Inventory Status:	All components of this product are listed in the TSCA Inventory or are exempt.		
15.4	CERCLA Reportable Quantity (RQ):	<u>p-Phenylenediamine:</u> 2,270 kg (5,000 lbs).		
15.5	Other Federal Requirements:	This product complies with the appropriate sections of the Food and Drug Administration's 21 CFR Subchapter G, (Cosmetics).		
15.6	Other Canadian Regulations:	This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List. WHMIS D2B (Other Toxic Effects).		
15.7	State Regulatory Information:	<u>p-Phenylenediamine</u> is found on the following state criteria list: Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Minnesota Hazardous Substances List (MN), New Jersey Right-to-Know List (NJ), Pennsylvania Right-to-Know List (PA), and Washington Permissible Exposures List (WA). No other ingredients in this product, present in a concentration of 1.0% or greater, are listed on any of the following state criteria lists: California Proposition 65 (CA65), Delaware Air Quality Management List (DE), Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Michigan Critical Substances List (MI), Minnesota Hazardous Substances List (NJ), New York Hazardous Substances List (NY), Pennsylvania Right-to-Know List (PA), Washington Permissible Exposures List (WA), Wisconsin Hazardous Substances List (WI).		
15.8	Other Requirements:	NA		

Г

SAFETY DATA SHEET

Page 5 of 6 **PM-036**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 1.3

SDS Revision Date: 7/1/2016

	16. OTHER INFORMATION					
16.1	Other Information:	WARNING! CAUSES MILD SKIN IRRITATION. CAUSES EYE IRRITATION. For external use only. Use only as directed. Discontinue use immediately if irritation develops Keep away from children. Keep container tightly closed in a cool place. When using do not eat or drink. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Wear suitable protective clothing, gloves and eye/face protection. If case of accident or if you feel unwell seek medical advice immediately (show the label where possible). KEEP LOCKED UP AND OUT OF REACH OF CHILDREN.				
		warranty expressed or implied if used by others recommended. Tattoos, including black and t	This product is designed and intended for use by a licensed cosmetologist/professional hairdresser only, and carries no warranty expressed or implied if used by others. CAN CAUSE AN ALLERGIC REACTION. Preliminary patch testing is recommended. Tattoos, including black and temporary henna, may increase the risk of allergy, If a severe allergic reaction should occur, immediately seek medical attention. This product must not be used for dyeing the eyelashes or evebrows: to do so may cause blindness.			
16.2	Terms & Definitions:	See last page of this Safety Data Sheet.				
16.3	Disclaimer:	This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's & JPMS Manufacturing, LLC's knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness is not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.				
16.4	Prepared for:	JPMS Manufacturing, LLC 237 Buttonwood Street Reading, PA 19601 USA Tel: +1 (610) 374-4845 Fax: +1 (610) 373-7101	PAUL MITCHELL			
16.5	Prepared by:	ShipMate, Inc. P.O. Box 787 Sisters, Oregon 97759-0787 USA Tel: +1 (310) 370-3600 Fax: +1 (310) 370-5700 http://www.shipmate.com	ShipMate Dangerous Goods Training & Consulting			

SAFETY DATA SHEET

Page 6 of 6 **PM-036**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 1.3

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a SDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

CAS No. Chemical Abstract Service Number

EXPOSURE LIMITS IN AIR:

ACGIH	American Conference on Governmental Industrial Hygienists		
C	Ceiling Limit		
ES	Exposure Standard (Australia)		
IDLH	Immediately Dangerous to Life and Health		
OSHA	U.S. Occupational Safety and Health Administration		
PEL	Permissible Exposure Limit		
STEL	Short-Term Exposure Limit		
TLV	Threshold Limit Value		
TWA	Time Weighted Average		

FIRST AID MEASURES:

CPR	Cardiopulmonary resuscitation - method in which a person whose heart has
	stopped receives manual chest compressions and breathing to circulate blood
	and provide oxygen to the body.

HMIS-III HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	Minimal Hazard	HEALTH
1	Slight Hazard	FLAMMABILITY
2	Moderate Hazard	PHYSICAL HAZARDS
3	Severe Hazard	PERSONAL PROTECTION
4	Extreme Hazard	

PERSONAL PROTECTION RATINGS:

		Core en						
Α				G	0	(I)		
в				Η	0		E.	
С				Ι	0	E		
D	B			J	0		I	
Е				κ	Î			
F				Χ	Consult special I	your su nandlin	pervisor og direction	or SOPs fo s.
Sa	fety Glass	es Splash Gogg	lles Pr		Shield 8		Glov	es
Boots Synthetic Apron		ron Pr	rotect & F	ive Cloth	ing	Dust Res	pirator	
Full Face Respirator					III Face spirator		Airline Ho or SC	
OTHER STANDARD ABBREVIATIONS:								
ML Maximum Limit								
	mg/m3 milligrams per cubic meter		neter					
	NA Not Available							
	ND	Not Determined						
1	NE	Not Established						

Not Estab NF Not Found NR No Results ppm parts per million SCBA Self-Contained Breathing Apparatus

NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILITY LIMITS IN AIR: Autoignition | Minimum temperature required to initiate combustion in air with no other Temperature source of ignition LEL Lower Explosive Limit - lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source Upper Explosive Limit - highest percent of vapor in air, by volume, that will UEL explode or ignite in the presence of an ignition source

HAZARD RATINGS: 0 Minimal Hazard 1 Slight Hazard

	olight hazara
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard
ACD	Acidic
ALK	Alkaline
COR	Corrosive
W	Use No Water
OX	Oxidizer
TREFOIL	Radioactive



TOXICOLOGICAL INFORMATION:

LD 50	Lethal Dose (solids & liquids) which kills 50% of the exposed animals					
LC 50	Lethal concentration (gases) which kills 50% of the exposed animal					
ppm	Concentration expressed in parts of material per million parts					
TD _{Io}	Lowest dose to cause a symptom					
TCLo	Lowest concentration to cause a symptom					
TD _{lo} , LD _{lo} , & LD _o or	Lowest dose (or concentration) to cause lethal or toxic effects					
TC, TC _o , LC _{io} , & LC _o						
IARC	International Agency for Research on Cancer					
NTP	National Toxicology Program					
RTECS	Registry of Toxic Effects of Chemical Substances					
BCF	Bioconcentration Factor					
TLm	Median threshold limit					
log K _{ow} or log K _{oc}	Coefficient of Oil/Water Distribution					

REGULATORY INFORMATION:

REGOLAIC	
WHMIS	Canadian Workplace Hazardous Material Information System
DOT	U.S. Department of Transportation
тс	Transport Canada
EPA	U.S. Environmental Protection Agency
DSL	Canadian Domestic Substance List
NOHSC	National Occupational Health and Safety Commission (Australia)
NDSL	Canadian Non-Domestic Substance List
PSL	Canadian Priority Substances List
TSCA	U.S. Toxic Substance Control Act
EU	European Union (European Union Directive 67/548/EEC)
WGK	Wassergefährdungsklassen (German Water Hazard Class)
HMIS-III	National Paint & Coatings Association Hazardous Materials Identification System

WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

\bigcirc	۲	٢	$\textcircled{\begin{subarray}{c} \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \$	1	۲		Ŕ
Class A	Class B	Class C	Class D1	Class D2	Class D3	Class E	Class F
Compressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive

EC (67/548/EEC) INFORMATION:

		N.	¥2	0	*	×	×	
С	E	F	Ν	0	т	Xi	Xn	
Corrosive	Explosive	Flammable	Harmful	Oxidizing	Toxic	Irritant	Harmful	

CLP/GHS (1272/2008/EC) PICTOGRAMS:

			\Diamond			\diamondsuit		
GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environment

