PAUL MITCHELL				SAF	ΕΤΥ [	DAT	Α	SF	IE	ΞT					Page 1 of 6 <b>2K-001</b>
Prepa	red to OSHA, ACC	, ANSI, NOI	HSC, WHMIS, 20	001/58 & 1272/20	08/EC Standard	S		SDS	Revisio	า: 1.6		SDS	Revisio	n Date:	1/1/2018
			1. 1	PRODUCT	& COMF	PANY	IDE	NTIF	FICA	TIO	Ν				
1.1	Product Name:		JOHN PA		HELL SYS	STEM	S PN	A SF	IINE	S PI	ROC	ESS	SING	i LIQ	UID
1.2	Chemical Name:		NA							• • •					
1.3	Synonyms:			nes Processing	Liauid										
1.4	Trade Names:			hell Systems P		cessing Li	quid								
1.5	Product Uses & Rest	trictions:	Professional or	r Cosmetic Use	Only										
1.6	Distributor's Name:		TU-K Industrie	s, Inc.											
1.7	Distributor's Address			e Place, South C	1										
1.8	Emergency Phone:		CHEMTEL:	+1 (800) 25	5-3924 / +0	1-813-2	248-0	585							
1.9	Business Phone / Fa	x:	+1 (562) 927-3	365 / +1 (562)	928-8154										
				2. HA	ZARDS II	DENTI	FIC	ΑΤΙΟ	DN						
2.1	2. HAZARDS IDENTIFICATION         2.1       Hazard Identification:       This product is classified as a HAZARDOUS SUBSTANCE but NOT as DANGEROUS GOODS according to the classification criteria of NOHSC: 1088 (2004) and ADG Code (Australia).         WARNING! CAUSES SERIOUS EYE IRRITATION.       Classification: Eye Irrit. 2         Hazard Statements (H): H319 – Causes serious eye irritation.       Precautionary Statements (P): P264 – Wash thoroughly after handling. P280 – Wear protective gloves and eye/face protection. P305+P351+P338 – IF IN EYES: Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 – If eye irritation persists: Get medical advice/attention. P405 – Store locked up. P501 – Dispose of contents/container to a licensed														
				age or disposal		•									
			<u>3. CO</u>	MPOSITIC	<u> 2N &amp; ING</u>	REDI	ENT	INF	ORN						
							40	GIH		EXPO NOHSC	SURE L	IMITS IN	I AIR (m OSHA	g/m³)	
								om		ppm			ppm		
			ES- ES- ES-												
CHEMI	CAL NAME(S)		CAS No. 7732-18-5	RTECS No. ZC0110000	EINECS No. 231-791-2	% 60-100	TLV NA	STEL NA	TWA NF	STEL NF	PEAK NF	PEL NA	STEL NA	IDLH NA	OTHER
WATE	R (AQUA / EAU)		1132-10-3	200110000	231-731-2	00-100	INЛ			INI					
HYDR	OGEN PEROXIDE		7722-84-1 Eye Irrit. 2; H3 <sup>-</sup>	MX0900000 19	231-765-0	2.1-2.4	(1.4)	NA	(1.4)	NF	NF	(1.4)	NA	75	
POLYS	SORBATE 80		9005-65-6	NA	500-019-9	< 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
POLYS	SORBATE 20		9005-64-5	NA	NA	< 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
	OPYL C12-15-PAF OXYLATE	RETH-9	NA	NA	NA	< 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
				4. F	FIRST AID	) MEA	SU	RES							
4.1	First Aid:		Eyes:	MMĚDIATELY. unconscious pe estimate of the swallowed. Splashes are n	If the patien rson. Contact time at whic ot likely; how	t is vomiti the near th the ma ever, if p	ng, co est Po aterial roduct	ontinue bison C was i gets	to offe Control ingeste	er wate Cente ed and eyes,	er or n er or lo I the a flush	nilk. N cal em amoun	lever g lergen t of th	give wa cy num ie sub:	of water or milk ater or milk to an ober. Provide an stance that was ints of lukewarm
			Skin:       If irritation occurs and product is on the skin, rinse thoroughly with lukewarm water, followed by a thorough washing of the affected area with soap and water. If irritation, redness or swelling persists, contact a physician immediately.         Inhalation:       Remove victim to fresh air at once.												
4.2	Effects of Exposure:         Ingestion:         If product is swallowed, may cause nausea, vomiting and/or diarrhea.           Eyes:         Moderately irritating to the eyes.         Symptoms of overexposure may include redness, itching, irritation ar				ng, irritation and										
			Skin: I	watering. May be irritating some sensitive i		product	can ca	ause a	llergic	skin re	eaction	ıs (e.g	., rash	es, we	lts, dermatitis) in
			Inhalation: I	None expected.											
4.3	Symptoms of Overex		include rednes welts, dermati	ss, itching, and tis) in some sen	irritation of a sitive individuation	ffected ar als.	eas.	The p	roduct	can c	ause a	allergic	skin	reactio	verexposure may ns (e.g., rashes,
4.4	Acute Health Effects			on to eyes. Sym ition to skin nea			may	include	e redne	ess, itc	hing, s	stinging	g, irrita	tion an	d watering.

PAL	LMITCHELL	SAF	EΤ	YC	ΟΑΤ	A SH	IEE.	Г			-	e 2 of 6 • <b>001</b>
Prepa	ared to OSHA, ACC	, ANSI, NOHSC, WHMIS, 2001/58 & 1272/20	008/EC S	Standards	3	SDS	Revision: 1.	6	SDS F	Revision D	ate: 1/1/201	8
		4. FIRS	iia T	D ME	ASUR	ES – co	ont'd					
4.6	Target Organs:	Eyes, Skin, Respiratory Syste										
4.7	Medical Conditions Aggravated by Expo	sure: Pre-existing dermatitis, othe target organs (eyes, skin, and				sorders of						1
		target organs (eyes, skin, and	u respire	atory sys	sterri).			AMMAE				0
								YSICA				1
											В	
							EYE	-5	SKIN			
		5 EI	REFI	знти		ASUR	FS					
5.1	Fire & Explosion Haz						23					
5.2	Extinguishing Method			cal. Foa	m. as auti	norized.						•
5.2       Extinguishing Methods:       CO2, Halon (if permitted), Dry Chemical, Foam, as authorized.         5.3       Firefighting Procedures:       As in any fire, wear MSHA/NIOSH approved self-contained breathing apparatus (pressure-demand) and full protective gear. Keep containers cool until well after the fire is out. Use water spray to cool fire-exposed surfaces and to protect personal. Fight fire upwind. Prevent runoff from fire control or dilution from entering sewers, drains, drinking water supply, or any natural waterway. Firefighters must use full bunker gear including NIOSH-approved positive pressure self-contained breathing apparatus to protect against potential hazardous combustion or decomposition products and oxygen deficiencies.							1					
							CUDEC					
7.1	Example 1       Before cleaning any spin of leak, individuals involved in spin cleaning matrix wear appropriate reisonal releation         Equipment (PPE). Keep incompatible materials (e.g., organics such as oil) away from spill.         For small spills (e.g., < 1 gallon (3.8 L)) wear appropriate personal protective equipment (e.g., goggles, gloves).								, gloves). blace into gulations. taminated with inert soap and			
7.2	Storage & Handling:	covered. Wash unintentional Use and store in a cool, dry, heat and open flames. Avoid from physical damage.	, well-ve	entilated	l location (	e.g., local	exhaust v					
7.3	Special Precautions:	Spilled material may present	a slinnii	ng haza	rd if left un	attended	Clean all s	pills nro	mptlv			
				5					1 9 -			
		8. EXPOSURE CO	NTR	OLS	& PER	SONA	L PRO	ГЕСТ	ION			
8.1	Exposure Limits:		-	GIH		NOHSC			OSHA		OTHER	
	ppm (mg/m <sup>3</sup> )	CHEMICAL NAME(S)	TLV	STEL	ES-TWA	ES-STEL	ES-PEAK	PEL	STEL	IDLH		
		HYDROGEN PEROXIDE	(1.4)	NA	(1.4)	NF	NF	(1.4)	NA	75		
8.2	Ventilation & Enginee Controls:		uantities on sink	s of pro	oduct, pro hbasin is a	vide adeqi ivailable in	uate ventil	ation (e	.g., loca to eves	al exhau	st ventilatio	on, fans).
8.3	Respiratory Protectic	<ul> <li>No special respiratory protect necessary, use only respirat §1910.134, or applicable U provinces, E.C. member state</li> </ul>	Ensure that an eyewash station, sink or washbasin is available in case of exposure to eyes. No special respiratory protection is required under typical circumstances of use or handling. If necessary, use only respiratory protection authorized per U.S. OSHA's requirement in 29 CFR §1910.134, or applicable U.S. state regulations, or the appropriate standards of Canada, its provinces, E.C. member states, or Australia.									
8.4	Eye Protection:	Wear protective eyewear (e. product. Always use protec special hazard; soft lenses m	tive eye ay abso	ewear worb and	hen clear	ing spills e irritants.	or leaks.	Contact	lenses	pose a	0	
8.5	Hand Protection: Body Protection:	AVOID SKIN CONTACT DL repeated skin contact will oct industrial use. If necessary, Canada, of the E.C. member AVOID SKIN CONTACT D	cur duri refer to states.	ng use U.S. O	of this pro SHA 29 C	duct, wear FR §1910.	latex or ru 138, the a	ibber glo ppropria	oves for te stand	routine lards of		
5.0	2007 - 101000001.	protection is required under	AVOID SKIN CONTACT DUE TO SENSITIZING POTENTIAL. However, no special body protection is required under typical circumstances of use and handling. If necessary, refer to appropriate standards of Canada, the E.C. member states, or U.S. OSHA.									

PAUL MITCHELL	

# SAFETY DATA SHEET

Page 3 of 6 **2K-001** 

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 1.6 SDS Revision Date: 1/1/2018

		9. PHYSICAL & CHEMICAL PROPERTIES			
9.1	Appearance:	Colorless clear liquid			
9.2	Odor:	Characteristic			
9.3	Odor Threshold:	NA			
9.4	pH:	3.5-4.5			
9.5	Melting Point/Freezing Point:	NA			
9.6	Initial Boiling Point/Boiling	NA			
9.7	Range: Flashpoint:	NA			
9.8	Upper/Lower Flammability	NA			
9.9	Limits: Vapor Pressure:	NA			
9.10	Vapor Density:	NA			
9.11	Relative Density:	0.995-1.005 gm/ml			
9.12	Solubility:	Partial to complete			
9.13	Partition Coefficient (log Pow):	NA			
9.14	Autoignition Temperature:	NA			
9.15	Decomposition Temperature:	NA			
9.16	Viscosity:	NA			
9.17	Other Information:	NA			
		10. STABILITY & REACTIVITY			
10.1	Stability:	This product is stable.			
10.2	Hazardous Decomposition Products:	Oxides of carbon (CO, CO <sub>2</sub> ) and sulfur (SO <sub>2</sub> ). Liberation of gas my result in dangerous pressure.			
10.3	Hazardous Polymerization:	Will not occur.			
10.4	Conditions to Avoid:	Open flames, sparks and high heat, direct sunlight.			
	D.5         Incompatible Substances:         Store away from flammable liquids, flammable solids, aerosols and other incompatible materials (e.g., reducing materials, combustible materials, metal contamination like iron, copper their alloys). Avoid contamination. Do not store any tint, lightener lotion or bleach powder after it has been mixed with developer; the container may rupture. Never return unused material to original container. Avoid extreme heat and ignition sources.				
		11. TOXICOLOGICAL INFORMATION			
11.1	Routes of Entry:	Inhalation: YES Absorption: YES Ingestion: YES			
11.2	Toxicity Data:	This product has not been tested on animals to obtain toxicological data. There are toxicology data for the components of this product, which are found in the scientific literature.			
11.3	Acute Toxicity:	See section 4.4			
11.4	Chronic Toxicity:	See section 4.5			
11.5	Suspected Carcinogen:	This product contains <u>Hydrogen peroxide</u> listed: ACGIH Group A3; IARC Group 3: Not classifiable as to its carcinogenicity to humans.			
11.6	Reproductive Toxicity:	This product is not reported to produce reproductive toxicity in humans.			
	Mutagenicity: This product is not reported to produce mutagenic effects in humans.				
	Embryotoxicity:	This product is not reported to produce embryotoxic effects in humans.			
	Teratogenicity:	This product is not reported to cause teratogenic effects in humans.			
	Reproductive Toxicity:	This product is not reported to cause reproductive effects in humans.			
11.7	Irritancy of Product:	See Section 4.3.			
11.8	Biological Exposure Indices:	NE			
11.9	Physician Recommendations:	Treat symptomatically.			
		12. ECOLOGICAL INFORMATION			
12.1	Environmental Stability:	There is no specific data available for this product.			
12.2	Effects on Plants & Animals:	There is no specific data available for this product.			
12.3	Effects on Aquatic Life:	There is no specific data available for this product.			
12.3	Effects on Aquatic Life:	There is no specific data available for this product.			
12.3	Effects on Aquatic Life:	There is no specific data available for this product.  13. DISPOSAL CONSIDERATIONS			
12.3 13.1	Effects on Aquatic Life: Waste Disposal:				

PAUL MITCHELL

## SAFETY DATA SHEET

SDS Revision: 1.6

Page 4 of 6 **2K-001** 

SDS Revision Date: 1/1/2018

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

## **14. TRANSPORTATION INFORMATION**

		nber, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional e required by 49 CFR, IATA/ICAO, IMDG and the CTDGR.
14.1	49 CFR (GND):	NOT REGULATED
14.2	IATA (AIR):	NOT REGULATED
14.3	IMDG (OCN):	NOT REGULATED
14.4	TDGR (Canadian GND):	NOT REGULATED
14.5	ADR/RID (EU):	NOT REGULATED
14.6	SCT (MEXICO):	NOT REGULATED
14.7	ADGR (AUS):	NOT REGULATED
		15. REGULATORY INFORMATION
15.1	SARA Reporting Requirements:	This product does not contain any substances subject to SARA Title III, section 313 reporting requirements
15.2	SARA Threshold Planning Quantity:	There are no specific Threshold Planning Quantities for the components of this product.
15.3	TSCA Inventory Status:	The components of this product are listed on the TSCA Inventory.
15.4	CERCLA Reportable Quantity (RQ):	NA
15.5	Other Federal Requirements:	This product complies with the appropriate sections of the Food and Drug Administration's 21 CFR subchapter G (Cosmetics). This material does not contain any hazardous air pollutants. None of the components in this product are listed as priority pollutants under the CWA. None of the components in this product are listed as toxic pollutants under the CWA.
15.6	Other Canadian Regulations:	This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List. WHMIS
15.7	State Regulatory Information:	<u>Hydrogen Peroxide</u> is found on the following state criteria list: Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Minnesota Hazardous Substances List (MN), New Jersey Right-to-Know List (NJ), Pennsylvania Right-to-Know List (PA) and Washington Permissible Exposures List (WA). No other ingredients in this product, present in a concentration of 1.0% or greater, are listed on any of the following state criteria lists: California Proposition 65 (CA65), Delaware Air Quality Management List (DE), Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Michigan Critical Substances List (NJ), Minnesota Hazardous Substances List (MN), New York Hazardous Substances List (NY), Pennsylvania Right-to-Know List (PA), Washington Permissible Exposures List (WA).
15.8	Other Requirements:	The primary components of this product are listed in Annex I of EU Directive 67/548/EEC: <u>Hydrogen Peroxide</u> : Irritant (Xi). <u>Risk Phrases</u> (R):36 – Irritating to eyes. <u>Safety Phrases</u> (S): 2-3/7-20-26 - Keep away from children. Keep container tightly closed in a cool place. When using do not eat or drink. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

PAUL MITCHELL

## SAFETY DATA SHEET

SDS Revision: 1.6

Page 5 of 6 **2K-001** 

SDS Revision Date: 1/1/2018

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

**16. OTHER INFORMATION** WARNING! CAUSES SERIOUS EYE IRRITATION. For external use only. Use only as directed. Discontinue use 16 1 Other Information: immediately if irritation develops Keep away from children. Keep container tightly closed in a cool place. When using do not eat or drink. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Wear suitable protective clothing, gloves and eye/face protection. If case of accident or if you feel unwell seek medical advice immediately (show the label where possible). KEEP LOCKED UP AND OUT OF REACH OF CHILDREN. This product is designed and intended for use by a licensed cosmetologist/professional hairdresser only, and carries no warranty expressed or implied if used by others. CAN CAUSE AN ALLERGIC REACTION. Preliminary patch testing is recommended. Tattoos, including black and temporary henna, may increase the risk of allergy, If a severe allergic reaction should occur, immediately seek medical attention. This product must not be used for dyeing the eyelashes or eyebrows; to do so may cause blindness. 16.2 Terms & Definitions: See last page of this Safety Data Sheet. 16.3 Disclaimer: This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's & John Paul Mitchell Systems' (2K Industries), knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness are not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition 16.4 Prepared for: TU-K Industries, Inc. (2K) 5702 Firestone Place South Gate, CA 90280 USA Tel: +1 (562) 927-3365 Fax: +1 (562) 928-8154 http://www.2kindustries.com 16.5 Prepared by: ShipMate, Inc. P.O. Box 787 Sisters, Oregon 97759-0787 USA Shiply Tel: +1 (310) 370-3600 Fax: +1 (310) 370-5700 Dangerous Goods Training & Consulting http://www.shipmate.com

# SAFETY DATA SHEET

Page 6 of 6 **2K-001** 

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 1.6

SDS Revision Date: 1/1/2018

## **DEFINITION OF TERMS**

A large number of abbreviations and acronyms appear on a SDS. Some of these that are commonly used include the following:

### **GENERAL INFORMATION:**

CAS No.	Chemical Abstract Service Number				
EXPOSURE LIMITS IN AIR:					
ACGIH	American Conference on Governmental Industrial Hygienists				
c	Ceiling Limit				
ES	Exposure Standard (Australia)				
IDLH	Immediately Dangerous to Life and Health				
OSHA	U.S. Occupational Safety and Health Administration				
PEL	Permissible Exposure Limit				
STEL	Short-Term Exposure Limit				
TLV	Threshold Limit Value				
TWA	Time Weighted Average				

#### FIRST AID MEASURES:

	Cardiopulmonary resuscitation - method in which a person whose heart has
and provide oxygen to the body	stopped receives manual chest compressions and breathing to circulate blood
and provide oxygen to the body.	and provide oxygen to the body.

## HMIS-III HEALTH, FLAMMABILITY & REACTIVITY RATINGS:


0	Minimal Hazard	HEALTH
1	Slight Hazard	FLAMMABILITY
2	Moderate Hazard	PHYSICAL HAZARDS
3	Severe Hazard	PERSONAL PROTECTION
4	Extreme Hazard	

### PERSONAL PROTECTION RATINGS:

Α		G				
в		🚯 н (				
С		V 🚯 🛛 🕻				
D	B	U C				
Е		🚯 🕲 К				
F			onsult your supervisor or SOPs for ecial handling directions.			
Sa	Safety Glasses Splash Goggles Face Shield & Gloves					
	Boots Synthetic Apron Protective Clothing & Full Suit					
Full f	Full Face Respirator Mask Respirator Respirator					
отн	OTHER STANDARD ABBREVIATIONS:					
	ML	Maximum Limit				
	mg/m3	milligrams per cubic meter				
	NA Not Available					
	ND Not Determined					
	NE Not Established					
	NF Not Found					
	NR No Results					
	ppm parts per million					
	SCBA	Self-Contained Breathing Apparatus				
		RE PROTECTION ASSOCIATION: N	FPA			
Au	toignition	Minimum temperature required to initiate	e combustion in air with no other			

#### HAZARD RATINGS:

0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard
ACD	Acidic
ALK	Alkaline
COR	Corrosive
₩	Use No Water
OX	Oxidizer
TREFOIL	Radioactive



### TOXICOLOGICAL INFORMATION:

LD <sub>50</sub>	Lethal Dose (solids & liquids) which kills 50% of the exposed animals
	S
LC <sub>50</sub>	Lethal concentration (gases) which kills 50% of the exposed animal
ppm	Concentration expressed in parts of material per million parts
TD <sub>io</sub>	Lowest dose to cause a symptom
TCLo	Lowest concentration to cause a symptom
TD <sub>io</sub> , LD <sub>io</sub> , & LD <sub>o</sub> or	Lowest dose (or concentration) to cause lethal or toxic effects
TC, TC <sub>o</sub> , LC <sub>io</sub> , & LC <sub>o</sub>	
IARC	International Agency for Research on Cancer
NTP	National Toxicology Program
RTECS	Registry of Toxic Effects of Chemical Substances
BCF	Bioconcentration Factor
TLm	Median threshold limit
log Kow or log Koc	Coefficient of Oil/Water Distribution

## **REGULATORY INFORMATION:**

WHMIS	Canadian Workplace Hazardous Material Information System
DOT	U.S. Department of Transportation
TC	Transport Canada
EPA	U.S. Environmental Protection Agency
DSL	Canadian Domestic Substance List
NOHSC	National Occupational Health and Safety Commission (Australia)
NDSL	Canadian Non-Domestic Substance List
PSL	Canadian Priority Substances List
TSCA	U.S. Toxic Substance Control Act
EU	European Union (European Union Directive 67/548/EEC)
WGK	Wassergefährdungsklassen (German Water Hazard Class)
HMIS-III	National Paint & Coatings Association Hazardous Materials Identification System

### WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

$\bigcirc$	۲	٨		Ð	۲		Ŕ
Class A	Class B	Class C	Class D1	Class D2	Class D3	Class E	Class F
Compressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive

## EC (67/548/EEC) INFORMATION:

T.		×	¥.		<b>e</b> X	×	×
с	Е	F	Ν	0	т	Xi	Xn
Corrosive	Explosive	Flammable	Harmful	Oxidizing	Toxic	Irritant	Harmful

## CLP/GHS (1272/2008/EC) PICTOGRAMS:

			$\Diamond$	(Paul) Lag		<b>(!</b> )		
GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environment

Autoignition	Minimum temperature required to initiate combustion in air with no other
Temperature	source of ignition
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will
	explode or ignite in the presence of an ignition source
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will
	explode or ignite in the presence of an ignition source