

Page 1 of 7

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & EU Standards

SDS Revision: 1.2

SDS Revision Date: 9/16/2016

1. PRODUCT & COMPANY IDENTIFICATION					
1.1	Product Name:	JPMS SKYLIGHT CLAY BLEACH			
1.2	Chemical Name:	Persulfate Blend			
1.3	Synonyms:	Blend 1490; HSI127-83	•		
1.4	Trade Names:				
1.5	Product Uses & Restrictions:	Professional Cosmetic Use Only			
1.6	Distributoros Name:	Hair Systems, Inc.			
1.7	Distributoros Address:	30 Park Avenue, Englishtown, NJ 07726 USA			
1.8	Emergency Phone:	CHEMTREC: +1 (703) 527-3887 / +1 (800) 424-9300 (CCN 10069)			
1.9	Business Phone / Fax:	+1 (732) 446-2202 / +1 (732) 446-7968			

2. HAZARDS IDENTIFICATION

2.1 Hazard Identification:


This product is classified as a hazardous substance and as dangerous goods according to the classification criteria of NOHSC: 1008 (2004) and ADG Code (Australia).

DANGER! MAY INTENSIFY FIRE; OXIDIZER. HARMFUL IF SWALLOWED. CAUSES SKIN IRRITATION. MAY CAUSE AN ALLERGIC SKIN REACTION. CAUSES SERIOUS EYE IRRITATION. MAY CAUSE ALLERGY OR ASTHMA SYMPTOMS OR BREATHING DIFFICULTIES IF INHALED. MAY CAUSE RESPIRATORY IRRITATION.

<u>Classification</u>: Oxidizing Solid . Category 3; Acute Toxicity . Category 4; Skin Irritation . Category 2; Eye Irritation . Category 2A; Respiratory Sensitization . Category 1; Skin Sensitization . Category 1; Single Target Organ Toxicity (Single Exposure) . Category 3.

<u>Hazard Statements</u> (H): H272. May intensify fire; oxidizer. H302. Harmful if swallowed. H315. Causes skin irritation. H317. May cause an allergic skin reaction. H319. Causes serious eye irritation. H334. May cause allergy or asthma symptoms or breathing difficulties if inhaled. H335. May cause respiratory irritation.

Precautionary Statements (P): P210 - Keep away from heat/sparks/open flames/hot surfaces . No smoking. P220 - Keep/Store away from clothing/cotton/combustible materials. P261 - Avoid breathing dust/fumes. P264 - Wash hands and exposed skin areas with soap and warm water thoroughly after handling. P270 - Do not eat, drink or smoke when using this product. P271 - Use only outdoors or in a well-ventilated area. P272 - Contaminated work clothing should not be allowed out of the workplace. P280 - Wear protective gloves/protective clothing/eye protection/face protection. P284 - If necessary, wear respiratory protection. P301+P312 - IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. P302+P352 - IF ON SKIN: Wash with soap and water. P304+P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do . continue rinsing. P312 - Call a POISON CENTER or doctor/physician if you feel unwell. P321 -Specific treatment (see section 4 of the Safety Data Sheet or the product label). P330 - Rinse mouth. P332+P313 - If skin irritation occurs: Get medical advice/attention. P333+P313 - If skin irritation or a rash occurs: Get medical advice/attention. P337+P313 - If eye irritation persists get medical advice/attention. P342+P311 - If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician. P362+P364 - Take off contaminated clothing and wash before reuse. P370+P378 - In case of fire: Use CO2, Halon (if permitted), dry chemical, or foam for extinction. P403+P233 - Store in a well ventilated place. Keep container tightly closed. P405 -Store locked up. P501 - Dispose of contents/container to licensed treatment, storage or disposal facility (TSDF).





3. COMPOSITION & INGREDIENT INFORMATION

								EXPO	SURE L	IMITS IN	AIR (mg	g/m³)	
					AC	GIH		NOHSC			OSHA		
					pp	m		ppm			ppm		
CHEMICAL NAME(S)	CAS No.	RTECS No.	EINECS No.	%	TLV	STEL	ES- TWA	ES- STEL	ES- PEAK	PEL	STEL	IDLH	OTHER
	7727-21-1	SE0400000	231-781-8	20-40	(0.1)	NA	NF	NF	NF	NA	NA	NA	
POTASSIUM PERSULFATE	Ox. Sol. 3; Ac H335	ute Tox. 4; Skin Ir	rit. 2; Eye Irrit. 2/	A; Resp. Se	ens. 1;	Skin Se	ns. 1; S	STOT S	E 3; H2	72, H30	02, H31	5, H317	, H319, H334,
KAOLIN	1332-58-7	GF1670500	310-194-1	10-30	2	NA	10	NF	NF	NA	NA	NA	
KAOLIN													
SODIUM METASILICATE	6834-92-0	VV9275000	229-912-9	1-15	NA	NA	NF	NF	NF	NA	NA	NA	
SODIOW WETASILICATE	Acute Tox. 4;	Skin Corr. 1B; Se	rious Eye Dam. 1	; STOT SI	E 3; H30	02, H31	4, H33	5					
SODIUM PERSULFATE	7775-27-1	SE0535000	231-892-1	1-10	NA	NA	NF	(0.01)	NF	NA	NA	NA	
SODIOW FERSOLI ATE	Ox. Sol. 3; Ac	Ox. Sol. 3; Acute Tox. 4; Skin Irrit. 2; Skin Sens. 1; Eye Irrit. 2; Resp. Sens. 2; H272, H302, H315, H317, H319, H334											
AMMONIUM PERSULFATE	7727-54-0	SE0350000	231-786-5	1-10	(0.1)	NA	NF	NF	NF	NA	NA	NA	
AWWONIOW FERSOLI ATE	Ox. Sol. 3; Ac	ute Tox. 4; Skin Ir	rit. 2; Skin Sens.	1; Eye Irrit	. 2; Res	sp. Sen	s. 2; H2	72, H3	02, H31	5, H31	7, H319	, H334,	H335
PROPRIETARY BLEND				BAL	NA	NA	NF	NF	NF	NA	NA	NA	
FROFRIETART BEEND													





Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & EU Standards SDS Revision: 1.2 SDS Revision Date: 9/16/2016

4. FIRST AID MEASURES If ingested, do not induce vomiting. Drink plenty of water or milk. If the patient is vomiting, continue to 4 1 First Aid: Ingestion: offer plenty of water or milk. Never give water or milk to an unconscious person. If large quantities are ingested, contact the nearest Poison Control Center or local emergency number. Provide an estimate of the time and amount of the substance that was swallowed. Get medical attention immediately. Eyes: If product is in the eyes, flush with copious amounts of water for at least 15 minutes. Remove contact lenses if present and easy to do, continue flushing. Open and close eyelid(s) to ensure thorough irrigation. If problem persists, consult a physician. If redness, dryness or other signs of irritation to the skin develop, remove contaminated clothing and wash Skin: affected skin areas with plenty of warm water and soap. If irritation persists, consult a physician. Give oxygen as necessary and get medical attention. Inhalation: May cause irritation in mouth and throat. Swallowing may cause evolution of oxygen which may cause 42 Effects of Exposure: Ingestion: injury by distention of the esophagus or stomach. May cause nausea, vomiting and diarrhea. May cause irritation, redness, stinging and tearing. When bleach is mixed with peroxides or developers, Eyes: the resulting mixture may cause severe eye irritation and possible eye injury. Skin: May be irritating to skin, especially after prolonged contact. The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) upon prolonged or repeated exposure. Inhalation: Prolonged exposure may cause irritation in nose and throat with chest discomfort, coughing and difficulty 4.3 Symptoms of Overexposure: Symptoms of skin overexposure may include redness, itching, and irritation of affected areas. Overexposure in eyes may cause redness, itching and watering. The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) upon prolonged or repeated exposure. 4.4 Acute Health Effects: Moderate irritation to skin near affected areas. This product causes serious eye irritation. 4.5 Chronic Health Effects: The material may accentuate any pre-existing dermatitis condition. 4.6 Target Organs: Eyes, skin & respiratory system. Medical Conditions Acute health hazards may be delayed. Most common symptoms **HEALTH** Aggravated by Exposure: include irritating properties to eyes, respiratory system and skin. **FLAMMABILITY** 1 Existing dermatological conditions (such as eczema) and respiratory 1 **PHYSICAL HAZARDS** conditions (such as bronchial asthma and/or bronchitis) may be PROTECTIVE EQUIPMENT В aggravated. EYES SKIN 5. FIREFIGHTING MEASURES Fire & Explosion Hazards: DANGER! MAY INTENSIFY FIRE; OXIDIZER. Upon decomposition, persulfates yield oxygen and may thereby stimulate combustion of flammable and combustible materials. Extinguish fires with media appropriate for the burning material. Product contains oxidizing materials. Residual product on towels, sponges or mops may cause fire. Rinse towels thoroughly before disposal. Rinse sponges and mops thoroughly before storage. Persulfate compounds may ignite and undergo decomposition in the presence of moisture and heat. Spray and flood decomposing material with large quantities of water. 5.2 Extinguishing Methods: CO2, Halon (if permitted), Dry Chemical, Foam, as authorized. Water and/or foam . typically a Class A or Class B extinguisher should be sufficient for the product. However, selection of a fire extinguisher should also be appropriate to address the location of the fire and equipment involved. Flood with water and use water spray to cool fire-exposed containers and structures. 5.3 Firefighting Procedures: This product is an oxidizer and may intensify fire. As in any fire, wear MSHA/NIOSH approved self-contained breathing apparatus (pressure-demand) and full protective gear. Keep containers cool until well after the fire is out. Use water spray to cool fire-exposed surfaces and to protect personnel. Prevent runoff from fire control or dilution from entering sewers, drains, drinking water supply, or any natural waterway. Firefighters must use full bunker gear including NIOSH-approved positive pressure self-contained breathing apparatus to protect against potential hazardous decomposition products. HazChem Code: 2P Hazard Identification Number: 50 6. ACCIDENTAL RELEASE MEASURES 6.1 Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Spills Equipment. Plastic or rubber gloves, respirator, eye protection and apron may be required for clean-up of large spills. If the spilled material contains dust or has the potential to create dust, use explosion-proof vacuums and/or cleaning systems suitable for combustible dusts. Use of a vacuum with high efficiency particulate air (HEPA) filtration is recommended. Collect spilled material into a suitable container and dispose of properly in accordance with local, state, and federal regulations. Remove and contaminated clothing and wash thoroughly before reuse.





Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & EU Standards

SDS Revision: 1.2

SDS Revision Date: 9/16/2016

		7. HANDLIN	IG &	STO	RAGE	INFOR	RMATIC	N			
7.1	Work & Hygiene Practices:	Do not eat, drink or smoke when handling this product. Wash thoroughly after handling. Avoid contact with flammable or combustible materials. Avoid contamination from any source, including metals, dust and organic materials. Keep bulk materials covered. Use chemical goggles if eye contact is possible. Wash unintentional residues with soap and warm water. Do not eat, drink, or smoke while handling this product. Avoid dust formation. Avoid contact with skin and eyes. Avoid breathing dust. Handle in accordance with good industrial hygiene and safety practices.									
7.2	Storage & Handling:	Keep this material away from local exhaust ventilation, fans away from incompatible subs cap in place when not in use	heat, s s) away stances.	sparks a / from h . Prote	and open the and do ct contains	flame. Us lirect sunli ers from p	e and store ght. Avoid hysical dar	tempe mage.	ratures To avoi	above id uninte	120 °F (49 °C). Keep entional spraying keep
7.3	Special Precautions:	while handling this product. Spilled material may present to come into contact with mutensils inside containers of p	oisture	(keep li							
		8. EXPOSURE CO	NTR	OLS.	& PFR	SONA	I PRO	FCT	ION		
8.1	Exposure Limits:	J. 271 COUNT OF		GIH	<u>∽ . ⊏.\</u>	NOHSC			OSHA		OTHER
0.1	ppm (mg/m ³)	CHEMICAL NAME(S)	TLV	STEL	ES-TWA	ES-STEL	ES-PEAK	PEL	STEL	IDLH	- TIEN
		POTASSIUM PERSULFATE	(0.1)	NA	NF	NF	NF	NA	NA	NA	
		SODIUM PERSULFATE	(0.1)	NA	NF	(0.01)	NF	NA	NA	NA	
		AMMONIUM PERSULFATE	(0.1)	NA	NF	NF	NF	NA	NA	NA	
8.2	Ventilation & Engineering Controls:	When working with large quar exposure below the airborne exposure to eyes. Avoid dust	exposu	rė limits							
8.3	Respiratory Protection:	Respiratory protection may not be necessary if local ventilation is adequate. In case of insufficient ventilation wear suitable respiratory protection to avoid breathing dust. If necessary, use only respiratory protection authorized per U.S. OSHA's requirement in 29 CFR §1910.134, or applicable U.S. state regulations, or the appropriate standards of Canada, its provinces, E.C. member states, or Australia.									
8.4	Eye Protection:	Avoid contact. Wear protect handling this product. Alwa	Avoid contact. Wear protective eyewear (e.g., safety glasses with side-shield) at all times when handling this product. Always use protective eyewear when cleaning spills or leaks. Contact lenses pose a special hazard; soft lenses may absorb and concentrate irritants.								
8.5	Hand Protection:	If anticipated that prolonged latex or rubber gloves for rubber \$1910.138, the appropriate st	& repe outine	ated sk industria	in contact al use. If	will occur f necessa	during us	e of this			
8.6	Body Protection:	No special body protection is appropriate protective clothin needed. If necessary, refer t OSHA.	s requir g to pre	red und event sk	er typical kin contact	circumsta ;, (e.g., bo	nces of us ots, lab co	e and hat, apro	n, cove	ralls) as	
		0 010/010									•
		9. PHYSICA	4L &	CHE	MICAL	. PROF	PERTIE	S			
9.1	Appearance:	White to off white powder									
9.2	Odor:	Bleach									
9.3	Odor Threshold:	NA									
9.4	pH:	9.0-11.5									
9.5	Melting Point/Freezing Point:	NA									
9.6	Initial Boiling Point/Boiling Range:	NA									
9.7	Flashpoint:	NA									
9.8	Upper/Lower Flammability Limits:	NA									
9.9	Vapor Pressure:	NA NA									
9.10	Vapor Density:	NA									
9.11	Relative Density:	< 0.5									
9.12	Solubility:	4.7 g in 100 mL water									
9.13	Partition Coefficient (log Pow):	NA									
9.14	Autoignition Temperature:	NA									
9.15	Decomposition Temperature:	NA									
9.16	Viscosity:	NA									
9.17	Other Information:	%VOC @ 21 °C (70 °F): 0									



Page 4 of 7

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & EU Standards SDS Revision: 1.2 SDS Revision Date: 9/16/2016

		10. STABILITY & REACTIVITY
10.1	Stability:	Unstable. Gradually decomposes losing oxygen. Decomposes more rapidly at higher temperatures. Metals other than stainless steel are apt to cause decomposition of persulfate solutions. Generates heat when mixed with acid. May react with ammonium salt solutions resulting in evolution of ammonia gas. Liberation of oxygen gas may result in dangerous pressures.
10.2	Hazardous Decomposition Products:	If exposed to <u>extremely high temperatures</u> , products of thermal decomposition may include irritating vapors and toxic gases (e.g., CO, CO ₂ , and SO ₂). Liberation of gas (e.g., oxygen) may result in dangerous pressures. Decomposed by moisture to form oxygen and ozone. Burning may produce nitrogen oxides, sulfur oxides, and sulfuric acid.
10.3	Hazardous Polymerization:	Will not occur.
10.4	Conditions to Avoid:	Open flames, sparks, high heat and direct sunlight. Moisture, combustible material, heat, flame, ignition sources, shock, friction, powdered metals, phosphorus, hydrides, organic matter, halogens, acids, alkalis, and incompatibles.
10.5	Incompatible Substances:	Reducing agents, organics, some acids, flammable materials. Do not use metallic bowls or utensils when mixing this product. Avoid contamination with moisture, combustible or organic materials (e.g., sawdust, damp paper towels).
		11. TOXICOLOGICAL INFORMATION
11.1	Routes of Entry:	Inhalation: YES Absorption: YES Ingestion: YES
11.2	Toxicity Data:	This product has NOT been tested on animals to obtain toxicology data. Toxicology data, found in scientific literature, is available for some of the components of the product but is not presented in this document.
11.3	Acute Toxicity:	Moderate irritation to skin near affected areas. This product causes serious eye irritation.
11.4	Chronic Toxicity:	The material may aggravate any pre-existing skin condition (e.g., dermatitis). This product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) upon prolonged or repeated exposure.
11.5	Suspected Carcinogen:	No
11.6	Reproductive Toxicity:	This product is not reported to produce reproductive toxicity in humans.
	Mutagenicity:	This product is not reported to produce mutagenic effects in humans.
	Embryotoxicity:	This product is not reported to produce embryotoxic effects in humans.
	Teratogenicity:	This product is not reported to cause teratogenic effects in humans.
	Reproductive Toxicity:	This product is not reported to cause reproductive effects in humans.
11.7	Irritancy of Product:	The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) upon prolonged or repeated exposure.
11.8	Biological Exposure Indices:	NE NE
11.9	Physician Recommendations:	Treat symptomatically.
		12. ECOLOGICAL INFORMATION
12.1	Environmental Stability:	The components of this product will slowly degrade over time into a variety of organic compounds. Specific environmental data available for the components of this product are available, but are not presented in this Safety Data Sheet.
12.2	Effects on Plants & Animals:	There are no specific data available for this product.
12.3	Effects on Aquatic Life:	This product was not tested on animals. Specific aquatic test data is available for the some of the components of this product, but are not presented in this Safety Data Sheet.
		13. DISPOSAL CONSIDERATIONS
13.1	Waste Disposal:	Waste disposal must be in accordance with appropriate Federal, state, and local regulations.
13.2	Special Considerations:	U.S. EPA Waste Number: D001 (characteristic - ignitable)
		14. TRANSPORTATION INFORMATION
		mber, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional e required by 49 CFR, IATA/ICAO, IMDG and the CTDGR.
14.1	49 CFR (GND):	UN1479, OXIDIZING SOLID, N.O.S. (potassium persulfate, sodium persulfate, ammonium persulfate), 5.1, III
14.2	IATA (AIR):	(LTD QTY, IP VOL m5.0 kg); or CONSUMER COMMODITY, ORM-D . until 01/01/2021 UN1479, OXIDIZING SOLID, N.O.S. (potassium persulfate, sodium persulfate, ammonium persulfate), 5.1, III (LTD QTY, IP VOL m1.0 kg)
14.3	IMDG (OCN):	UN1479, OXIDIZING SOLID, N.O.S. (potassium persulfate, sodium persulfate, ammonium persulfate), 5.1, III
14.4	TDGR (Canadian GND):	(LTD QTY, IP VOL m5.0 kg) UN1479, OXIDIZING SOLID, N.O.S. (potassium persulfate, sodium persulfate, ammonium persulfate), 5.1, III (LTD QTY, IP VOL m5.0 kg); or %IMITED QUANTITY+or %QUANTITÉ LIMITÉE+or %TD QTY+or
14.5	ADR/RID (EU):	%QUANT LTÉE+(IP VOL m5.0 kg) UN1479, OXIDIZING SOLID, N.O.S. (potassium persulfate, sodium persulfate, ammonium persulfate), 5.1, III (LTD QTY, IP VOL m5.0 kg)
14.6	SCT (MEXICO):	UN1479, SOLIDO COMBURENTE, N.E.P. (persulfato de potasio, persulfato de sodio, persulfato de ammonia), 5.1, III (CANTIDAD LIMITADA, IP VOL m5.0 kg)



Page 5 of 7

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & EU Standards SDS Revision: 1.2 SDS Revision Date: 9/16/2016 ADGR (AUS): UN1479, OXIDIZING SOLID, N.O.S. (potassium persulfate, sodium persulfate, ammonium persulfate), 5.1, III (LTD QTY, IP VOL m5.0 kg) 15. REGULATORY INFORMATION SARA Reporting This product does not contain any substances subject to SARA Title III, section 313 reporting requirements. 15.1 Requirements 15.2 SARA Threshold Planning Qty: There are no specific Threshold Planning Quantities for the components of this product. 15.3 TSCA Inventory Status: The components of this product are listed on the TSCA Inventory. CERCLA Reportable Quantity: 15.4 NA 15.5 Other Federal Requirements: This material does not contain any hazardous air pollutants. None of the components in this product are listed as priority pollutants under the CWA. None of the components in this product are listed as toxic pollutants under the CWA 15.6 Other Canadian Regulations: This product has been classified according to the hazard criteria of the CPR and the Safety Data Sheet contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List. WHMIS C, D2B (Oxidizing Agent, Other Toxic Effects) 15.7 State Regulatory Information: Potassium Persulfate is found on the following state criteria lists: Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Minnesota Hazardous Substances List (MN), New Jersey Right-to-Know List (NJ), and Pennsylvania Right-to-Know List (PA). Sodium Persulfate is found on the following state criteria lists: NJ and PA. Ammonium Persulfate is found on the following state criteria lists: NJ and PA. Kaolin: is found on the following state criteria lists: NJ and PA Disodium Metasilicate: is found on the following state criteria lists: NJ and PA. Magnesium Carbonate Hydroxide: is found on the following state criteria lists: NJ and PA. No other ingredients in this product, present in a concentration of 1.0% or greater, are listed on any of the following state criteria lists: California Proposition 65 (CA65), Delaware Air Quality Management List (DE), Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Michigan Critical Substances List (MI), Minnesota Hazardous Substances List (MN), New Jersey Right-to-Know List (NJ), New York Hazardous Substances List (NY), Pennsylvania Right-to-Know List (PA), Washington Permissible Exposures List (WA), Wisconsin Hazardous Substances List (WI). Other Requirements: The primary components of this product are listed in Annex I of EU Directive 67/548/EEC: Potassium Persulfate: Oxidizer, Harmful (O, Xn). Risk Phrases (R): 8-22-36/37/38-42/43 . Contact with combustible material may cause fire. Harmful if swallowed, Irritating to eyes, respiratory system and skin. May cause sensitization by inhalation and skin contact. Safety Phrases (S): (2)-3-7-17-22-24-26-37-51 - Keep out of the reach of children. Keep in a cool place. Keep container tightly closed. Keep away from combustible material. Avoid contact with skin. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Wear suitable gloves. Use only in well-ventilated areas. Sodium Persulfate: Oxidizer, Harmful (O, Xn). Risk Phrases (R): 8-22-36/37/38-42/43 . Contact with combustible material may cause fire. Harmful if swallowed. Irritating to eyes, respiratory system and skin. May cause sensitization by inhalation and skin contact. Safety Phrases (S): (2)-3-7-17-22-24-26-37-51 - Keep out of the reach of children. Keep in a cool place. Keep container tightly closed. Keep away from combustible material. Avoid contact with skin. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Wear suitable gloves. Use only in well-ventilated areas. Ammonium Persulfate: Oxidizer, Harmful (O, Xn). Risk Phrases (R): 8-22-36/37/38-42/43. Contact with combustible material may cause fire. Harmful if swallowed. Irritating to eyes, respiratory system and skin. May cause sensitization by inhalation and skin contact. Safety Phrases (S): (2)-3-7-17-22-24-26-37-51 - Keep out of the reach of children. Keep in a cool place. Keep container tightly closed. Keep away from combustible material. Avoid contact with skin. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Wear suitable gloves. Use only in well-ventilated areas.



Page 6 of 7

SDS Revision: 1.2 Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & EU Standards

SDS Revision Date: 9/16/2016

		16 OTHE	RINFORMATION
16.1	Other Information:	DANGER! MAY INTENSIFY FIRE; O CAUSE AN ALLERGIC SKIN REACT ASTHMA SYMPTOMS OR BREATHIN Keep away from heat/sparks/ope clothing/cotton/combustible materials. A warm water thoroughly after handling. well-ventilated area. Contaminated v gloves/protective clothing/eye protectio Call a POISON CENTER or doctor/phy. Remove victim to fresh air and keep at water for several minutes. Remove concentrate of central product labely Rinse mouth. If skin irrit medical advice/attention. If eye irritatic Call a POISON CENTER or doctor/phy Use CO2, Halon (if permitted), dry che	XIDIZER. HARMFUL IF SWALLOWED. CAUSES SKIN IRRITATION. MAY TON. CAUSES SERIOUS EYE IRRITATION. MAY CAUSE ALLERGY OR OF DIFFICULTIES IF INHALED. MAY CAUSE RESPIRATORY IRRITATION.
16.2	Terms & Definitions:	See last page of this Safety Data Sheet.	
16.3	Disclaimer:	regulations must be reviewed for applicability reliable and accurate as of this date; howev either expressed or implied, are provided. T	to OSHA\$ Hazard Communication Standard, 29 CFR §1910.1200. Other government to this product. To the best of Hair Systems knowledge, the information contained herein is er, accuracy, suitability or completeness is not guaranteed and no warranties of any type, he information contained herein relates only to the specific product(s). If this product(s) is properties must be considered. Data may be changed from time to time. Be sure to consult
16.4	Issued by:	Hair Systems, Inc. 30 Park Avenue Englishtown, NJ 07726 USA Tel: +1 (732) 446-2202 Fax: +1 (732) 446-7968 http://www.hairsystemsinc.com	HAIR SYSTEMS INC. Processors & Packagers of Quality Pain Care Products.

Page 7 of 7

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & EU Standards

SDS Revision: 1.2

SDS Revision Date: 9/16/2016

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a SDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

CAS No.	Chemical Abstract Service Number				
EXPOSURE	EXPOSURE LIMITS IN AIR:				
ACGIH	American Conference on Governmental Industrial Hygienists				
С	Ceiling Limit				
ES	Exposure Standard (Australia)				
IDLH	Immediately Dangerous to Life and Health				
OSHA	U.S. Occupational Safety and Health Administration				
PEL	Permissible Exposure Limit				
STEL	Short-Term Exposure Limit				
TLV	Threshold Limit Value				
TWA	Time Weighted Average				

FIRST AID MEASURES:

Cardiopulmonary resuscitation - method in which a person whose heart has stopped receives manual chest compressions and breathing to circulate blood and provide oxygen to the body

HMIS-III HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard



PERSONAL PROTECTION RATINGS:

Α		
В		
С		
D		
E		
F		







Face Shield &













Full Face Respirator

Dust & Vapor Half-

Mask Respirator

Full Face Respirator

Airline Hood/Mask or SCBA

OTHER STANDARD ABBREVIATIONS:

ML	Maximum Limit
mg/m3	milligrams per cubic meter
NA	Not Available
ND	Not Determined
NE	Not Established
NF	Not Found
NR	No Results
ppm	parts per million
SCBA	Self-Contained Breathing Apparatus

NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILIT	FLAMMABILITY LIMITS IN AIR:				
Autoignition Temperature	Minimum temperature required to initiate combustion in air with no other source of ignition				
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source				
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source				

HAZARD RATINGS:

0	Minimal Hazard				
1	Slight Hazard				
2	Moderate Hazard				
3	Severe Hazard				
4	Extreme Hazard				
ACD	Acidic				
ALK	Alkaline				
COR	Corrosive				
W	Use No Water				
ОХ	Oxidizer				
TREFOIL	Radioactive				
TOXICOLOGICAL INFORMATION:					

REACTIVITY

FLAMMABILITY

LD ₅₀	Lethal Dose (solids & liquids) w			
LC ₅₀	Lethal concentration (gases) wh			
ppm	Concentration expressed in part PRECAUTIONS			
TD _{Io}	Lowest dose to cause a symptom			
TCLo	Lowest concentration to cause a symptom			
TD _{Io} , LD _{Io} , & LD _o or TC, TC _o , LC _{Io} , & LC _o	Lowest dose (or concentration) to cause lethal or toxic effects			
IARC	International Agency for Research on Cancer			
NTP	National Toxicology Program			
RTECS	Registry of Toxic Effects of Chemical Substances			
BCF	Bioconcentration Factor			
TL _m	Median threshold limit			
log Kow or log Koc	Coefficient of Oil/Water Distribution			

REGULATORY INFORMATION:

WHMIS	Canadian Workplace Hazardous Material Information System			
DOT	U.S. Department of Transportation			
TC	Transport Canada			
EPA	U.S. Environmental Protection Agency			
DSL	DSL Canadian Domestic Substance List			
NOHSC	SC National Occupational Health and Safety Commission (Australia)			
NDSL	Canadian Non-Domestic Substance List			
PSL	Canadian Priority Substances List			
TSCA	U.S. Toxic Substance Control Act			
EU	European Union (European Union Directive 67/548/EEC)			
WGK	Wassergefährdungsklassen (German Water Hazard Class)			
HMIS-III	National Paint & Coatings Association Hazardous Materials Identification System			

WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

0	(4)	(3)	@	\odot	®		
Class A	Class B	Class C	Class D1	Class D2	Class D3	Class E	Class F
Compressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive

EC (67/548/EEC) INFORMATION:

Lo (onotolelo) ini onimation.								
			Y			×	×	
С	E	F	N	0	Т	Xi	Xn	
Corrosive	Explosive	Flammable	Harmful	Oxidizing	Toxic	Irritant	Harmful	

CLP/GHS (1272/2008/EC) PICTOGRAMS:

		(10)	\Diamond			\limits		X
GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environment