Item #: 5NB, 6NB, 7NB Page 1 of 6 SAFETY DATA SHEET PAUL MITCHELL PM-077 Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision: 1.3 SDS Revision Date: 7/1/2016 1. PRODUCT & COMPANY IDENTIFICATION 1 1 Product Name: PAUL MITCHELL - THE COLOR PERMANENT CREAM HAIR COLOR: 5NB LIGHT NEUTRAL BROWN; 6NB DARK NEUTRAL BLONDE; 7NB NEUTRAL BLONDE 1.2 Chemical Name: NA 1.3 Synonyms: JPMS - The Color Permanent Cream Hair Color: 5NB Light Neutral Brown; 6NB Dark Neutral Blonde; 7NB Neutral 1.4 Trade Names: Paul Mitchell - The Color Permanent Cream Hair Color: 5NB Light Neutral Brown; 6NB Dark Neutral Blonde; 7NB Neutral Blonde 1.5 Product Uses & Restrictions: Professional Use Only 1.6 Distributor's Name JPMS Manufacturing, LLC. 1.7 Distributor's Address: 237 Buttonwood Street, Reading, PA 19601 USA 1.8 Emergency Phone CHEMTREC: +1 (703) 527-3887 / +1 (800) 424-9300 (CCN 11977) 1.9 Business Phone / Fax: +1 (610) 374-4845 / +1(610) 373-7101 2. HAZARDS IDENTIFICATION 21 Hazard Identification: This product is classified as a HAZARDOUS SUBSTANCE but NOT as DANGEROUS GOODS according to the classification criteria of NOHSC: 1088 (2004) and ADG Code (Australia). WARNING! MAY CAUSES AN ALLERGIC SKIN REACTION. CAUSES SERIOUS EYE IRRITATION. Classification: Skin Sens.1; Eye Irrit. 2A Hazard Statements (H): H317 - May cause an allergic skin reaction. H319 - Causes serious eye irritation. Precautionary Statements (P): P271 - Use only in well-ventilated area. P280 - Wear protective gloves and eye/face protection. P305+P351+P338 - IF IN EYES: Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 - If eye irritation persists: Get medical advice/attention. P312 - Call a POISON CENTER/doctor if you feel unwell. P332+P313 - If skin irritation occurs: get medical advice/attention. P405 - Store locked up. P501 - Dispose of contents/container to a licensed treatment, storage or disposal facility (TSDF). NOTICE: This product is designed and intended for use by a licensed cosmetologist/professional hairdresser only, and carries no warranty, expressed or implied, if used by others. CAN CAUSE AN ALLERGIC REACTION. Preliminary patch testing is recommended. Tattoos, including black and temporary henna, may increase the risk of allergy. If a severe allergic reaction should occur, seek immediate medical attention. This product must not be used for dyeing the eyelashes or eyebrows - to do so may cause blindness.

3. COMPOSITION & INGREDIENT INFORMATION EXPOSURE LIMITS IN AIR (mg/m3) ACGIH NOHSC OSHA ppm ppm ppm ES-ES-ES-STEL CHEMICAL NAME(S) CAS No. RTECS No. EINECS No. TLV STEL TWA STEL PEAK PEL **IDLH** OTHER NA NA 60-100 NA NA NF NF NF NA NA NA NA JPMS PROPRIETAY BLEND BQ9625000 1336-21-6 215-647-6 < 10.0 25 35 50 NF 25 NA NA 25 NIOSH 25 AMMONIUM HYDROXIDE Skin Corr. 1B; H314 SS8050000 NA NA NF 0.1 NF 106-50-3 203-404-7 < 1.0 NA NA 25 P-PHENYLENEDIAMINE Acute Tox. 3 *; Acute Tox. 3 *; Acute Tox. 3 *; Eye Irrit. 2; Skin Sens. 1; H331,H311, H301, H319, H317 NF 608-25-3 VH2009500 210-155-8 < 1.0 NA NA NF NF NA NA NA 2-METHYLRESORCINOL NA NA NF NF NA VH0450000 202-462-1 < 1.0 NF NF NF 95-88-5 4-CHLORORESORCINOL Acute Tox. 4; Skin Irrit. 2; Eye Irrit. 2A; STOT SE 3; H302, H312, H332, H331, H319, H335 NA (5) NA NF NF NF NA NA NA 102-71-6 203-049-8 < 1.0 **TRIETHANOLAMINE** Skin Irrit. 2; Eye Irrit. 2; H315,

PAUL MITCHELL

SAFETY DATA SHEET

Page 2 of 6 **PM-077**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision: 1.3 SDS Revision Date: 7/1/2016 4. FIRST AID MEASURES 4 1 First Aid: DO NOT INDUCE VOMITING. Contact ChemTrec at +1 (703) 527-3887 or the nearest Poison Control Ingestion: Center or local emergency telephone number for assistance and instructions. Seek immediate medical attention. If vomiting occurs spontaneously, keep victim's head lowered (forward) to reduce the risk of aspiration. If product gets in the eyes, flush eyes thoroughly with copious amounts of water for at least 15 minutes, Eyes: holding eyelid(s) open to ensure complete flushing. If the eyes or face becomes swollen during or following use, consult a physician or emergency room immediately. Remove contaminated clothing and wash affected areas with soap and water. If discomfort persists and/or Skin: the skin reaction worsens, contact a physician immediately. In cases where discomfort persists and/or medical attention is sought, do not use hair color products again until the specific nature of the skin reaction and the causative agent has been identified by a dermatologist, and appropriate medical advice provided. Do not wear contaminated clothing until after it has been properly cleaned. Inhalation: Remove victim to fresh air at once. Under extreme conditions, if breathing stops, perform artificial respiration. Seek immediate medical attention. 4.2 Effects of Exposure: If product is swallowed may cause nausea, vomiting and/or diarrhea. Ingestion: Moderately irritating to the eyes. Symptoms of overexposure may include redness, itching, stinging, Eyes: irritation and watering. Skin: May be irritating to skin. The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) or sensitization in some sensitive individuals. May cause mild, transient respiratory irritation. Avoid prolonged contact with concentrated vapors or mists. Inhalation: 4.3 Symptoms of Overexposure: Nausea, intestinal discomfort, vomiting and/or diarrhea. Ingestion: Eyes: Overexposure in eyes may cause redness, itching and watering. Symptoms of skin overexposure may include redness, itching, and irritation of affected areas. The product Skin: can cause allergic skin reactions (e.g., rashes, welts, dermatitis) in some sensitive individuals. Acute Health Effects: 4.4 Moderate irritation to eyes. Symptoms of overexposure may include redness, itching, stinging, irritation and watering. Moderate irritation to skin near affected areas. Chronic Health Effects: 4.5 No harmful or chronic health effects are expected to occur from a single accidental ingestion. 4.6 Target Organs: Eyes. Pre-existing dermatitis, other skin conditions, and disorders of the 47 Medical Conditions **HEALTH** 1 Aggravated by Exposure: target organs (eyes, skin, and respiratory system). **FLAMMABILITY** 0 PHYSICAL HAZARDS 1 PROTECTIVE EQUIPMENT В **EYES** SKIN 5. FIREFIGHTING MEASURES 5.1 Fire & Explosion Hazards: This product is not flammable. However, if involved in a fire, this product may decompose at high temperatures to form toxic gases (e.g., CO, CO₂, and NOx). 5.2 Extinguishing Methods: Water, Foam, CO₂, Dry Chemical 5.3 Firefighting Procedures: Fight fires as for surrounding materials. Hazardous decomposition products may be released. Thermal degradation may produce oxides of carbon and/or nitrogen, hydrocarbons and/or derivatives. Firefighters should wear a MSHA/NIOSH approved or equivalent self-contained breathing apparatus (SCBA) and protective clothing. Fire should be fought from a safe distance. Keep containers cool until well after the fire is out. Use water spray to cool fire-exposed surfaces and to protect personal. Fight fire upwind. Prevent runoff from fire control or dilution from entering sewers, drains, drinking water supply, or any natural waterway. 6. ACCIDENTAL RELEASE MEASURES Spills: Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment. For small spills (e.g., < 1 gallon (3.8 L)) wear appropriate personal protective equipment (e.g., goggles, gloves). Maximize ventilation (open doors and windows) and secure all sources of ignition. Remove spilled material with absorbent material and place into appropriate closed container(s) for disposal. Dispose of properly in accordance with local, state and federal regulations. Wash all affected areas and outside of container with plenty of warm water and soap. Remove any contaminated clothing and wash thoroughly before reuse. For large spills (e.g., ≥ 1 gallon (3.8 L)), deny entry to all unprotected individuals. Dike and contain spill with inert material (e.g., sand or earth). Transfer liquid to containers for recovery or disposal and solid diking material to separate containers for proper disposal. Remove contaminated clothing promptly and wash affected skin areas with soap and water. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water.



SAFETY DATA SHEET

Page 3 of 6 **PM-077**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision Date: 7/1/2016 7. HANDLING & STORAGE INFORMATION 7.1 Work & Hygiene Practices: Do not eat, drink or smoke when handling this product. Wash thoroughly after handling. Avoid contact with eyes, skin, and clothing. Do not expose to heat and flame. Use only in ventilated areas. Keep out of the reach of children. Wash unintentional residues with soap and warm water. 7.2 Storage & Handling: Use and store in a cool, dry, well-ventilated location (e.g., local exhaust ventilation, fans) away from heat and direct sunlight. Avoid temperatures above 120°F. Keep away from incompatible substances. Protect containers from physical damage. To avoid unintentional spraying keep cap in place when not in use. Keep away from children at all times! 7.3 Special Precautions: Spilled material may present a slipping hazard. Clean up all spills promptly. 8. EXPOSURE CONTROLS & PERSONAL PROTECTION Exposure Limits: ACGIH NOHSC OTHER 8.1 ppm (mg/m³) CHEMICAL NAME(S) TLV STEL ES-TWA ES-STEL ES-PEAK PEL STEL IDLH AMMONIUM HYDROXIDE 25 35 25 50 NF 25 NA NA 25 NIOSH p-PHENYLENEDIAMINE NF NF NA NA 0.1 NA NA 25 TRIETHANOLAMINE (5) NA NF NF NF NA NA NA 8.2 Ventilation & Engineering General mechanical (e.g., fans) or natural ventilation is sufficient when this product is in use. Use local or general Controls: exhaust ventilation to effectively remove and prevent buildup of vapors or mist generated from the handling of this product. Ensure appropriate decontamination equipment is available (e.g., sink, safety shower, eye-wash station). 8.3 Respiratory Protection: No special respiratory protection is required under typical circumstances of use or handling. In instances where vapors or sprays of this product are generated, and respiratory protection is needed, use only protection authorized by 29 CFR §1910.134, applicable U.S. State regulations, or the Canadian CAS Standard Z94.4-93 and applicable standards of Canadian Provinces, EC member States, or Australia. 8.4 Eve Protection: Avoid eye contact. None required under normal conditions of use. When handling large quantities (e.g., ≥ 1 gallon (3.8 L)) safety glasses with side shields should be used. Hand Protection: 8.5 Required under normal conditions of use to prevent staining and keep exposure level to a minimum. Use latex or PVC gloves. When handling large quantities (e.g., ≥ 1 gallon (3.8 L)), wear rubber or impervious plastic gloves must be worn. Body Protection: 8.6 No apron required when handling small quantities. Lab coat or apron should be worn to protect skin and clothing. When handling large quantities (e.g., ≥ 1 gallon), eye wash stations and deluge showers should be available. Upon completion of work activities involving large quantities of this product, wash any exposed areas thoroughly with soap and water. 9. PHYSICAL & CHEMICAL PROPERTIES 9 1 Appearance: White to off white cream 92 Odor: Ammoniacal 9.3 Odor Threshold: NA 94 pH: NA 9.5 Melting Point/Freezing Point: 60-65 °C (140-149 °F) Initial Boiling Point/Boiling 9.6 NA Range: 97 Flashpoint: NA 98 Upper/Lower Flammability NA Limits: Vapor Pressure: NA 9.9 9 10 Vapor Density: NA Relative Density: 9 11 0.899 9.12 Solubility: Dispersible 9.13 Partition Coefficient (log Pow): NA 9.14 Autoignition Temperature: NA 9.15 Decomposition Temperature: NA 9.16 Viscosity: NA 9.17 Other Information: NA 10. STABILITY & REACTIVITY 10.1 Stability: Stable under normal conditions; unstable with heat or contamination. 10.2 Hazardous Decomposition Oxides of carbon (CO, CO₂), nitrogen (NO_x) and sulfur (SO₂). Products 10.3 Hazardous Polymerization: Will not occur. 10.4 Conditions to Avoid: Open flames, sparks, high heat, incompatible substances and direct sunlight. 10.5 Incompatible Substances: Avoid extreme heat and ignition sources. Store away from oxidizers

PAUL MITCHELL

SAFETY DATA SHEET

Page 4 of 6 **PM-077**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision Date: 7/1/2016 11. TOXICOLOGICAL INFORMATION Routes of Entry: Inhalation: NO Absorption: YES 11.1 Ingestion: YES 112 Toxicity Data: This product has NOT been tested on animals to obtain toxicology data. Toxicology data, found in scientific literature, is available for some of the components of the product. 11.3 Acute Toxicity: Moderate irritation to eyes and skin near affected areas. Additionally, high concentrations of vapors can cause drowsiness, dizziness, headaches and nausea. 11.4 Chronic Toxicity: The material may accentuate any pre-existing dermatitis condition. 11.5 Suspected Carcinogen: This product contains P-Phenylenediamine which is not carcinogenic to humans, but is listed as Group 3 carcinogens by the IARC. This product contains P-Phenylenediamine ACGIH listed A4. Reproductive Toxicity: 116 This product is not reported to produce reproductive toxicity in humans. Mutagenicity: This product is not reported to produce mutagenic effects in humans. Embryotoxicity: This product is not reported to produce embryotoxic effects in humans. Teratogenicity: This product is not reported to cause teratogenic effects in humans. Reproductive Toxicity: This product is not reported to cause reproductive effects in humans. The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) upon prolonged or repeated exposure. 11.7 Irritancy of Product: 11.8 Biological Exposure Indices: NE Physician Recommendations: 11.9 Treat symptomatically. 12. ECOLOGICAL INFORMATION Environmental Stability: 12.1 There is no specific data available for this product. 12.2 Effects on Plants & Animals: There are no specific data available for this product. Effects on Aquatic Life: 12.3 There are no specific data available for this product. 13. DISPOSAL CONSIDERATIONS Products covered by this MSDS, in their original form, when disposed as waste, are considered non hazardous waste 13.1 Waste Disposal: according to Federal RCRA regulations (40 CFR 261). Disposal should be in accordance with local, state and federal regulations. Dispose of in accordance with federal, state and local regulations. California Waste Code: 331 13.2 Special Considerations 14. TRANSPORTATION INFORMATION The basic description (ID Number, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional descriptive information may be required by 49 CFR, IATA/ICAO, IMDG and the CTDGR 14.1 49 CFR (GND): NOT REGULATED IATA (AIR) 14.2 NOT REGULATED IMDG (OCN): 14.3 NOT REGULATED TDGR (Canadian GND): NOT REGULATED 14.4 14.5 ADR/RID (EU): **NOT REGULATED** SCT (MEXICO): 14.6 **NOT REGULATED** ADGR (AUS): 14.7 NOT REGULATED 15. REGULATORY INFORMATION SARA Reporting 15.1 This product contains Ammonium Hydroxide (as ammonia) a substances subject to SARA Title III, section 313 reporting Requirements: requirements SARA Threshold Planning 15.2 This product is not subject to the reporting requirements of SARA Title III, Section 302. Quantity: 15.3 TSCA Inventory Status: All components of this product are listed in the TSCA Inventory or are exempt. CERCLA Reportable Quantity 15.4 Ammonium Hydroxide (Ammonia): 454 kg (1,000 lbs). (RQ): 15.5 Other Federal Requirements: This product complies with the appropriate sections of the Food and Drug Administration's 21 CFR Subchapter G, (Cosmetics) 15.6 Other Canadian Regulations: This product has been classified according to the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List. 15.7 State Regulatory Information: Ammonium Hydroxide (as ammonia) is found on the following state criteria list: Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Pennsylvania Right-to-Know List (PA) Triethanolamine is found on the following state criteria lists: FL, MA, MN, and PA. No other ingredients in this product, present in a concentration of 1.0% or greater, are listed on any of the following state criteria lists: California Proposition 65 (CA65), Delaware Air Quality Management List (DE), Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Michigan Critical Substances List (MI), Minnesota Hazardous Substances List (MN), New Jersey Right-to-Know List (NJ), New York Hazardous Substances List (NY), Pennsylvania Right-to-Know List (PA), Washington Permissible Exposures List (WA), Wisconsin Hazardous Substances List (WI). Other Requirements: 15.8 NA

PAUL MITCHELL

SAFETY DATA SHEET

Page 5 of 6 **PM-077**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 1.3

SDS Revision Date: 7/1/2016

		16. OTHER INF	ORMATION					
16.1	Other Information:	WARNING! CAUSES MILD SKIN IRRITATION. CAUSES EYE IRRITATION. For external use only. Use only as directed. Discontinue use immediately if irritation develops Keep away from children. Keep container tightly closed in a cool place. When using do not eat or drink. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Wear suitable protective clothing, gloves and eye/face protection. If case of accident or if you feel unwell seek medical advice immediately (show the label where possible). KEEP LOCKED UP AND OUT OF REACH OF CHILDREN. This product is designed and intended for use by a licensed cosmetologist/professional hairdresser only, and carries no warranty expressed or implied if used by others. CAN CAUSE AN ALLERGIC REACTION. Preliminary patch testing is recommended. Tattoos, including black and temporary henna, may increase the risk of allergy, If a severe allergic reaction should occur, immediately seek medical attention. This product must not be used for dyeing the eyelashes or eyebrows; to do so may cause blindness.						
16.2	Terms & Definitions:	See last page of this Safety Data Sheet.						
16.3	Disclaimer:	This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's & JPMS Manufacturing, LLC.'s knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness are not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.						
16.4	Prepared for:	JPMS Manufacturing, LLC. 237 Buttonwood Street Reading, PA. 19601 USA Tel: +1 (610) 374-4845 Fax: +1 (610) 373-7101	PAUL MITCHELL					
16.5	Prepared by:	ShipMate, Inc. P.O. Box 787 Sisters, Oregon 97759-0787 USA Tel: +1 (310) 370-3600 Fax: +1 (310) 370-5700 http://www.shipmate.com	ShipMate* Dangerous Goods Training & Consulting					

SAFETY DATA SHEET

Page 6 of 6 PM-077

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision Date: 7/1/2016

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a SDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

CAS No.	Chemical Abstract Service Number				
EXPOSURE	EXPOSURE LIMITS IN AIR:				
ACGIH American Conference on Governmental Industrial Hygienists					
С	Ceiling Limit				
ES	Exposure Standard (Australia)				
IDLH	Immediately Dangerous to Life and Health				
OSHA	U.S. Occupational Safety and Health Administration				
PEL	Permissible Exposure Limit				
STEL Short-Term Exposure Limit					
TLV	Threshold Limit Value				
TWA Time Weighted Average					

FIRST AID MEASURES:

CPR	Cardiopulmonary resuscitation - method in which a person whose heart has
	stopped receives manual chest compressions and breathing to circulate blood
	and provide oxygen to the body.


HMIS-III HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	Minimal Hazard			
1	1 Slight Hazard			
2	2 Moderate Hazard			
3	Severe Hazard			
4	Extreme Hazard			



PERSONAL PROTECTION RATINGS:

Α			
В			
С		THE STATE OF THE S	
D		THE THE	
E			
F		The second second	











Synthetic Apron

Protective Clothing & Full Suit











OTHER STANDARD ABBREVIATIONS:


	44		
ML	Maximum Limit		
mg/m3	milligrams per cubic meter		
NA	NA Not Available		
ND	Not Determined		
NE Not Established			
NF Not Found			
NR	No Results		
ppm parts per million			
SCRA Self-Contained Breathing Apparatus			

NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILITY LIMITS IN AIR:							
Autoignition	Autoignition Minimum temperature required to initiate combustion in air with no other						
Temperature	Temperature source of ignition						
LEL	LEL Lower Explosive Limit - lowest percent of vapor in air, by volume, that wil						
	explode or ignite in the presence of an ignition source						
UEL	UEL Upper Explosive Limit - highest percent of vapor in air, by volume, that will						
explode or ignite in the presence of an ignition source							

HAZARD RATINGS:

0	Minimal Hazard		
1	Slight Hazard		
2	Moderate Hazard		
3	Severe Hazard		
4	Extreme Hazard		
ACD	Acidic		
ALK	Alkaline		
COR	Corrosive		
₩	Use No Water		
OX	Oxidizer		
TREFOIL	Radioactive		
TOWARD COLONI INTORNATION			



TOXICOLOGICAL INFORMATION:

		SPECIAL				
LD ₅₀	Lethal Dose (solids & liquids) w	PRECAUTIONS				
	S					
LC 50	Lethal concentration (gases) which kills 50% of the exposed animal					
ppm	Concentration expressed in parts of mate	erial per million parts				
TD _{Io}	Lowest dose to cause a symptom					
TCLo	Lowest concentration to cause a symptom					
TD _{Io} , LD _{Io} , & LD _o or	Lowest dose (or concentration) to cause lethal or toxic effects					
TC, TC _o , LC _{io} , & LC _o	R LC _o					
IARC	International Agency for Research on Cancer					
NTP	National Toxicology Program					
RTECS	Registry of Toxic Effects of Chemical Sul	ostances				
BCF	Bioconcentration Factor					
TLm	m Median threshold limit					
log Kow or log Koc	Coefficient of Oil/Water Distribution					
RTECS BCF TL _m	Registry of Toxic Effects of Chemical Sul Bioconcentration Factor Median threshold limit	ostances				

REGULATORY INFORMATION:

WHMIS	Canadian Workplace Hazardous Material Information System		
DOT	U.S. Department of Transportation		
TC	Transport Canada		
EPA	EPA U.S. Environmental Protection Agency		
DSL	Canadian Domestic Substance List		
NOHSC	NOHSC National Occupational Health and Safety Commission (Australia)		
NDSL	Canadian Non-Domestic Substance List		
PSL	Canadian Priority Substances List		
TSCA	U.S. Toxic Substance Control Act		
EU	European Union (European Union Directive 67/548/EEC)		
WGK	Wassergefährdungsklassen (German Water Hazard Class)		
HMIS-III	III National Paint & Coatings Association Hazardous Materials Identification System		

WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

(0	(2)	(2)	(3)	\odot	(4)		(R)
	Class A	Class B	Class C	Class D1	Class D2	Class D3	Class E	Class F
Со	mpressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive

EC (67/548/EEC) INFORMATION:

FU Dest		*	¥		S	X	×
О	E	F	N	0	Т	Xi	Xn
Corrosive	Explosive	Flammable	Harmful	Oxidizing	Toxic	Irritant	Harmful

CLP/GHS (1272/2008/EC) PICTOGRAMS:

			\Diamond			\limits		
GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environment