SAFETY DATA SHEET

Page 1 of 6 **PM-002**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 1.3

SDS Revision Date: 7/1/2016

| | | 1. PRODUCT & COMPANY IDENTIFICATION |
|----|------------------------------|---|
| .1 | Product Name: | PAUL MITCHELL THE COLOR PERMANENT CREAM HAIR COLOR 5PN PEARL NATURAL LIGHT SMOKY NATURAL BROWN |
| 2 | Chemical Name: | NA NA |
| 3 | Synonyms: | JPMS – The Color Permanent Cream Hair Color 5PN Pearl Natural Light Smoky Natural Brown |
| 4 | Trade Names: | John Paul Mitchell Systems – The Color Permanent Cream Hair Color 5PN Pearl Natural Light Smoky Natural Brown |
| 5 | Product Uses & Restrictions: | Professional Use Only |
| 6 | Distributor's Name: | JPMS Manufacturing, LLC |
| 7 | Distributor's Address: | 237 Buttonwood Street, Reading, PA 19601 USA |
| 8 | Emergency Phone: | CHEMTREC: +1 (703) 527-3887 / +1 (800) 424-9300 (CCN 11977) |
| 9 | Business Phone / Fax: | +1 (610) 374-4845 / +1(610) 373-7101 |

2. HAZARDS IDENTIFICATION

2.1 Hazard Identification:

This product is classified as a HAZARDOUS SUBSTANCE but NOT as DANGEROUS GOODS according to the classification criteria of NOHSC: 1088 (2004) and ADG Code (Australia).

WARNING! MAY CAUSES AN ALLERGIC SKIN REACTION. CAUSES SERIOUS EYE IRRITATION. HARMFUL IF INHALED.

Classification: Skin Sens.1; Eye Irrit. 2A; Acute Tox, Inh. 4

<u>Hazard Statements</u> (H): H317 – May cause an allergic skin reaction. H319 – Causes serious eye irritation. H332 – Harmful if inhaled.

Precautionary Statements (P): P271 – Use only in well-ventilated area. P280 – Wear protective gloves and eye/face protection. P304+P340 – IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 – IF IN EYES: Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 – If eye irritation persists: Get medical advice/attention. P312 – Call a POISON CENTER/doctor if you feel unwell. P332+P313 – If skin irritation occurs: get medical advice/attention. P405 – Store locked up. P501 – Dispose of contents/container to a licensed treatment, storage or disposal facility (TSDF).

NOTICE: This product is designed and intended for use by a licensed cosmetologist/professional hairdresser only, and carries no warranty, expressed or implied, if used by others. **CAN CAUSE AN ALLERGIC REACTION.** Preliminary patch testing is recommended. Tattoos, including black and temporary henna, may increase the risk of allergy. If a severe allergic reaction should occur, seek immediate medical attention. This product must not be used for dyeing the eyelashes or eyebrows - to do so may cause blindness.



3. COMPOSITION & INGREDIENT INFORMATION

| | | | | | | EXPOSURE LIMITS IN AIR (mg/m³) | | | | | | | |
|---------------------------|--|------------------|---------------------|------------|---------|--------------------------------|------------|-------------|-------------|-------|------|------|----------|
| | | | | | AC | GIH | | NOHSC | : | | OSHA | | |
| | | | | | pp | m | | ppm | | | ppm | | |
| CHEMICAL NAME(S) | CAS No. | RTECS No. | EINECS No. | % | TLV | STEL | ES- TWA | ES- STEL | ES- PEAK | PEL | STEL | IDLH | OTHER |
| JPMS PROPRIETARY BLEND | NA | NA | NA | 60-100 | NA | NA | NF | NF | NF | NA | NA | NA | |
| JPINIS PROPRIETART BLEIND | | | | | | | | | | | | | |
| AMMONIUM HYDROXIDE | 1336-21-6 | BQ9625000 | 215-647-6 | ≤ 10.0 | 25 | 35 | 25 | 50 | NF | 25 | NA | NA | 25 NIOSH |
| AMMONIUM HYDROXIDE | Skin Corr. 1B; | H314 | | | | | | | | | | | |
| ~ DUENVUENEDIAMINE | 106-50-3 | SS8050000 | 203-404-7 | NA | NA | NA | NF | (0.1) | NF | (0.1) | NA | 25 | |
| p-PHENYLENEDIAMINE | Acute Tox. 3 *; Eye Irrit. 2; Skin Sens. 1; H331, H311, H301, H319, H317 | | | | | | | | | | | | |
| DESCRING | 108-46-3 | VG9625000 | 203-585-2 | NA | NA | NA | NF | NF | NF | NA | NA | NA | |
| RESORCINOL | | | | | | | | | | | | | |
| 1-NAPHTHOL | 90-15-3 | NA | 201-969-4 | NA | NA | NA | NF | NF | NF | NA | NA | NA | |
| I-NAPHTHOL | Acute Tox. 4 *; | STOT SE 3; Sk | in Irrit. 2; Eye Da | m. 1; H312 | , H302, | H335, | H315, I | H318 | | | | | |
| 2,4-DIAMINOPHENOXYETHANOL | 66422-95-5 | NA | 266-357-1 | NA | NA | NA | NF | NF | NF | NA | NA | NA | |
| HCI | | | | | | | | | | | | | |
| 2-METHYLRESORCINOL | 608-25-3 | VH2009500 | 210-155-8 | NA | NA | NA | NF | NF | NF | NA | NA | NA | |
| 2-WETHT LRESURGINUL | | • | • | • | | • | | • | | | | | |
| ETHANOLAMINE | 141-43-5 | KJ5775000 | 205-483-3 | NA | 3 | 6 | 3 | NF | NF | 3 | 6 | 30 | |
| ETHANOLAWIINE | Acute Tox. 4 *: | Skin Corr. 1B; I | H332, H312, H30 | 2, H314 | | | | | | | | | · |

SAFETY DATA SHEET

Page 2 of 6 **PM-002**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision: 1.3 SDS Revision Date: 7/1/2016 4. FIRST AID MEASURES If ingested, do not induce vomiting. If product has been swallowed, drink plenty of water or milk 4 1 First Aid: Ingestion: IMMEDIATELY. If the patient is vomiting, continue to offer water or milk. Never give water or milk to an unconscious person. Contact the nearest Poison Control Center or local emergency number. Provide an estimate of the time at which the material was ingested and the amount of the substance that was swallowed Splashes are not likely; however, if product gets in the eyes. Remove contact lenses, if present and easy Eyes: to do, flush with copious amounts of lukewarm water for at least 15 minutes. Continue rinsing. If eye irritation persists: Get medical advice/attention. If irritation occurs and product is on the skin, rinse thoroughly with lukewarm water, followed by a thorough Skin: washing of the affected area with soap and water. If irritation, redness or swelling persists, contact a physician immediately. Remove victim to fresh air at once. Inhalation: Effects of Exposure: 4.2 If product is swallowed, may cause nausea, vomiting and/or diarrhea. Ingestion: Irritating to the eyes. Symptoms of overexposure may include redness, itching, irritation and watering. Eyes: May be irritating to skin. The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) in Skin: some sensitive individuals. None expected. Inhalation: 4.3 Symptoms of Overexposure: Overexposure in eyes may cause redness, itching and watering. Symptoms of skin overexposure may include redness, itching, and irritation of affected areas. The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) in some sensitive individuals. 4.4 Acute Health Effects: Moderate irritation to eyes. Symptoms of overexposure may include redness, itching, stinging, irritation and watering. Moderate irritation to skin near affected areas. Chronic Health Effects: 4.5 No harmful or chronic health effects are expected to occur from a single accidental ingestion. Target Organs: 4.6 Eyes, Skin, Respiratory System 4.7 Medical Conditions Pre-existing dermatitis, other skin conditions, and disorders of the **HEALTH** Aggravated by Exposure: target organs (eyes, skin, and respiratory system). FLAMMABILITY 0 PHYSICAL HAZARDS 1 PROTECTIVE EQUIPMENT В **EYES** SKIN 5. FIREFIGHTING MEASURES 5.1 Fire & Explosion Hazards: This product is not flammable. However, if involved in a fire, this product may decompose at high temperatures to form toxic gases (e.g., CO, CO₂, and NOx) Extinguishing Methods: 5.2 Water, Foam, CO₂, Dry Chemical 5.3 Firefighting Procedures: Fight fires as for surrounding materials. Hazardous decomposition products may be released. Thermal degradation may produce oxides of carbon and/or nitrogen, hydrocarbons and/or derivatives. Firefighters should wear a MSHA/NIOSH approved or equivalent self-contained breathing apparatus (SCBA) and protective clothing. Fire should be fought from a safe distance. Keep containers cool until well after the fire is out. Use water spray to cool fire-exposed surfaces and to protect personal. Fight fire upwind. Prevent runoff from fire control or dilution from entering sewers, drains, drinking water supply, or any natural waterway. 6. ACCIDENTAL RELEASE MEASURES Spills Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment. For small spills (e.g., < 1 gallon (3.8 L)) wear appropriate personal protective equipment (e.g., goggles, gloves). Maximize ventilation (open doors and windows) and secure all sources of ignition. Remove spilled material with absorbent material and place into appropriate closed container(s) for disposal. Dispose of properly in accordance with local, state and federal regulations. Wash all affected areas and outside of container with plenty of warm water and soap. Remove any contaminated clothing and wash thoroughly before reuse. For <u>large spills</u> (e.g., ≥ 1 gallon (3.8 L)), deny entry to all unprotected individuals. Dike and contain spill with inert material (e.g., sand or earth). Transfer liquid to containers for recovery or disposal and solid diking material to separate containers for proper disposal. Remove contaminated clothing promptly and wash affected skin areas with soap and water. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water. 7. HANDLING & STORAGE INFORMATION Do not eat, drink or smoke when handling this product. Wash thoroughly after handling. Avoid contact with eyes, skin, Work & Hygiene Practices: 7.1 and clothing. Do not expose to heat and flame. Use only in ventilated areas. Keep out of the reach of children. Wash unintentional residues with soap and warm water. 7.2 Storage & Handling: Use and store in a cool, dry, well-ventilated location (e.g., local exhaust ventilation, fans) away from heat and direct sunlight. Avoid temperatures above 120°F. Keep away from incompatible substances. Protect containers from physical damage. To avoid unintentional spraying keep cap in place when not in use. Keep away from children at all times! Spilled material may present a slipping hazard. Clean up all spills promptly. Special Precautions



11.4

11.5

Chronic Toxicity:

Suspected Carcinogen:

Page 3 of 6 SAFETY DATA SHEET PM-002 Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision: 1.3 SDS Revision Date: 7/1/2016 8. EXPOSURE CONTROLS & PERSONAL PROTECTION ACGIH 8.1 Exposure Limits: NOHSC OTHER ppm (mg/m³) ES-TWA ES-PEAK CHEMICAL NAME(S) TLV STEL ES-STEL PEL STEL **IDLH** AMMONIUM HYDROXIDE 25 35 25 50 NF 25 NA NA 25 NIOSH p-PHENYLENEDIAMINE NA NA NF NF NA (0.1)(0.1)25 ETHANOLAMINE 6 NF 6 8.2 Ventilation & Engineering General mechanical (e.g., fans) or natural ventilation is sufficient when this product is in use. Use local or general Controls: exhaust ventilation to effectively remove and prevent buildup of vapors or mist generated from the handling of this product. Ensure appropriate decontamination equipment is available (e.g., sink, safety shower, eye-wash station). 8.3 Respiratory Protection: No special respiratory protection is required under typical circumstances of use or handling. In instances where vapors or sprays of this product are generated, and respiratory protection is needed, use only protection authorized by 29 CFR §1910.134, applicable U.S. State regulations, or the Canadian CAS Standard Z94.4-93 and applicable standards of Canadian Provinces, EC member States, or Australia. 8.4 Eye Protection: Avoid eye contact. None required under normal conditions of use. When handling large quantities (e.g., ≥ 1 gallon (3.8 L)) safety glasses with side shields should be used. 8.5 Hand Protection: Required under normal conditions of use to prevent staining and keep exposure level to a minimum. Use latex or PVC gloves. When handling large quantities (e.g., ≥ 1 gallon (3.8 L)), wear rubber or impervious plastic gloves must be worn. 8.6 Body Protection: No apron required when handling small quantities. Lab coat or apron should be worn to protect skin and clothing. When handling large quantities (e.g., ≥ 1 gallon), eye wash stations and deluge showers should be available. Upon completion of work activities involving large quantities of this product, wash any exposed areas thoroughly with soap and water. 9. PHYSICAL & CHEMICAL PROPERTIES Appearance: Cream, white to off-white 9.1 92 Odor. Ammoniacal odor 93 Odor Threshold: NA 9.4 NA 9.5 Melting Point/Freezing Point: 58-62 °C (136.4-143.6 °F) 9.6 Initial Boiling Point/Boiling NA Range: 9.7 Flashpoint: NA 9.8 Upper/Lower Flammability NA Limits: 99 Vapor Pressure: NA 9 10 Vapor Density NA 9.11 Relative Density: NA 9.12 Solubility: Partial 9.13 Partition Coefficient (log Pow): NA 9.14 Autoignition Temperature: NA 9.15 Decomposition Temperature: NA 9.16 Viscosity NA 9.17 Other Information: NA 10. STABILITY & REACTIVITY 10.1 Stability: Stable under normal conditions; unstable with heat or contamination. Hazardous Decomposition 10.2 Oxides of carbon (CO, CO₂), nitrogen (NO_x) and sulfur (SO₂). Products: 10.3 Hazardous Polymerization: Will not occur. 10.4 Conditions to Avoid: Open flames, sparks, high heat, incompatible substances and direct sunlight. Incompatible Substances: 10.5 Avoid extreme heat and ignition sources. Store away from oxidizers 11. TOXICOLOGICAL INFORMATION Routes of Entry: Absorption: YFS Toxicity Data: 11.2 This product has NOT been tested on animals to obtain toxicology data. Toxicology data, found in scientific literature, is available for some of the components of the product but is not presented in this document. 11.3 Acute Toxicity: Moderate irritation to eyes and skin near affected areas. Additionally, high concentrations of vapors can cause drowsiness, dizziness, headaches and nausea

This material may aggravate any pre-existing skin condition (e.g., dermatitis).

This product contains p-Phenylenediamine and Resorcinol, which are not carcinogenic to humans, but are listed as Group 3 carcinogens by the IARC. This product contains p-Phenylenediamine, which is listed by ACGIH in group A4.

SAFETY DATA SHEET

Page 4 of 6 **PM-002**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision: 1.3 SDS Revision Date: 7/1/2016 11. TOXICOLOGICAL INFORMATION - cont'd 11.6 Reproductive Toxicity: This product is not reported to produce reproductive toxicity in humans. This product is not reported to produce mutagenic effects in humans. Mutagenicity Embryotoxicity This product is not reported to produce embryotoxic effects in humans Teratogenicity: This product is not reported to cause teratogenic effects in humans. Reproductive Toxicity: This product is not reported to cause reproductive effects in humans. 11.7 Irritancy of Product: The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) upon prolonged or repeated exposure. 11.8 Biological Exposure Indices: ΝE Physician Recommendations Treat symptomatically. 12. ECOLOGICAL INFORMATION 12.1 Environmental Stability: There is no specific data available for this product. 12.2 Effects on Plants & Animals There are no specific data available for this product. 12.3 Effects on Aquatic Life There are no specific data available for this product. 13. DISPOSAL CONSIDERATIONS 13.1 Waste Disposal: Products covered by this MSDS, in their original form, when disposed as waste, are considered non hazardous waste according to Federal RCRA regulations (40 CFR 261). Disposal should be in accordance with local, state and federal regulations. Dispose of in accordance with federal, state and local regulations. 13.2 Special Considerations: California Waste Code: 331 14. TRANSPORTATION INFORMATION The basic description (ID Number, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional descriptive information may be required by 49 CFR, IATA/ICAO, IMDG and the CTDGR. 49 CFR (GND): NOT REGULATED IATA (AIR): 14.2 **NOT REGULATED** IMDG (OCN): 14.3 **NOT REGULATED** TDGR (Canadian GND): 14 4 **NOT REGULATED** ADR/RID (EU): 14.5 **NOT REGULATED** SCT (MEXICO): 14.6 **NOT REGULATED** 14.7 ADGR (AUS): NOT REGULATED 15. REGULATORY INFORMATION SARA Reporting 15.1 Ammonium Hydroxide (as ammonia) and p-Phenylenediamine are subject to the reporting requirements of SARA Title III, Requirements Sections 312/313. 15.2 SARA Threshold Planning This product is not subject to the reporting requirements of SARA Title III, Section 302. Quantity: TSCA Inventory Status: 15.3 All components of this product are listed in the TSCA Inventory or are exempt 15.4 CERCLA Reportable Quantity Ammonium Hydroxide (Ammonia): 454 kg (1,000 lbs); p-Phenylenediamine: 2,270 kg (5,000 lbs). (RQ) 15.5 Other Federal Requirements: This product complies with the appropriate sections of the Food and Drug Administration's 21 CFR Subchapter G, (Cosmetics) 15.6 Other Canadian Regulations: This product has been classified according to the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List. 15.7 State Regulatory Information: Ammonium Hydroxide (as ammonia) can be found on the following state criteria lists: Illinois Hazardous Substances List (IL); Massachusetts Hazardous Substances List (MA); New Jersey Right-to-Know List (NJ); Pennsylvania Right-to-Know List (PA); Rhode Island Hazardous Substances List (RI). p-Phenylenediamine is found on the following state criteria list: FL, MA, MN, NJ, PA and WA Resorcinol is found on the following state criteria lists: FL; MA; MN; PA; WA and WI. Ethanolamine is found on the following state criteria lists: FL; MA; MN, PA and WA. No other ingredients in this product, present in a concentration of 1.0% or greater, are listed on any of the following state criteria lists: California Proposition 65 (CA65), Delaware Air Quality Management List (DE), Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Michigan Critical Substances List (MI), Minnesota Hazardous Substances List (MN), New Jersey Right-to-Know List (NJ), New York Hazardous Substances List (NY), Pennsylvania Right-to-Know List (PA), Washington Permissible Exposures List (WA), Wisconsin Hazardous Substances List (WI). Other Requirements: 15.8 NA

SAFETY DATA SHEET

Page 5 of 6 **PM-002**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 1.3

SDS Revision Date: 7/1/2016

| | | 16. OTHER INFORMATION | | | | |
|------|----------------------|---|--|--|--|--|
| 16.1 | Other Information: | WARNING! CAUSES MILD SKIN IRRITATION. CAUSES EYE IRRITATION. HARMFUL IF INHALED. For external use only. Use only as directed. Discontinue use immediately if irritation develops Keep away from children. Keep container tightly closed in a cool place. When using do not eat or drink. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Wear suitable protective clothing, gloves and eye/face protection. If case of accident or if you feel unwell seek medical advice immediately (show the label where possible). KEEP LOCKED UP AND OUT OF REACH OF CHILDREN. This product is designed and intended for use by a licensed cosmetologist/professional hairdresser only, and carries no warranty expressed or implied if used by others. CAN CAUSE AN ALLERGIC REACTION. Preliminary patch testing is recommended. Tattoos, including black and temporary henna, may increase the risk of allergy, If a severe allergic reaction should occur, immediately seek medical attention. This product must not be used for dyeing the eyelashes or eyebrows; to do so may cause blindness. | | | | |
| 16.2 | Terms & Definitions: | See last page of this Safety Data Sheet. | | | | |
| 16.3 | Disclaimer: | This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's & JPMS Manufacturing, LLC.'s knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness is not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition. | | | | |
| 16.4 | Prepared for: | JPMS Manufacturing, LLC. 237 Buttonwood Street Reading, PA 19601 USA Tel: +1 (610) 374-4845 Fax: +1 (610) 373-7101 PAUL MITCHELL | | | | |
| 16.5 | Prepared by: | ShipMate, Inc. P.O. Box 787 Sisters, Oregon 97759-0787 USA Tel: +1 (310) 370-3600 Fax: +1 (310) 370-5700 http://www.shipmate.com | | | | |

SAFETY DATA SHEET

Page 6 of 6 **PM-002**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 1.3

SDS Revision Date: 7/1/2016

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a SDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:


| CAS No. | Chemical Abstract Service Number | | | |
|-------------------------|---|--|--|--|
| EXPOSURE LIMITS IN AIR: | | | | |
| ACGIH | American Conference on Governmental Industrial Hygienists | | | |
| С | Ceiling Limit | | | |
| ES | Exposure Standard (Australia) | | | |
| IDLH | IDLH Immediately Dangerous to Life and Health | | | |
| OSHA | OSHA U.S. Occupational Safety and Health Administration | | | |
| PEL | Permissible Exposure Limit | | | |
| STEL | Short-Term Exposure Limit | | | |
| TLV | Threshold Limit Value | | | |
| TWA | Time Weighted Average | | | |

FIRST AID MEASURES:

| CPR | Cardiopulmonary resuscitation - method in which a person whose heart has |
|-----|---|
| | stopped receives manual chest compressions and breathing to circulate blood |
| | and provide oxygen to the body. |


HMIS-III HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

| 0 | Minimal Hazard |
|---|-----------------|
| 1 | Slight Hazard |
| 2 | Moderate Hazard |
| 3 | Severe Hazard |
| 4 | Extreme Hazard |



PERSONAL PROTECTION RATINGS:

| Α | | | |
|---|--|--|--|
| В | | | |
| С | | THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TO THE PERSON NAMED IN COLUMN T | |
| D | | H, | |
| E | | | |
| F | | THE PERSON NAMED IN COLUMN TO PERSON NAMED I | |

























Airline Hood/Mask or SCBA

OTHER STANDARD ABBREVIATIONS:


| ML | Maximum Limit | | | |
|-------|------------------------------------|--|--|--|
| mg/m3 | mg/m3 milligrams per cubic meter | | | |
| NA | NA Not Available | | | |
| ND | Not Determined | | | |
| NE | Not Established | | | |
| NF | Not Found | | | |
| NR | No Results | | | |
| ppm | parts per million | | | |
| SCBA | Self-Contained Breathing Apparatus | | | |

NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

| - | | | | | |
|-----------------------------|---|--|--|--|--|
| FLAMMABILITY LIMITS IN AIR: | | | | | |
| Autoignition | Minimum temperature required to initiate combustion in air with no other | | | | |
| Temperature | source of ignition | | | | |
| LEL | Lower Explosive Limit - lowest percent of vapor in air, by volume, that will | | | | |
| | explode or ignite in the presence of an ignition source | | | | |
| UEL | Upper Explosive Limit - highest percent of vapor in air, by volume, that will | | | | |
| | explode or ignite in the presence of an ignition source | | | | |

HAZARD RATINGS:

| 0 | Minimal Hazard |
|---------|-----------------|
| 1 | Slight Hazard |
| 2 | Moderate Hazard |
| 3 | Severe Hazard |
| 4 | Extreme Hazard |
| ACD | Acidic |
| ALK | Alkaline |
| COR | Corrosive |
| ₩ | Use No Water |
| OX | Oxidizer |
| TREFOIL | Radioactive |
| | |



TOXICOLOGICAL INFORMATION:

| LD ₅₀ | Lethal Dose (solids & liquids) which kills 50% of the exposed animals |
|--|---|
| LC ₅₀ | Lethal concentration (gases) which kills 50% of the exposed animal |
| ppm | Concentration expressed in parts of material per million parts |
| TD _{Io} | Lowest dose to cause a symptom |
| TCLo | Lowest concentration to cause a symptom |
| TD _{Io} , LD _{Io} , & LD _o or | Lowest dose (or concentration) to cause lethal or toxic effects |
| TC, TC _o , LC _{io} , & LC _o | |
| IARC | International Agency for Research on Cancer |
| NTP | National Toxicology Program |
| RTECS | Registry of Toxic Effects of Chemical Substances |
| BCF | Bioconcentration Factor |
| TL _m | Median threshold limit |
| log Kow or log Koc | Coefficient of Oil/Water Distribution |

REGULATORY INFORMATION:

| WHMIS | Canadian Workplace Hazardous Material Information System | | | |
|----------|---|--|--|--|
| DOT | DOT U.S. Department of Transportation | | | |
| TC | Transport Canada | | | |
| EPA | U.S. Environmental Protection Agency | | | |
| DSL | Canadian Domestic Substance List | | | |
| NOHSC | National Occupational Health and Safety Commission (Australia) | | | |
| NDSL | Canadian Non-Domestic Substance List | | | |
| PSL | Canadian Priority Substances List | | | |
| TSCA | U.S. Toxic Substance Control Act | | | |
| EU | European Union (European Union Directive 67/548/EEC) | | | |
| WGK | Wassergefährdungsklassen (German Water Hazard Class) | | | |
| HMIS-III | National Paint & Coatings Association Hazardous Materials Identification System | | | |

WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

| 0 | (| (2) | | \odot | ® | | |
|------------|-----------|------------|----------|------------|------------|-----------|----------|
| Class A | Class B | Class C | Class D1 | Class D2 | Class D3 | Class E | Class F |
| Compressed | Flammable | Oxidizing | Toxic | Irritation | Infectious | Corrosive | Reactive |

EC (67/548/EEC) INFORMATION:

| | 5 | | M | ¥ | | * | X | × |
|-----|--------|-----------|-----------|---------|-----------|----------|----------|---------|
| | С | E | F | N | 0 | Т | Xi | Xn |
| Con | rosive | Explosive | Flammable | Harmful | Oxidizing | Toxic | Irritant | Harmful |

CLP/GHS (1272/2008/EC) PICTOGRAMS:

| | | | \Diamond | | | \limits | | |
|-----------|-----------|----------|-------------|-----------|-------|-----------------------|------------------|-------------|
| GHS01 | GHS02 | GHS03 | GHS04 | GHS05 | GHS06 | GHS07 | GHS08 | GHS09 |
| Explosive | Flammable | Oxidizer | Pressurized | Corrosive | Toxic | Harmful Irritating | Health Hazard | Environment |