SAFETY DATA SHEET

Page 1 of 6 **PM-005**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 1.3

SDS Revision Date: 7/1/2016

1. PRODUCT & COMPANY IDENTIFICATION				
.1	Product Name:	PAUL MITCHELL – THE COLOR PERMANENT CREAM HAIR COLOR 8PN PEARL NATURAL LIGHT SMOKY NATURAL BLONDE		
.2	Chemical Name:	NA		
.3	Synonyms:	JPMS – The Color Permanent Cream Hair Color 8PN Pearl Natural Light Smoky Natural Blonde		
.4	Trade Names:	Paul Mitchell – The Color Permanent Cream Hair Color 8PN Pearl Natural Light Smoky Natural Blonde		
.5	Product Uses & Restrictions:	Professional Use Only		
.6	Distributor's Name:	JPMS Manufacturing, LLC		
.7	Distributor's Address:	237 Buttonwood Street, Reading, PA 19601 USA		
.8	Emergency Phone:	CHEMTREC: +1 (703) 527-3887 / +1 (800) 424-9300 (CCN 11977)		
.9	Business Phone / Fax:	+1 (610) 374-4845 / +1(610) 373-7101		

2. HAZARDS IDENTIFICATION

2.1 Hazard Identification: This product is classified as a HAZARDOUS SUBSTANCE but NOT as DANGEROUS GOODS

according to the classification criteria of NOHSC: 1088 (2004) and ADG Code (Australia).

WARNING! MAY CAUSES AN ALLERGIC SKIN REACTION. CAUSES SERIOUS EYE IRRITATION. HARMFUL IF SWALLOWED.

Classification: Skin Sens. 1; Eye Irrit. 2B; Acute Tox. Oral 4

<u>Hazard Statements</u> (H): H317 – May cause an allergic skin reaction. H319 – Causes serious eye irritation. H302 – Harmful if swallowed.

Precautionary Statements (P): P264 – Wash hands and exposed skin areas with soap and warm water thoroughly after handling. P270 – Do not eat, drink or smoke while using this product. P280 – Wear protective gloves and eye/face protection. P301+P312 – IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. P305+P351+P338 – IF IN EYES: Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 – If eye irritation persists: Get medical advice/attention. P332+P313 – If skin irritation occurs: get medical advice/attention. P312 – Call a POISON CENTER/doctor if you feel unwell. P405 – Store locked up. P501 – Dispose of contents/container to a licensed treatment, storage or disposal facility (TSDF).

NOTICE: This product is designed and intended for use by a licensed cosmetologist/professional hairdresser only, and carries no warranty, expressed or implied, if used by others. CAN CAUSE AN ALLERGIC REACTION. Preliminary patch testing is recommended. Tattoos, including black and temporary henna, may increase the risk of allergy. If a severe allergic reaction should occur, seek immediate medical attention. This product must not be used for dyeing the eyelashes or eyebrows - to do so may cause blindness.



3. COMPOSITION & INGREDIENT INFORMATION EXPOSURE LIMITS IN AIR (mg/m³) ACGIH NOHSC OSHA ppm ppm ppm FS-ES-FS-RTECS No. TLV STEL PEL STEL IDLH CAS No. **EINECS No. PEAK** OTHER CHEMICAL NAME(S) **TWA** STEL NA NA NA 60-100 NA NA NF NF NF NA NA NA JPMS PROPRIETARY BLEND BQ9625000 215-647-6 25 NA 25 NIOSH 1336-21-6 ≤ 10.0 25 35 25 50 NF NA AMMONIUM HYDROXIDE Skin Corr. 1B; H314 203-404-7 106-50-3 SS8050000 NA NA NA NF (0.1) NF (0.1) NA 25 p-PHENYLENEDIAMINE H319, H317 Acute Tox. 3 *; Eye Irrit. 2; Skin Sens. 1; H331, H311, H301 NF NΑ 108-46-3 VG9625000 203-585-2 < 1.0 NA NA NF NF NA NA RESORCINOL 608-25-3 VH2009500 210-155-8 < 1.0 NA NA NF NF NF NA NA NA 2-METHYLRESORCINOL 591-27-5 NA 209-711-2 < 1.0 NA NA NF NF NF NA NA NA m-AMINOPHENOL 2,4-DIAMINOPHENOXYETHANOL 66422-95-5 NA 266-357-1 < 1.0 NA NA NF NF NF NA NA NA 141-43-5 KJ5775000 205-483-3 < 1.0 3 6 3 NF NF 3 6 30 **ETHANOLAMINE** Acute Tox. 4 *; Skin Corr. 1B; H332, H312, H302, H314

Page 2 of 6

SAFETY DATA SHEET PAUL MITCHELL PM-005 Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision Date: 7/1/2016 4. FIRST AID MEASURES First Aid: DO NOT INDUCE VOMITING. Contact ChemTrec at +1 (703) 527-3887 or the nearest Poison Control Ingestion: Center or local emergency telephone number for assistance and instructions. Seek immediate medical attention. If vomiting occurs spontaneously, keep victim's head lowered (forward) to reduce the risk of aspiration. If product gets in the eyes, flush eyes thoroughly with copious amounts of water for at least 15 minutes, Eyes: holding eyelid(s) open to ensure complete flushing. If the eyes or face becomes swollen during or following use, consult a physician or emergency room immediately. Remove contaminated clothing and wash affected areas with soap and water. If discomfort persists Skin: and/or the skin reaction worsens, contact a physician immediately. In cases where discomfort persists and/or medical attention is sought, do not use hair color products again until the specific nature of the skin reaction and the causative agent has been identified by a dermatologist, and appropriate medical advice provided. Do not wear contaminated clothing until after it has been properly cleaned. Remove victim to fresh air at once. Under extreme conditions, if breathing stops, perform artificial Inhalation: respiration. Seek immediate medical attention. 42 If product is swallowed may cause nausea, vomiting and/or diarrhea. Effects of Exposure: Ingestion: Moderately irritating to the eyes. Symptoms of overexposure may include redness, itching, stinging, Eyes: irritation and watering. May be irritating to skin. The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) or Skin: sensitization in some sensitive individuals. Inhalation: May cause mild, transient respiratory irritation. Avoid prolonged contact with concentrated vapors or mists. 4.3 Symptoms of Overexposure: Nausea, intestinal discomfort, vomiting and/or diarrhea. Ingestion: Overexposure in eyes may cause redness, itching and watering. Eyes: Symptoms of skin overexposure may include redness, itching, and irritation of affected areas. The product Skin: can cause allergic skin reactions (e.g., rashes, welts, dermatitis) in some sensitive individuals. 4.4 Acute Health Effects: Moderate irritation to eyes. Symptoms of overexposure may include redness, itching, stinging, irritation and watering. Moderate irritation to skin near affected areas. 4.5 Chronic Health Effects: No harmful or chronic health effects are expected to occur from a single accidental ingestion. 4.6 Target Organs: Eyes, Skin. 47 Medical Conditions Pre-existing dermatitis, other skin conditions, and disorders of the **HEALTH** Aggravated by Exposure: target organs (eyes, skin, and respiratory system). **FLAMMABILITY** 0 PHYSICAL HAZARDS 1 PROTECTIVE EQUIPMENT В **EYES** SKIN 5. FIREFIGHTING MEASURES 5.1 Fire & Explosion Hazards: This product is not flammable. However, if involved in a fire, this product may decompose at high temperatures to form toxic gases (e.g., CO, CO₂, and NOx). 5.2 Extinguishing Methods: Water, Foam, CO2, Dry Chemical 5.3 Firefighting Procedures: Fight fires as for surrounding materials. Hazardous decomposition products may be released. Thermal degradation may produce oxides of carbon and/or nitrogen, hydrocarbons and/or derivatives. Firefighters should wear a MSHA/NIOSH approved or equivalent self-contained breathing apparatus (SCBA) and protective clothing. Fire should be fought from a safe distance. Keep containers cool until well after the fire is out. Use water spray to cool fire-exposed surfaces and to protect personal. Fight fire upwind. Prevent runoff from fire control or dilution from entering sewers, drains, drinking water supply, or any natural waterway. 6. ACCIDENTAL RELEASE MEASURES 6.1 Spills Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment. For small spills (e.g., < 1 gallon (3.8 L)) wear appropriate personal protective equipment (e.g., goggles, gloves). Maximize ventilation (open doors and windows) and secure all sources of ignition. Remove spilled material with absorbent material and place into appropriate closed container(s) for disposal. Dispose of properly in accordance with

local, state and federal regulations. Wash all affected areas and outside of container with plenty of warm water and

For <u>large spills</u> (e.g., ≥ 1 gallon (3.8 L)), deny entry to all unprotected individuals. Dike and contain spill with inert material (e.g., sand or earth). Transfer liquid to containers for recovery or disposal and solid diking material to separate containers for proper disposal. Remove contaminated clothing promptly and wash affected skin areas with soap and

soap. Remove any contaminated clothing and wash thoroughly before reuse.

water. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water.



SAFETY DATA SHEET

Page 3 of 6 **PM-005**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision Date: 7/1/2016 7. HANDLING & STORAGE INFORMATION 7.1 Work & Hygiene Practices: Do not eat, drink or smoke when handling this product. Wash thoroughly after handling. Avoid contact with eyes, skin, and clothing. Do not expose to heat and flame. Use only in ventilated areas. Keep out of the reach of children. Wash unintentional residues with soap and warm water. 7.2 Storage & Handling: Use and store in a cool, dry, well-ventilated location (e.g., local exhaust ventilation, fans) away from heat and direct sunlight. Avoid temperatures above 120°F. Keep away from incompatible substances. Protect containers from physical To avoid unintentional spraying keep cap in place when not in use. Keep away from children at all times! 7.3 Special Precautions: Spilled material may present a slipping hazard. Clean up all spills promptly. 8. EXPOSURE CONTROLS & PERSONAL PROTECTION Exposure Limits: ACGIH NOHSC OTHER 8.1 ppm (mg/m³) CHEMICAL NAME(S) TLV STEL ES-TWA ES-STEL ES-PEAK STEL PEL IDLH AMMONIUM HYDROXIDE 25 35 25 50 NF 25 NA NA 25 NIOSH p-PHENYLENEDIAMINE NF (0.1)NA NA NA NA (0.1)NF **ETHANOLAMINE** NF NF 8.2 Ventilation & Engineering General mechanical (e.g., fans) or natural ventilation is sufficient when this product is in use. Use local or general exhaust ventilation to effectively remove and prevent buildup of vapors or mist generated from the handling of this product. Ensure appropriate decontamination equipment is available (e.g., sink, safety shower, eye-wash station). 8.3 Respiratory Protection: No special respiratory protection is required under typical circumstances of use or handling. In instances where vapors or sprays of this product are generated, and respiratory protection is needed, use only protection authorized by 29 CFR §1910.134, applicable U.S. State regulations, or the Canadian CAS Standard Z94.4-93 and applicable standards of Canadian Provinces, EC member States, or Australia. Eye Protection: Avoid eye contact. None required under normal conditions of use. When handling large quantities 8 4 (e.g., ≥ 1 gallon (3.8 L)) safety glasses with side shields should be used. 8.5 Hand Protection: Required under normal conditions of use to prevent staining and keep exposure level to a minimum. Use latex or PVC gloves. When handling large quantities (e.g., ≥ 1 gallon (3.8 L)), wear rubber or impervious plastic gloves must be worn. Body Protection: No apron required when handling small quantities. Lab coat or apron should be worn to protect 8.6 skin and clothing. When handling large quantities (e.g., ≥ 1 gallon), eye wash stations and deluge showers should be available. Upon completion of work activities involving large quantities of this product, wash any exposed areas thoroughly with soap and water. 9. PHYSICAL & CHEMICAL PROPERTIES Appearance: Cream, white to off-white 9.1 9.2 Odor: Ammoniacal odor Odor Threshold: 9.3 NA 9.4 pH: NA 9.5 Melting Point/Freezing Point: 58-62 °C (136.4-143.6 °F) Initial Boiling Point/Boiling 9.6 NA Range: 9.7 Flashpoint NA Upper/Lower Flammability 9.8 NA Vapor Pressure: 9.9 NA 9.10 Vapor Density: NA 9.11 Relative Density: NA 9.12 Solubility: Partial 9.13 Partition Coefficient (log Pow): NA Autoignition Temperature: 9.14 NA 9.15 Decomposition Temperature: NA 9.16 Viscosity: NA 9.17 Other Information: NA 10. STABILITY & REACTIVITY 10.1 Stability: Stable under normal conditions; unstable with heat or contamination. 10.2 Hazardous Decomposition Oxides of carbon (CO, CO₂), nitrogen (NO_x) and sulfur (SO₂). Hazardous Polymerization: 10.3 Will not occur. Open flames, sparks, high heat, incompatible substances and direct sunlight. 10.4 Conditions to Avoid: 10.5 Incompatible Substances: Avoid extreme heat and ignition sources. Store away from oxidizers

SAFETY DATA SHEET

Page 4 of 6 **PM-005**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision Date: 7/1/2016 11. TOXICOLOGICAL INFORMATION Inhalation: YES Absorption: YES 11.1 Routes of Entry: Ingestion: YES 11 2 Toxicity Data: This product has NOT been tested on animals to obtain toxicology data. Toxicology data, found in scientific literature, is available for some of the components of the product but is not presented in this document 11.3 Acute Toxicity: Moderate irritation to eyes and skin near affected areas. Additionally, high concentrations of vapors can cause drowsiness, dizziness, headaches and nausea. 11.4 Chronic Toxicity: This material may aggravate any pre-existing skin condition (e.g., dermatitis). 11.5 Suspected Carcinogen: This product contains p-Phenylenediamine and Resorcinol, which are not carcinogenic to humans, but are listed as Group 3 carcinogens by the IARC. This product contains p-Phenylenediamine, which is listed by ACGIH in group A4. Reproductive Toxicity: 116 This product is not reported to produce reproductive toxicity in humans. Mutagenicity: This product is not reported to produce mutagenic effects in humans. Embryotoxicity: This product is not reported to produce embryotoxic effects in humans. Teratogenicity: This product is not reported to cause teratogenic effects in humans. Reproductive Toxicity: This product is not reported to cause reproductive effects in humans. The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) upon prolonged or repeated exposure. 11.7 Irritancy of Product: 11.8 Biological Exposure Indices: NE Physician Recommendations: 11.9 Treat symptomatically. 12. ECOLOGICAL INFORMATION Environmental Stability: 12.1 There is no specific data available for this product. 12.2 Effects on Plants & Animals: There are no specific data available for this product. Effects on Aquatic Life: 12.3 There are no specific data available for this product. 13. DISPOSAL CONSIDERATIONS Products covered by this MSDS, in their original form, when disposed as waste, are considered non hazardous waste 13.1 Waste Disposal: according to Federal RCRA regulations (40 CFR 261). Disposal should be in accordance with local, state and federal regulations. Dispose of in accordance with federal, state and local regulations. California Waste Code: 331 13.2 Special Considerations 14. TRANSPORTATION INFORMATION The basic description (ID Number, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional descriptive information may be required by 49 CFR, IATA/ICAO, IMDG and the CTDGR 14.1 49 CFR (GND): NOT REGULATED 14.2 IATA (AIR) NOT REGULATED IMDG (OCN): 14.3 **NOT REGULATED** TDGR (Canadian GND): NOT REGULATED 14.4 14.5 ADR/RID (EU): **NOT REGULATED** SCT (MEXICO): 14.6 **NOT REGULATED** ADGR (AUS): 14.7 **NOT REGULATED** 15. REGULATORY INFORMATION SARA Reporting 15.1 Ammonium Hydroxide (as ammonia) and p-Phenylenediamine are subject to the reporting requirements of SARA Title III, Requirements: Sections 312/313 SARA Threshold Planning 15.2 This product is not subject to the reporting requirements of SARA Title III, Section 302. Quantity: 15.3 TSCA Inventory Status: All components of this product are listed in the TSCA Inventory or are exempt. CERCLA Reportable Quantity 15.4 Ammonium Hydroxide (Ammonia): 454 kg (1,000 lbs); p-Phenylenediamine: 2,270 kg (5,000 lbs). (RQ): 15.5 Other Federal Requirements: This product complies with the appropriate sections of the Food and Drug Administration's 21 CFR Subchapter G, (Cosmetics) 15.6 Other Canadian Regulations: This product has been classified according to the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List.

16.5

Prepared by:

SAFETY DATA SHEET

Page 5 of 6 **PM-005**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision: 1.3 SDS Revision Date: 7/1/2016 15. REGULATORY INFORMATION – cont'd Ammonium Hydroxide (as ammonia) can be found on the following state criteria lists: Illinois Hazardous Substances List 15.7 State Regulatory Information: (IL); Massachusetts Hazardous Substances List (MA); New Jersey Right-to-Know List (NJ); Pennsylvania Right-to-Know List (PA); Rhode Island Hazardous Substances List (RI). P-Phenylenediamine is found on the following state criteria list: FL, MA, MN, NJ, PA and WA Resorcinol is found on the following state criteria lists: FL, MA, MN, PA, WA and WI. Ethanolamine is found on the following state criteria lists: FL, MA, MN, PA and WA. No other ingredients in this product, present in a concentration of 1.0% or greater, are listed on any of the following state criteria lists: California Proposition 65 (CA65), Delaware Air Quality Management List (DE), Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Michigan Critical Substances List (MI), Minnesota Hazardous Substances List (MN), New Jersey Right-to-Know List (NJ), New York Hazardous Substances List (NY), Pennsylvania Right-to-Know List (PA), Washington Permissible Exposures List (WA), Wisconsin Hazardous Substances List (WI). 15.8 Other Requirements: NA 16. OTHER INFORMATION WARNING! CAUSES MILD SKIN IRRITATION. CAUSES EYE IRRITATION. HARMFUL IF INHALED. For external Other Information: use only. Use only as directed. Discontinue use immediately if irritation develops Keep away from children. Keep container tightly closed in a cool place. When using do not eat or drink. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Wear suitable protective clothing, gloves and eye/face protection. If case of accident or if you feel unwell seek medical advice immediately (show the label where possible). KEEP LOCKED UP AND OUT OF REACH OF CHILDREN. This product is designed and intended for use by a licensed cosmetologist/professional hairdresser only, and carries no warranty expressed or implied if used by others. CAN CAUSE AN ALLERGIC REACTION. Preliminary patch testing is recommended. Tattoos, including black and temporary henna, may increase the risk of allergy. If a severe allergic reaction should occur, immediately seek medical attention. This product must not be used for dyeing the eyelashes or eyebrows; to do so may cause blindness. 16.2 Terms & Definitions: See last page of this Safety Data Sheet. 16.3 Disclaimer: This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's & JPMS Manufacturing, LLC's knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness is not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition. 16 4 Prepared for: JPMS Manufacturing, LLC. 237 Buttonwood Street Reading, PA 19601 USA

> Tel: +1 (610) 374-4845 Fax: +1 (610) 373-7101

Tel: +1 (310) 370-3600 Fax: +1 (310) 370-5700 http://www.shipmate.com

Sisters, Oregon 97759-0787 USA

ShipMate, Inc.

SAFETY DATA SHEET

Page 6 of 6 **PM-005**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 1.3

SDS Revision Date: 7/1/2016

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a SDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

CAS No.	Chemical Abstract Service Number

EXPOSURE LIMITS IN AIR:

ACGIH	ACGIH American Conference on Governmental Industrial Hygienists					
С	Ceiling Limit					
ES Exposure Standard (Australia)						
IDLH Immediately Dangerous to Life and Health						
OSHA	OSHA U.S. Occupational Safety and Health Administration					
PEL	Permissible Exposure Limit					
STEL	Short-Term Exposure Limit					
TLV	Threshold Limit Value					
TWA	Time Weighted Average					

FIRST AID MEASURES:

CPR	Cardiopulmonary resuscitation - method in which a person whose heart has
	stopped receives manual chest compressions and breathing to circulate blood
	and provide oxygen to the body


HMIS-III HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	Minimal Hazard			
1	Slight Hazard			
2	Moderate Hazard			
3	Severe Hazard			
4	Extreme Hazard			



PERSONAL PROTECTION RATINGS:

Α			
В			
С		THE STATE OF THE S	
D		THE THE	
E			
F		THE SECOND SECON	





Splash Goggles









Protective Clothing & Full Suit

Dust Respirator

Full Face Respirator



Full Face Respirator

Airline Hood/Mask or SCBA

OTHER STANDARD ABBREVIATIONS:

ML				
mg/m3 milligrams per cubic meter				
NA Not Available				
ND	Not Determined			
NE Not Established				
NF Not Found				
NR No Results				
ppm parts per million				
SCBA	Self-Contained Breathing Apparatus			

NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILITY LIMITS IN AIR:				
Autoignition	Minimum temperature required to initiate combustion in air with no other			
Temperature	source of ignition			
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will			
	explode or ignite in the presence of an ignition source			
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will			
	explode or ignite in the presence of an ignition source			

HAZARD RATINGS:

0	Minimal Hazard	
1 Slight Hazard		
2	Moderate Hazard	
3	Severe Hazard	
4	Extreme Hazard	
ACD Acidic		
ALK	Alkaline	
COR	Corrosive	
W	Use No Water	
ОХ	Oxidizer	
TREFOIL	Radioactive	



TOXICOLOGICAL INFORMATION:

LD ₅₀	Lethal Dose (solids & liquids) which kills 50% of the exposed animals			
LC ₅₀	Lethal concentration (gases) which kills 50% of the exposed animal			
ppm	Concentration expressed in parts of material per million parts			
TD _{Io} Lowest dose to cause a symptom				
TCLo	Lowest concentration to cause a symptom			
TD _{Io} , LD _{Io} , & LD _o or	Lowest dose (or concentration) to cause lethal or toxic effects			
TC, TC _o , LC _{io} , & LC _o				
IARC	International Agency for Research on Cancer			
NTP	National Toxicology Program			
RTECS	Registry of Toxic Effects of Chemical Substances			
BCF	Bioconcentration Factor			
TLm	Median threshold limit			
log K _{ow} or log K _{oc}	Coefficient of Oil/Water Distribution			

REGULATORY INFORMATION:

WHMIS	Canadian Workplace Hazardous Material Information System			
DOT	DOT U.S. Department of Transportation			
TC	Transport Canada			
EPA	U.S. Environmental Protection Agency			
DSL	Canadian Domestic Substance List			
NOHSC National Occupational Health and Safety Commission (Australia)				
NDSL	Canadian Non-Domestic Substance List			
PSL	Canadian Priority Substances List			
TSCA	U.S. Toxic Substance Control Act			
EU	European Union (European Union Directive 67/548/EEC)			
WGK	Wassergefährdungsklassen (German Water Hazard Class)			
HMIS-III	National Paint & Coatings Association Hazardous Materials Identification System			

WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

0	®	((3)	\odot	®		
Class A	Class B	Class C	Class D1	Class D2	Class D3	Class E	Class F
Compressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive

EC (67/548/EEC) INFORMATION:

13		M	*		&	X	X
С	E	F	N	0	Т	Xi	Xn
Corrosive	Explosive	Flammable	Harmful	Oxidizing	Toxic	Irritant	Harmful

CLP/GHS (1272/2008/EC) PICTOGRAMS:

			\Diamond			\ODE		
GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environment