Item #: HLG

Page 1 of 6 SAFETY DATA SHEET PAUL MITCHELL PM-055 SDS Revision: 1.3 Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision Date: 7/1/2016 1. PRODUCT & COMPANY IDENTIFICATION 11 Product Name: PAUL MITCHELL – THE COLOR PERMANENT CREAM HAIR COLOR: HLG HIGHLIFT GOLD BLONDE 1.2 Chemical Name: NA 1.3 Synonyms JPMS – The Color Permanent Cream Hair Color: HLG Highlift Gold Blonde 1.4 Trade Names: Paul Mitchell - The Color Permanent Cream Hair Color: HLG 1.5 Product Uses & Restrictions: Professional Use Only JPMS Manufacturing, LLC 1.6 Distributor's Name: 237 Buttonwood Street, Reading, PA 19601 USA 1.7 Distributor's Address: 18 Emergency Phone: CHEMTREC: +1 (703) 527-3887 / +1 (800) 424-9300 (CCN 11977) Business Phone / Fax: 19 +1 (610) 374-4845 / +1(610) 373-7101 2. HAZARDS IDENTIFICATION This product is classified as a HAZARDOUS SUBSTANCE but NOT as DANGEROUS GOODS 21 Hazard Identification: according to the classification criteria of NOHSC: 1088 (2004) and ADG Code (Australia). WARNING! MAY CAUSES AN ALLERGIC SKIN REACTION. CAUSES SERIOUS EYE **IRRITATION.** Classification: Skin Sens.1; Eye Irrit. 2A Hazard Statements (H): H317 - May cause an allergic skin reaction. H319 - Causes serious eye irritation. Precautionary Statements (P): P271 - Use only in well-ventilated area. P280 - Wear protective gloves and eye/face protection. P305+P351+P338 - IF IN EYES: Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 - If eye irritation persists: Get medical advice/attention. P312 - Call a POISON CENTER/doctor if you feel unwell. P332+P313 - If skin irritation occurs: get medical advice/attention. P405 - Store locked up. P501 - Dispose of contents/container to a licensed treatment, storage or disposal facility (TSDF). NOTICE: This product is designed and intended for use by a licensed cosmetologist/professional hairdresser only, and carries no warranty, expressed or implied, if used by others. CAN CAUSE AN ALLERGIC REACTION. Preliminary patch testing is recommended. Tattoos, including black and temporary henna, may increase the risk of allergy. If a severe allergic reaction should occur, seek immediate medical attention. This product must not be used for dyeing the eyelashes or evebrows - to do so may cause blindness 3. COMPOSITION & INGREDIENT INFORMATION EXPOSURE LIMITS IN AIR (mg/m<sup>3</sup>) ACGIH NOHSC OSHA ppm ppm ppm ES-ES-ES-RTECS No. EINECS No. TLV STEL TWA PEAK PEL STEL IDLH OTHER CAS No. % CHEMICAL NAME(S) STEL 60-100 NA NA NA NA NA NF NF NF NA NA NA JPMS PROPRIETARY BLEND 1336-21-6 BQ9625000 215-647-6 < 10.0 25 35 25 50 NF 25 NA NA 25 NIOSH AMMONIUM HYDROXIDE Skin Corr. 1B; H314 106-50-3 SS8050000 203-404-7 NA NA NA NF 0.1 NF NA NA 25 p-PHENYLENEDIAMINE Acute Tox. 3 \*; Eye Irrit. 2; Skin Sens. 1; H331,H311, H301, H319, H317 123-30-8 NA 204-616-2 NA NA NA NF NF NF NA NA NA p-AMINOPHENOL 59820-43-8 NA 428-840-7 NA NA NA NF NF NF NA NA NA HC YELLOW NO. 4 203-049-8 NA NF NA NA NA 102-71-6 NA (5) NA NF NF TRIETHANOLAMINE Skin Irrit. 2; Eye Irrit. 2; H315, H319

# SAFETY DATA SHEET

Page 2 of 6 **PM-055** 

Prepa	ared to OSHA, ACC, ANSI, N	IOHSC, WHMIS	, 2001/58 & 1272/2008/EC Standards	SDS Revis	ion: 1.3	SDS Revision Date:	7/1/2016			
	T		4. FIRST AID ME							
4.1	First Aid:	Ingestion: DO NOT INDUCE VOMITING. Contact ChemTrec at +1 (703) 527-3887 or the nearest Poison C Center or local emergency telephone number for assistance and instructions. Seek immediate m attention. If vomiting occurs spontaneously, keep victim's head lowered (forward) to reduce the aspiration.								
		Eyes: If product gets in the eyes, flush eyes thoroughly with copious amounts of water for at least 15 minut holding eyelid(s) open to ensure complete flushing. If the eyes or face becomes swollen during following use, consult a physician or emergency room immediately.								
		Skin: Remove contaminated clothing and wash affected areas with soap and water. If discomfort per and/or the skin reaction worsens, contact a physician immediately. In cases where discomfort per and/or medical attention is sought, do not use hair color products again until the specific nature of the reaction and the causative agent has been identified by a dermatologist, and appropriate medical ad provided. Do not wear contaminated clothing until after it has been properly cleaned.								
		Inhalation:	Remove victim to fresh air at once. U respiration. Seek immediate medical	nder extreme cond			rtificial			
4.2	Effects of Exposure:	Ingestion: Eyes:	If product is swallowed may cause na Moderately irritating to the eyes. S				ching, stinging			
		<u>Skin</u> :	irritation and watering. May be irritating to skin. The product sensitization in some sensitive individ		c skin reacti	ons (e.g., rashes, welt	s, dermatitis) c			
		Inhalation:	May cause mild, transient respiratory	rritation. Avoid pro	olonged con	tact with concentrated	vapors or mists			
4.3	Symptoms of Overexposure:	Ingestion:	Nausea, intestinal discomfort, vomiting		-					
		Eyes:	Overexposure in eyes may cause red	ness, itching and w	atering.					
		<u>Skin</u> :	Symptoms of skin overexposure may can cause allergic skin reactions (e.g.	nclude redness, ito rashes, welts, der	ching, and ir matitis) in s	ome sensitive individua	als.			
1.4	Acute Health Effects:	Moderate in	Moderate irritation to eyes. Symptoms of overexposure may include redness, itching, stinging, irritation and watering Moderate irritation to skin near affected areas.							
1.5	Chronic Health Effects:		health effects are expected to occur from	a single accidenta	al ingestion.					
4.6	Target Organs:	Eyes, skin.								
1.7	Medical Conditions Aggravated by Exposure:		dermatitis, other skin conditions, and	disorders of the	HEALTH		1			
	33	target organ	target organs (eyes and skin).		FLAMMA	BILITY	0			
					PHYSICA	L HAZARDS	1			
					PROTEC	TIVE EQUIPMENT	В			
					EYES	SKIN				
			5. FIREFIGHTING N	EASURES						
5.1	Fire & Explosion Hazards:		t is not flammable. However, if involved to form toxic gases (e.g., CO, $CO_2$ , ar		duct may de	compose at high				
5.2	Extinguishing Methods:	Water, Foar	m, CO <sub>2</sub> , Dry Chemical							
5.3	Firefighting Procedures:	Thermal de derivatives. breathing a Keep contai and to prote	as for surrounding materials. Hazardo egradation may produce oxides of c Firefighters should wear a MSHA/N pparatus (SCBA) and protective clothing iners cool until well after the fire is out. ect personal. Fight fire upwind. Prevent ins, drinking water supply, or any natura	arbon and/or nitro IOSH approved o J. Fire should be Use water spray to runoff from fire con	ogen, hydro or equivaler fought from to cool fire-e	ocarbons and/or nt self-contained a safe distance. exposed surfaces				
			6. ACCIDENTAL RELEA	SE MEASUR	RES					
6.1	Spills:	Before clea Equipment.	aning any spill or leak, individuals inv	olved in spill clea	nup must v	vear appropriate Pers	onal Protectiv			
		Maximize v absorbent r local, state soap. Rem	spills (e.g., < 1 gallon (3.8 L)) wear a ventilation (open doors and windows) naterial and place into appropriate close and federal regulations. Wash all affe ove any contaminated clothing and wash spills (e.g., $\geq$ 1 gallon (3.8 L)), deny er	and secure all so ed container(s) for cted areas and ou n thoroughly before	urces of igr disposal. D itside of cor e reuse.	hition. Remove spille bispose of properly in a stainer with plenty of v	d material wit accordance wit varm water an			
		material (e.	g., sand or earth). Transfer liquid to conform for proper disposal. Remove contamin	tainers for recover	ry or dispos	al and solid diking mat	erial to separa			

# SAFETY DATA SHEET

Page 3 of 6 **PM-055** 

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 1.3

SDS Revision Date: 7/1/2016

7 4	Mark 9 Liveian - Dra-Harr	7. HANDLIN			_	_				A						
7.1	Work & Hygiene Practices:	Do not eat, drink or smoke when handling this product. Wash thoroughly after handling. Avoid contact with eyes, skin, and clothing. Do not expose to heat and flame. Use only in ventilated areas. Keep out of the reach of children. Wash unintentional residues with soap and warm water.														
7.2	Storage & Handling:	Use and store in a cool, dry, well-ventilated location (e.g., local exhaust ventilation, fans) away from heat and direct sunlight. Avoid temperatures above 120°F. Keep away from incompatible substances. Protect containers from physical														
		damage. To avoid unintention							away fr	om chilo	Iren at all times!					
7.3	Special Precautions:	Spilled material may present a	slipping	g hazaı	rd. Clean	up all spill	s promptly.									
		8. EXPOSURE CO	NTRO	DLS	& PER	SONA	L PRO	ТЕСТ	ION							
8.1	Exposure Limits:		ACG	iH		NOHSC	1		OSHA		OTHER					
	ppm (mg/m <sup>3</sup> )	CHEMICAL NAME(S)	TLV	STEL	ES-TWA	ES-STEL	ES-PEAK	PEL	STEL	IDLH						
			25	35	25	50	NF	25	NA	NA 25	25 NIOSH					
		p-PHENYLENEDIAMINE TRIETHANOLAMINE	NA (5)	NA NA	NF NF	(0.1) NF	NF NF	(0.1) NA	NA NA	25 NA						
8.2	Ventilation & Engineering Controls:	General mechanical (e.g., fa exhaust ventilation to effective	ely rem	nove ar	nd preven	t buildup	of vapors	or mist	generat	ed from	the handling of this					
8.3	Respiratory Protection:	instances where vapors or s needed, use only protection a	product. Ensure appropriate decontamination equipment is available (e.g., sink, safety shower, eye-wash station). No special respiratory protection is required under typical circumstances of use or handling. In instances where vapors or sprays of this product are generated, and respiratory protection is needed, use only protection authorized by 29 CFR §1910.134, applicable U.S. State regulations, or the Canadian CAS Standard Z94.4-93 and applicable standards of Canadian Provinces, EC													
8.4	Eye Protection:	Avoid eye contact. None required (e.g., $\geq$ 1 gallon (3.8 L)) safety						nandling	large q	uantities						
8.5	Hand Protection:	Required under normal con minimum. Use latex or PVC g rubber or impervious plastic g	loves.	When I	handling la											
8.6	Body Protection:	No apron required when han skin and clothing. When han showers should be available. product, wash any exposed a	dling lar Upon d	ge qua comple	ntities (e.g tion of wo	g., ≥ 1 gall rk activitie	on), eye wa s involving	ash stati	ions and	l deluge	, FL,					
		9. PHYSIC	AL &	CHE	MICAL	PROP	PERTIE	S								
9.1	Appearance:	Orange colored cream														
9.2	Odor:	Ammonia odor														
9.3	Odor Threshold:	NA														
9.4	pH:	NA														
9.5	Melting Point/Freezing Point:	60-65 °C (140-149 °F)														
9.6	Initial Boiling Point/Boiling Range:	NA														
9.7	Flashpoint:	NA														
9.8	Upper/Lower Flammability Limits:	NA														
	Vapor Pressure:	NA														
9.9	Vapor Density:	1.12 g/mL														
	Relative Density:	NA														
9.10																
9.10 9.11	Solubility:	Dispersible														
9.10 9.11 9.12	Solubility: Partition Coefficient (log P <sub>ow</sub> ):	Dispersible NA														
9.9 9.10 9.11 9.12 9.13 9.14	,															
9.10 9.11 9.12 9.13 9.14	Partition Coefficient (log Pow):	NA														
9.10 9.11 9.12 9.13 9.14 9.15	Partition Coefficient (log P <sub>ow</sub> ): Autoignition Temperature: Decomposition Temperature: Viscosity:	NA NA														
9.10 9.11 9.12 9.13	Partition Coefficient (log P <sub>ow</sub> ): Autoignition Temperature: Decomposition Temperature:	NA NA NA														
9.10 9.11 9.12 9.13 9.14 9.15 9.16	Partition Coefficient (log P <sub>ow</sub> ): Autoignition Temperature: Decomposition Temperature: Viscosity:	NA NA NA NA NA	TABI		& RE/	ACTIVI	TY									
9.10 9.11 9.12 9.13 9.14 9.15 9.16	Partition Coefficient (log P <sub>ow</sub> ): Autoignition Temperature: Decomposition Temperature: Viscosity:	NA NA NA NA 10. S														
9.10 9.11 9.12 9.13 9.14 9.15 9.16 9.17 10.1 10.2	Partition Coefficient (log P <sub>ow</sub> ): Autoignition Temperature: Decomposition Temperature: Viscosity: Other Information: Stability: Hazardous Decomposition Products:	NA NA NA NA NA <b>10. S</b> Stable under normal condition Oxides of carbon (CO, CO <sub>2</sub> ),	s; unsta	ble wit	h heat or c	ontaminat										
9.10 9.11 9.12 9.13 9.14 9.15 9.16 9.17 10.1 10.2 10.3	Partition Coefficient (log P <sub>ow</sub> ): Autoignition Temperature: Decomposition Temperature: Viscosity: Other Information: Stability: Hazardous Decomposition Products: Hazardous Polymerization:	NA NA NA NA NA <b>10. S</b> Stable under normal condition Oxides of carbon (CO, CO <sub>2</sub> ), Will not occur.	s; unsta nitrogen	ble with (NO <sub>x</sub> )	h heat or c and sulfur	contaminat (SO <sub>2</sub> ).	tion.									
9.10 9.11 9.12 9.13 9.14 9.15 9.16 9.17 10.1 10.2	Partition Coefficient (log P <sub>ow</sub> ): Autoignition Temperature: Decomposition Temperature: Viscosity: Other Information: Stability: Hazardous Decomposition Products:	NA NA NA NA NA <b>10. S</b> Stable under normal condition Oxides of carbon (CO, CO <sub>2</sub> ),	<u>s; unsta</u> nitrogen at, incon	ble with (NO <sub>x</sub> )	h heat or o and sulfur	contaminat (SO <sub>2</sub> ). es and dir	tion. rect sunligh	t.								

# SAFETY DATA SHEET

Page 4 of 6 **PM-055** 

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 1.3

SDS Revision Date: 7/1/2016

#### **11. TOXICOLOGICAL INFORMATION** Inhalation: NO Absorption: YES 11.1 Routes of Entry: Ingestion: YES 112 Toxicity Data: This product has NOT been tested on animals to obtain toxicology data. Toxicology data, found in scientific literature, is available for some of the components of the product but is not presented in this document 11.3 Acute Toxicity: Moderate irritation to eyes and skin near affected areas. Additionally, high concentrations of vapors can cause drowsiness, dizziness, headaches and nausea. 11.4 Chronic Toxicity: This material may aggravate any pre-existing skin condition (e.g., dermatitis). 11.5 Suspected Carcinogen: This product contains p-Phenylenediamine, which is not carcinogenic to humans, but is listed as Group 3 carcinogens by the IARC. This product contains p-Phenylenediamine listed by ACGIH in group A4. Reproductive Toxicity: 116 This product is not reported to produce reproductive toxicity in humans Mutagenicity: This product is not reported to produce mutagenic effects in humans. Embryotoxicity: This product is not reported to produce embryotoxic effects in humans. Teratogenicity: This product is not reported to cause teratogenic effects in humans. Reproductive Toxicity: This product is not reported to cause reproductive effects in humans. 11.7 Irritancy of Product: The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) upon prolonged or repeated exposure. 11.8 Biological Exposure Indices: NE Physician Recommendations: 11.9 Treat symptomatically. 12. ECOLOGICAL INFORMATION Environmental Stability: There is no specific data available for this product. 12.1 12.2 Effects on Plants & Animals There are no specific data available for this product. 12.3 Effects on Aquatic Life: There are no specific data available for this product. 13. DISPOSAL CONSIDERATIONS 13.1 Waste Disposal: Products covered by this MSDS, in their original form, when disposed as waste, are considered non hazardous waste according to Federal RCRA regulations (40 CFR 261). Disposal should be in accordance with local, state and federal regulations. Dispose of in accordance with federal, state and local regulations. California Waste Code: 331 13.2 Special Considerations 14. TRANSPORTATION INFORMATION The basic description (ID Number, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional descriptive information may be required by 49 CFR, IATA/ICAO, IMDG and the CTDGR 14.1 49 CFR (GND): NOT REGULATED 14.2 IATA (AIR): NOT REGULATED

14.7	ADGR (AUS):	NOT REGULATED							
14.6	SCT (MEXICO):	NOT REGULATED							
14.5	ADR/RID (EU):	NOT REGULATED							
14.4	TDGR (Canadian GND):	NOT REGULATED							
14.3	IMDG (OCN):	NOT REGULATED							
	( )	NOTREODERTED							

	15. REGULATORY INFORMATION						
15.1 SARA Reporting Requirements: This product contains <u>p-Phenylenediamine</u> and <u>Ammonium Hydroxide</u> (as ammonia) substances subject to SARA Title III, section 313 reporting requirements.							
SARA Threshold Planning Quantity:	his product is not subject to the reporting requirements of SARA Title III, Section 302.						
TSCA Inventory Status:	Il components of this product are listed in the TSCA Inventory or are exempt.						
CERCLA Reportable Quantity (RQ):	Ammonium Hydroxide (Ammonia): 454 kg (1,000 lbs); p-Phenylenediamine: 2,270 kg (5,000 lbs).						
Other Federal Requirements:	This product complies with the appropriate sections of the Food and Drug Administration's 21 CFR Subchapter G, (Cosmetics).						
Other Canadian Regulations:	This product has been classified according to the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List.						
	Requirements: SARA Threshold Planning Quantity: TSCA Inventory Status: CERCLA Reportable Quantity (RQ): Other Federal Requirements:						

### SAFETY DATA SHEET

Page 5 of 6 **PM-055** 

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision: 1.3 SDS Revision Date: 7/1/2016 15. REGULATORY INFORMATION – cont'd Ammonium Hydroxide (as ammonia) can be found on the following state criteria lists: Illinois Hazardous Substances List 15.7 State Regulatory Information: (IL); Massachusetts Hazardous Substances List (MA); New Jersey Right-to-Know List (NJ); Pennsylvania Right-to-Know List (PA); Rhode Island Hazardous Substances List (RI). p-Phenylenediamine is found on the following state criteria list: FL, MA, MN, NJ, PA and WA Triethanolamine is found on the following state criteria lists: FL, MA, MN, and PA. No other ingredients in this product, present in a concentration of 1.0% or greater, are listed on any of the following state criteria lists: California Proposition 65 (CA65), Delaware Air Quality Management List (DE), Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Michigan Critical Substances List (MI), Minnesota Hazardous Substances List (MN), New Jersey Right-to-Know List (NJ), New York Hazardous Substances List (NY), Pennsylvania Right-to-Know List (PA), Washington Permissible Exposures List (WA), Wisconsin Hazardous Substances List (WI). 15.8 Other Requirements: NA 16. OTHER INFORMATION WARNING! CAUSES MILD SKIN IRRITATION. CAUSES EYE IRRITATION. For external use only. Use only as 16 1 Other Information: directed. Discontinue use immediately if irritation develops Keep away from children. Keep container tightly closed in a cool place. When using do not eat or drink. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Wear suitable protective clothing, gloves and eye/face protection. If case of accident or if you feel unwell seek medical advice immediately (show the label where possible). KEEP LOCKED UP AND OUT OF REACH OF CHILDREN. This product is designed and intended for use by a licensed cosmetologist/professional hairdresser only, and carries no warranty expressed or implied if used by others. CAN CAUSE AN ALLERGIC REACTION. Preliminary patch testing is recommended. Tattoos, including black and temporary henna, may increase the risk of allergy, If a severe allergic reaction should occur, immediately seek medical attention. This product must not be used for dyeing the evelashes or eyebrows; to do so may cause blindness. 16.2 Terms & Definitions: See last page of this Safety Data Sheet. 16.3 Disclaimer: This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's & JPMS Manufacturing, LLC's knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness is not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition. 16.4 Prepared for: JPMS Manufacturing, LLC 237 Buttonwood Street \_ MI7 Reading, PA 19601 USA Tel: +1 (610) 374-4845 Fax: +1 (610) 373-7101 16.5 Prepared by: ShipMate. Inc. P.O. Box 787 Sisters, Oregon 97759-0787 USA ShipM Tel: +1 (310) 370-3600 Fax: +1 (310) 370-5700 Dangerous Goods Training & Consulting http://www.shipmate.com

### **SAFETY DATA SHEET**

Page 6 of 6 PM-055

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 1.3

SDS Revision Date: 7/1/2016

### **DEFINITION OF TERMS**

A large number of abbreviations and acronyms appear on a SDS. Some of these that are commonly used include the following:

#### **GENERAL INFORMATION:**

CAS No. Chemical Abstract Service Number

EXPOSURE	EXPOSURE LIMITS IN AIR:						
ACGIH	CGIH American Conference on Governmental Industrial Hygienists						
С	Ceiling Limit						
ES Exposure Standard (Australia)							
IDLH	Immediately Dangerous to Life and Health						
OSHA	U.S. Occupational Safety and Health Administration						
PEL	Permissible Exposure Limit						
STEL	Short-Term Exposure Limit						
TLV	Threshold Limit Value						
TWA	Time Weighted Average						
FIRST AID M	FIRST AID MEASURES:						

CPR Cardiopulmonary resuscitation - method in which a person whose heart has stopped receives manual chest compressions and breathing to circulate blood and provide oxygen to the body.

HMIS	HMIS-III HEALTH, FLAMMABILITY & REACTIVITY RATINGS:								
0	Minimal Hazard		HEALTH						
1	1 Slight Hazard		FLAMMABILITY						
2	Moderate Hazard		PHYSICAL HAZARDS						
3	Severe Hazard		PERSONAL PROTECTION						
4	Extreme Hazard								

### PERSONAL PROTECTION RATINGS:

Α			G 🕞 🕚 🕞
В			н 🕞 🖏 🚱
С			I 🖨 🔇 😒
D	B		J 🖨 🚺 🚱 D
Е			к 🚯 🔇 🏠 🔇
F			X Consult your supervisor or SOPs for special handling directions.
Sa	afety Glasse	es Splash Goggles	Face Shield & Gloves
			Protective Clothing
	Boots	Synthetic Apron	& Full Suit Dust Respirator
			<b>P</b>
Full F	Face Respir	rator Dust & Vapor Half- Mask Respirator	
отн	FR STAN	DARD ABBREVIATION	
	ML	Maximum Limit	
	mg/m3	milligrams per cubic meter	r
	NA	Not Available	
	ND	Not Determined	
	NE	Not Established	
	NF	Not Found	
	NR	No Results	
	ppm	parts per million	
	SCBA	Self-Contained Breathing A	Apparatus
NAT	IONAL FI	RE PROTECTION ASSO	OCIATION: NFPA
FLA	MMABILI	TY LIMITS IN AIR:	

FLAWIWADILI	IT LIMITS IN AIR.
Autoignition Temperature	Minimum temperature required to initiate combustion in air with no other source of ignition
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source

0	Minimal Ha	zard	ard FLAMMABILITY							
1	Slight Haza	rd								
2	Moderate H	lazard	zard RE/							
3	Severe Haz	zard								
4	Extreme Ha	azard								
ACD	Acidic				<_1	<u>× 2</u>				
ALK							/			
COR	Corrosive					₩Х				
₩	Use No Wa	ater		I	HEALTH					
ох							PECIAL			
	Radioactive					P	RECAUTION			
OXICOLO	GICAL INF	ORMAT	ION:							
	LD 50				ich kills 50%	-				
	LC 50				ch kills 50% o					
	ppm				s of material p	per million pa	irts			
	TD <sub>io</sub>		dose to caus							
	TCLo		concentratio							
	0 to . & LD₀ or	Lowest	dose (or con	centration) to	o cause letha	I or toxic effe	ects			
IC, IC <sub>ο</sub> ,	LC <sub>io</sub> , & LC <sub>o</sub>	late an e	K	. for Decent	h 0					
	IARC NTP		International Agency for Research on Cancer							
	RTECS	National Toxicology Program Registry of Toxic Effects of Chemical Substances								
	BCF	Bioconcentration Factor								
	TL <sub>m</sub>		Median threshold limit							
log K	v or log K <sub>oc</sub>				on					
-					011					
WHMIS				Material Infor	mation Syste	m				
DOT			ransportation		mation Syste	111				
тс			Tanoportation							
EPA			Protection Ag	ency						
DSL			Substance Li							
NOHSC					mission (Aus	tralia)				
NDSL			estic Substan			,				
PSL			bstances List							
TSCA			e Control Act							
EU	European L	Jnion (Eu	ropean Unior	Directive 67	7/548/EEC)					
WGK	Wassergefä	ährdungsl	dassen (Gerr	nan Water H	lazard Class)					
HMIS-III	National Pa	aint & Coa	tings Associa	ation Hazard	ous Materials	Identificatio	n System			
ORKPLA	CE HAZAR	DOUS	MATERIAL	S IDENTIF	ICATION (	WHMIS) S	YSTEM:			
			$\bigcirc$	$(\mathbf{T})$			(Ř)			
Class A	Class B	Class C	Class D1	Class D2	Class D3	Class E	Class F			
npressed F	lammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive			
			ON:	1	1	1	I			

		N	¥	8	<b>&amp;</b>	×	×
С	E	F	Ν	0	т	Xi	Xn
Corrosive	Explosive	Flammable	Harmful	Oxidizing	Toxic	Irritant	Harmful
	(4070/000						

### CLP/GHS (1272/2008/EC) PICTOGRAMS:

			$\Diamond$			$\diamondsuit$		
GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environment