# SAFETY DATA SHEET



#### Joico INSTATINT Temporary Color Shimmer Spray all shades

### 1. Identification of the material and supplier

**Names** 

Product name : Joico INSTATINT Temporary Color Shimmer Spray all shades

**Distributor** : Sabre Corporation PTY LTD

Building 8, Suite 6, level 2 / 49 Frenchs Forest Road

Forest Central Business Park Frenchs Forest, NSW, 2086

Manufacturer : Zotos International, INC

100 Tokeneke Road, Darien, CT 06820 www.zotos.com

**Emergency telephone** 

number

: 131126

#### 2. Hazards identification

Classification : F; R11

Risk phrases : R11- Highly flammable.

Safety phrases : S2- Keep out of the reach of children.

S46- If swallowed, seek medical advice immediately and show this container or

label.

Hazard statements : FLAMMABLE AEROSOL. CAUSES EYE IRRITATION.

NOT EXPECTED TO PRODUCE SIGNIFICANT ADVERSE HEALTH EFFECTS WHEN THE RECOMMENDED INSTRUCTIONS FOR USE ARE FOLLOWED. Additional information on toxicological endpoints is available from the supplier upon request

## 3. Composition/information on ingredients

Mixture : Yes.

| Ingredient name        | CAS number | Concentration |
|------------------------|------------|---------------|
| 1,1-difluoroethane     | 75-37-6    | 45.00         |
| Dimethyl ether         | 115-10-6   | 30.00         |
| Ethyl alcohol          | 64-17-5    | 14.94         |
| Ethyl alcohol          | 64-17-5    | 2.39          |
| hexamethyldisiloxane   | 107-46-0   | 0.75          |
| (R)-p-Mentha-1,8-diene | 5989-27-5  | 0.00          |

Other ingredients, determined not to be hazardous according to Safe Work Australia criteria, and not dangerous according to the ADG Code, make up the product concentration to 100%.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

### 4. First aid measures

First aid measures

**Inhalation** : Move affected person to fresh air.

Ingestion : NOT EXPECTED TO PRODUCE SIGNIFICANT ADVERSE HEALTH EFFECTS WHEN THE RECOMMENDED INSTRUCTIONS FOR USE ARE FOLLOWED.

Treat symptomatically. Never give anything by mouth to an unconscious person.

Call a physician.

**Skin contact**: Remove contaminated clothing and shoes. Wash with plenty of soap and water.

**Eye contact** : In case of contact, immediately flush eyes with plenty of water for at least 15

minutes. Seek medical attention if irritation persists.

**Protection of first-aiders**: No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

Advice to doctor : None.

Version: 1.01 Page: 1/7

### 5. Fire-fighting measures

**Extinguishing media** 

Special exposure hazards

- : Use dry chemical, CO<sub>2</sub>, alcohol-resistant foam or water spray (fog).
- Flammable liquid. Prevent the creation of flammable or explosive concentrations of vapors in air and avoid vapor concentrations higher than the occupational exposure

**Hazardous thermal** decomposition products

**Special protective** equipment for fire-fighters

Hazchem code

- may be released including hydrofluoric and/or carbonyl halides
- : Immediately contact emergency personnel. Flammable material In case of insufficient ventilation, wear suitable respiratory equipment.
- : 2YE

#### 6. Accidental release measures

**Personal precautions** 

: Flammable. Keep away from ignition sources such as heat/sparks/open flame. - No smoking. Do not get in eyes. Keep out of reach of children.

**Environmental precautions** 

Leaking packages should be placed in open containers outdoors away from any source of ignition

Methods for cleaning up

Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Place spilled material in an appropriate container for disposal. After contact with skin, wash immediately with plenty of water.

## 7. Handling and storage

Handling

Keep away from ignition sources such as heat/sparks/open flame. - No smoking. Use only in well-ventilated areas. Avoid contact with ignition and heat sources and oxidizers. Do not spray on an open flame or other ignition source. Keep out of reach of children.

**Storage** 

Avoid increased storage temperature. Keep away from ignition sources such as heat/sparks/open flame. - No smoking. Avoid contact with ignition and heat sources and oxidizers. Store away from oxidizing agents. Store in cool/well-ventilated place.

## 8. Exposure controls/personal protection

#### Occupational exposure limits

| Ingredient name        | Exposure limits                                 |  |  |
|------------------------|---|--|--|
| Dimethyl ether         | Safe Work Australia (Australia, 1/2014).        |  |  |
| -                      | TWA: 400 ppm 8 hours.                           |  |  |
|                        | TWA: 760 mg/m <sup>3</sup> 8 hours.             |  |  |
|                        | STEL: 500 ppm 15 minutes.                       |  |  |
|                        | STEL: 950 mg/m³ 15 minutes.                     |  |  |
| Ethyl alcohol          | Safe Work Australia (Australia, 1/2014).        |  |  |
|                        | TWA: 1880 mg/m³ 8 hours.                        |  |  |
|                        | TWA: 1000 ppm 8 hours.                          |  |  |
| Ethyl alcohol          | Safe Work Australia (Australia, 1/2014).        |  |  |
|                        | TWA: 1880 mg/m³ 8 hours.                        |  |  |
|                        | TWA: 1000 ppm 8 hours.                          |  |  |
| (R)-p-Mentha-1,8-diene | TRGS900 AGW (Germany, 3/2015). Absorbed through |  |  |
|                        | skin. Skin sensitizer.                          |  |  |
|                        | PEAK: 20 ppm 15 minutes.                        |  |  |
|                        | PEAK: 112 mg/m³ 15 minutes.                     |  |  |
|                        | TWA: 5 ppm 8 hours.                             |  |  |
|                        | TWA: 28 mg/m <sup>3</sup> 8 hours.              |  |  |

**Recommended monitoring** procedures

: If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to appropriate monitoring standards. Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

#### **Exposure controls**

**Engineering measures** 

**Hygiene measures** 

- In case of insufficient ventilation, wear suitable respiratory equipment.
- : When using do not eat, drink or smoke.

Version: 1.01 Page: 2/7

## 8. Exposure controls/personal protection

#### **Eyes**

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with sideshields.

#### **Hands**

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

#### Respiratory

: Chemical splash goggles. Protective clothing must be worn.

Skin

: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. When there is a risk of ignition from static electricity, wear anti-static protective clothing. For the greatest protection from static discharges, clothing should include anti-static overalls, boots and gloves.

# Environmental exposure controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

## 9. Physical and chemical properties

Physical state : Liquid. [Viscous liquid.]

Color : Deep orange/red

Odor : Characteristic. Fragrance-like.

**Boiling point** : 78.333°C (173°F) **Relative density** : 0.81 to 0.875

Flash point : Closed cup: 13°C (55.4°F)

**pH** : 6 to 9

**Aerosol product** 

Type of aerosol : Spray
Heat of combustion : 17.71 kJ/g
Flame duration : Not available.

## 10. Stability and reactivity

**Chemical stability** 

: Stable under recommended storage and handling conditions (see Section 7).

Possibility of hazardous

reactions

Not available.

Conditions to avoid

: Store away from direct sunlight. Avoid contact with ignition and heat sources and oxidizers. Store away from oxidizing agents.

**Materials to avoid** : Separate from oxidizing materials.

**Hazardous decomposition** 

: Products of combustion

products

## 11. Toxicological information

#### Potential acute health effects

Inhalation

: Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure.

Ingestion: No known significant effects or critical hazards.Skin contact: No known significant effects or critical hazards.Eye contact: No known significant effects or critical hazards.

Acute toxicity

Version: 1.01 Page: 3/7

### 11. Toxicological information

| Product/ingredient name | Result                | Dose                     | Exposure |
|-------------------------|-----------------------|--------------------------|----------|
| Dimethyl ether          | LC50 Inhalation Gas.  | 164000 ppm               | 4 hours  |
|                         | LC50 Inhalation Vapor | 309 g/m³ .               | 4 hours  |
| Ethyl alcohol           | LC50 Inhalation Vapor | 124700 mg/m <sup>3</sup> | 4 hours  |
|                         | LD50 Oral             | 7 g/kg                   | -        |
| Ethyl alcohol           | LC50 Inhalation Vapor | 124700 mg/m <sup>3</sup> | 4 hours  |
|                         | LD50 Oral             | 7 g/kg                   | -        |
| hexamethyldisiloxane    | LC50 Inhalation Gas.  | 15956 ppm                | 4 hours  |
| (R)-p-Mentha-1,8-diene  | LD50 Dermal           | >5000 mg/kg              | -        |
|                         | LD50 Oral             | 4400 mg/kg               | _        |

**Conclusion/Summary**: Not available.

Potential chronic health effects

**Chronic toxicity** 

Conclusion/Summary

: Not available.

**Irritation/Corrosion** 

| Product/ingredient name | Result                   | Score | Exposure           | Observation |
|-------------------------|--------------------------|-------|--------------------|-------------|
| Ethyl alcohol           | Eyes - Mild irritant     | -     | 24 hours 500       | -           |
|                         |                          |       | milligrams         |             |
|                         | Eyes - Moderate irritant | -     | 0.06666667         | -           |
|                         |                          |       | minutes 100        |             |
|                         | Even Madarata irritant   |       | milligrams         |             |
|                         | Eyes - Moderate irritant | -     | 100                | -           |
|                         | Eyes - Severe irritant   |       | microliters<br>500 |             |
|                         | Lyes - Severe irritant   | -     | milligrams         | _           |
| Ethyl alcohol           | Eyes - Mild irritant     |       | 24 hours 500       |             |
| Littyi alconor          | Lycs - Willa IIIItalit   |       | milligrams         |             |
|                         | Eyes - Moderate irritant | _     | 0.066666667        | _           |
|                         |                          |       | minutes 100        |             |
|                         |                          |       | milligrams         |             |
|                         | Eyes - Moderate irritant | -     | 100                | -           |
|                         |                          |       | microliters        |             |
|                         | Eyes - Severe irritant   | -     | 500                | -           |
|                         |                          |       | milligrams         |             |
| hexamethyldisiloxane    | Eyes - Mild irritant     | -     | 24 hours 100       | -           |
|                         |                          |       | microliters        |             |
|                         | Skin - Mild irritant     | -     | 24 hours 500       | -           |
|                         |                          |       | milligrams         |             |
| (R)-p-Mentha-1,8-diene  | Skin - Mild irritant     | -     | 24 hours 10        | -           |
|                         |                          |       | Percent            |             |

**Conclusion/Summary** 

: Not available.

**Sensitizer** 

**Conclusion/Summary** 

: Not available.

**Carcinogenicity** 

**Conclusion/Summary**: Not available.

**Mutagenicity** 

**Conclusion/Summary**: Not available.

**Teratogenicity** 

**Conclusion/Summary**: Not available.

Reproductive toxicity

**Conclusion/Summary**: Not available.

Chronic effects
 : No known significant effects or critical hazards.
 Carcinogenicity
 : No known significant effects or critical hazards.
 Mutagenicity
 : No known significant effects or critical hazards.
 Teratogenicity
 : No known significant effects or critical hazards.
 Developmental effects
 : No known significant effects or critical hazards.

Version: 1.01 Page: 4/7

### 11. Toxicological information

Fertility effects : No known significant effects or critical hazards.

Over-exposure signs/symptoms

**Inhalation** : Adverse symptoms may include the following:

respiratory tract irritation

coughing

Ingestion: No specific data.Skin: No specific data.

**Eyes** : Adverse symptoms may include the following:

irritation redness

Target organs : Contains material which may cause damage to the following organs: blood, the

reproductive system, liver, upper respiratory tract, skin, eyes, central nervous

system (CNS).

## 12. Ecological information

THE FOLLOWING DATA IN THIS SECTION IS SOURCED FROM PUBLICLY AVAILABLE DATABASES AND NOT THE REPRESENTATION OF ANY DATA COLLECTED BY ZOTOS INTERNATIONAL OR ITS AFFILIATES.

**Ecotoxicity** : No known significant effects or critical hazards.

#### **Aquatic ecotoxicity**

| Product/ingredient name | Result                               | Species                                    | Exposure |
|-------------------------|--------------------------------------|--|----------|
| Ethyl alcohol           | Acute EC50 17.921 mg/l Marine water  | Algae - Ulva pertusa                       | 96 hours |
|                         | Acute EC50 2000 µg/l Fresh water     | Daphnia - Daphnia magna                    | 48 hours |
|                         | Acute LC50 25500 µg/l Marine water   | Crustaceans - Artemia franciscana - Larvae | 48 hours |
|                         | Acute LC50 42000 µg/l Fresh water    | Fish - Oncorhynchus mykiss                 | 4 days   |
|                         | Chronic NOEC 4.995 mg/l Marine water | Algae - Ulva pertusa                       | 96 hours |
|                         | Chronic NOEC 0.375 ul/L Fresh water  | Fish - Gambusia holbrooki -                | 12 weeks |
|                         |                                      | Larvae                                     |          |
| Ethyl alcohol           | Acute EC50 17.921 mg/l Marine water  | Algae - Ulva pertusa                       | 96 hours |
|                         | Acute EC50 2000 µg/l Fresh water     | Daphnia - Daphnia magna                    | 48 hours |
|                         | Acute LC50 25500 µg/l Marine water   | Crustaceans - Artemia                      | 48 hours |
|                         |                                      | franciscana - Larvae                       |          |
|                         | Acute LC50 42000 µg/l Fresh water    | Fish - Oncorhynchus mykiss                 | 4 days   |
|                         | Chronic NOEC 4.995 mg/l Marine water | Algae - Ulva pertusa                       | 96 hours |
|                         | Chronic NOEC 0.375 ul/L Fresh water  | Fish - Gambusia holbrooki -                | 12 weeks |
|                         |                                      | Larvae                                     |          |
| (R)-p-Mentha-1,8-diene  | Acute EC50 421 µg/l Fresh water      | Daphnia - Daphnia magna                    | 48 hours |
|                         | Acute EC50 688 µg/l Fresh water      | Fish - Pimephales promelas -               | 96 hours |
|                         |                                      | Juvenile (Fledgling, Hatchling,            |          |
|                         |                                      | Weanling)                                  |          |

**Conclusion/Summary** 

: Not available.

Other ecological information

Persistence/degradability

Conclusion/Summary :

: Not available.

#### **Bioaccumulative potential**

| Product/ingredient name | LogPow | BCF          | Potential |
|-------------------------|--------|--------------|-----------|
| 1,1-difluoroethane      | 1.13   | -            | low       |
| Dimethyl ether          | 0.07   | -            | low       |
| Ethyl alcohol           | -0.35  | -            | low       |
| Ethyl alcohol           | -0.35  | -            | low       |
| hexamethyldisiloxane    | 5.3    | 1290 to 2410 | high      |
| (R)-p-Mentha-1,8-diene  | 4.38   | 1022         | high      |

Other adverse effects

: No known significant effects or critical hazards.

Version: 1.01 Page: 5/7

## 13. Disposal considerations

**Methods of disposal** : Dispose of according to all federal, state and local applicable regulations.

# 14. Transport information

| Regulation | UN number | Proper shipping name | Classes | PG* | Label         | Additional information  |
|------------|-----------|----------------------|---------|-----|---------------|---|
| ADG        | UN1950    | AEROSOLS             | 2.1     | -   | FLAMMABLE GAS | Hazchem code<br>2YE<br>Special provisions<br>63, 190, 277, 327  |
| ADR        | UN1950    | AEROSOLS             | 2       | -   |               | Limited quantity LQ2  Special provisions 190 327 625  Tunnel code (D)   |
| IMDG       | UN1950    | AEROSOLS             | 2.1     | -   |               | Emergency schedules<br>(EmS)<br>F-D, S-U<br>Special provisions<br>63, 190, 277, 327, 959  |
| IATA       | UN1950    | Aerosols, flammable  | 2.1     | -   | Y             | Passenger and Cargo Aircraft Quantity limitation: 75 kg Packaging instructions: 203 Cargo Aircraft Only Quantity limitation: 150 kg Packaging instructions: 203 Limited Quantities - Passenger Aircraft Quantity limitation: 30 kg Packaging instructions: Y203 Special provisions A145 |

PG\* : Packing group

# 15. Regulatory information

Standard Uniform Schedule of Medicine and Poisons

Not regulated.

**Control of Scheduled Carcinogenic Substances** 

Australia inventory (AICS) : All ingredients that are not contained in the AICS database are below registration

thresholds.

Version: 1.01 Page: 6/7

## 16. Other information

**Date of issue** : 5/30/2018

#### **Disclaimer**

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Version: 1.01 Page: 7/7