IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Company Name ABN Address Emergency Tel: Tel / Fax: Email:	Aaron Laboratories Pty Ltd 060 004 856 848 21 Kitchen Road, Dandenong, VIC, 3175 0418 179 157 0418 502 103 (03) 9706 7673 / (03) 9706 7622 joseph@aaronlab.com.au
Product Name Other Names	Innovative Hair Lacquer Not relevant
Manufacturers Code	Not relevant
Recommended use	Hair Fixative
HAZARDS IDENTIFI	CATION
Hazard Classification	This product is classified as hazardous under NOHSC criteria. This product is classified as a Dangerous Good by the Australian Dangerous Goods Code . F: Flammable Xn: Harmful
Risk phrase(s)	R12 Extremely flammable. R40 Limited evidence of a carcinogenic effect.
Safety phrase(s)	 S2 Keep out of reach of children S16 Keep away from sources of ignition - No smoking S47 Keep at temperature not exceeding 50 °C S23 Do not breathe spray S24 Avoid contact with skin S25 Avoid contact with eyes S45 In case of accident or if you feel unwell, contact a doctor or Poisons Information Centre immediately.

For further health and safety information please refer to the full MSDS.

COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS Number	Proportion
Dichloromethane	75-09-2	0 - 10%
Hydrocarbon propellant		60 - 90%
- Propane	74-98-6	
- Butane	106-97-8	
Other ingredients		to 100%

FIRST AID MEASURES

For advice, contact a Poisons Information Centre, Phone Australia 13 1126; New Zealand 0800 764 766, or a doctor at once.

Keep victim warm and quiet- Obtain immediate medical care – Ensure that attending medical personnel are aware of identity and nature of the product involved, and take precautions to protect themselves.

Inhalation: Do not breathe vapour. Remove victim to fresh air – apply resuscitation if victim is not breathing. Do not use direct mouth to mouth method if victim ingested or inhaled the substance; use alternative respiratory method or proper respiratory device- Administer oxygen if breathing is difficult.

Skin: If skin or hair contact occurs, remove contaminated clothing and shoes immediately and flush skin and hair immediately with running water at room temperature for 15 minutes. For minor skin contact, avoid spreading material on unaffected skin.

Eye: If in eyes wash out immediately with water for 15 minutes. Obtain medical care. **Ingestion:** Due to high volatility of product, this is not likely to occur. If sprayed in mouth, rinse mouth with water. If swallowed, do NOT induce vomiting. Obtain medical care.

FIRE FIGHTING MEASURES

Suitable	Small fire: Use water spray, dry chemical or carbon dioxide.	
Extinguishing	Large fire: Use water spray or fog.	
Media	Fight fire from protected position or use unmanned hose holders or monitor nozzles. If safe to do so, move undamaged containers from fire area. Do not approach hot containers. Cool containers with water before handling. If impossible to extinguish fire, protect surroundings, withdraw from area and allow fire to burn.	
Hazards	Heat or damage to containers can release flammable / poisonous gases. Extremely flammable. Pressurised dispenser. Closed containers may rupture when exposed to heat greater than 50 C. Ruptured containers will rocket. Released gases can form explosive mixtures with air. Hazardous concentrations can accumulate in a confined space. Released gases can travel to source of ignition and flash back. Fire can produce irritating, poisonous and corrosive gases. Propellant is extremely flammable and heavier than air.	
Precautions / PPE	High concentration of gas could cause dizziness or asphyxiation without warning. Released gases are harmful. Wear SCBA and protective gloves. If large amounts are involved, wear SCBA and chemical splash suit.	
HAZCHEM Code	3WE	

ACCIDENTAL RELEASE MEASURES

EmergencyImmediately contact police or fire brigade. Spill or leak area should beProceduresisolated immediately for at least 8 m in all directions. Eliminate all sources of
ignition within at least 15 m. Keep unauthorised personnel away. Keep
upwind and to higher ground. When a large quantity is involved in a fire,
consider initial evacuation for at least 100 m in all directions. Send message
to police and fire brigade. Tell them the location, material, UN Number,
quantity and emergency contact as well as damage observed.

Containment /	Eliminate all ignition sources (no smoking, flares, sparks or flame) within at	
Clean up	least 15 m.	
Procedures	All equipment used when handling the product must be earthed.	
	If water is available, spray leaking containers to reduce ignition hazard and disperse gas. Isolate area until gas has dispersed. Ventilate area. Avoid release to the environment. Do not empty into drains. Absorb in inert absorbent material for disposal by an approved method and / or local regulations.	

HANDLING AND STORAGE

Precautions for Extremely flammable- Do not spray on a naked flame or any incandescent **Safe Handling** material. Keep away from sources of ignition - No smoking ... Spray in a well ventilated area. Do not breathe vapour. Local exhaust ventilation may be necessary to minimise excessive vapour concentration, if levels are likely to be high or in a confined space. Avoid static charge and discharge with high concentrations and in confined space. **Conditions for** Keep out of reach of children. Store in a well ventilated area. Pressurised dispenser. Protect from sunlight **Safe Storage** and do not expose to temperatures exceeding 50 C. Do not pierce or burn this can, even when empty. Store away from corrosive products. Store in accordance with Dangerous Goods Regulations and transport in accordance with the ADG Code for Dangerous Goods Class 2.1

EXPOSURE CONTROLS / PERSONAL PROTECTION

National	There is no extablished TLV for this product. Avoid exposure – obtain
Exposure	special instructions before use.
Standards	TWA for Butane is 800ppm
	Propane is an asphyxiant
Biological Limit	Not available.
Values	
Engineering	Local exhaust ventilation may be necessary to minimise excessive vapour
Controls	concentration, if levels are likely to be high or in a confined space.
Personal	Wear safety glasses and protective gloves. Wear respirator complying with
Protective	AS1715 and AS1716 if concentration levels are high.
Equipment	

PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Aerosol, fine clear spray
Odour	Solvent like
рН	Not applicable
Vapour Pressure	Not available
Vapour Density	Not available
Boiling / Melting Point	Not available

Issue Date: 20/07/11

Solubility	Not soluble
Specific Gravity	0.58 approx.
Flash Point (propellant)	-104 to -60°C
Flammable limits	1.5% to 9.6% in air (v/v)
(propellant)	
Ignition Temperature	494°C to 600°C
(propellant)	

STABILITY AND REACTIVITY

Chemical Stability	Stable under normal ambient conditions of storage and use. Avoid
Conditions to avoid	heat sources. Heat, flames and sparks. Avoid static charge and discharge with high concentrations and in confined space. Avoid damp conditions.
Incompatible Materials /	Can react violently with oxidising agents – chlorine, pool chlorine or
Hazardous Reactions	nitric acid.
Hazardous	Not available.
Decomposition Products	

TOXICOLOGICAL INFORMATION

Potential adverse health effects and symptoms	Vapours may cause drowsiness and dizziness. Swallowed: Unlikely due to high volatility of product, but is harmful,
associated with exposure	may cause lung damage if swallowed
to the material	Eyes: Liquid will cause severe damage, vapour may irritate.
	Skin: May cause cold burn. Irritating to skin.
	Inhaled: Intentional misuse by deliberately concentrating and inhaling
	contents can be harmful or fatal. May cause light-headedness,
	dizziness and drowsiness. Excessive exposure may cause
	unconsciousness or even death, due to asphyxiation.

ECOLOGICAL INFORMATION

Ecotoxicity / Persistence	Propellant will vapourise rapidly when released to atmosphere.
/ Degradability /	Propellant consists of hydrocarbons that photo chemically decompose
Mobility	under atmospheric conditions.

DISPOSAL CONSIDERATIONS

Disposal methods	Recycle empty can.
Special precautions for	Do not pierce or burn, even when empty.
landfill or incineration	

TRANSPORT INFORMATION

UN Number	1950
Proper Shipping Name	Aerosols
Emergency Procedure	2D1
Issue Date: 20/07/11	Page 4 of 5

Guide Class and subsidiary risk(s) Packaging Group Special precautions for user	 2.1 Not applicable Keep out of reach of children. Spray in well ventilated area. Keep away from sources of ignition – No smoking. Extremely flammable- Do not spray on a naked flame or any incandescent material.
Hazchem	2YE
REGULATORY INFORMATION	
Poisons Schedule Additional information	n/a Not applicable
OTHER INFORMATION	
Date of preparation Issue	20/07/11 1