SECTION 1 – IDENTIFICATION: PRODUCT IDENTIFIER/CHEMICAL IDENTITY

1.1 PRODUCT IDENTIFIER:	SEMI DI LINO Reconstruction Reparative Mask
1.2 PRODUCT CODE:	PF010017, PF010018, PF010718
1.3 RELEVANT IDENTIFIED USES OF RELEVANT IDENTIFIED USES: RESTRICTIONS ON USE:	THE MIXTURE AND USES ADVISED AGAINST: Cosmetic hair mask. This is a hair treatment that contains hazardous components that leads to a hazardous rating by calculation for the undiluted product. The ratings in the Safety Data Sheet are applicable for Occupational Risk Characterisation. This information is appropriate for incidents, such as spills, where contact with the undiluted product occurs. In use scenarios, the product is used in a highly diluted format on wet hair and usually with a source of running water. Under typical use conditions, skin or eye contact with products containing these types of components are not expected to cause significant irritation. For domestic or professional use scenarios where the product is being used in its capacity as a hair treatment, labelling will be consistent with the requirements for similar products that contain these types of components and will contain the statement "IF IN EYES WASH OUT IMMEDIATELY WITH WATER."
1.4 DETAILS OF THE SUPPLIER OF T SUPPLIER NAME: ADDRESS (Australia): TELEPHONE NUMBER (Australia): SUPPLIER NAME (New Zealand): ADDRESS (New Zealand): TELEPHONE NUMBER (New Zealand) E-MAIL:	Alfhair Australia Pty Ltd (ABN: 60 095 773 274), 15 Concorde Drive, Keilor Park, VIC, Australia, 3042 +61 3 9336 2088 (Int); Fax: +61 3 9336 2044 (Int) Salon Warehouse NZ, Unit G, 11 Douglas Alexander Parade, Albany – Auckland, NZ
1.5 EMERGENCY TEL. NUMBER: 1.6 HSNO DETAILS: HSNO APPROVAL NUMBER:	Australia: 0407 236 601 (Poisons Information Centre (Aust 131 126; NZ 0800 764 766)) HSR002552
HSNO GROUP TITLE:	Cosmetic Products Group Standard 2006.

SECTION 2 – HAZARD(S) IDENTIFICATION

2.1 CLASSIFICATION OF THE HAZARDOUS CHEMICAL: GHS CLASSIFICATION HAZARD

CLASS & CATEGORY:

Under the Model Work Health and Safety Regulations the product would be rated as hazardous: Skin Corrosion/Irritation - Category 2

Serious Eye Damage/Irritation - Category 2 Chronic Aquatic Toxicity - Category 2

2.2 LABEL ELEMENTS INCLUDING PRECAUTIONARY STATEMENTS:

SIGNAL WORD: Danger PICTOGRAMS:



- H315 Causes skin irritation.
- H318 Causes serious eye damage.
- H411 Toxic to aquatic life with long lasting effects.

SECTION 2 – HAZARD(S) IDENTIFICATION Continued

PRECAUTIONARY STATEMENTS:

PREVENTION:	 P102 - Keep out of reach of children. P103 - Read label before use. P264 - Wash hands thoroughly after handling. P273 - Avoid release to the environment. P280 - Wear protective gloves/protective clothing/eye protection/face protection.
RESPONSE:	 P101 - If medical advice is needed, have product container or label at hand. P302+P352 - IF ON SKIN: Wash with plenty of soap and water. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 - Immediately call a POISON CENTRE or doctor/physician. P332+P313 - If skin irritation occurs: Get medical advice/attention. P362 - Take off contaminated clothing and wash before reuse.
STORAGE:	Not applicable.
DISPOSAL:	P501 - Dispose of contents/container in accordance with local regulations.
2.3 OTHER HAZARDS:	People with pre-existing skin conditions, such as eczema or dermatitis, should take precautions so as not to exacerbate the condition. As for all chemical products, persons should not expose open wounds, cuts, abrasions or irritated skin to this material. The product has a low pH. Ingestion of the product could lead to gastrointestinal tract irritation with nausea, vomiting and potentially burns.

SECTION 3 – COMPOSITION / INFORMATION ON INGREDIENTS

INGREDIENTS	CAS NUMBER	Concentration % W/W	GHS Classification*
1-Tetradecanol (Myristyl alcohol)	112-72-1	5.0 - 7.0%	Eye Irrit 2A - H319 Chron Aq Tox 1 - H410
1-Hexadecanaminium, N,N,N-trimethyl-	, chloride		·
(Cetrimonium Chloride)	112-02-7	2.0 - 2.5%	Acut Tox 4 - H302 Acut Tox 4 - H312 Skin Corr 1B - H314
Benzenemethanaminium, N,N-dimethyl-	N-octadecyl-, chloride		
(Stearalkonium Chloride)	122-19-0	0.8 - 1.0%	Acut Tox 4 - H302 Skin Corr 1B - H314
2-Phenoxyethanol (Phenoxyethanol)	122-99-6	0.7 - 0.9%	Acut Tox 4 - H302 Eye Irrit 2A - H319
1,2-Propanediol, 3-[(2-ethylhexyl)oxy]-			,
(Ethylhexylglycerin)	70445-33-9	0.1 - 0.3%	Eye Dam 1 - H318 Chron Aq Tox 3 - H412
C10-16 Alkyl a(+b) D- mono andoligoglucopyranosides			
(Coco-glucoside)	110615-47-9	0.1 - 0.2%	Skin Irrit 2 - H315 Eye Dam 1 - H318
Other non-hazardous ingredients	-	To 100%	Not Applic

Not Applic = Not Applicable * Please see Section 15 of this SDS for the full text description of the Label Elements.

SECTION 4 – FIRST AID MEASURES

4.1 DESCRIPTION OF NECESSARY FIRST AID MEASURES:

INGESTION:	Rinse mouth out with water. Due to the blend of ingredients present, the manufacturer recommends that if swallowed, do NOT induce vomiting. If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration. The product has a relatively low pH. If irritation or a burning sensation develops or persists or vomiting has occurred after ingestion, seek immediate medical assistance.
EYE:	If in eyes, hold eyelids apart and flush the eye immediately with large amounts of running water. Continue flushing for at least 15 minutes or until advised to stop by a Doctor. Check for contact lenses. If there are contact lenses, these should be removed after several minutes of rinsing by the exposed person or medical personnel if it can be done easily. As the product is rated as Causes severe eye damage, after flushing, immediately call a Poisons Information Centre (Tel. Australia 13 11 26; New Zealand 0800 764 766) or doctor/ physician.
SKIN CONTACT:	The product is a Cosmetic hair treatment. If irritation or a rash occurs wash skin thoroughly with mild soap and water. As the product is rated as causes skin irritation, after flushing, if irritation occurs and persists, seek medical assistance.
INHALATION:	If a person is affected by inhaling the product, remove the patient from further exposure into fresh air, if safe to do so. If providing assistance, avoid exposure to yourself - only enter contaminated environments with adequate respiratory equipment. Once removed, lay patient down in a well-ventilated area and reassure them whilst waiting for medical assistance. If not breathing, provide artificial respiration and seek immediate medical assistance. If unconscious, place in a recovery position and seek immediate medical assistance. If irritation develops/persists, consult a Doctor.
PROTECTION FOR FIRST AIDERS:	No personnel shall place themselves in a situation that is potentially hazardous to themselves. If the person has ingested the product, caution should be exercised in using direct mouth-to-mouth resuscitation techniques. Always ensure that you are wearing gloves when dealing with first aid procedures involving chemicals and/or blood.
FIRST AID FACILITIES:	Eye wash fountain and safety showers, or at least a source of flowing water, are recommended in the area where the product is used.
4.2 MOST IMPORTANT SYMP ACUTE:	TOMS & EFFECTS, BOTH ACUTE & DELAYED, CAUSED BY EXPOSURE: The product is rated as Causes serious eye damage. Eye contact may lead to severe burns, redness, pain, swelling, tearing and blurred vision, as well as permanent eye damage in a worst case scenario. The product is rated as Causes skin irritation. Skin contact may lead to redness or itching. Ingestion may lead to nausea and diarrhoea. The product has a low pH. Ingestion of the product could lead to gastrointestinal tract irritation with nausea, vomiting and potentially burns.
CHRONIC:	Skin contact may aggravate/exacerbate existing skin conditions, such as dermatitis.

4.3 INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NECESSARY: ADVICE TO DOCTOR: Treat symptomatically.

SECTION 5 – FIRE FIGHTING MEASURES

5.1 EXTINGUISHING MEDIA: SUITABLE MEDIA:	Use extinguishing media appropriate for surrounding fire. Use carbon dioxide, alcohol-resistant foam, dry chemical or water spray. Spray down fumes resulting from fire.	
UNSUITABLE MEDIA:	Avoid using full water jet directed at residual burning material once the aqueous component has evaporated. Water may cause splattering on hot residue.	
5.2 SPECIAL HAZARDS ARISI	NG FROM THE SUBSTANCE OR MIXTURE:	
COMBUSTION HAZARDS:	Combustion of the residual material after evaporation of the aqueous component may produce oxides of carbon, chlorine and nitrogen as well as smoke and irritating vapours.	
5.3 ADVICE FOR FIREFIGHTERS:		
FIRE:	This product is not flammable under conditions of use. Once the aqueous component has evaporated, the residue will be combustible. Keep storage tanks, pipelines, fire exposed surfaces, etc. cool with water spray.	
HAZCHEM CODE:	•3Z	
EXPLOSION:	No information to indicate that the product is an explosion hazard. Extinguish all sources of flame or spark. Closed containers may explode when exposed to extreme heat.	
PROTECTIVE		
EQUIPMENT:	In the event of a fire, wear full protective clothing and self-contained breathing equipment with full-face piece operated in the pressure demand or other positive pressure mode.	

SECTION 6 – ACCIDENTAL RELEASE MEASURES

6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES:

PERSONAL PROTECTION:	For small spills, wear PVC, Nitrile or Neoprene gloves, glasses/goggles, enclosed shoes and full-length clothing. During routine operation for a small spill in the open a respirator is not required. For large spills, or in confined spaces, a full chemically resistant body-suit is recommended. If in doubt about potential oxygen deficiency wear self-contained breathing apparatus.
CONTROL MEASURES:	Ventilate area and extinguish and/or remove all sources of ignition. Stop the leak if safe to do so. CAUTION: The spilled product will be slippery. Avoid contact with the spilled material.
EMERGENCY PROCEDURES:	In the event of a spill or accidental release, notify the relevant authorities in
	accordance with all applicable regulations.
6.2 ENVIRONMENTAL PRECA	
SPILL ADVICE:	Do not allow product to enter drains, surface water, sewers or watercourses -
	inform local authorities if this occurs.
6.3 METHODS AND MATERIA	LS FOR CONTAINMENT AND CLEANING UP:
CONTAINMENT:	Spills are easy to contain because of the nature of the product. Being a thick viscous cream, the material will not readily flow. If there is the possibility of spills to enter drains, surface water, sewers or watercourses ensure bunding, or that drains are covered, to minimise the potential for this to occur.
CLEANING PROCEDURES:	Small spills can be cleaned up by hand using a cleaning cloth. Having contained the spill, as mentioned above, collect all material quickly and place in suitable containers. Follow local regulations for the disposal of waste. For large spills that have been bunded, the material can be scooped into vessels and returned for reprocessing or destruction. Personnel must wear gloves, goggles or glasses, boots and full-length clothing during cleaning procedures. Wash and rinse the contaminated area and objects with water after spill has been cleared. Do not allow wash water or rinsings to enter drains, surface water, sewers or water courses.

SECTION 7 – HANDLING AND STORAGE, INCLUDING HOW THE CHEMICAL MAY BE SAFELY USED

7.1 PRECAUTIONS FOR SAFE HANDLING:

SAFE HANDLING: If handling in bulk, avoid contact with the product by using appropriate protective equipment such as gloves, glasses or goggles and full-length clothing. Prevent small spills and leakage to avoid slip hazards. Properly dispose of any contaminated rags or cleaning materials. Eating, drinking, and smoking should be prohibited in the area where this material is handled, stored and processed. Workers should follow good personal hygiene practices, such as washing hands before eating, drinking and smoking. Keep containers tightly closed when not in use. Prevent product from entering waterways, drains or sewers.

7.2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATABILITIES:

SAFE STORAGE: Store in a dry, well ventilated area away from direct sunlight, ignition sources, oxidising agents, foodstuffs and clothing. Keep containers closed when not in use. Containers that have been opened must be carefully resealed to prevent leakage.

INCOMPATIBILITIES: Strong oxidising substances including strong acids.

SECTION 8 – EXPOSURE CONTROLS & PERSONAL PROTECTION

8.1 EXPOSURE CONTROL MEASURES:

EXPOSURE LIMIT VALUES: Exposure standards for the product have not been established. 8.2 BIOLOGICAL MONITORING: No data available.

MONITORING: No data available.

8.3 CONTROL BANDING: No data available.

8.4 ENGINEERING CONTROLS:

ENGINEERING CONTROLS: Special ventilation is not normally required when using this product in normal use scenarios. However, if there are vapours generated under use conditions ventilation should be provided to maintain airborne concentrations at an acceptable level that does not cause irritation.

8.5 INDIVIDUAL PROTECTION MEASURES:

- **EYE & FACE PROTECTION:** As the product is a cosmetic hair treatment, eye protection is not normally required. As the product is rated as Causes serious eye damage, hairdressers should use eye protection and avoid rubbing their eyes when using the product. If there is a spill scenario and there is the potential of contact with the material wear safety glasses/goggles to avoid eye contact. Use eye protection in accordance with AS1336 and AS1337.
- **SKIN (HAND) PROTECTION:** As the product is a cosmetic hair treatment, hand protection is not normally required. If there is a spill scenario and there is the potential of contact with the material wear gloves to provide hand protection. PVC, Neoprene or Nitrile rubber gloves are recommended.
- SKIN (CLOTHING)

 PROTECTION:

 As the product is a cosmetic hair treatment, special clothing is not normally required. If there is a spill scenario and there is the potential of contact with the material wear long sleeved clothing to avoid skin contact. Soiled clothing should be washed with detergent prior to re-use.

RESPIRATORY PROTECTION: During routine operation a respirator is not required.

THERMAL PROTECTION: Not applicable.

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

9.1 PHYSICAL AND CHEMICA	L PROPERTIES:
APPEARANCE:	Ivory Cream.
ODOUR:	Characteristic.
ODOUR THRESHOLD:	No data available.
pH:	Typically 3.0 - 4.0.
MELTING/FREEZING POINT:	No data available.
INITIAL BOILING POINT:	No data available.
BOILING RANGE (°C):	No data available.
FLASHPOINT (°C):	Not applicable.
EVAPORATION RATE:	No data available.
FLAMMABILITY LIMITS (%):	Not applicable.
VAPOUR PRESSURE (mmHg)	:No data available.
VAPOUR DENSITY:	No data available.
DENSITY @ 20.0°C:	0.96 - 0.99.
SOLUBILITY IN WATER(g/L):	No data available.
PARTITION COEFFICIENT:	No data available for n-octanol/water.
AUTO-IGNITION TEMP (°C):	No data available.
DECOMPOSITION TEMP (°C):	No data available.
VISCOSITY (cPs):	28,000 - 48,000.

SECTION 10 – STABILITY AND REACTIVITY

10.1 REACTIVITY:	The product does not pose any further reactivity hazards other than those listed in the following sub-sections.	
10.2 CHEMICAL STABILITY: 10.3 POSSIBILITY OF	Stable under recommended storage and handling conditions (see section 7).	
HAZARDOUS REACTIONS:	Keep away from strong oxidising agents, such as strong acids, chlorates, nitrates and peroxides. Hazardous polymerisation does not occur.	
10.4 CONDITIONS TO AVOID	Observe the usual precautionary measures for handling chemicals. Do not heat the container, leave it in direct sunlight or leave the container open when not in use.	
10.5 INCOMPATIBLE		
MATERIALS:	Strong oxidising agents including concentrated acids.	
10.6 HAZARDOUS DECOMPOSITION		
PRODUCTS:	Hazardous decomposition products are not expected to form during normal storage requirements. See Section 5.2 for Hazardous Combustion products.	

SECTION 11 – TOXICOLOGICAL INFORMATION

11.1 INFORMATION ON TOXICOLOGICAL EFFECTS:

The product is a mixture and test data is not available for the product as a whole.

1-Tetradecanol: Oral - LD_{50} (Rat): 2,000 mg/kg bw Dermal - LD_{50} (Rabbit): 8,000 mg/kg bw

Ethanol, 2-phenoxy (Phenoxyethanol):

Oral - LD_{50} : 1,300 - 2,000 mg/kg bw Dermal - LD_{50} (Rat): > 2000 mg/kg bw Inhalation - LC_{50} : > 1,000 ppm

1,2-Propanediol, 3-[(2-ethylhexyl)oxy]-:

Oral - LD_{50} (Rat): >2000 mg/kg Dermal - LD_{50} (Rat): > 2000 mg/kg Inhalation - LC_{50} (Rat, aerosol, 4 hours): 3.07 mg/l

SECTION 11 – TOXICOLOGICAL INFORMATION Continued

11.2 SWALLOWED:	Due to the low pH of the material, if ingested, this product may cause severe irritation to the mouth, throat and digestive tract and could lead to nausea, vomiting, gastric distension and potentially burns. During normal usage ingestion should not be a means of exposure.
11.3 SKIN CORROSION/ IRRITATION:	This product is rated by calculation as Causes skin irritation. Prolonged or repeated contact may cause defatting of the skin which may lead to dermatitis. Correct handling procedures incorporating appropriate protective clothing and gloves should minimise the risk of skin irritation. People with pre-existing skin conditions, such as dermatitis, should take extreme care so as not to exacerbate the condition. Results from the Amended Draize Patch Test concluded that the product was not an irritant when it is diluted to a 10% solution to simulate usage scenarios.
11.4 SERIOUS EYE DAMAGE	
IRRITATION: 11.5 RESPIRATORY OR	The product is rated by calculation as Causes serious eye damage. Eye contact may lead to severe burns, redness, pain, swelling, tearing and blurred vision, as well as permanent eye damage in a worst case scenario. Correct handling procedures incorporating appropriate eye protection should minimise the risk of eye irritation.
SKIN SENSITISATION:	This product is not expected to be a skin sensitiser, based on the available data and the known hazards of the components. This product is not expected to be a respiratory tract sensitiser based on the available data and the known hazards of the components.
11.6 GERM CELL MUTAGENICITY:	This product is not expected to be mutagenic, based on the available data and the known hazards of the components.
11.7 CARCINOGENICITY:	This product is not expected to be a carcinogen, based on the available data and the known hazards of the components.
11.8 REPRODUCTIVE TOXICITY:	This product is not expected to be a reproductive hazard, based on the available data and the known hazards of the components.
11.9 SPECIFIC TARGET ORG	
SINGLE EXPOSURE:	There is no data available for the product as a whole. This product is not expected to cause organ damage from a single exposure, based on the available data and the known hazards of the components. This product is not expected to pose an irritation hazard at ambient temperature or under normal handling conditions. Not classified as a respiratory irritant, however inhalation of vapours (generated at elevated temperatures) may cause irritation to the nose, throat and respiratory system.
11.10 SPECIFIC TARGET OR	
REPEATED EXPOSURE:	There is no data available for the product as a whole. This product is not expected to cause organ damage from prolonged or repeated exposure, based on the available data and the known hazards of the components as stated by the manufacturer.
11.11 ASPIRATION HAZARD:	This product is not expected to be an aspiration hazard, based on the available data and the known hazards of the components. However, the manufacturer recommends that if swallowed, do NOT induce vomiting. If vomiting has occurred after ingestion the person should be observed to ensure that aspiration into the lungs has not occurred.

11.12 OTHER INFORMATION: No additional data is available.

SECTION 12 – ECOLOGICAL INFORMATION

12.1 ECOTOXICITY:	The following Ecotoxicity data is applicable to components:
	1-Tetradecanol: LC ₅₀ (fish, 96hr): 1mg/L. EC ₅₀ (Aquatic invertebrates, 48hr): 3.2mg/L. EL ₅₀ (Aquatic algae and cyanobacteria, 96hr): 10mg/L.
	 1,2-Propanediol, 3-[(2-ethylhexyl)oxy]-: EC₅₀ (Brachydanio rerio, 96hr): 60.2mg/L. NOEC (Brachydanio rerio): 26mg/L. EC₅₀ (Daphnia Magna, 48hr): 78.3mg/L. NOEC (Daphnia Magna): 36mg/L. EbC₅₀ (Scenedesmus subspicatus, 72hr): 48.3mg/L ErC₅₀ (Scenedesmus subspicatus, 72hr): 84.3mg/L NOEC (Scenedesmus subspicatus): 22mg/L.
	Ethanol, 2-phenoxy-: LC ₅₀ (Flathead minnow, 96hr): 344mg/L. LC ₅₀ (Desmodesmus subspicatus, 72hr): > 100mg/L. LC ₅₀ (Daphnia Magna, 48hr): 488mg/L.
	There is no data available for the product as a whole. Based upon calculated values, the overall product would be expected to be rated as Toxic to aquatic life with long lasting effects.
12.2 PERSISTENCE & DEGRADABILITY: 12.3 BIOACCUMULATIVE	There is no data available for the product as a whole.
POTENTIAL:	There is no data available for the product as a whole.
12.4 MOBILITY IN SOIL: 12.5 OTHER ADVERSE	There is no data available for the product as a whole.
EFFECTS:	Do not allow the product to reach ground water, water courses or sewage systems.

SECTION 13 – DISPOSAL CONSIDERATIONS

13.1 DISPOSAL METHODS: PRODUCT:

The product should not be released to the environment, so any unused material should be recycled wherever possible or be disposed of as waste at an appropriate collection depot. Spilled product that cannot be recovered should be shovelled into a suitable waste container, such as a plastic drum and then be treated as a solid waste. Follow Government regulations for disposal of such waste. All unused, waste or spilled product must be taken for recycling or disposal by suitably licensed contractors in accordance with Government regulations.

CONTAINERS: Empty containers may contain residual product. They should be completely drained and then stored until disposed of. Empty containers should be taken for recycling or for disposal through suitably licensed contractors in accordance with Government regulations.

SECTION 14 – TRANSPORT INFORMATION

This product is regulated for land, sea or air transportation.

PLEASE NOTE: A Limited Quantities package size of <5L applies to this product.

14.1 LAND (ADG Code): UN NUMBER: UN PROPER SHIPPING NAME:	3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Contains Tetradecanol)
TRANSPORT HAZARD CLASS(ES): PACKAGING GROUP: ENVIRONMENTAL HAZARDS: SPECIAL PRECAUTIONS FOR USER:	9 III Yes 274, 331, 335, 375, AU01
HAZCHEM CODE:	•3Z
14.2 SEA (IMDG): UN NUMBER: UN PROPER SHIPPING NAME:	3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
TRANSPORT HAZARD CLASS(ES): PACKAGING GROUP: ENVIRONMENTAL HAZARDS: SPECIAL PRECAUTIONS FOR USER:	(Contains Tetradecanol) 9 III Yes 274, 969
14.3 AIR (IATA): UN NUMBER: UN PROPER SHIPPING NAME: TRANSPORT HAZARD CLASS(ES): PACKAGING GROUP: ENVIRONMENTAL HAZARDS: SPECIAL PRECAUTIONS FOR USER:	3082 Environmentally Hazardous Substance, Liquid, N.O.S. (Contains Tetradecanol) 9 III Yes A97, A197.

SECTION 15 – REGULATORY INFORMATION

15.1 SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS:		
APPLICABLE REGULATIONS:		
SUSMP:	Not Scheduled.	
AICS:	All ingredients are on the AICS List.	
MONTREAL PROTOCOL:	Not applicable to this product.	
STOCKHOLM CONVENTION:	Not applicable to this product.	
ROTTERDAM CONVENTION:	Not applicable to this product.	
BASEL CONVENTION:	Not applicable to this product.	
INTERNATIONAL CONVENTION FOR THE PREVENTION OF POLLUTION FROM		
SHIPS (MARPOL):	Not determined.	

SECTION 15 – REGULATORY INFORMATION Continued

GHS CLASSIFICATION HAZARD CLASS & CATEGORY

AND HAZARD STATEMENT: Acute Toxicity - Oral Category 4; H302 - Harmful if swallowed.

Acute Toxicity - Dermal Category 4; H312 - Harmful in contact with skin.

Skin Corrosion/Irritation Category 1B; H314 - Causes severe skin burns and eye damage.

Skin Corrosion/Irritation Category 2; H315 - Causes skin irritation.

Serious Eye Damage/Irritation Category 1; H318 - Causes serious eye damage. Serious Eye Damage/Irritation Category 2A; H319 - Causes serious eye irritation.

Chronic Aquatic Toxicity Category 1; H410 - Very toxic to aquatic life with long lasting effects.

Chronic Aquatic Toxicity Category 2; H411 - Toxic to aquatic life with long lasting effects.

Chronic Aquatic Toxicity Category 3; H412 - Harmful to aquatic life with long lasting effects.

HSNO APPROVAL NUMBER: HSR002552

HSNO GROUP TITLE:

Cosmetic Products Group Standard 2006.

SECTION 16 – ANY OTHER RELEVANT INFORMATION

SDS INFORMATION:

Date of SDS Preparation:		7 th June 2017	Revision: 1.0
REVISION CHANGES:		Initial preparation of SDS in new format.	
ACRONYMS:			
SUSMP	Standard fo	r the Uniform Scheduling of Medicines and Poisons	
CAS Number		bstracts Service Registry Number	
EINECS		ventory of Existing Commercial Chemical Substances	
UN Number	United Nations Number		
OSHA	Occupational Safety and Health Administration		
ACGIH	American Conference of Governmental Industrial Hygienists		
HSE-WEL	Health and Safety Executive - Workplace Exposure Limit		
IMDG	International Maritime Dangerous Goods		
IATA	International Air Transport Association		
IUCLID	International Uniform Chemical Information Database		
RTECS	Registry of Toxic Effects of Chemical Substances		
%W/W	Percent weight for weight.		
OECD	Organisation for Economic Co-Operation and Development		
ADG Code	Australian Code for the Transport of Dangerous Goods by Road and Rail		
HAZCHEM Code	Emergency action code of numbers and letters which gives information to emergency services		
NOHSC	National Occupational Health and Safety Commission		
NICNAS	National Industrial Chemicals Notification & Assessment Scheme		
IMAP	Inventory Multi-Tiered Assessment and Prioritisation		
AICS		nventory of Chemical Substances	
TWA	0	nted Average	
STEL		Exposure Limit	
HSNO		Substances and New Organisms Act 1996	
GHS		rmonised System of Classification and Labelling of Chemicals	
WHS	Work Health and Safety		
PPE	Personal Protective Equipment.		
LD ₅₀	Median Lethal Dose		
		nal Concentration	
EC ₅₀		procentration of a substance that causes 50% of the maximum res	sponse atter
NOAEL		r a nominated time d Adverse Effect Level	

SECTION 16 – ANY OTHER RELEVANT INFORMATION Continued

ACRONYMS (Continued):

NOEC	No Observed Effect Concentration
EH40	EH40/2005 Workplace Exposure Limits
ECHA	European Chemicals Agency
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals

LITERATURE REFERENCES AND SOURCES OF DATA:

OECD Guidelines for Testing of Chemicals Annex I: OECD Test Guidelines for Studies Included in SIDS Manual for the Assessment of Chemicals Chapter 2 Data Gathering International Toxicity Testing Guidelines Hazardous Chemical Information System - Guidance Material for Hazard Classifications Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice. Model Work Health and Safety Regulations. Model Work Health and Safety Regulations - Transitional Principles Workplace Exposure Standards for Airborne Contaminants Australian Dangerous Goods Code 7th Edition Approved Criteria for Classifying Hazardous Substances [NOHSC:1008 (2004)] Guidance on the Classification of Hazardous Chemicals under the WHS Regulations Assigning a Hazardous Substance to a Group Standard User Guide to the HSNO Thresholds and Classifications Summary User Guide to the HSNO Thresholds and Classifications of Hazardous Substances Correlation between GHS and New Zealand HSNO Hazard Classes and Categories HSNO Control Regulations Record of Group Standard Assignment Labelling of Hazardous Substances Hazard and Precautionary Information Thresholds and Classifications Under the Hazardous Substances and New Organisms Act 1996 Workplace Exposure Standards and Biological Exposure Indices ECHA Brief Profile for 3-(2-ethylhexyloxy)propane-1,2-diol NICNAS IMAP Human Health Tier II Assessment for Ethanol, 2-phenoxy CAS Number: 122-99-6 NICNAS IMAP Human Health Tier II Assessment for Cationic Surfactants including Cetrimonium Chloride CAS Number: 122-02-7

All information contained in this Safety Data Sheet and the health, safety and environmental information are considered to be accurate to the best of our knowledge as of the issue date specified above. However, no warranty or representation, expressed or implied, is made as to the accuracy or completeness of the data and information contained in this data sheet.

Health and safety precautions and environmental advice noted in this data sheet may not be accurate for all individuals and/or situations. It is the user's obligation to evaluate and use this product safely and to comply with all applicable laws and regulations. The Company accepts no responsibility for any injury, loss or damage, resulting from abnormal use of the material, from any failure to adhere to recommendations, or from any hazards inherent in the nature of the material.