SDS #107 PEROXIDE SOLUTIONS 8-12%

Date of Issue: 28 November 2016 (Version 1).

Supersedes: -

1. Identification of Material and Supplier

Product Identifier: L'Oréal Hydrogen Peroxide Solutions and Developers with 8-

12% hydrogen peroxide.

Other Means of Identification:

Recommended Use/Product Type:

Cosmetic Hair Products containing hydrogen peroxide 8-12%.

AUSTRALIA

Suppliers Details: L'Oréal Australia Pty Ltd.

Address: 564 St Kilda Road.

Melbourne VIC 3004 Australia.

Telephone Number: (03) 8680 0000 (8am-6pm Mon to Fri).

Fax Number: 61 3 8680 0009.

Emergency Telephone Number (Must be a 24 Hour Number):

(03) 8680 0800 (8am-6pm Mon to Fri). (03) 8680 0866 (9am-5pm Mon to Fri).

0411 077 273 (After Hours).

Australian Poisons Information Centre:

13 1126.

Email Address of the Person Responsible for this MSDS:

samantha.hass@loreal.com.

NEW ZEALAND

Suppliers Details: L'Oréal New Zealand.

Address: Building 8, 9 Manu Street,

Othahuhu, Auckland 2024 New Zealand.

Telephone Number: +64 21 962 098 or +64 9583 4160 (8am-6pm Mon to Fri)

Fax Number: +64 9583 4188.

Emergency Telephone Number (Must be a 24 Hour Number):

+64 21 962 098 or +64 21245 1758 (8am-6pm Mon to Fri)

+64 21 962 098 (After Hours).

New Zealand Poisons Information Centre:

0800 764766.

Email Address of the Person Responsible for this MSDS:

<u>Miu.TUALA@loreal.com</u> Or <u>Pieter.duplooy@loreal.com</u>

2. Hazard Identification

Hazard Classification: This product is classified as Hazardous according to the criteria

of Safe Work Australia. Also classified as a Dangerous Goods

SDS #107 PEROXIDE SOLUTIONS 8-12%

Class 5.1 Oxidising Substances according to the criteria of ADG Code 7^{th} Edition.

NEW ZEALAND

Hazard Classification: This material is classified as a dangerous good Class 5.1.1C

Oxidising Solids according to criteria in New Zealand Standard 5433:2012 Transport of Dangerous Goods on

Land.

This material is classified as hazardous according to criteria in the Hazardous Substances (Minimum Degrees of Hazard) Regulations 2001 and has been classified according to the Hazardous Substances (Classifications) Regulations 2001. Schedule 6 Minimum Degrees of Hazard – Interpretation 2 J

(ii).

NZ HSNO Classification: Category 6.1D Acute Toxicity: Oral

Category 8.3A Eye Corrosive

Category 9.1D Ecotoxic to aquatic environment.

BOTH COUNTRIES

GHS Classification of the substance or mixture:

Acute Toxicity: Oral- Category 4.
Eye Damage/Eye Irritation- Category 1.
Acute Aquatic Toxicity- Category 3.
Chronic Aquatic Toxicity- Category 3.

Allocation of Label Elements:

Pictograms:





GHS Signal word: DANGER

GHS Hazard statements: H302: Harmful if swallowed.

H318: Causes serious eye damage. H402: Harmful to aquatic life.

H412: Harmful to aquatic life with long lasting effects.

Precautionary statement(s):

General P101: If medical advice is needed, have product container

or label on hand.

P102: Keep out of reach of children.

P103: Read label before use.

P104: Read Safety Data Sheet before use.

Prevention P264: Wash hands and face thoroughly after use.

P270: Do not eat drink or smoke when using this product.

P273: Avoid release to the environment.

SDS #107 PEROXIDE SOLUTIONS 8-12%

P280: Wear protective gloves/ protective clothing/

eye protection/ face protection.

Response P301 + P312: Is swallowed immediately call a POISON

CENTRE or a doctor.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with

water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P312: Call a POISON CENTRE or doctor if you fell unwell.

P330: Rinse Mouth.

P337 + P313: If eye irritation persists: Get medical advice.

Storage P403 + P233: Store in a well-ventilated place. Keep

container tightly closed.

Disposal P501: Dispose of contents/ container to an approved waste

disposal plant in accordance with Local/ regional/

national/international regulations.

Other Hazards Not Specified.

3. Composition/Information on Ingredients

Component/Substance	CAS Number	% by Weight	Hazardous Substance Classification
Hydrogen Peroxide	7722-84-1	8-12	H271, H302, H332, H314, H335.
Other ingredients determined not to be hazardous		To 100	Not classified

4. First Aid Measures

General Advice: If poisoning occurs contact a doctor or Poisons Information

Centre. Phone 131126 from anywhere in Australia.

Eye: Rinse abundantly under flowing water for at least 15 minutes.

If irritation develops seek medical attention. Splashes in the eye may cause immediate stinging and tears. Transient

redness of the eye may also occur.

Skin: In case of skin contact, if irritation develops immediately wash

off with plenty of water for at least 15 minutes. If irritation

persists seek medical attention immediately.

Inhalation: If symptoms are experienced, remove source of

contamination and move victim to fresh air immediately. If symptoms persist, seek medical attention. At relatively high vapour concentrations ethyl alcohol is an irritant to the nose and throat and may cause central nervous system depression.

Ingestion: Rinse mouth with water. If swallowed do not induce vomiting.

Give one or two glasses of water or milk to drink. Seek

medical attention immediately.

SDS #107 PEROXIDE SOLUTIONS 8-12%

Advice to Doctor: Treat symptomatically. If in eyes recheck after one week.

5. Fire Fighting Measures

Suitable Extinguishing Media:

In case of fire, all extinguishing media are suitable. For

safety reasons do not use strong water jets.

Hazards from Combustion Products:

May produce toxic fumes of carbon oxides.

Precautions for Fire Fighters and Special Protective Equipment:

If in the event of fire wear self-contained breathing apparatus. Use personal protective equipment. Keep containers cool with water spray. Closed containers may rupture when exposed to temperatures greater than 50°C. Vapour is heavier than air, distant ignition sources possible.

Hazchem Code: 2R.

6. Accidental Release Measures

Emergency Procedures: UN 2984. Wear appropriate protective equipment. Spills will

be slippery.

Methods and Materials for Containment and Clean Up Procedures:

Remove possible leaking containers. Remove all sources and ventilate area. Dilute small spills with water. For larger spills, wear protective equipment, dilute with water and absorb in inert material (sand or vermiculate). Shovel material into a suitable container and seal it. Wash the spill area with mild detergent to remove residue. Dispose of material in compliance with federal state and local regulations. Do not allow the material to enter drains or

waterways.

7. Handling and Storage

Precautions for Safe Handling:

This product is a Class 5.1 Oxidising Substances and should be transported and stored according to Dangerous Goods Regulations, Codes and Standards. Gloves (vinyl, rubber, plastic) may be worn when handling this material. Keep away from heat, flames or ignition source. Do not eat, drink or smoke in handling areas. Remove contaminated clothing and wash hands before eating.

Conditions for Safe Storage:

Store product upright in a cool place and out of direct sunlight. Store away from alkalis, corrosive and oxidising products. Use good personal hygiene practices. Store in

SDS #107 PEROXIDE SOLUTIONS 8-12%

accordance with Dangerous Goods Regulations and transport in accordance with ADG Code for Dangerous Goods Class

8. Exposure Controls/Personal Protection

National Exposure Standards¹:

ES-TWA (NOHSC Australian Exposure Standards) 1 Workplace Exposure Standards (NZ OS&HS Dept of Labour) 2

Chemical Name	CAS No.	TWA (ppm)	TWA (mg/m³)	STEL (ppm)	STEL (mg/m³)
Hydrogen Peroxide ^{1,2}	7722-84-1	1	1.4	-	-

TWA = Time-weighted average exposure standard.

STEL = Short term exposure limit standard.

National Occupational Health and Safety Commission. Exposure Standards for Atmospheric Contaminants in the Occupational Environment. National Exposure Standards [NOHSC: 1003 (1995)]. May 1995.

Workplace Exposure Standards (NZ OS&HS Dept of Labour). 2

Biological Limit Values: No Biological limit allocated.

Engineering Controls: Use in a well-ventilated area. Maintain air concentrations

below exposure standards. Flammable symbol or warning.







Personal Protective Equipment:

If ventilation is insufficient, a suitable respirator should be worn. When handling bulk quantities gloves (vinyl, plastic or rubber) shoud be worn when handling this product. It is recommended that protective clothing is worn e.g. aprons (vinyl, plastic or rubber) and safety shoes. Eye protection in the form of tightly fitting safety goggles and/or face shield should be worn.





9. Physical and Chemical Properties

Appearance: Clear colourless liquid.

Odour: No odour.

SDS #107 PEROXIDE SOLUTIONS 8-12%

pH: 2-4.

Boiling Point (°C): Not determined.

Vapour Pressure: Not determined. kPa @ 25°C. Specific Gravity: 1030 to 1050 kg/m³ @ 25°C.

Flashpoint (°C): Not determined. Flammability Limits: Not determined. Solubility in Water: Not determined.

10. Stability and Reactivity

Chemical Stability: Stable under normal conditions of handling, use and

transportation.

Conditions to Avoid: Avoid heat and sources of ignition.

Incompatible Materials: Keep away from alkalis and corrosive substances.

Hazardous Decomposition Products:

Hazardous decomposition products formed under fire conditions. Decomposition not known to occur under

recommended storage conditions.

Hazardous Reactions: None known.

11. Toxicological Information

Acute Oral Toxicity: Not Available.
Acute Dermal Toxicity: Not Available.
Skin Irritation: Not Available.
Skin Sensitisation: Not Available.
Eye Irritation: Not Available.
Inhalation: Not Available

Other Information: Chronic Health Effects have not been determined.

12. Ecological Information

Eco Toxicity: Not Available. It would be prudent to avoid any direct release

to sewer or receiving waters.

Persistence and Degradability:

Mobility:

Not Available. Not Available.

13. Disposal Considerations

Disposal Methods: Recover if possible and dispose of in accordance with local,

State and Federal government regulations.

Special Requirements for Landfill or Incineration:

SDS #107 PEROXIDE SOLUTIONS 8-12%

Empty containers should be disposed of to landfill in domestic garbage collection. The local waste authority should be consulted prior to disposal of bulk quantities.

14. Transport Information

AUSTRALIA- ADG

UN Number: 2984.

UN Proper Shipping Name: HYDROGEN PEROXIDE, AQUEOUS SOLUTION. Class & Subsidiary Risk: Class 5.1 (Australia). 5.1.3C (New Zealand).

Packaging Group: III.

Special Precautions: SP65, P504, IBC02, B5, T4, TP1, TP6, TP24.

Hazchem Code: 1R.

NEW ZEALAND

Relevant Information. Hazard Class 5.1.1C





IMDG

UN/ID No.: UN2984.

Proper shipping name: HYDROGEN PEROXIDE, AQUEOUS SOLUTION.

Hazard class: 5.1. Packing group: III.

Special Precautions: E1, P504, IBC02, B5, T4, TP1, TP6, TP24.

ICAO/IATA

UN/ID No.: UN2984.

Proper shipping name: HYDROGEN PEROXIDE, AQUEOUS SOLUTION.

Hazard class: 5.1

15. Regulatory Information

AUSTRALIA

SUSMP: SCHEDULE 6.

FIRST AID (SUSMP): A For advice contact a Poisons Information Centre

phone 131126 or a doctor at once.

Competition and Consumer Act:

Cosmetic ingredients must be labelled.

Industrial Chemicals (Notification and Assessment) Act:

Ingredients are in the Australian Inventory of Chemical Substances or are covered by certificates, permits or exemptions in compliance with the *Industrial Chemicals*

(Notification and Assessment) Act 1989.

NEW ZEALAND

Dangerous Goods Regulations:

SDS #107 PEROXIDE SOLUTIONS 8-12%

Symbols are required for bulk storage and containers only and not on small packaged goods for consumers.



Risk phases are required for bulk storage and containers only.

Risk-phrase(s)

S-phrase(s)

N: Dangerous to the Environment.

Xi: Irritant.O: Oxidising.

R8: Contact with combustible material may cause fire.

R22: Harmful if swallowed.

R41: Risk of serious eye damage.

R52: Harmful to aquatic life

R53: Harmful to aquatic life with long lasting effects.

Or combination risk phases as appropriate.

S2: Keep out of reach of children.

S13: Keep away from food, drink and animal feeding stuffs.

S17: Keep away from combustible material.

S24: Avoid contact with skin.S25: Avoid contact with eyes.

S26: In case of contact with eyes, rinse immediately with plenty of water and contact a doctor or Poisons Information Centre.

S36: Wear suitable protective clothing.

S46: If swallowed, seek medical advice immediately and show container or label.

HSNO Regulations:

The HSNO Approval Number for this Group Standard is HSR002552 (Cosmetic Products Group Standard). Substances must comply with the Standard.

Classes 6, and 9 of Control Regulations:

• Regulations 11-27, 7, 8, 10, 32-45, 50-51,55 Identification Regulations:

Regulations 6,7, 32-35,36(1)-(7)

• Regulations 25, 29-31,37-39,47-50, 51,52

Packaging Regulations:

• Regulations 5,6,7(1),8, 9

Schedule 3

Disposal Regulations:

• Regulations 8, 9, 10, 11, 12, 13, 14 Emergency Management Regulations:

• 6,7,9-11, 8e, 8f, 12-16,18-20, 25-34, 35-41, 42 Tracking:

· Not applicable.

Approved Handlers:

Not applicable.

SDS #107 PEROXIDE SOLUTIONS 8-12%

Additional Information: Mixtures of bleach powders and solutions containing

hydrogen peroxide (6, 9 and 12% may produce heat when applied to hair. This may be further enhanced by the presence of metallic impurities (i.e. aluminium as in glitter sprays or other forms). Should a reaction occur, remove mixture from the hair by rinsing at the basin! Do not mix

with perm lotions. Skin sensitivity test: follow

manufacturer's instructions.

16. Other Information

Date of Issue: 28 November 2016 (Version 1).

Supersedes: -Version Number: 1

Disclaimer: The information contained in this MSDS was compiled using

the latest and most reliable information available. The information is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Similarly, no warranty, expressed or implied, shall be created by or inferred from any statement or omission from this MSDS nor will L'Oréal assume any liability for any loss or damage arising out of the use of this information. It is solely the responsibility of the user to determine safe conditions for use of this product.

END OF SDS