SDS #112 ALKALINE PERMS AND RELAXERS

Date of Issue: 28 November 2016 (Version 1).

Supersedes: -

1. Identification of Material and Supplier

Product Identifier: L'Oréal Alkaline Perms and Relaxers.

Other Means of Identification:

Recommended Use/Product Type:

Cosmetic Hair Products containing alkaline ingredients such

as ammonium hydroxide, sodium hydroxide, lithium

hydroxide, calcium hydroxide and guanidine carbonate with ammonium thioglycolate and low levels of hydrogen peroxide

for permanent waving of hair.

AUSTRALIA

Suppliers Details: L'Oréal Australia Pty Ltd.

Address: 564 St Kilda Road.

Melbourne VIC 3004 Australia.

Telephone Number: (03) 8680 0000 (8am-6pm Mon to Fri).

Fax Number: 61 3 8680 0009.

Emergency Telephone Number (Must be a 24 Hour Number):

(03) 8680 0800 (8am-6pm Mon to Fri). (03) 8680 0866 (9am-5pm Mon to Fri).

0411 077 273 (After Hours).

Australian Poisons Information Centre:

13 1126.

Email Address of the Person Responsible for this MSDS:

samantha.hass@loreal.com.

NEW ZEALAND

Suppliers Details: L'Oréal New Zealand.
Address: Building 8, 9 Manu Street,

Othahuhu, Auckland 2024 New Zealand.

Telephone Number: +64 21 962 098 or +64 9583 4160 (8am-6pm Mon to Fri)

Fax Number: +64 9583 4188.

Emergency Telephone Number (Must be a 24 Hour Number):

+64 21 962 098 or +64 21245 1758 (8am-6pm Mon to Fri)

+64 21 962 098 (After Hours).

New Zealand Poisons Information Centre:

0800 764766.

Email Address of the Person Responsible for this MSDS:

<u>Miu.TUALA@loreal.com</u> Or <u>Pieter.duplooy@loreal.com</u>

SDS #112 ALKALINE PERMS AND RELAXERS

2. Hazard Identification

Hazard Classification: This product is classified as Hazardous according to the criteria

of Safe Work Australia. Not classified as a Dangerous Goods

according to the criteria of ADG Code 7th Edition.

NEW ZEALAND

Hazard Classification: This material is not classified as a dangerous good according

to criteria in New Zealand Standard 5433:2012 Transport of

Dangerous Goods on Land.

This material is classified as hazardous according to criteria in the Hazardous Substances (Minimum Degrees of Hazard) Regulations 2001 and has been classified according to the Hazardous Substances (Classifications) Regulations 2001.

NZ HSNO Classification: Category 6.1D Acute Toxicity: Oral.

Category 6.3A- Skin Irritant

Category 6.4A Serious Eye Damage / Eye Irritation.

Category 6.5B Skin Sensitiser.

Category 6.9- Respiratory Tract Irritant

Category 9.1D Ecotoxic to aquatic environment.

BOTH COUNTRIES

GHS Classification of the substance or mixture:

Acute Toxicity: Oral- Category 4.

Eye Damage/Eye Irritation- Category 2A.

Skin Sensitisation- Category 1. Skin Irritation- Category 2.

Specific Target Organ Toxicity- Category 3 Respiratory.

Acute Aquatic Toxicity- Category 3. Chronic Aquatic Toxicity- Category 3.

Allocation of Label Elements:

Pictograms:



GHS Signal word: WARNING

GHS Hazard statements: H302: Harmful if swallowed.

H315: Causes skin irritation.

H317: May cause and allergic skin reaction.

H319: Causes serious eye irritation (Applies only to 5-8%

hydrogen peroxide).

H335: May cause respiratory irritation.

H402: Harmful to aquatic life.

SDS #112 ALKALINE PERMS AND RELAXERS

H412: Harmful to aquatic life with long lasting effects.

Precautionary statement(s):

General P101: If medical advice is needed, have product container

or label on hand.

P102: Keep out of reach of children.

P103: Read label before use.

P104: Read Safety Data Sheet before use.

Prevention P261: Avoid breathing dust /fumes /gas /mist /vapours

/spray.

P264: Wash hands and face thoroughly after use.

P270: Do not eat drink or smoke when using this product.

P271: Use only outdoors or in a well ventilated area.

P273: Avoid release to the environment.

P280: Wear protective gloves/ protective clothing/

eye protection/ face protection.

Response P301 + P312: If swallowed: Call a POISON CENTRE or

doctor.

P302 + P352: IF ON SKIN: Wash with plenty of water.

P304 + P340: IF INHALED: remove person to fresh

air and keep comfortable for breathing.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P312: Call a POISON CENTRE or doctor if you fell unwell.

P330: Rinse Mouth.

P332 + P313: If skin irritation occurs: Get medical advice.

P333 + P313: If skin irritation or rashes occurs: Get medical

attention or advice.

P337 + P313: If eye irritation persists: Get medical advice.

P362 + P364: Take off contaminated clothing and wash it

before reuse.

Storage P403 + P233: Store in a well-ventilated place. Keep

container tightly closed.

P405: Store locked up.

Disposal P501: Dispose of contents/ container to an approved waste

disposal plant in accordance with Local/ regional/

national/international regulations.

Other Hazards Not Specified.

3. Composition/Information on Ingredients

Component/Substance	CAS Number	% by Weight	Hazardous Substance Classification
Hydrogen Peroxide	7722-84-1	<3	H271, H302, H332, H314, H335.
Ammonium Hydroxide	1336-21-6	<2	H314, H400.

SDS #112 ALKALINE PERMS AND RELAXERS

Ammonium Thioglycolate	5421-46-5	<12	H290, H301, H317.
Other ingredients		To 100	Not classified
determined not to be			
hazardous			

4. First Aid Measures

General Advice: If poisoning occurs contact a doctor or Poisons Information

Centre. Phone 131126 from anywhere in Australia.

Eye: Rinse abundantly under flowing water for at least 15 minutes.

If irritation develops seek medical attention. Splashes in the eye may cause immediate stinging and tears. Transient

redness of the eye may also occur.

Skin: In case of skin contact, if irritation develops immediately wash

off with plenty of water for at least 15 minutes. If irritation

persists seek medical attention immediately.

Inhalation: If symptoms are experienced, remove source of

contamination and move victim to fresh air immediately. If

symptoms persist, seek medical attention.

Ingestion: Rinse mouth with water. If swallowed do not induce vomiting.

Give one or two glasses of water or milk to drink. Seek

medical attention immediately.

Advice to Doctor: Treat symptomatically. If in eyes recheck after one week.

5. Fire Fighting Measures

Suitable Extinguishing Media:

In case of fire, all extinguishing media are suitable. For

safety reasons do not use strong water jets.

Hazards from Combustion Products:

May produce toxic fumes of carbon oxides.

Precautions for Fire Fighters and Special Protective Equipment:

If in the event of fire wear self-contained breathing apparatus. Use personal protective equipment. Keep containers cool with water spray. Closed containers may rupture when exposed to temperatures greater than 50°C. Vapour is heavier than air, distant ignition sources possible.

Hazchem Code: -

6. Accidental Release Measures

Emergency Procedures: UN -. Wear appropriate protective equipment. Spills will be

slippery.

Methods and Materials for Containment and Clean Up Procedures:

Remove possible leaking containers. Remove all sources and

ventilate area. Dilute small spills with water. For larger

SDS #112 ALKALINE PERMS AND RELAXERS

spills, wear protective equipment, dilute with water and absorb in inert material (sand or vermiculate). Shovel material into a suitable container and seal it. Wash the spill area with mild detergent to remove residue. Dispose of material in compliance with federal state and local regulations. Do not allow the material to enter drains or waterways.

7. Handling and Storage

Precautions for Safe Handling:

Gloves (vinyl, rubber, plastic) may be worn when handling this material. Keep away from heat, flames or ignition source. Do not eat, drink or smoke in handling areas. Remove contaminated clothing and wash hands before eating.

Conditions for Safe Storage:

Store product upright in a cool place and out of direct sunlight. Store away from alkalis, corrosive and oxidising products. Use good personal hygiene practices.

8. Exposure Controls/Personal Protection

National Exposure Standards¹:

ES-TWA (NOHSC Australian Exposure Standards) ¹ Workplace Exposure Standards (NZ OS&HS Dept of Labour) ²

Chemical Name	CAS No.	TWA	TWA	STEL	STEL
		(ppm)	(mg/m³)	(ppm)	(mg/m³)
Hydrogen	7722-84-1	1	1.4	-	-
Peroxide ^{1,2}					
Ammonium	1336-21-6	25	17	35	24
Hydroxide					
(as Ammonia) 1,2	7664-41-7				

TWA = Time-weighted average exposure standard.

STEL = Short term exposure limit standard.

National Occupational Health and Safety Commission. Exposure Standards for Atmospheric Contaminants in the Occupational Environment. National Exposure Standards [NOHSC: 1003 (1995)]. May 1995.

Workplace Exposure Standards (NZ OS&HS Dept of Labour).

Biological Limit Values: No Biological limit allocated.

2

Engineering Controls: Use in a well-ventilated area. Maintain air concentrations

below exposure standards.

New Zealand signage recommended but not required.

SDS #112 ALKALINE PERMS AND RELAXERS







Personal Protective Equipment:

If ventilation is insufficient, a suitable respirator should be worn. When handling bulk quantities gloves (vinyl, plastic or rubber) shoud be worn when handling this product. It is recommended that protective clothing is worn e.g. aprons (vinyl, plastic or rubber) and safety shoes. Eye protection in the form of tightly fitting safety goggles and/or face shield should be worn.





9. Physical and Chemical Properties

Appearance: Clear coloured liquid. Odour: Characteristic odour.

pH: 8.0 to 9.5.

Boiling Point (°C): Not determined.

Vapour Pressure: Not determined. kPa @ 25°C. Specific Gravity: 1030 to 1050 kg/m³ @ 25°C.

Flashpoint (°C): Not determined. Flammability Limits: Not determined. Solubility in Water: Not determined.

10. Stability and Reactivity

Chemical Stability: Stable under normal conditions of handling, use and

transportation.

Conditions to Avoid: Avoid heat and sources of ignition.

Incompatible Materials: Keep away from alkalis and corrosive substances.

Hazardous Decomposition Products:

Hazardous decomposition products formed under fire conditions. Decomposition not known to occur under

recommended storage conditions.

Hazardous Reactions: None known.

11. Toxicological Information

Acute Oral Toxicity: Not Available. Acute Dermal Toxicity: Not Available.

SDS #112 ALKALINE PERMS AND RELAXERS

Skin Irritation:
Skin Sensitisation:
Not Available.
Eye Irritation:
Not Available.
Inhalation:
Not Available

Other Information: Chronic Health Effects have not been determined.

12. Ecological Information

Eco Toxicity: Not Available. It would be prudent to avoid any direct release

to sewer or receiving waters.

Persistence and Degradability:

Not Available. Not Available.

13. Disposal Considerations

Disposal Methods: Recover if possible and dispose of in accordance with local,

State and Federal government regulations.

Special Requirements for Landfill or Incineration:

Empty containers should be disposed of to landfill in domestic

garbage collection. The local waste authority should be

consulted prior to disposal of bulk quantities.

14. Transport Information

AUSTRALIA- ADG

Mobility:

UN Number: Not classified.

UN Proper Shipping Name: Class & Subsidiary Risk: Packaging Group: Special Precautions: Hazchem Code: -

NEW ZEALAND

Relevant Information. -

IMDG

UN/ID No.: Proper shipping name: Hazard class: Packing group: Special Precautions: -

ICAO/IATA

UN/ID No.: - Proper shipping name: -

SDS #112 ALKALINE PERMS AND RELAXERS

Hazard class: -

15. Regulatory Information

AUSTRALIA

SUSMP: SCHEDULE 5 if hydrogen peroxide is >3% to 6%.

SCHEDULE 5 if ammonia is >0.5%.

SCHEDULE 5 if ammonium thioglycolate calculated as

thioglycolic acid is >5% to 20%

FIRST AID (SUSMP): A For advice contact a Poisons Information Centre

phone 131126 or a doctor at once.

Competition and Consumer Act:

Cosmetic ingredients must be labelled.

Industrial Chemicals (Notification and Assessment) Act:

Ingredients are in the Australian Inventory of Chemical Substances or are covered by certificates, permits or exemptions in compliance with the *Industrial Chemicals*

(Notification and Assessment) Act 1989.

NEW ZEALAND

Dangerous Goods Regulations:

Symbols are required for bulk storage and containers only and not on small packaged goods for consumers.



Risk phases are required for bulk storage and containers

only.

Risk-phrase(s) N: Dangerous to the Environment.

Xn: Harmful Xi: Irritant.

R22: Harmful if swallowed. R36: Irritating to eves.

R37: Irritating to respiratory system.

R38: Irritating to skin.

R43: May cause sensitisation by skin contact.

R52: Harmful to aquatic life.

R53: Harmful to aquatic life with long lasting effects.

Or combination risk phases as appropriate.

S-phrase(s) S2: Keep out of reach of children.

S13: Keep away from food, drink and animal feeding

stuffs.

S23: Do not breathe gas/fumes/vapour/spray.

S24: Avoid contact with skin.S25: Avoid contact with eyes.

SDS #112 ALKALINE PERMS AND RELAXERS

S26: In case of contact with eyes, rinse immediately with plenty of water and contact a doctor or Poisons

Information Centre.

S46: If swallowed, seek medical advice immediately and

show container or label.

HSNO Regulations: The HSNO Approval Number for this Group Standard is

HSR002552 (Cosmetic Products Group Standard).

Substances must comply with the Standard. Classes 6, and 9 of Control Regulations:

• Regulations 11-27, 7, 10, 32-45, 50-51

Identification Regulations:

• Regulations 6,7, 32-35,36(1)-(7)

• Regulations 25, 29-31,37-39,47-50, 51,52

Packaging Regulations:

• Regulations 5,6,7(1),8, 9

Schedule 3

Disposal Regulations:

• Regulations 8, 9, 10, 11, 12, 13, 14 Emergency Management Regulations:

• 6,7,9-11, 8e, 8f, 12-16,18-20, 25-34, 35-41, 42

Tracking:

Not applicable.Approved Handlers:Not applicable

16. Other Information

Date of Issue: 28 November 2016 (Version 1).

Supersedes: - Version Number: 1

Disclaimer: The information contained in this MSDS was compiled using

the latest and most reliable information available. The information is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Similarly, no warranty, expressed or implied, shall be created by or inferred from any statement or omission from this MSDS nor will L'Oréal assume any liability for any loss or damage arising out of the use of this information. It is solely the responsibility of the user to determine safe conditions for use of this product.

END OF SDS