

SAFETY DATA SHEET

Issued by Artav Australia 575 South Road, Regency Park South Australia 5010 Tel: 61 8 83001999 Fax: 61 8 83001991 www.artav.com.au

This product is intended solely for external cosmetic use.

Section 1: CHEMICAL PRODUCT & COMPANY IDENTIFICATION

1.1 Product Name:	GirlBoy Wicked
1.2 Other means of identification	Hair styling
AICS Name:	Not allocated
INCI Name:	Not allocated
CAS Number:	Not allocated
UN Shipping Name:	Flammable Liquid N.O.S
UN Number :	1993
1.3 Recommended Product Use:	Nail care
Restrictions on Use	Use as directed
1.4 Supplier Details	
	Artav Australia
	575 South Road
	Regency Park SA 5010
	Tel: 61 (8) 8300 1999
	Fax: 61 (8) 8300 1991
	email: info@artav.com.au
1.5 Emergency Phone Number:	
Poisons Information	
For advice, contact a F	Poisons Information Centre (e.g. In Australia
	Coolond 0000 764 766) or a doctor
phone 131126), New Z	ealand 0800 764 766) or a doctor.

Supplier

In business hours, phone 61 8 8300 1999, Fax 61 8 8300 1991

Section 2: HAZARDS IDENTIFICATION

2.1 Classification of the Hazardous Chemical or Mixture Hazardous substance. Dangerous goods.

HAZARDOUS according to the criteria of the GHS and NOHSC

Classified as Dangerous Goods according to the criteria of the Australian Code for the Transport of dangerous Goods by Road and Rail.

Classified as Hazardous according to the Globally Harmonised System of Classification and labelling

P +61 8 8300 1999

F +61 8 8300 1991

E info@artav.com.au

www.naturallook.com.au

of chemicals (GHS), and Work, Health & Safety Regulations (WHS) Australia.

Categories: F Highly Flammable: Xi Irritant

Eye. 2; H319 Causes serious eye irritation

575 South Road, Regency Park SA 5010

Arturo Taverna International Ptv Ltd

ABN 23 007 648 704



Flam. Liq. 2;	H225	Highly flammable liquid and vapour
STOT SE 3;	H336	Vapours may cause drowsiness and dizziness
AU H066		Repeated exposure may cause skin dryness or cracking
Hazard State	ement:	
	H226	Flammable liquid and vapor.
	H302	Harmful if swallowed
	H319	Causes serious eye irritation.
	H336	May cause drowsiness or dizziness
Brocoutions		inay cause drowsiness of dizziness
	ry Statements:	
Prevention:	D 040	Kan a first hard barden barden firster (hater frame Nie and be
	P210	Keep away from heat / sparks / open flames / hot surfaces - No smoking.
	P241	Use explosion-proof electrical / ventilating / light / equipment.
	P242	Use only non-sparking tools.
	P243	Take precautionary measures against static discharge.
	P261	Avoid breathing dust / fume / gas / mist / vapors / spray.
	P264	Wash thoroughly after handling.
	P271	Use only outdoors or in a well-ventilated area.
	P280	Wear protective gloves / eye protection / face protection
Response:		
1100001001	P303+361+353	IF ON SKIN (or hair): Remove / Take off immediately all contaminated clothing.
	100010011000	Rinse skin with water / shower.
	P304+312	IF INHALED: Call a POISON CENTER or doctor / physician if you feel unwell.
	P305+351+338	IF IN EYES: Rinse continuously with water for several minutes. Remove contact
		lenses if present and easy to do - continue rinsing
	P332+313	If skin irritation occurs: get medical advice / attention.
	P337+313	If eye irritation persists: Get medical advice / attention.
<u>Storage:</u>		
	P403+233	Store in a well ventilated place. Keep container tightly closed.
<u>Disposal:</u>		
	P501	Dispose of contents / container in accordance with local / national regulations.
2.2 Label El	ements	A
Hazard Picte	ograms:	Flammable Liquid 3
	-	
		<u>ey</u>
Signal Word	I.	Warning
Hazard State		Keep out of reach of children
	ement.	•
0 0 0th or 11		Read safety directions before using
2.3 Other Ha		None applicable
Additional l		
Poison Sch		Not allocated
Potential He		
Eye	May cause irritation &	redness
Skin	Irritant	
Inhalation	Irritant	
Ingestion	May cause irritation, na	usea, vomiting and diarrheal.
Carcinogen	-	-
ASCC:		ed as carcinogenic by the ASCC.
NTP:	-	ed as carcinogenic by the NTP.
IARC	-	ed as carcinogenic by the IARC.

Section 3 COMPOSITION/INFORMATION ON INGREDIENTS

575 South Road, Regency Park SA 5010 Arturo Taverna International Pty Ltd ABN 23 007 648 704	P +61 8 8300 1999 F +61 8 8300 1991 E info@artav.com.au	www.artav.com.au www.naturallook.com.au www.luminart.com.au www.girlboyhaircandy.com.au	hair care - skin care - tanning - depitatory waxes paraffin - pedicure & manicure treatments - hair ex ear piercing - aerosol filling - bottle decorating private label packaging - commercial & screen prit



3.1. Substances Mixture:

Yes

HAZARDOUS INGREDIENTS:		
CAS Number	%w/w	
Ethanol	64-17-5	50-80
2-amino-2-methyl-1-propanol	124-68-5	<1
Poly(1-vinylpyrrolidone-co-vinyl acetate)	25086-89-9	<10

OTHER INGREDIENTS:

Other ingredients determined to be non-hazardous according to GHS and WHS Australia criteria, and not dangerous according to the ADG code, to 100%.

Ingredient	CLP Classification
Ethanol	Flam. Liq. 2: H225; Eye Irrit. 2B: H319; STOT SE 3: H336

Section 4: FIRST AID MEASURES

4.1 Description of First Aid Measures.

Exposure: If in doubt or if symptoms persist, seek medical advice.

Ingestion:

Rinse mouth with water. Give water to drink. DO NOT induce vomiting Seek medical assistance.

Contact Doctor or Poisons Information Centre

Eye Contact:

Remove contact lenses. Irrigate 15 minutes with clean water, including under evelids. If discomfort persists seek medical attention promptly.

Skin Contact:

Discontinue use. Apply cold compress to the affected area.

Wash with soap and water.

Remove contaminated clothing. If redness or swelling persists, seek medical attention

Inhalation:

Remove victim from exposure to fresh air. Remove contaminated clothing. Commence artificial respiration if breathing has stopped. If unconscious, place in the recovery position. Seek medical assistance.

Note:

Prostheses such as false teeth which may block airways should be removed prior to commencing first aid. Only trained persons should remove contact lenses.

Protection of First Aiders:

Those offering first aid must not proceed should there be personal risk. Only trained first aiders should attempt first aid.

The first aider should assess any potential hazard before commencing mouth to mouth resuscitation.

4.2 Most Important Symptoms

4.2.1 Potential Acute Health Effects: None known

Eye contact:	Irritant
Inhalation:	Irritant

Skin Contact:





Ingestion:	Irritant. Repeated use may result in de-fatting of the skin and dermatitis. Harmful. May aspirate to the lungs causing pulmonary injury.
	May cause abdominal discomfort, nausea, vomiting & diarrheal.
	exposure signs/symptoms.
Eye contac	
	Adverse symptoms may include pain, irritation, redness or watering.
Inhalation:	Irritation. High levels of inhaled vapour may lead to breathing difficulties
	and loss of consciousness.
Skin Conta	ct: Adverse symptoms may include irritation, localised swelling.
Ingestion:	No specific data.
4.3 Medical	Attention and Special Treatment
Advice to Do	octors (Emergency Treatment) : Treat symptomatically
	Contact Poison treatment specialist if large quantities have been ingested.
Specific Tre	atment: No specific treatment.
Specific Tre	atment: No specific treatment.
Section 5:	FIRE FIGHTING MEASURES
Section 5:	
Section 5:	FIRE FIGHTING MEASURES
Section 5:	FIRE FIGHTING MEASURES
Section 5: Status: Volatiles:	FIRE FIGHTING MEASURES
Section 5: Status: Volatiles: 5.1 Extingu	FIRE FIGHTING MEASURES Flammable Liquid Ethanol, water
Section 5: Status: Volatiles: 5.1 Extingu	FIRE FIGHTING MEASURES Flammable Liquid Ethanol, water ishing media.
Section 5: Status: Volatiles: 5.1 Extingu Suitable exti	FIRE FIGHTING MEASURES Flammable Liquid Ethanol, water ishing media. nguishing Media:
Section 5: Status: Volatiles: 5.1 Extingu Suitable exti Unsuitable e	FIRE FIGHTING MEASURES Flammable Liquid Ethanol, water ishing media. nguishing Media: Water spray is recommended
Section 5: Status: Volatiles: 5.1 Extingu Suitable exti Unsuitable e	FIRE FIGHTING MEASURES Flammable Liquid Ethanol, water ishing media. nguishing Media: Water spray is recommended extinguishing media. Water jet
Section 5: Status: Volatiles: 5.1 Extingu Suitable exti Unsuitable e 5.2 Special	FIRE FIGHTING MEASURES Flammable Liquid Ethanol, water ishing media. nguishing Media: Water spray is recommended extinguishing media. Water jet Hazards arising from the Product
Section 5: Status: Volatiles: 5.1 Extingu Suitable exti Unsuitable e 5.2 Special	FIRE FIGHTING MEASURES Flammable Liquid Ethanol, water ishing media. nguishing Media: Water spray is recommended extinguishing media. Water jet Hazards arising from the Product Decomposition products from combustion may be hazardous to health.
Section 5: Status: Volatiles: 5.1 Extingu Suitable exti Unsuitable e 5.2 Special	FIRE FIGHTING MEASURES Flammable Liquid Ethanol, water ishing media. nguishing Media: Water spray is recommended extinguishing media. Water jet Hazards arising from the Product Decomposition products from combustion may be hazardous to health. m the Product.

Hazardous thermal decomposition products.

Decomposition products may include carbon monoxide, carbon dioxide, soot.

- Hazchem 2[Y]E
- Contact: Dial 000 Emergency (in Australia) in the case of fire .

Section 6 ACCIDENTAL RELEASE MEASURES

Minor Spills :

Clean up all spills promptly. Place in suitable containers for disposal.

Major Spills:

Clear personnel not involved with clean-up from the work area

Flammable. Eliminate all sources of ignition.

Slip hazard. Clean spills immediately.

Wear self protective equipment to eliminate contact and inhalation of vapours.

Collect and seal in metal containers for subsequent safe disposal according to the requirement of local government.

EMERGENCY RESPONSE PLANNING GUIDE

The maximum airborne concentration below which it is believed most individuals may work without ill effects has not been determined for this product.

Section 7 HANDLING AND STORAGE

575 South Road, Regency Park SA 5010 Arturo Taverna International Pty Ltd ABN 23 007 648 704	P +61 8 8300 F +61 8 8300 1 E info@artav.c	991	www.lumin	allook.com.au	ear piercing • aerosol filli	nicure treatments - hair extensio
	•ARI 😒	n m a c u IATURAL SKIP	<u>late</u> N CARE			GIRLÉBOY



Handling: Apply good hygiene practice. Wear gloves. Avoid skin contact.

Storage: Store in a cool place out of direct sunlight. Keep containers closed when not in use.

Special Procedures:

None applicable.

Section 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Ethyl alcohol (Ethanol) CAS 64-17-5	TWA
OSHA PEL:	1900 mg/m3
OSHA PEL:	1000 ppm
ACGIH TLV:	1000 ppm
NIOSH STEL:	1900 mg/m3
NIOSH STEL:	1000 ppm
2-amino-2-methyl-1-propanol CAS 124-68-5	TWA
OSHA PEL:	not set
OSHA PEL:	not set
ACGIH TLV:	not set
NIOSH STEL:	not set
NIOSH STEL:	not set
Poly(1-vinylpyrrolidone-co-vinyl acetate) CAS 25086-89	-9 TWA
OSHA PEL:	not set
OSHA PEL:	not set
ACGIH TLV:	not set
NIOSH STEL:	not set
NIOSH STEL:	not set

Engineering measures: Use in a well ventilated area. Keep containers closed when not in use. Eliminate all ignition sources. Do not smoke.

Personal protective measures: Not required when used in accordance with the directions supplied.

In the case of accidental spills, wear gloves and safety goggles.



Protective Gloves

Gloves should be neoprene, PVC or butyl.

Eye Protection:

Not required in normal use. Eye wash facility to be available in the event of accidental spills. **nal protection:** Refer below

Other Personal protection:

AS/NZS 1715	Respiratory equipment
AS/NZS 2161	Protective gloves
AS 2919	Industrial clothing
AS/NZS 1337	Industrial eye protection
AS/NZS 2210	Protective footwear

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

575 South Road, Regency Park SA 5010

Arturo Taverna International Pty Ltd ABN 23 007 648 704

APPEARANCE:	Solvent mixture with characteristic colour and fragrance.
BOILING/MELTING POINT:	Not determined
VAPOUR PRESSURE:	Not determined

P +61 8 8300 1999

F +61 8 8300 1991

E info@artav.com.a



13°C Abel closed cup FLASH POINT: Flammable liquid. Limits not determined. FLAMMABILITY LIMITS: **DENSITY:** Not determined SOLUBILITY IN WATER: Not-miscible VOLATILES: Ethanol, water **AUTOIGNITION:** 365°C SPONTANEOUS COMBUSTION: No data **EVAPORATION RATE:** Not determined

Section 10: STABILTY AND REACTIVITY

10.1 Reactivity:

Carbon monoxide and dioxide form on combustion. May react violently with some compounds. Reacts violently with strong oxidisers.

10.2 Chemical stability:

Unstable on exposure to light.

10.3 Possibility of hazardous reaction:

No specific data.

10.4 Conditions to avoid:

Keep away from oxidising agents, strong acids and alkalis.

10.5 Incompatible materials:

Strong acids, strong bases, oxidising agents

10.6 Hazardous Decomposition Products:

On combustion, carbon monoxide, carbon dioxide

On reaction with strong oxidisers, peroxidation increases combustion intensity.

Section 11: TOXICOLOGICAL INFORMATION

Likely routes of exposure. Skin, contact, inhalation, eye splash.

Acute Toxicity:

Not classified.

11.1 Health hazards:

Data applicable to ethyl alcohol (Ethanol) CAS 64-17-5		
LD50 oral rat	10470 mg/kg	
LD50 dermal rat	20 ml/kg	
LC50 inhalation rat (Vapours - mg/l/4h	124,7 mg/l/4h	

Skin corrosion/irritation : Not classified

575 South Road, Regency Park SA 5010

Arturo Taverna International Pty Ltd ABN 23 007 648 704

Serious eye damage/irritation : Causes serious eye irritation.

Respiratory or skin sensitization : Not classified

Germ cell mutagenicity : Not classified. Based on available data, the classification criteria are not met Carcinogenicity : Not classified

Specific target organ toxicity (single exposure)

May cause drowsiness or dizziness.

SWALLOWED:	Harmful. May aspirate to the lungs causing pulmonary injury.
	May cause abdominal discomfort, nausea, vomiting & diarrhoea.
EYES:	Irritant to the eyes. Symptoms may include redness, irritation & watering
	watering
SKIN:	Skin sensitiser. May cause irritation. Repeated or prolonged skin
	contact may cause allergic contact dermatitis.

P +61 8 8300 1999 **F** +61 8 8300 1991

E info@artav.com.au



Repeated use may result in de-fatting of the skin. Consequence of repeated or continuous exposure; dry and cracked skin. **INHALATION:** Irritating to the respiratory system. Vapours will irritate the nose, throat and bronchial tract. Consequence of adverse exposure: Feeling of weakness. Nausea. Dizziness. Vomiting. Headache. Central nervous system depression. Narcosis.

Section 12: ECOLOLOGICAL INFORMATION

12.1 Eco-toxicity:

Ecology General:

Not classified as dangerous for the environment according to the criteria of Directive 67/548/EEC. Not classified as dangerous for the environment according to the criteria of Regulation (EC) No 1272/2008. Ethanol

Endror			
LC50 96 hours	15300 mg/l Pimephales promelas		
EC50 96 hours	22000 mg/l Selenastrum capricornutum		

Ecology Air:

Not classified as dangerous for the ozone layer (Regulation (EC) No 1005/2009). Not included in the list of substances which may contribute to the greenhouse effect (Regulation (EC) No 842/2006).

The individual components of this product may be eco-toxic. Refer above.

Ecology Water:

The individual components of this product may be eco-toxic. Refer above.

- 12.2 Degradability Bio-degradable
- 12.3 Mobility If released to soil, this product is mobile, and may contaminate ground water
- 12.4 Bio-accumulative potential: Not expected to bioaccumulate
- 12.5 Other adverse effects: None established

Not suitable for disposal to sewer. Avoid release to the environment.

Section 13: DISPOSAL CONSIDERATIONS

Refer to the relevant local authorities for disposal procedures.

Hazardous waste according to Directive 2008/98/EC.

13.1 Waste material:

Absorb waste material into a suitable media such as kitty litter and place in a sealed container for waste disposal.

13.2 Contaminated packaging:

Dispose of in accordance with applicable local regulations and by-laws.

13.3 Notes:

Cleaned empty containers are recyclable.

575 South Road, Regency Park SA 5010

Arturo Taverna International Pty Ltd

ABN 23 007 648 704

Section 14: TRANSPORT INFORMATION

14.1 Transportation:

Classified as Dangerous Goods for the purpose of transport by road or rail. Refer to relevant local regulations for storage and transport

14.2 Class: 14.3 UN No:

3 1993

P+61 8 8300 1999

F +61 8 8300 1991 E info@artav.com.a



14.4 EPG:	3A1
14.5 Packaging Group:	II
14.6 Shipping name:	Flammable Liquid NOS
14.7 Segregation: Store below	30°C. Avoid all ignition sources.
14.8 Hazchem code:	3[Y]E
14.9/14.10 Maritime Transporta	tion (IMDG) & Air Transportation (IATA/ICAO-TI)
IMDG Class:	3
	Flammable liquid NOS
Packing group	II
ICAO/IATA Class:	3
	Flammable liquid NOS
Packing group	
UN Number	1993
Packaging Group	
Marine Pollutant:	Yes
EMS :	F-E
Proper Shipping name:	Flammable Liquid NOS
Technical Shipping name:	Not allocated
ERG (US) 12	27 Flammable liquids (polar/water miscible)
Section 15: REGULATORY INF	
Classification:	Classified as Hazardous according to the criteria of GHS and WHS
	Australia. HAZARDOUS SUBSTANCE
Hazard category;	Flam Liq 3
Hazard Statements:	See Section 2
15.1 SUSMP Schedule:	Not allocated
15.2 SUSMP Name:	Not allocated
15.3 Warning Statements:	Not allocated
15.4 Safety Directions:	
	1 Avoid eye contact
	15 Store under cover in dry, clean, cool, well ventilated place away
	from sunlight.
	23 Keep away from heat, sparks and naked flames
	25 Avoid contact with food
15.5 Standard Statements	A For advice contact a poisons Information Centre (e.g. In Australia
	phone 131126), New Zealand 0800 764 766) or a doctor at once.
15.6 AICS: This products ingre	dients are stored on the public AICS database
Section 16: OTHER INFORMAT	ION:
Disclaimer	
This SDS has been	prepared in accordance with GHS and WHS Australia guidelines using
the available inform	ation at time of preparation. Final determination of suitability for the purpose
intended rests with	
As the supplier has	no control over the conditions under which the product may be used, the
	o liability for the completeness of the information contained herein.
Revision	5 yearly
	ble individuals may be sensitive to certain ingredients in any product. Unanticipated
	the part of an individual may be as a result of pre-existing
-	not reflect on the product.

Reference Information

ADG Australian Dangerous Goods

575 South Road, Regency Park SA 5010 Arturo Taverna International Pty Ltd ABN 23 007 648 704	P +61 8 8300 1999 F +61 8 8300 1991 E info@artav.com.au	www.artav.com.au www.naturallook.com.au www.luminart.com.au www.girlboyhaircandy.com.au	hair care - skin care - tanning - depilatory waws parafin - pedicure & manicure treatments - hair extensic ear piercing - cerosol filling - bottle decorating private label packaging - commercial & screen printing
--	---	--	---



	Transport regulation road & rail				
ACGIH	American Conference of Industrial Hygienists				
	US Occupational Health & Safety (www.acgih.org)				
AICS	Australian Inventory of Chemical Substances				
AQIS	NICNAS chemical listing (www.nicnas.gov.au/regulation-and-compliance/aics Australian Quarantine & Inspection Service				
AGIO	Quarantine & Importation (www.aqis.gov.au)				
EINECS	European Inventory of Existing Commercial Chemical Compounds				
	Directives of European Union				
ΙΑΤΑ	International Air Transport Association				
	Regulator air freight				
IMDG	International Maritime Dangerous Goods Code				
	Code for transport of dangerous goods by sea				
NOHSC	National Occupational Health & Safety Commission				
	Workplace substances (www.nohsc.gov.au)				
NICNAS	National Industrial Chemical Notification & Assessment Scheme				
	Chemical substances (www.nicnas.gov.au)				
OSHA	Occupational Health & Safety Administration				
	US workplace regulator (www.osha.gov)				
TGA	Therapeutic Goods Administration				
	Health effects (www.tga,gov.au)				
TSCA	US Toxic Substances Control Act				
****	US chemical inventory				
CUNTACT	POINT: ARTAV AUSTRALIA (08) 8300 1999 <u>DATE:</u> 1.7.2017				
Issue Numb	or ·2				
Discard this SDS and seek a replacement by: 2.7.2022					

