



SAFETY DATA SHEET

Issued by Artav Australia
575 South Road, Regency Park South Australia 5010
Tel: 61 8 83001999
Fax: 61 8 83001991
www.artav.com.au

[This product is intended solely for external cosmetic use.](#)

Section 1: CHEMICAL PRODUCT & COMPANY IDENTIFICATION

1.1 Product Name: Nail Polish Remover
1.2 Other means of identification
AICS Name: Not allocated
INCI Name: Not allocated
CAS Number: Not allocated
UN Shipping Name: Flammable Liquid N.O.S
UN Number : 1993

1.3 Recommended Product Use: Nail care
Restrictions on Use Use as directed

1.4 Supplier Details
Artav Australia
575 South Road
Regency Park SA 5010
Tel: 61 (8) 8300 1999
Fax: 61 (8) 8300 1991
email: info@artav.com.au

1.5 Emergency Phone Number:

Poisons Information

For advice, contact a Poisons Information Centre (e.g. In Australia phone 131 126), New Zealand 0800 764 766) or a doctor.
Make available a copy of this SDS and product labelling information.

Supplier

In business hours, phone 61 8 8300 1999, Fax 61 8 8300 1991

Section 2: HAZARDS IDENTIFICATION

2.1 Classification of the Hazardous Chemical or Mixture

Hazardous substance. Dangerous goods.

HAZARDOUS according to the criteria of the GHS and NOHSC

Classified as Dangerous Goods according to the criteria of the Australian Code for the Transport of Dangerous Goods by Road and Rail.

Classified as Hazardous according to the Globally Harmonised System of Classification and labelling of chemicals (GHS), and Work, Health & Safety Regulations (WHS) Australia.

Hazard Categories:

Flammable liquid - category 2
Eye irritation - category 2A
Specific target organ toxicity (single exposure) - category 3

575 South Road, Regency Park SA 5010
Arturo Taverna International Pty Ltd
ABN 23 007 648 704

P +61 8 8300 1999
F +61 8 8300 1991
E info@artav.com.au

www.artav.com.au
www.naturallook.com.au
www.luminart.com.au
www.girlboyhaircandy.com.au

hair care - skin care - tanning - depilatory waxes
paraffin - pedicure & manicure treatments - hair extensions
ear piercing - aerosol filling - bottle decorating
private label packaging - commercial & screen printing





Hazard Statement:

H225 Highly flammable liquid and vapour
H319 Causes serious eye irritation.
H336 May cause drowsiness or dizziness
AUH066 Repeated exposure may cause skin dryness and cracking

Precautionary Statements:

Prevention:

P210 Keep away from heat / sparks / open flames / hot surfaces - No smoking.
P241 Use explosion-proof electrical / ventilating / light / equipment.
P242 Use only non-sparking tools.
P243 Take precautionary measures against static discharge.
P261 Avoid breathing fumes / mist / vapors / spray.
P264 Wash thoroughly after handling.
P271 Use only outdoors or in a well-ventilated area.
P280 Wear protective gloves / eye protection / face protection

Response:

P303+361+353 IF ON SKIN (or hair): Remove / Take off immediately all contaminated clothing. Rinse skin with soap and water.
P304+312 IF INHALED: Call a POISON CENTER or doctor / physician if you feel unwell.
P305+351+338 IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing
P332+313 If skin irritation occurs: get medical advice / attention.
P337+313 If eye irritation persists: Get medical advice / attention.
P370+P378 In case of fire: Use alcohol resistant foam, or if unavailable, fine water spray for extinc

Storage:

P403+233 Store in a well ventilated place. Keep container tightly closed.

Disposal:

P501 Dispose of contents / container in accordance with local / national regulations.

2.2 Label Elements

Hazard Pictograms:



Signal Word:

Danger

Hazard Statement:

Keep out of reach of children
Read safety directions before using

2.3 Other Hazards:

None applicable

Additional Information:

Poison Schedule:

Schedule 5 poison

Potential Health Effects

Eye May cause irritation & redness

Skin Irritant

Inhalation Irritant

Ingestion May cause irritation, nausea, vomiting and diarrheal.

Carcinogen status:

ASCC: No ingredient is classified as carcinogenic by the ASCC.

NTP: No ingredient is classified as carcinogenic by the NTP.

IARC No ingredient is classified as carcinogenic by the IARC.



Section 3 COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

Mixture: Yes

HAZARDOUS INGREDIENTS:

Table with 4 columns: CAS Number, EINECS, %w/w, and substance names (Methyl ethyl ketone, Isopropanol, Ethyl acetate).

OTHER INGREDIENTS:

Other ingredients determined to be non-hazardous according to GHS and WHS Australia criteria, and not dangerous according to the ADG code, to 100%.

Section 4: FIRST AID MEASURES

4.1 Description of First Aid Measures.

Exposure: If in doubt or if symptoms persist, seek medical advice.

Ingestion:

Rinse mouth with water. DO NOT induce vomiting. Seek medical assistance. Contact Doctor or Poisons Information Centre

Eye Contact:

Remove contact lenses if present and easy to do. Irrigate 15 minutes with clean water, including under eyelids. If discomfort persists seek medical attention promptly.

Skin Contact:

If skin contact occurs, remove contaminated clothing and wash the affected area with soap and water. If affected, discontinue use. Apply cold compress to the affected area. If redness or swelling persists, seek medical attention. Launder contaminated clothing prior to reuse.

Inhalation:

Remove victim from exposure to fresh air. Remove contaminated clothing. Commence artificial respiration if breathing has stopped. If unconscious, place in the recovery position. Seek medical assistance.

Note:

Prostheses such as false teeth which may block airways should be removed prior to commencing first aid. Only trained persons should remove contact lenses.

Protection of First Aiders:

Those offering first aid must not proceed should there be personal risk. Only trained first aiders should attempt first aid. The first aider should assess any potential hazard before commencing mouth to mouth resuscitation.

4.2 Most Important Symptoms

4.2.1 Potential Acute Health Effects None known

Eye contact: Irritant

Inhalation: Irritant

Skin Contact:

Irritant. Repeated use may result in de-fatting of the skin and dermatitis.

Ingestion:

Harmful. May aspirate to the lungs causing pulmonary injury. May cause abdominal discomfort, nausea, vomiting & diarrhoea.



4.2.2 Over-exposure signs/symptoms.

Eye contact:

Adverse symptoms may include pain, irritation, redness or watering.

Inhalation: Irritation. High levels of inhaled vapour may lead to breathing difficulties and loss of consciousness.

Skin Contact:

Adverse symptoms may include irritation, localised swelling.

Ingestion: No specific data.

4.3 Medical Attention and Special Treatment

Advice to Doctors (Emergency Treatment) : Treat symptomatically

Contact Poison treatment specialist if large quantities have been ingested.

Specific Treatment: No specific treatment.

Section 5: FIRE FIGHTING MEASURES

Status: Flammable Liquid

Volatiles: Methyl ethyl ketone, isopropanol, ethyl acetate, water

5.1 Extinguishing media.

Suitable extinguishing Media:

Alcohol resistant foam is preferred. If this is unavailable, use fine water spray.

Unsuitable extinguishing media. Water jet

5.2 Special Hazards arising from the Product

Decomposition products from combustion may be hazardous to health.

Hazards from the Product.

Flammable liquid. Keep containers cool with water spray.

When heated, the contents may expand and burst the container.

Hazardous thermal decomposition products.

Decomposition products may include carbon monoxide, carbon dioxide, soot.

Hazchem •2YE

Contact: Dial 000 Emergency (in Australia) in the case of fire .

Section 6 ACCIDENTAL RELEASE MEASURES

Minor Spills :

Clean up all spills promptly. Place in suitable containers for disposal.

Major Spills:

Clear personnel not involved with clean-up from the work area

Flammable. Eliminate all sources of ignition.

Slip hazard. Clean spills immediately.

Wear self protective equipment to eliminate contact and inhalation of vapours.

Collect and seal in metal containers for subsequent safe disposal according to the requirement of local government.

EMERGENCY RESPONSE PLANNING GUIDE

The maximum airborne concentration below which it is believed most individuals may work without ill effects has not been determined for this product.

Section 7 HANDLING AND STORAGE

Handling: Apply good hygiene practice. Wear gloves.

Avoid skin contact.

Storage: Store in a cool place out of direct sunlight.

575 South Road, Regency Park SA 5010
Arturo Taverna International Pty Ltd
ABN 23 007 648 704

P +61 8 8300 1999
F +61 8 8300 1991
E info@artav.com.au

www.artav.com.au
www.naturallook.com.au
www.luminart.com.au
www.girlboyhaircandy.com.au

hair care - skin care - tanning - depilatory waxes
paraffin - pedicure & manicure treatments - hair extensions
ear piercing - aerosol filling - bottle decorating
private label packaging - commercial & screen printing





Keep containers closed when not in use.

Special Procedures:

None applicable.

Section 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Data applicable to methyl ethyl ketone

Workplace exposure limit (WEL) methyl ethyl ketone

TWA (8hrs)	248 ppm 600 mg/m ³
STEL (15 mins)	375 ppm 899 mg/m ³

Data applicable to isopropanol

Workplace exposure limit (WEL) isopropanol

TWA (8hrs)	412 ppm 999 mg/m ³
STEL (15 mins)	621 ppm 1250 mg/m ³

Data applicable to ethyl acetate

Workplace exposure limit (WEL) ethyl acetate

TWA (8hrs)	200 ppm 720 mg/m ³
STEL (15 mins)	400 ppm 1440 mg/m ³



Engineering measures: Use in a well ventilated area. Keep containers closed when not in use.

Eliminate all ignition sources. Do not smoke.

Personal protective measures: Not required when used in accordance with the directions supplied.

In the case of accidental spills, wear gloves and safety goggles.

Protective Gloves

Gloves should be neoprene, PVC or butyl.

Eye Protection:

Not required in normal use. Eye wash facility to be available in the event of accidental spills.

Other Personal protection:

Refer below.

- | | |
|-------------|---------------------------|
| AS/NZS 1715 | Respiratory equipment |
| AS/NZS 2161 | Protective gloves |
| AS 2919 | Industrial clothing |
| AS/NZS 1337 | Industrial eye protection |
| AS/NZS 2210 | Protective footwear |

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE:

Solvent mixture with characteristic colour and fragrance.

BOILING/MELTING POINT:

Not determined

VAPOUR PRESSURE:

Not determined

575 South Road, Regency Park SA 5010
Arturo Taverna International Pty Ltd
ABN 23 007 648 704

P +61 8 8300 1999
F +61 8 8300 1991
E info@artav.com.au

www.artav.com.au
www.naturallook.com.au
www.luminart.com.au
www.girlboyhaircandy.com.au

hair care · skin care · tanning · depilatory waxes
paraffin · pedicure & manicure treatments · hair extensions
ear piercing · aerosol filling · bottle decorating
private label packaging · commercial & screen printing





FLASH POINT: -7°C (methyl ethyl ketone)
FLAMMABILITY LIMITS: Flammable liquid. Limits not determined.
DENSITY: Not determined
SOLUBILITY IN WATER: Not-miscible
VOLATILES: methyl ethyl ketone, ethyl acetate, isopropanol, water
AUTOIGNITION: 399°C (Isopropanol)
SPONTANEOUS COMBUSTION: No data
EVAPORATION RATE: Not determined

Section 10: STABILITY AND REACTIVITY

10.1 Reactivity:

Carbon monoxide and dioxide form on combustion. May react violently with some compounds.
 Reacts violently with strong oxidisers.

10.2 Chemical stability:

Unstable on exposure to light.

10.3 Possibility of hazardous reaction:

No specific data.

10.4 Conditions to avoid:

Keep away from oxidising agents, strong acids and alkalis.

10.5 Incompatible materials:

Strong acids, strong bases, oxidising agents

10.6 Hazardous Decomposition Products:

On combustion, carbon monoxide, carbon dioxide
 On reaction with strong oxidisers, peroxidation increases combustion intensity.

Section 11: TOXICOLOGICAL INFORMATION

Likely routes of exposure. Skin, contact, inhalation, eye splash.

Acute Toxicity:

Not classified.

11.1 Health hazards:

Data applicable to ethyl acetate (CAS# 141-78-6):

LD50 oral rat	5620 mg/kg (Rat; Equivalent or similar to OECD 401;)
LD50 dermal rabbit	>20mL/KG
LC50 inhalation rat	200 gm/m ³

Data applicable to methyl ethyl ketone

LD50 oral rat	2737mg/kg
LD50 dermal rabbit	6480mg/kg
LC50 inhalation rat	11700 ppm/4H

Data applicable to isopropanol

LD50 oral rat	4934 mg/kg (Rat; Equivalent or similar to OECD 401;)
LD50 dermal rabbit	128000 mg/kg (Rabbit;
LC50 inhalation rat	45248 ppm/1h (Rat)

Applicable product data:

Skin corrosion/irritation : Not classified



Serious eye damage/irritation : Causes serious eye irritation.
 Respiratory or skin sensitization : Not classified
 Germ cell mutagenicity : Not classified. Based on available data, the classification criteria are not met
 Carcinogenicity : Not classified
 Specific target organ toxicity (single exposure)
 May cause drowsiness or dizziness.

SWALLOWED: Harmful. May aspirate to the lungs causing pulmonary injury.
 May cause abdominal discomfort, nausea, vomiting & diarrhoea.

EYES: Irritant to the eyes. Symptoms may include redness, irritation & watering

SKIN: Skin sensitizer. May cause irritation. Repeated or prolonged skin contact may cause allergic contact dermatitis.
 Repeated use may result in de-fattening of the skin.
 Consequence of repeated or continuous exposure; dry and cracked skin.

INHALATION: Irritating to the respiratory system. Vapours will irritate the nose, throat and bronchial tract. Consequence of adverse exposure: Feeling of weakness. Nausea. Dizziness. Vomiting. Headache. Central nervous system depression. Narcosis.

Section 12: ECOLOGICAL INFORMATION

12.1 Eco-toxicity:

Ecology General:

Not classified as dangerous for the environment according to the criteria of Directive 67/548/EEC.
 Not classified as dangerous for the environment according to the criteria of Regulation (EC) No 1272/2008.
 Isopropanol

LC50 1400000 to 1950000 µg/l Marine water	Crustaceans - Crangon crangon 48 hours
LC50 4200 mg/l Fresh water Fish -	Rasbora heteromorpha 96 hours

Methyl Ethyl Ketone

LC50- - 3320 mg/l - 96 h	Pimephales promelas (fathead minnow)
LC50- - 400 mg/l - 96 h	Cyprinodon variegatus (sheepshead minnow)
EC50- 7060 mg/l- 24 h	Daphnia magna (Water flea)
LC50 - - > 520 mg/l - 48 h	Daphnia magna (Water flea)

Ethyl acetate

LC50 - 350.00 - 600.00 mg/l - 96 h	Oncorhynchus mykiss (rainbow trout)
LC50 - 220.00 - 250.00 mg/l - 96 h	Pimephales promelas (fathead minnow)
EC50 - 2,300.00 - 3,090.00 mg/l - 24 h	Daphnia magna (Water flea)
LC50 - 560 mg/l - 48	Daphnia magna (Water flea)

Ecology Air:

Not classified as dangerous for the ozone layer (Regulation (EC) No 1005/2009). Not included in the list of substances which may contribute to the greenhouse effect (Regulation (EC) No 842/2006).
 The individual components of this product may be eco-toxic. Refer above.

Ecology Water:

The individual components of this product may be eco-toxic. Refer above.

12.2 Degradability

Bio-degradable

12.3 Mobility

If released to soil, this product is mobile, and may contaminate ground water

12.4 Bio-accumulative potential:

Not expected to bioaccumulate

12.5 Other adverse effects:

None established

Not suitable for disposal to sewer. Avoid release to the environment.



Section 13: DISPOSAL CONSIDERATIONS

Refer to the relevant local authorities for disposal procedures.
Hazardous waste according to Directive 2008/98/EC.

13.1 Waste material:

Absorb waste material into a suitable media such as kitty litter and place in a sealed container for waste disposal.

13.2 Contaminated packaging:

Dispose of in accordance with applicable local regulations and by-laws.

13.3 Notes:

Cleaned empty containers are recyclable.

Section 14: TRANSPORT INFORMATION

14.1 Transportation:

Classified as Dangerous Goods for the purpose of transport by road or rail.
Refer to relevant local regulations for storage and transport

14.2 Class: 3



14.3 UN No: 1993

14.4 EPG: 3A1

14.5 Packaging Group: II

14.6 Shipping name: Flammable Liquid NOS

14.7 Segregation: Store below 30°C. Avoid all ignition sources.

14.8 Hazchem code:
3[Y]E

14.9/14.10 Maritime Transportation (IMDG) & Air Transportation (IATA/ICAO-TI)

IMDG Class:	3
	Flammable liquid NOS
Packing group	II
ICAO/IATA Class:	3
	Flammable liquid NOS
Packing group	II
UN Number	1993
Packaging Group	II
Marine Pollutant:	Yes
EMS :	F-E
Proper Shipping name:	Flammable Liquid NOS (Contains Methyl Ethyl Ketone)
Technical Shipping name:	Not allocated
Packing group	II
ERG (US)	127 Flammable liquids (polar/water miscible)

Section 15: REGULATORY INFORMATION

575 South Road, Regency Park SA 5010
Arturo Taverna International Pty Ltd
ABN 23 007 648 704

P +61 8 8300 1999
F +61 8 8300 1991
E info@artav.com.au

www.artav.com.au
www.naturallook.com.au
www.luminart.com.au
www.girlboyhaircandy.com.au

hair care · skin care · tanning · depilatory waxes
paraffin · pedicure & manicure treatments · hair extensions
ear piercing · aerosol filling · bottle decorating
private label packaging · commercial & screen printing





Classification: Classified as Hazardous according to the criteria of GHS and WHS Australia.

Hazard category; See Section 2

Hazard Statements: See Section 2

15.1 SUSMP Schedule: Shedule 5 Poison

15.2 SUSMP Name: Not allocated

15.3 Warning Statements: Not allocated

15.4 Safety Directions:
1 Avoid eye contact
15 Store under cover in dry, clean, cool, well ventilated place away from sunlight.
23 Keep away from heat, sparks and naked flames
25 Avoid contact with food

15.5 Standard Statements A For advice contact a poisons Information Centre (e.g. In Australia phone 131126), New Zealand 0800 764 766) or a doctor at once.

15.6 AICS: This products ingredients are stored on the public AICS database

Section 16: OTHER INFORMATION:

Disclaimer

This SDS has been prepared in accordance with GHS and WHS Australia guidelines using the available information at time of preparation. Final determination of suitability for the purpose intended rests with the user.

As the supplier has no control over the conditions under which the product may be used, the supplier assumes no liability for the completeness of the information contained herein.

Revision 5 yearly

Allergies

Susceptible individuals may be sensitive to certain ingredients in any product. Unanticipated allergic reaction on the part of an individual may be as a result of pre-existing sensitivity and does not reflect on the product.

Reference Information

- ADG** Australian Dangerous Goods
Transport regulation road & rail
- ACGIH** American Conference of Industrial Hygienists
US Occupational Health & Safety (www.acgih.org)
- AICS** Australian Inventory of Chemical Substances
NICNAS chemical listing (www.nicnas.gov.au/regulation-and-compliance/aics)
- AQIS** Australian Quarantine & Inspection Service
- EINECS** European Inventory of Existing Commercial Chemical Compounds
- IATA** International Air Transport Association
- IMDG** International Maritime Dangerous Goods Code
Code for transport of dangerous goods by sea
- NOHSC** National Occupational Health & Safety Commission
Workplace substances (www.nohsc.gov.au)
- NICNAS** National Industrial Chemical Notification & Assessment Scheme
Chemical substances (www.nicnas.gov.au)
- OSHA** Occupational Health & Safety Administration
US workplace regulator (www.osha.gov)
- TGA** Therapeutic Goods Administration
Health effects (www.tga.gov.au)
- TSCA** US Toxic Substances Control Act

575 South Road, Regency Park SA 5010
Arturo Taverna International Pty Ltd
ABN 23 007 648 704

P +61 8 8300 1999
F +61 8 8300 1991
E info@artav.com.au

www.artav.com.au
www.naturallook.com.au
www.luminart.com.au
www.girlboyhaircandy.com.au

hair care - skin care - tanning - depilatory waxes
paraffin - pedicure & manicure treatments - hair extensions
ear piercing - aerosol filling - bottle decorating
private label packaging - commercial & screen printing





CONTACT POINT: ARTAV AUSTRALIA (08) 8300 1999

DATE: 17.5.2022

Issue Number : 7

Discard this SDS and seek a replacement by: _____ 16.5.2027

575 South Road, Regency Park SA 5010
Arturo Taverna International Pty Ltd
ABN 23 007 648 704

P +61 8 8300 1999
F +61 8 8300 1991
E info@artav.com.au

www.artav.com.au
www.naturallook.com.au
www.luminart.com.au
www.girlboyhaircandy.com.au

hair care · skin care · tanning · depilatory waxes
paraffin · pedicure & manicure treatments · hair extensions
ear piercing · aerosol filling · bottle decorating
private label packaging · commercial & screen printing





575 South Road, Regency Park SA 5010
Arturo Taverna International Pty Ltd
ABN 23 007 648 704

P +61 8 8300 1999
F +61 8 8300 1991
E info@artav.com.au

www.artav.com.au
www.naturallook.com.au
www.luminart.com.au
www.girlboyhaircandy.com.au

hair care · skin care · tanning · depilatory waxes
paraffin · pedicure & manicure treatments · hair extensions
ear piercing · aerosol filling · bottle decorating
private label packaging · commercial & screen printing





tion.

575 South Road, Regency Park SA 5010
Arturo Taverna International Pty Ltd
ABN 23 007 648 704

P +61 8 8300 1999
F +61 8 8300 1991
E info@artav.com.au

www.artav.com.au
www.naturallook.com.au
www.luminart.com.au
www.girlboyhaircandy.com.au

hair care · skin care · tanning · depilatory waxes
paraffin · pedicure & manicure treatments · hair extensions
ear piercing · aerosol filling · bottle decorating
private label packaging · commercial & screen printing

