

---

# MATERIAL SAFETY DATA SHEET

---

## SECTION 1 - IDENTIFICATION OF MATERIAL AND SUPPLIER

---

Product Name: Sculpture Brushout Hairspray Strong, 100g  
Other Names: Sculpture Hairspray, 100g  
Product Code: 991286  
Recommended Use: Hair spray

**Supplier:** **Henkel Australia Pty. Limited**  
**135-141 Canterbury Road,**  
**Kilsyth, Victoria, 3137**  
**AUSTRALIA**

**Henkel New Zealand Limited**  
**106 Springs Road,**  
**East Tamaki, Auckland**  
**NEW ZEALAND**

Emergency Telephone Number: 61 2 9978 0666 (9.00 am – 5.00 pm, Monday to Friday)

---

## SECTION 2 – HAZARDS IDENTIFICATION

---

Not hazardous according to criteria of Worksafe Australia.

---

## SECTION 3 – COMPOSITION/INFORMATION ON INGREDIENTS

---

Chemical Identity of Ingredients:	CAS Number:	Proportion:
Butane	106-97-8	30 - 60 %
Ethanol	64-17-5	30 - 60 %
Propane	74-98-6	< 10 %
Other cosmetic grade ingredients determined to be non-hazardous	–	to 100%

---

## SECTION 4 – FIRST AID MEASURES

---

Swallowed: Give a glass of water. Contact a doctor or Poisons Information Centre.

Eye: Flush eyes with water. Contact a doctor or Poisons Information Centre if irritation persists.

Skin: Wash skin with soap and water if irritation persists.

Inhaled: If breathing difficulties occur, remove person to fresh air and monitor.

---

---

# MATERIAL SAFETY DATA SHEET

---

Aggravated medical conditions caused by exposure:

Excessive close contact may cause localised freezing of tissue. Intentional misuse by deliberately concentrating and inhaling contents can be harmful or fatal.

---

## SECTION 5 – FIRE FIGHTING MEASURES

---

Suitable extinguishing media: Aerosols are Class 2.1 Dangerous Goods. Aerosols will explode if subjected to temperatures above 50°C. Use water or water-spray extinguishing media to keep containers cool. Product bulk is flammable but water soluble.

Hazards from combustion products: Aerosols represent a fire and explosion hazard. When heated to decomposition, fumes including carbon monoxide and carbon dioxide may be produced.

Special protective precautions and equipment for fire fighters: aerosols will explode at temperatures above 50°C

Hazchem Code: No code applicable

---

## SECTION 6 – ACCIDENTAL RELEASE MEASURES

---

Emergency Procedures: Eliminate sources of ignition. Leaking cans may explode. Do not handle distorted cans.

Methods and materials for containment and clean up:

Eliminate ignition sources. For small spills (less than one litre), wipe area with a wet mop/cloth and rinse spill area and cloth with water. For large spills, absorb any escaped liquid with an inert absorbent material (sand, vermiculite). Dispose of waste in accordance with local, state and federal regulations. Collect un-ruptured and undistorted units for assessment by owner.

---

## SECTION 7 – HANDLING AND STORAGE

---

Precautions for safe handling: Keep out of reach of children. Protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use. Do not spray on a naked flame or any incandescent material. Keep away from sources of ignition – no smoking. Do not handle distorted cans.

Conditions for safe storage: Keep out of reach of children. Protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use. Keep away from sources of ignition – no smoking.

Incompatibilities: Temperatures exceeding 50°C. Direct sunlight.

---

## SECTION 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

---

National exposure standards:	<b>Chemical Name</b> Ethanol Butane Propane * Worksafe Australia Standards	<b>TWA*</b> <b>1880 mg/m<sup>3</sup></b> 1900 mg/m <sup>3</sup> (asphyxiant)
------------------------------	--	---

Biological limit values: Acute Oral LD<sub>50</sub> = 7060 mg/kg(Rat), Inhalation LC<sub>50</sub> = 20 000 ppm/10 Hrs (Rat) (based on 100% Ethanol)

---

---

## MATERIAL SAFETY DATA SHEET

---

Engineering controls: Use local exhaust ventilation when handling powdered resins. Eliminate ignition sources when mixing or handling liquid bulk. Use aerosols in a well ventilated area, away from all ignition sources. Ensure natural and/or mechanical ventilation (eg. exhaust fan) is adequate to ensure concentrations remain below exposure standards and explosion levels.

Personal protective equipment: Ensure good industrial hygiene practice. Eye protection should be worn when handling bulk product. Contact lenses should not be worn. Wear gloves for extended contact with product bulk.

### SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

---

Following properties for product bulk (unless indicated otherwise)

Appearance: Faun to pale brown, clear liquid  
Odour: Characteristic odour  
pH (at 25°C): Not applicable  
Vapour Pressure (Propellent): Approximately 400 kPa  
Boiling Point: No data available  
Freezing Point: No data available  
Solubility in water: Soluble  
Specific Gravity (at 25°C): Approximately 0.8 g/mL  
Vapour density (Propellant): Greater than 1.0  
Lower explosion limit (Propellent): 1.8%

Product bulk is flammable.

---

### SECTION 10 – STABILITY AND REACTIVITY

---

Chemical stability: Product bulk is stable under normal conditions. Packaging is stable under normal conditions.

Conditions to avoid: Nil

Incompatible materials: Nil

Hazardous decomposition products: Nil

Hazardous reactions: None known

---

### SECTION 11 – TOXICOLOGICAL INFORMATION

---

Health effects from likely routes of exposure: no data available

---

### SECTION 12 – ECOLOGICAL INFORMATION

---

Ecotoxicity: No data available

Persistence and degradability: No data available

---

---

## MATERIAL SAFETY DATA SHEET

---

Mobility: No data available

Environmental Fate: No data available

Bioaccumulative potential: No data available

### SECTION 13 – DISPOSAL CONSIDERATIONS

---

Disposal methods and containers: For liquid bulk, contact local EPA for advice. Transport in plastic (polyethylene) lined, sealed drums. For absorbent material used for spill containment, contact local EPA for directions.

Special precautions for landfill or incineration: Nil

---

### SECTION 14 – TRANSPORT INFORMATION

---

UN Number: 1950  
UN Proper Shipping Name: AEROSOLS  
Class and subsidiary risk: 2.1  
Packing Group: Not applicable  
Special precautions for user: Nil  
Hazchem Code: No code applicable

---

### SECTION 15 – REGULATORY INFORMATION

---

There is no known regulatory status of this material, or its ingredients, under Australian health, safety or environmental legislation. Furthermore, there is no additional national or international regulatory information.

---

### SECTION 16 – OTHER INFORMATION

---

Date of preparation/last revision: 02.11.06

Acronyms/abbreviations used in this Material Safety Data Sheet:

EPA Environment Protection Authority

Literature References: Nil

Sources for data: None listed