Date 2/8/2018		Alfhair Austr	ralia Pty. Ltd		Page 1 of 7
		SAFETY DA	TA SHEET		ersion No: 1 te this modification:
SECTION 1: Ide	entificati	on : Product Identifier	and the Chem		2/8/2018
1.1 Product ide	entifier	Style Stories Extreme	Hairspray		
Other N	Names				
1.2 Identified U	lse	Hair Styling Product			
1.3 Supplier/ Co	ompany	Alfhair Australia Pty. I	L td.		
		15 Concorde Drive, Keilor Park, VIC, 3042 Australia	r		
1.4 Emergency	telepho	ne number (24 hr)			
Phone No.	(NZ) 09	555 5730 Em	nergency No. (Au	ustralia) 0407 23	36601
Contact Point	Poisons	Information Centre (Austra (NZ) 0	alia) 131 126 0800 764 766		
Hazchem Classification Label Elements: Other Hazards	Keep aw Do not sp Pressuris Highly Fla	is according to criteria of Wo ay from heat/sparks/ open fla oray on open flame or other i sed container. Do not pierce ammable aerosol.	ames/ hot surfaces gnition source. or burn, even after	-	
Ingredients	mpositio	on and information on	inureurents		
ingreaterits			U.N. Number	CAS No.	Proportion
Ethyl alcohol			U.N. Number 1170	64-17-5	30-60%
Ethyl alcohol Butane			U.N. Number 1170 1011	64-17-5 106-97-8	30-60% 30-60%
Ethyl alcohol Butane Propane			U.N. Number 1170 1011 1978	64-17-5 106-97-8 74-98-6	30-60% 30-60% 1-10%
Ethyl alcohol Butane Propane Isobutane	nylamido (U.N. Number 1170 1011 1978 1969	64-17-5 106-97-8 74-98-6 75-28-5	30-60% 30-60% 1-10% 1-10%
Ethyl alcohol Butane Propane	rylamide (U.N. Number 1170 1011 1978	64-17-5 106-97-8 74-98-6	30-60% 30-60% 1-10%
Ethyl alcohol Butane Propane Isobutane	rylamide (U.N. Number 1170 1011 1978 1969	64-17-5 106-97-8 74-98-6 75-28-5	30-60% 30-60% 1-10% 1-10%
Ethyl alcohol Butane Propane Isobutane	rylamide (U.N. Number 1170 1011 1978 1969	64-17-5 106-97-8 74-98-6 75-28-5	30-60% 30-60% 1-10% 1-10%
Ethyl alcohol Butane Propane Isobutane	rylamide (U.N. Number 1170 1011 1978 1969	64-17-5 106-97-8 74-98-6 75-28-5	30-60% 30-60% 1-10% 1-10%
Ethyl alcohol Butane Propane Isobutane	rylamide (U.N. Number 1170 1011 1978 1969	64-17-5 106-97-8 74-98-6 75-28-5	30-60% 30-60% 1-10% 1-10%
Ethyl alcohol Butane Propane Isobutane	rylamide (U.N. Number 1170 1011 1978 1969	64-17-5 106-97-8 74-98-6 75-28-5	30-60% 30-60% 1-10% 1-10%
Ethyl alcohol Butane Propane Isobutane	rylamide (U.N. Number 1170 1011 1978 1969	64-17-5 106-97-8 74-98-6 75-28-5	30-60% 30-60% 1-10% 1-10%
Ethyl alcohol Butane Propane Isobutane	rylamide (U.N. Number 1170 1011 1978 1969	64-17-5 106-97-8 74-98-6 75-28-5	30-60% 30-60% 1-10% 1-10%
Ethyl alcohol Butane Propane Isobutane	rylamide (U.N. Number 1170 1011 1978 1969	64-17-5 106-97-8 74-98-6 75-28-5	30-60% 30-60% 1-10% 1-10%

	Alfhair Australia Pty. Ltd.	Page 2 of 7
	Dat	e 2/8/2018
Product Name	Style Stories Extreme Hairspray	
SECTION 4: First		
If Swallowed	Do not induce vomiting without medical advice. Give plenty or and seek medical attention.	f water to drink
	Do not give anything by mouth to an unconscious person.	
In Eyes	Flush eyes with plenty of water for 15 minutes - also under th Remove contact lenses if possible. If irritation persists, seek r	
On Skin	If irritation occurs, wash with plenty of soap and water. Where are involved, remove contaminated clothing and wash before irritation persists, seek medical advice.	
lf Inhaled	If inhalation occurs, remove from further exposure. Move to fr medical advice if effects persist.	esh air. Seek
Advice to Doctor:	Treat symptomatically and as for a narcotic substance.	
Acute:		
Swallowed	Swallowing ethanol can cause drunkenness or harmful central effects.	l nervous system
	If there are signs of drunkenness (intoxication or inebriation) the health effects may follow, depending on amount swallowed. Drinking large amounts may cause loss of consciousness, rest and death.	
Eyes	Vapours, liquids and mists may irritate the eyes.	
Skin	May be irritating with prolonged contact, especially when hand quantities of liquid.	ling bulk
Inhalation	Product is volatile. Overexposure by inhalation may cause drop or signs of intoxication. May cause asphyxiation or loss of cons high concentrations.	
Chronic:	No data available.	

	Alfhair Australia Pty. Ltd.	Page 3 of 7	
Г	SAFETY DATA SHEET	2/8/2018	
Product Name Style	Stories Extreme Hairspray		
SECTION 5: Fire Fighti	ng Measures		
Fire/Explosion Hazard	Aerosol containers may explode in fire. Avoid all ig is heavier than air and may travel along the ground flashback possible. Vessels must be earthed when transferring solvents. Explosions may be caused b	d. Distant ignition and agitating or	
Extinguising Media	Alcohol resistant foam is the preferred firefighting medium. Alternatively, use water spray, fog or mist, carbon dioxide, foam or dry chemical to fight fire. Do not use water jet to extinguish.		
Protection Equipment for Firefighters	Wear self contained breathing apparatus and suitable protective clothing.		
SECTION 6: Accidenta	Release Measures		
Spills & Disposal	Where large quantities are involved, contain spilt m earth, vermiculite or other absorbent material. Wash with copious volumes of water. Dispose of waste according to local regulations.	h cleaned up area	
Spills & Disposal	earth, vermiculite or other absorbent material. Wash with copious volumes of water.	h cleaned up area ated. ols and explosion	
Spills & Disposal	earth, vermiculite or other absorbent material. Wash with copious volumes of water. Dispose of waste according to local regulations. Eliminate ignition sources and keep area well ventil Move containers from spill area. Use spark proof to proof equipment. Prevent entry of spills into waterways or sewers. If n local emergency services.	h cleaned up area ated. ols and explosion	
SECTION 7: Handling Precautions for Safe Handling	earth, vermiculite or other absorbent material. Wash with copious volumes of water. Dispose of waste according to local regulations. Eliminate ignition sources and keep area well ventil Move containers from spill area. Use spark proof to proof equipment. Prevent entry of spills into waterways or sewers. If n local emergency services.	h cleaned up area ated. ols and explosion not prevented, advise	
SECTION 7: Handling Precautions for Safe Handling	earth, vermiculite or other absorbent material. Wash with copious volumes of water. Dispose of waste according to local regulations. Eliminate ignition sources and keep area well ventil Move containers from spill area. Use spark proof to proof equipment. Prevent entry of spills into waterways or sewers. If i local emergency services. and Storage Avoid contact with eyes. Avoid prolonged exposure. ventilation. Avoid breathing vapour or fumes. Containers must be earthed to avoid generation of s	h cleaned up area ated. ols and explosion not prevented, advise	
SECTION 7: Handling Precautions for Safe Handling Conditions for Safe Storage, including any Incompatibilities	earth, vermiculite or other absorbent material. Wash with copious volumes of water. Dispose of waste according to local regulations. Eliminate ignition sources and keep area well ventil Move containers from spill area. Use spark proof to proof equipment. Prevent entry of spills into waterways or sewers. If i local emergency services. and Storage Avoid contact with eyes. Avoid prolonged exposure. ventilation. Avoid breathing vapour or fumes. Containers must be earthed to avoid generation of s agitiating or transferring product.	h cleaned up area ated. ols and explosion not prevented, advise Provide adequate static charges when	

	Alfhair Australia Pty. Ltd.	Page 4 of 7			
	SAFETY DATA SHEET	2/8/2018			
Product Name Styl	e Stories Extreme Hairspray				
SECTION 8: Expos	SECTION 8: Exposure Controls and Personal Protection				
Exposure Limits	Ethanol TWA (8 hours) = 1000 ppm (1880 mg/m ³) Butane TWA (8 hours) = 600 ppm (1450 mg/m ³) Propane TWA (8 hours) = 1000 ppm (1800 mg/m ³) Isobutane TWA (8 hours) = 800 ppm (1900 mg/m ³)				
Engineering Controls	Use with adequate ventilation. Do not enter confined spaces where vapour may have collect Keep containers closed when not in use.	ed.			
Personal Protection	None required under normal conditions of use. When handling bulk quantities of liquid: - Wear suitable gloves (PVC or rubber) and protective goggle - Wear overalls to minimise skin contact. Remove and wash a clothing. In case of inadequate ventilation, wear suitable respiratory eq Always wash hands after handling.	any contaminated			
Flammability	Product is highly flammable				

	Alfhair Austra	lia Pty. Ltd.	Page 5 of 7		
Г	SAFETY DAT	2/8/2018			
L Product Name Style					
	Product Name Style Stories Extreme Hairspray				
SECTION 9: Physical and Chemical Properties					
Appearance and Odour Clear, light yellow liquid with characteristic odour (Liquid component.)					
Boiling Point/Range °C	Not determined	/apour Pressure Kpa	Not determined		
Volatiles (% volume)	86.5 - 87.5	Specific Gravity (Kg/L)	0.800 - 0.825		
Flash Point (oC)	Not determined	Flammability Limits (% vol) Not determined		
рН	7.7 - 8.7 (of liquid)	Solubility in Water (g/L)	Not determined		
Other Properties Product is highly flammal	ole.				
0,1					
SECTION 10: Stability	y and Reactivity				
	uct is stable under norma	al conditions.			
		o Avoid : Hazardous Decompo	_		
	I heat, sparks, flame and ts and reducing agents.	I build up of static electricity. A	void strong oxidising		
Carbo	on Dioxide and/or Carbo	n Monoxide may form during o	combustion.		

	Alfhair Australia Pty. Ltd.	Page 6 of 7	
	SAFETY DATA SHEET	2/8/2018	
Product Name	Style Stories Extreme Hairspray		
	exiciological Information LD 50 rat = 7060 mg/kg (Ethanol)		
	No information available on chronic effects.		
Skin Irritation	Prolonged or repeated contact with skin may result in slight	irritation.	
Toxicity Inhalation	No effects expected under normal conditions of use.		
	Vapour is moderately irritating to the mucous membranes an	nd respiratory tract.	
Eye Irritation	Vapours may irritate the eyes. Liquid and mists may severel the eyes.	y irritate or damage	
Other Toxicity Information	Long term exposure may cause changes in the liver, kidney and heart muscle. Prolonged skin contact may cause derma		
SECTION 12: E	cological Information		
Eco Toxicity	Toxicity to fish (Ethanol) LC50 > 1000mg/l/48 h		
Persistence and Degradability	Acrylates/Octylacrylamide Copolymer is not readily biodegra	adable,	
Bioaccumulation	No information available.		
Soil Mobility	No information available.		
Other Adverse Effects	No information available. Avoid contaminating waterways.		
SECTION 13: Disposal Considerations Dispose of containers/contents in accordance with local regulations.			

Alfhair Austral	Page 7 of 7 2/8/2018			
SAFETY DATA	2/0/2010			
Product Name Style Stories Extreme Hairspray				
SECTION 14: Transport information				
UN Number 1950	Transport Hazard Class	2.1		
	Subsidiary Risk	N/A		
	Packing Group	N/A		
Proper Shipping Name				
Aerosols				
Hazchem Code				
Not Allocated				
Environmental Hazards				
No information available. Avoid co	ntaminating waterways.			
Special Precautions for User				
Special Precautions for User Product is under pressure. Do not puncture or incinerate container, even when empty. Store away from heat, sunlight or naked flame.				
Additional Information				
SECTION 15: Regulatory information				
Poisons Schedule:				
SECTION 16: Any other Relevant information				
This document has been prepared according to Code of Practice for Preparation of Safety Data Sheets (February 2016.)				
N/A = Not Applicable or Not Allocated TWA = Time Weighted Average				
🔅 Prepared by Eurofins Dermatest Pty Ltd				
Preparation Date: 2/8/2018 Preparation Note	es: First issue for this pro	oduct		