

# Material Safety Data Sheet

ISO i.color (all Shades)



## 1. Identification of the material and supplier

### Names

- Product name** : ISO i.color (all Shades)
- Distributor** : SALON SUPPORT PTY. LTD.  
16 Cavendish Road  
COORPAROO QLD 4151AU  
AUSTRALIA  
Phone: 07-3397-3933
- Manufacturer** : Zotos International, INC.  
100 Tokeneke Road,  
Darien, CT 06820  
www.zotos.com
- Emergency telephone number** : 131126

## 2. Hazards identification

- Classification** : Not regulated.
- Risk phrases** : Not classified.
- Statement of hazardous/dangerous nature** : NON-HAZARDOUS SUBSTANCE. NON-DANGEROUS GOODS.

## 3. Composition/information on ingredients

- Mixture** : Yes.

Ingredient name	CAS number	Concentration
hexadecan-1-ol	36653-82-4	4
Propylene glycol	57-55-6	3
glycerol 1-stearate	123-94-4	2.7
White Mineral Oil, NF	8042-47-5	1.25

Other ingredients, determined not to be hazardous according to Safe Work Australia criteria, and not dangerous according to the ADG Code, make up the product concentration to 100%.

**There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.**

## 4. First aid measures

### First aid measures

- Inhalation** : Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
- Ingestion** : Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
- Skin contact** : Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
- Eye contact** : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
- Protection of first-aiders** : No action shall be taken involving any personal risk or without suitable training.
- Advice to doctor** : In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

## 5. Fire-fighting measures

### Extinguishing media

**Suitable** : Use an extinguishing agent suitable for the surrounding fire.

**Not suitable** : None known.

**Special exposure hazards** : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

In a fire or if heated, a pressure increase will occur and the container may burst.

**Hazardous thermal decomposition products** : Decomposition products may include the following materials:  
carbon dioxide  
carbon monoxide  
nitrogen oxides

**Special protective equipment for fire-fighters** : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

## 6. Accidental release measures

**Personal precautions** : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment (see Section 8).

**Environmental precautions** : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

### Methods for cleaning up

**Small spill** : Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

**Large spill** : Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13). Dispose of via a licensed waste disposal contractor. Note: see section 1 for emergency contact information and section 13 for waste disposal.

## 7. Handling and storage

**Handling** : Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas.

**Storage** : Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

## 8. Exposure controls/personal protection

### Occupational exposure limits

Ingredient name	Exposure limits
hexadecan-1-ol	<b>TRGS900 AGW (Germany, 8/2010).</b> TWA: 200 mg/m <sup>3</sup> 8 hour(s). TWA: 20 ppm 8 hour(s). PEAK: 200 mg/m <sup>3</sup> 15 minute(s). PEAK: 20 ppm 15 minute(s).
Propylene glycol	<b>Safe Work Australia (Australia, 8/2005).</b> TWA: 10 mg/m <sup>3</sup> 8 hour(s). Form: Particulate TWA: 150 ppm 8 hour(s). Form: Vapor and particulates

## 8. Exposure controls/personal protection

glycerol 1-stearate	TWA: 474 mg/m <sup>3</sup> 8 hour(s). Form: Vapor and particulates <b>Safe Work Australia (Australia, 8/2005).</b>
White Mineral Oil, NF	TWA: 10 mg/m <sup>3</sup> 8 hour(s). <b>Safe Work Australia (Australia, 8/2005).</b> TWA: 5 mg/m <sup>3</sup> 8 hour(s).

**Recommended monitoring procedures** : If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment.

### Exposure controls

**Engineering measures** : No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants. If this product contains ingredients with exposure limits, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure below any recommended or statutory limits.

**Hygiene measures** : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

**Eyes** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts.

**Hands** : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

**Respiratory** : Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

**Skin** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

**Environmental exposure controls** : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

## 9. Physical and chemical properties

<b>Physical state</b>	: Liquid.
<b>Color</b>	: Off-white.
<b>Odor</b>	: Fragrance-like.
<b>Relative density</b>	: 0.99
<b>Flash point</b>	: Closed cup: Not applicable.
<b>pH</b>	: 9.7
<b>Flame duration</b>	: Not applicable.

## 10. Stability and reactivity

<b>Chemical stability</b>	: The product is stable.
<b>Possibility of hazardous reactions</b>	: Under normal conditions of storage and use, hazardous reactions will not occur.
<b>Conditions to avoid</b>	: No specific data.
<b>Materials to avoid</b>	: No specific data.
<b>Hazardous decomposition products</b>	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## 11. Toxicological information

### Potential acute health effects

- Inhalation** : Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure.
- Ingestion** : No known significant effects or critical hazards.
- Skin contact** : No known significant effects or critical hazards.
- Eye contact** : No known significant effects or critical hazards.

### Acute toxicity

Product/ingredient name	Result	Dose	Exposure
hexadecan-1-ol	LD50 Oral	5 g/kg	-
Propylene glycol	LD50 Dermal	20800 mg/kg	-
	LD50 Oral	20 g/kg	-
White Mineral Oil, NF	LD50 Oral	>5000 mg/kg	-

**Conclusion/Summary** : Not available.

### Potential chronic health effects

#### Chronic toxicity

**Conclusion/Summary** : Not available.

#### Irritation/Corrosion

Product/ingredient name	Result	Score	Exposure	Observation
hexadecan-1-ol	Eyes - Mild irritant	-	82 milligrams	-
	Skin - Mild irritant	-	100 Percent	-
	Skin - Moderate irritant	-	24 hours 100 milligrams	-
	Skin - Mild irritant	-	72 hours 75 milligrams	-
	Skin - Severe irritant	-	Intermittent 0.2 Percent	-
	Skin - Mild irritant	-	48 hours 50 milligrams	-
	Skin - Severe irritant	-	24 hours 100 milligrams	-
Propylene glycol	Skin - Mild irritant	-	24 hours 2600 milligrams	-
	Skin - Severe irritant	-	24 hours 100 milligrams	-
	Eyes - Mild irritant	-	24 hours 500 milligrams	-
	Eyes - Mild irritant	-	100 milligrams	-
	Skin - Moderate irritant	-	96 hours 30 Percent continuous	-
	Skin - Mild irritant	-	168 hours 500 milligrams	-
	Skin - Moderate irritant	-	72 hours 104 milligrams	-
	Skin - Mild irritant	-	Intermittent 96 hours 30 Percent	-

**Conclusion/Summary** : Not available.

#### Sensitizer

**Conclusion/Summary** : Not available.

#### Carcinogenicity

**Conclusion/Summary** : Not available.

#### Mutagenicity

**Conclusion/Summary** : Not available.

#### Teratogenicity

**Conclusion/Summary** : Not available.

## 11. Toxicological information

### Reproductive toxicity

- Conclusion/Summary** : Not available.
- Chronic effects** : No known significant effects or critical hazards.
- Carcinogenicity** : No known significant effects or critical hazards.
- Mutagenicity** : No known significant effects or critical hazards.
- Teratogenicity** : No known significant effects or critical hazards.
- Developmental effects** : No known significant effects or critical hazards.
- Fertility effects** : No known significant effects or critical hazards.

### Over-exposure signs/symptoms

- Inhalation** : No specific data.
- Ingestion** : No specific data.
- Skin** : No specific data.
- Eyes** : No specific data.
- Target organs** : Contains material which may cause damage to the following organs: lungs, upper respiratory tract, skin, eye, lens or cornea, testes.

## 12. Ecological information

- Ecotoxicity** : No known significant effects or critical hazards.

### Aquatic ecotoxicity

Product/ingredient name	Result	Species	Exposure
Propylene glycol	Acute EC50 >1000 mg/L Fresh water	Daphnia - Daphnia magna - <24 hours	48 hours
	Acute LC50 1020000 ug/L Fresh water	Crustaceans - Ceriodaphnia dubia - <=24 hours	48 hours
	Acute LC50 710000 ug/L Fresh water	Fish - Pimephales promelas - <=7 days	96 hours

- Conclusion/Summary** : Not available.

### Other ecological information

#### Persistence/degradability

- Conclusion/Summary** : Not available.

#### Bioaccumulative potential

Product/ingredient name	LogP <sub>ow</sub>	BCF	Potential
Propylene glycol	-0.92	-	low
White Mineral Oil, NF	>6	-	high

- Other adverse effects** : No known significant effects or critical hazards.

## 13. Disposal considerations

- Methods of disposal** : The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Significant quantities of waste product residues should not be disposed of via the foul sewer but processed in a suitable effluent treatment plant. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

## 14. Transport information

Regulation	UN number	Proper shipping name	Classes	PG*	Label	Additional information
ADG	Not regulated.	-	-	-		-
ADR	Not regulated.	-	-	-		-

## 14. Transport information

<b>IMDG</b>	Not regulated.	-	-	-	-
<b>IATA</b>	Not regulated.	-	-	-	-

PG\* : Packing group

## 15. Regulatory information

### Standard for the Uniform Scheduling of Drugs and Poisons

Not regulated.

### Control of Scheduled Carcinogenic Substances

Not available.

No listed substance

**Australia inventory (AICS)** : All ingredients that are not contained in the AICS database are below registration thresholds.

## 16. Other information

**Date of issue** : 8/20/2012.

### Disclaimer

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.