


LARGE TILT-UP TREE KIT

3/16" ALLEN KEY



1 FOLDING BASE

2 STAR MOUNT

3 TOPPER MOUNT

4 MAIN POLE SECTIONS

5 LEG EXTENSIONS

6 TOPPER

7 HOOP

8 HARDWARE

STEP 1

MATERIALS NEEDED

- TOPPER MOUNT
- TOPPER
- 5/16-18 BUTTON HEAD ALLAN BOLTS (QUANTITY: 4)

STEPS:

1. MAKE SURE YOU HAVE THE TOPPER MOUNT, THE TOPPER, AND FOUR 5/16-18 BUTTON HEAD ALLAN BOLTS.

2. PLACE THE TOPPER IN THE DESIRED POSITION ON THE TOP OF MOUNT. ALIGN THE MOUNTING HOLES ON THE TOPPER WITH THE THREADED HOLES ON THE TOPPER MOUNT.

3. TAKE ONE 5/16-18 BUTTON HEAD ALLAN BOLT AND INSERT IT THROUGH ONE OF THE HOLES ON THE TOPPER. SCREW IT INTO THE CORRESPONDING THREADED HOLE ON THE TOPPER MOUNT. REPEAT THIS STEP FOR THE REMAINING THREE BOLTS, ENSURING THAT EACH BOLT IS SECURE.

4. USE AN APPROPRIATE TOOL, SUCH AS AN ALLAN WRENCH, TO TIGHTEN THE BOLTS. ENSURE THAT THEY ARE FASTENED SECURELY BUT AVOID OVERTIGHTENING, AS IT MAY DAMAGE THE COMPONENTS.



STEP 2

MATERIALS NEEDED

- FOLDING BASE (QUANTITY: 1)

STEPS:

1. LOCATE THE FOLDING BASE AND ENSURE IT IS IN A SUITABLE POSITION FOR ASSEMBLY.

2. IDENTIFY THE FOUR LEG PINS ON THE FOLDING BASE. THESE PINS SECURE THE LEGS IN PLACE WHEN THE BASE IS NOT IN USE. PULL EACH PIN OUT OF ITS RESPECTIVE LEG, ONE AT A TIME.


3. WITH THE PIN REMOVED, GENTLY LOWER THE LEG DOWN. TAKE CARE NOT TO LET IT DROP TOO QUICKLY AS IT MAY CAUSE DAMAGE.

4. ONCE THE LEG IS IN ITS LOWERED POSITION, ALIGN THE PIN WITH THE LOWER HOLE ON THE LEG. INSERT THE PIN BACK INTO THE HOLE, ENSURING IT GOES THROUGH BOTH THE LEG AND THE BASE. PUSH IT IN FIRMLY TO SECURE THE LEG IN PLACE.

5. REPEAT FOR ALL LEGS: REPEAT STEPS 3 AND 4 FOR THE REMAINING THREE LEGS OF THE FOLDING BASE. MAKE SURE TO PULL OUT THE PIN, LOWER THE LEG SLOWLY, AND THEN REINSERT THE PIN INTO THE LOWER HOLE, SECURING IT IN PLACE.

6. ONCE ALL FOUR LEGS HAVE BEEN LOWERED AND PINNED BACK INTO PLACE, DOUBLE-CHECK THAT THEY ARE SECURELY ATTACHED TO THE FOLDING BASE. GIVE EACH LEG A SLIGHT TUG TO ENSURE IT IS PROPERLY LOCKED AND STABLE.

GREAT JOB! YOU HAVE SUCCESSFULLY COMPLETED THE SECOND STAGE OF ASSEMBLY, ATTACHING THE LEGS TO THE FOLDING BASE. KEEP FOLLOWING THE REMAINING STEPS TO COMPLETE THE ENTIRE PROCESS.



STEP 3





MATERIALS NEEDED

- LEG EXTENSIONS (QUANTITY: 4)
- 5/16-18 BUTTON HEAD ALLAN BOLTS (QUANTITY: 8)

STEPS:

1. RETRIEVE THE FOUR LEG EXTENSIONS AND EIGHT 5/16-18 BUTTON HEAD ALLAN BOLTS.
2. CHOOSE ONE LEG EXTENSION AND ALIGN IT WITH THE END OF A LEG ON THE FOLDING BASE. EACH LEG EXTENSION WILL HAVE TWO THREADED HOLES.
3. POSITION THE LEG EXTENSION SO THAT THE THREADED HOLES ALIGN WITH THE CORRESPONDING HOLES ON THE LEG OF THE FOLDING BASE.
4. INSERT TWO 5/16-18 BUTTON HEAD ALLAN BOLTS INTO THE THREADED HOLES ON THE LEG EXTENSION. MAKE SURE THEY ARE PROPERLY ALIGNED WITH THE HOLES ON BOTH THE LEG EXTENSION AND THE LEG OF THE FOLDING BASE.
5. USING AN APPROPRIATE TOOL, SUCH AS AN ALLAN WRENCH, FASTEN THE TWO BOLTS ONTO THE LEG EXTENSION. TIGHTEN THEM JUST ENOUGH TO SECURE THE LEG EXTENSION IN PLACE, BUT KEEP THEM SLIGHTLY LOOSE FOR FUTURE ADJUSTMENTS.
6. REPEAT STEPS 2 TO 5 FOR THE REMAINING THREE LEGS OF THE FOLDING BASE. ATTACH A LEG EXTENSION TO EACH LEG, ALIGNING THE THREADED HOLES AND SECURELY FASTENING TWO BOLTS ONTO THE LEG EXTENSION FOR EACH LEG.
7. ONCE ALL FOUR LEG EXTENSIONS ARE ATTACHED TO THEIR RESPECTIVE LEGS, VERIFY THAT THEY ARE SECURELY IN PLACE. ENSURE THAT EACH LEG EXTENSION IS SNUGLY FASTENED BUT STILL ALLOWS FOR FUTURE ADJUSTMENTS.

CONGRATULATIONS! YOU HAVE SUCCESSFULLY COMPLETED STEP THREE OF THE ASSEMBLY, ATTACHING THE LEG EXTENSIONS TO THE LEGS OF THE FOLDING BASE. CONTINUE WITH THE REMAINING STEPS TO FINISH THE PROCESS.



STEP 4

MATERIALS NEEDED

- TWO PIECES OF THE FOUR-PIECE HOOP
- 5/16-18 BUTTON HEAD ALLAN BOLTS (QUANTITY: 4)

STEPS:

1. CHOOSE TWO PIECES FROM THE FOUR-PIECE HOOP SET. THESE WILL BE USED TO CONNECT THE THREE LEGS OF THE FOLDING BASE.

2. ARRANGE THE TWO HOOP PIECES IN A LINE, ALIGNING THEM WITH THREE LEGS OF THE FOLDING BASE. ENSURE THAT THE HOOP PIECES ARE ORIENTED CORRECTLY, WITH THE EYELET HOLE FOR THE ANCHOR EASE AND THE KNOB TO SECURE THE POLE ON THE SAME SIDE AS THE HOOP PIECES.

3. AT THIS POINT, YOU MAY NEED TO ADJUST THE LEG EXTENSIONS TO ENSURE PROPER ALIGNMENT WITH THE HOOP PIECES. MAKE ANY NECESSARY ADJUSTMENTS TO ENSURE A PROPER FIT.

4. INSERT TWO 5/16-18 BUTTON HEAD ALLAN BOLTS INTO EACH CONNECTION POINT WHERE THE HOOP PIECES OVERLAP THE LEGS. USE A TOTAL OF FOUR BOLTS TO SECURE THE HOOP PIECES TO THE THREE LEGS.



5. USE AN APPROPRIATE TOOL, SUCH AS AN ALLAN WRENCH, TO SNUGLY FASTEN THE BOLTS. ENSURE THAT THEY ARE TIGHTENED ENOUGH TO HOLD THE HOOP PIECES IN PLACE, BUT KEEP THEM SLIGHTLY LOOSE TO ALLOW FOR ADJUSTMENTS.

6. VERIFY FOLDING BASE MOVEMENT: CHECK THAT YOU CAN STILL FOLD THE BASE WITH ONE LEG AND NOTHING OBSTRUCTS ITS FOLDING MOTION. ENSURE THAT THE HOOP PIECES ARE CORRECTLY POSITIONED TO ALLOW SMOOTH FOLDING.

CONGRATULATIONS! YOU HAVE COMPLETED STEP FOUR OF THE ASSEMBLY. THE HOOP PIECES ARE SECURELY ATTACHED TO THE THREE LEGS OF THE FOLDING BASE. PROCEED WITH THE REMAINING STEPS TO FINISH THE ASSEMBLY PROCESS.



STEP 5



MATERIALS NEEDED

- THREE SECTIONS OF THE POLE
- 5/16-18 BUTTON HEAD ALLAN BOLTS (QUANTITY: 8)

STEPS:

1. GATHER THE THREE SECTIONS OF THE POLE AND EIGHT 5/16-18 BUTTON HEAD ALLAN BOLTS.
2. TAKE THE CENTER SECTION OF THE POLE AND SLIDE IT ONTO THE LOWER SECTION. MAKE SURE THE SECTION WITH THE KNOB IS STICKING OUT AND THE THREADED HOLES ALIGN BETWEEN THE SECTIONS.
3. SLIDE THE SECTIONS TOGETHER UNTIL THEY ARE ALIGNED PROPERLY AND SECURE THEM WITH FOUR OF THE BOLTS. INSERT TWO BOLTS INTO THE THREADED HOLES ON OPPOSITE SIDES AND TIGHTEN THEM SECURELY.
4. TAKE THE THIRD SECTION OF THE POLE AND JOIN IT WITH THE TWO SECTIONS THAT ARE ALREADY ASSEMBLED TOGETHER. ALIGN THE THREADED HOLES AND FASTEN THE THIRD SECTION TO THE EXISTING SECTIONS USING FOUR BOLTS. INSERT TWO BOLTS INTO EACH SIDE AND TIGHTEN THEM SECURELY.
5. TAKE THE ASSEMBLED TOPPER MOUNT AND TOPPER AND SLIDE THEM INTO THE TOP OF THE POLE SECTION. MAKE SURE THEY FIT PROPERLY AND SECURELY.
6. ADJUST THE TOPPER HEIGHT: USE THE SUPPLIED PIN TO SELECT THE DESIRED HEIGHT OF THE TOPPER. SLIDE THE PIN INTO THE APPROPRIATE HOLE TO FIX THE HEIGHT. NOTE THAT YOU WILL FINE-TUNE THE TOPPER HEIGHT IN THE NEXT STEP.

CONGRATULATIONS ON COMPLETING STEP FIVE! YOU HAVE ASSEMBLED THE THREE SECTIONS OF THE POLE AND ATTACHED THE TOPPER MOUNT AND TOPPER. PROCEED TO THE NEXT STEP TO FURTHER ADJUST THE TOPPER HEIGHT.

STEP 6



STEPS:

1. CAREFULLY PLACE THE PARTIALLY ASSEMBLED FOLDABLE BASE ONTO ITS SIDE, ENSURING THAT IT IS STABLE AND WILL NOT TIP OVER DURING ASSEMBLY.

2. TAKE THE ASSEMBLED POLE AND SLOWLY SLIDE IT INTO THE BASE. PAY ATTENTION TO ALIGN THE POLE WITH THE OPENING IN THE BASE.

3. BEFORE FULLY INSERTING THE POLE INTO THE BASE, ENSURE THAT THE KNOB ON THE BASE IS FULLY LOOSENED. THIS WILL PREVENT ANY OBSTRUCTIONS WHILE INSERTING THE POLE.

4. GENTLY PUSH THE POLE ALL THE WAY DOWN UNTIL IT IS SECURELY SEATED AT THE BOTTOM OF THE BASE. TAKE CARE NOT TO FORCE IT, AS IT SHOULD SLIDE IN SMOOTHLY.

5. ONCE THE POLE IS FULLY INSERTED INTO THE BASE, TIGHTEN THE KNOB SECURELY. THIS WILL FASTEN THE POLE TIGHTLY TO THE BASE, ENSURING STABILITY.


6. PLACE THE CARABINERS ALL THE WAY AROUND THE TOP OF THE POLE. ENSURE THAT THEY ARE PROPERLY SECURED AND EVENLY DISTRIBUTED.

7. USE A TAPE MEASURE TO MEASURE THE DISTANCE FROM THE BOTTOM OF THE CARABINER TO THE HOOP. THIS WILL HELP DETERMINE IF THE TOP IS SET AT THE PROPER HEIGHT FOR THE LIGHT STRIP OR LIGHTING YOU PLAN TO USE.

8. ADJUST THE TOPPER HEIGHT: BASED ON THE MEASUREMENT IN THE PREVIOUS STEP, ADJUST THE TOPPER HEIGHT ACCORDINGLY. SLIDE THE TOPPER UP OR DOWN ON THE POLE TO ACHIEVE THE DESIRED HEIGHT FOR YOUR PROJECT.

MAKE SURE TO TIGHTEN ANY SCREWS OR KNOBS AFTER MAKING ADJUSTMENTS TO ENSURE A SECURE FIT.

GREAT! YOU HAVE COMPLETED STEP SIX AND ADDED THE ADDITIONAL STEPS FOR ATTACHING CARABINERS, MEASURING, AND ADJUSTING THE TOPPER HEIGHT. CONTINUE TO THE NEXT STEP TO COMPLETE THE ASSEMBLY PROCESS.



STEP 7



STEPS:

1. BEGIN BY ATTACHING ALL YOUR LIGHT STRIPS TO THE TOPPER. MAKE SURE TO SECURE THEM TIGHTLY AND EVENLY DISTRIBUTE THEM AROUND THE TOPPER.


2. ONCE THE LIGHT STRIPS ARE ATTACHED TO THE TOPPER, SECURE THEM TO THE HOOP ON THE SIDE THAT IS ALREADY MOUNTED. THIS WILL HELP KEEP THE LIGHT STRIPS IN PLACE.

3. AT THIS POINT, THE INSTRUCTIONS MAY NOT MAKE COMPLETE SENSE WITHOUT THE OTHER SIDE OF THE HOOP BEING ATTACHED. HOWEVER, IF YOU ARE READY TO TILT THE TREE UP, PROCEED AS FOLLOWS.

4. BEGIN BY STANDING AT THE BASE OF THE POLE AND HOLD ONTO THE POLE JUST BELOW THE TOPPER.

5. USE YOUR HANDS TO GUIDE THE POLE UPWARDS, SLOWLY WALKING IT UP FROM UNDERNEATH. ENSURE THAT THE POLE REMAINS STRAIGHT AS YOU LIFT IT.

6. ONCE THE POLE IS STANDING STRAIGHT UP, REINSERT THE PIN INTO THE LEG TO SECURE IT IN AN UPRIGHT POSITION. MAKE SURE THE PIN IS FULLY INSERTED AND SEATED SECURELY.



NOTE: EXERCISE CAUTION AND ENSURE YOU HAVE ENOUGH SUPPORT WHILE TILTING THE TREE UP TO PREVENT ANY ACCIDENTS OR INJURIES.

GREAT WORK! YOU HAVE COMPLETED STEP SEVEN, ATTACHING THE LIGHT STRIPS, AND TILTING THE TREE UP. CONTINUE WITH THE FINAL STEPS TO FINISH THE ASSEMBLY OF YOUR TILT-UP TREE.

BONUS STEP - MOUNTING A STAR ON TOP OF YOUR TREE:

1. TAKE THE STAR MOUNT PROVIDED AND ENSURE THAT IT IS ASSEMBLED ACCORDING TO YOUR STAR.
2. IDENTIFY THE CENTER THREADED HOLE ON THE TOPPER MOUNT.
3. POSITION THE ASSEMBLED STAR MOUNT IN THE CENTER THREADED HOLE, ALIGNING IT CORRECTLY.
4. USE A 5/16-18 BUTTON HEAD ALLEN BOLT SECURELY FASTEN THE STAR MOUNT IN PLACE.
5. ONCE THE STAR MOUNT IS ATTACHED SECURELY, PLACE YOUR DESIRED STAR ON TOP OF THE MOUNT.
6. ADJUST THE STAR AS NEEDED TO ENSURE IT IS STRAIGHT AND CENTERED.

STEP 8

MATERIALS NEEDED

- TWO PIECES OF THE FOUR-PIECE HOOP
- 5/16-18 BUTTON HEAD ALLAN BOLTS (QUANTITY: 4)



STEPS:


1. REPEAT STEP FOUR FOR THE OTHER SIDE OF THE FOLDING BASE: FOLLOWING THE INSTRUCTIONS FROM STEP FOUR, ATTACH THE OTHER TWO PIECES OF THE HOOP TO THE OTHER SIDE OF THE FOLDING BASE. ENSURE ALL THE BOLTS AND FASTENERS ARE SECURELY TIGHTENED.

2. ONCE BOTH SIDES OF THE HOOP ARE ATTACHED, CHECK THE FITMENT AND ALIGNMENT OF ALL THE HOOPS. ENSURE THAT THEY ARE PROPERLY ALIGNED AND SECURELY ATTACHED TO THE LEGS AND BASE.

3. ATTACH AND SECURE YOUR LIGHT STRIPS TO THE REMAINDER OF THE HOOP. MAKE SURE THEY ARE EVENLY DISTRIBUTED AND PROPERLY SECURED.

4. DOUBLE-CHECK THAT ALL HARDWARE, INCLUDING BOLTS AND FASTENERS, IS SECURELY TIGHTENED. THIS WILL ENSURE THE STABILITY AND SAFETY OF THE TILT-UP MEGATREE.

5. WITH ALL THE STEPS COMPLETED, CONGRATULATIONS ON ASSEMBLING YOUR TILT-UP MEGATREE! ENJOY THE BEAUTIFUL LIGHTING DISPLAY AND CREATIVE OPPORTUNITIES IT OFFERS.



WELL DONE! YOU HAVE SUCCESSFULLY COMPLETED STEP EIGHT, WHICH INVOLVES REPEATING STEP FOUR FOR THE OTHER SIDE OF THE FOLDING BASE, CHECKING THE FITMENT OF ALL THE HOOPS, SECURELY FASTENING THE LIGHT STRIPS, AND CONFIRMING THE COMPLETION OF YOUR TILT-UP MEGATREE.

Light--Rama



LARGE TILT-UP

**ASSEMBLY
INSTRUCTIONS**