



USB 3.1 Type-C to DisplayPort 4K@60Hz Adapter - DP 1.2 Alt Mode - Black

AD-UC-DV02- Specifications

Description

The USB Type-C to DisplayPort adapter consists of a USB 3.1 Type-C male on one end and a DisplayPort v1.4 female on the other end. It allows you to connect an extra display from your laptop's USB Type-C port. This adapter provides video output of 4K@60Hz resolution, high throughput using the USB 3.1 bus and supports high definition monitors. The adapter can either extend or mirror your source. It can work on all Type-C and Thunderbolt 3 hosts that support DP Alt mode (including DP1.4 and DP1.2 Alt mode). *Please note, when trying to use this adapter to convert DP to HDMI, an active DP to HDMI cable must be used.*

Physical Characteristics

| | |
|-----------------------|--|
| Cable Length | 6 inches |
| Color | Black |
| Connector Plating | Nickel |
| Operating Temperature | 0°C to +45°C |
| Operating Humidity | 10% to 85% RH (No Condensation) |
| Storage Temperature | -10°C to +70°C |
| Storage Humidity | 5% to 90% RH (No Condensation) |
| Connector(s) | |
| Connector A | USB 3.1 Type-C Male |
| Connector B | DisplayPort v1.2 Female |
| Performance | |
| Resolution | Up to 4K (3840 x 2160) @ 60Hz |
| Version | DisplayPort 1.2 Alt mode |
| Power Source | USB Bus Power (No External Power Supply) |
| Compatibility | Compliant with USB 3.1 |
| | Backward Compatible with USB 3.0 and USB 2.0 |

System Requirements

| | |
|------------------|-------------------|
| Operating System | Windows Compliant |
| | Mac Compliant |

Certifications

| | |
|---------|-----|
| FCC, CE | Yes |
|---------|-----|



Environmental

| | |
|-------------------|-----|
| RoHS | Yes |
| Reach | Yes |
| Conflict Minerals | Yes |

Packaging Information

| | |
|------------------|-------------------|
| Package Quantity | 1 |
| Product Weight | 0.06 lbs [0.02kg] |