



# OM4 Multimode Duplex 50 Micron Fiber Zip Cord 2mm Jacket LSZH - Aqua (per meter)



## BK-F2Z-OM4B-LR - Specifications

### Description

This cable is primarily used in the assembly of duplex fiber patch cords used in server rooms, data centers and other point to point indoor applications.

### Features

- Easy strip option allows removal of up to 1 meter of 900 micron material without stripping the fibers 250 micron coating.
- Connectorized patch cords for interconnect and cross-connect applications.
- Tested to meet or exceed EIA/TIA 568-133 and Telcordia GR-409-CORE.
- RoHS/REACH Compliant



### Physical Characteristics

Color	Aqua
Fiber Optic Type	Zipcord 2.0 Multimode 50/125um
Fiber Core Diameter	50.0 micron ± 2.0 micron
Bandwidth Range	@850 > 3500 MHz/km @1300 > 500 MHz/km
Attenuation Range	@850nm 2.3dB/km @1300nm 0.6dB/km
Maximum Tensile Load	Short Term, N 450 Long Term, N 200
Minimum Bending Radius	Load 40mm Unload 20mm

Fiber Count	2C
Tight Buffer Diameter	0.9 micron ±0.05
Cable Diameter	2mm
Fire Rating	LSZH
Uniformly Distributed	Kevlar
Operating Temperature	-40~+75 deg C

### Environmental

RoHS	Yes
------	-----

### Packaging Information

Product Weight	0.03 lbs [0.01 kg]
----------------	--------------------